

# Australian Journal of Agricultural Research

## Index to Volume 54

- Ablett GA See Cakir M *et al.* 1155, 1369; Emebiri LC *et al.* 1211; Read BJ *et al.* 1145; Karakousis A *et al.* 1197
- Ablett GA, Karakousis A, Banbury L, Cakir M, Holton TA, Langridge P, Henry RJ Application of SSR markers in the construction of Australian barley genetic maps. 1187
- Adams ML See Pracilio G *et al.* 789
- Adams NR, Cronje PB A review of the biology linking fibre diameter with fleece weight, liveweight and reproduction in Merino sheep. 1
- Adhikari KN See Galwey NW *et al.* 649
- Ahmad F See Croser JS *et al.* 429
- Al-Qurran LZ See El-Shatnawi MdK *et al.* 53
- Alfonso M See Sanudo C *et al.* 551
- Allen HM See Skerritt JH *et al.* 987
- Allsopp PG, Fischer TWA, Bade GS, Dall DJ Do farming practices influence the incidence of Childers caneegrubs, *Antitrogus parvulus* Britton (Coleoptera: Scarabaeidae)? 259
- Alter D See Zhang XG *et al.* 979
- Amini Dehaghi M, Modarres Sanavy SAM Effect of root zone temperatures on morphology, growth and development, yield, and yield components of annual medics. 917
- Anderson RD See Pluske JR *et al.* 933
- Anderson WK See Hamza MA *et al.* 273
- Appels R See Li CD *et al.* 1303; Cakir M *et al.* 1155, 1369
- Armstrong EL See Evans J *et al.* 763, 777
- Armstrong RD See Nuttall JG *et al.* 487
- Asayama S See Pallotta MA *et al.* 1141
- Asseng S See Pracilio G *et al.* 789
- Atienza SG See Avila CM *et al.* 409
- Avila CM See Roman B *et al.* 85
- Avila CM, Atienza SG, Moreno MT, Torres AM Isozyme characterisation of *Vicia faba* germplasm. Genetic interpretation and applications. 409
- Bade GS See Allsopp PG *et al.* 259
- Bahmani I, Thom ER, Matthew C, Hooper RJ, Lemaire G Tiller dynamics of perennial ryegrass cultivars derived from different New Zealand ecotypes: effects of cultivar, season, nitrogen fertiliser, and irrigation. 803
- Baldock JA See Sadras VO *et al.* 353
- Balnave D See Chen J *et al.* 177
- Banbury L See Ablett GA *et al.* 1187
- Barbetti MJ See Wherrett AD *et al.* 837; Bayliss KL *et al.* 77
- Barclay I See Sivapalan S *et al.* 91
- Barr AR See Collins HM *et al.* 1223; Coventry SJ *et al.* 1103, 1241; Karakousis A *et al.* 1131, 1137, 1173, 1197; Long NR *et al.* 1163; Pallotta MA *et al.* 1141; Cakir M *et al.* 1155; Park RF *et al.* 1323; Li CD *et al.* 1251; Boyd WJR *et al.* 1277; Raman H *et al.* 1359; Williams KJ *et al.* 1387
- Barr AR, Jefferies SP, Broughton S, Chalmers KJ, Kretschmer JM, Boyd WJR, Collins HM, Roumeliotis S, Logue SJ, Coventry SJ, Moody DB, Read BJ, Poulsen D, Lance RCM, Platz GJ, Park RF, Panozzo JF, Karakousis A, Lim P, Verbyla AP, Eckermann PJ Mapping and QTL analysis of the barley population Alexis × Sloop. 1117
- Barr AR, Karakousis A, Lance RCM, Logue SJ, Manning S, Chalmers KJ, Kretschmer JM, Boyd WJR, Collins HM, Roumeliotis S, Coventry SJ, Moody DB, Read BJ, Poulsen D, Li CD, Platz GJ, Inkerman PA, Panozzo JF, Cullis BR, Smith AB, Lim P, Langridge P Mapping and QTL analysis of the barley population Chebec × Harrington. 1125
- Barwick SA See Kahi AK *et al.* 1039
- Bayliss KL, Spindler L, Lagudah ES, Sivasithamparam K, Barbetti MJ Variability within *Kabatiella caulincola* Race 1 and Race 2 revealed by cultural and molecular analyses. 77
- Bellotti WD See Turpin JE *et al.* 39
- Berge P See Sanudo C *et al.* 551
- Bielig LM See Grant T *et al.* 243
- Bindon BM See Reverter A *et al.* 149
- Bird PR See Singh DK *et al.* 677
- Blaikie SJ See Gonzalez A *et al.* 309
- Blamey FPC See Gunawardena TA *et al.* 937, 947
- Blanche KR, Tran-Nguyen L, Gibb KS Tests of transmission of cynodon white leaf phytoplasma to sugarcane and maize in northern Australia. 423
- Blaney BJ, Maryam R, Murray SA, Ryley MJ Alkaloids of sorghum ergot (*Claviceps africana*): assay methods and variation between sclerotia/sphacelia. 167
- Blott K See Unkovich MJ *et al.* 751
- Bogacki P See Williams KJ *et al.* 731
- Boschma S, Hill MJ, Scott JM, Rapp G The response to moisture and defoliation stresses and traits for resilience of perennial grasses on the Northern Tablelands of New South Wales, Australia. 903
- Boschma S, Scott JM, Hill MJ, King JR, Lutton JJ Plant reserves of perennial grasses subjected to drought and defoliation stresses on the northern tablelands of New South Wales, Australia. 819
- Boyd WJR See Read BJ *et al.* 1145; Barr AR *et al.* 1125; Cakir M *et al.* 1155; Barr AR *et al.* 1117
- Boyd WJR, Li CD, Grime CR, Cakir M, Potipibool S, Kaveeta L, Men S, Jalal Kamali M R, Barr AR, Moody DB, Lance RCM, Logue SJ, Raman H, Read B J Conventional and Molecular genetic analysis of factors contributing to variation in the timing of heading among spring barley (*Hordeum vulgare* L.) genotypes grown over a mild winter growing season. 1277
- Brake J See Chen J *et al.* 177
- Briegel JR See Kerr CA *et al.* 1057
- Brien FD See Konstantinov KV *et al.* 723
- Broughton S See Barr AR *et al.* 1117; Li CD *et al.* 1251, 1303
- Brown AHD See Genger RK *et al.* 1335
- Brown F See Kerr CA *et al.* 1057
- Bryden WL See Selle PH *et al.* 323
- Burdon JJ See Genger RK *et al.* 1335
- Burrow HM See Reverter A *et al.* 119, 149; Johnston DJ *et al.* 107, 135
- Cadogan DJ See Selle PH *et al.* 323
- Cakir M See Williams KJ *et al.* 1387; Boyd WJR *et al.* 1277; Li CD *et al.* 1251, 1303; Park RF *et al.* 1323; Ablett GA *et al.* 1187
- Cakir M, Gupta S, Platz GJ, Ablett GA, Loughman R, Emebiri LC, Poulsen D, Li CD, Lance RCM, Galwey NW, Jones MGK, Appels R Mapping and validation of the genes for resistance to *Pyrenophora teres* f. *teres* in barley (*Hordeum vulgare* L.). 1369
- Cakir M, Poulsen D, Galwey NW, Ablett GA, Chalmers KJ, Platz GJ, Park RF, Lance RCM, Panozzo JF, Read BJ, Moody DB, Barr AR, Johnston P, Li CD, Boyd WJR, Grime CR, Appels R, Jones MGK, Langridge P Mapping and QTL analysis of the barley population Tallon × Kaputar. 1155

- Cakir M, Spackman M, Wellings CR, Galwey NW, Moody DB, Poulsen D, Ogbonnaya FC, Vivar H Molecular mapping as a tool for pre-emptive breeding for resistance to the exotic barley pathogen, *Puccinia striiformis* f. sp. *hordei*. 1351
- Calder TC See Gibberd MR *et al.* 499
- Campbell RG See Pluske JR *et al.* 515; Dunshea FR *et al.* 363
- Carpenter DJ See Penrose LDJ *et al.* 293
- Carulla JE See Hess HD *et al.* 703
- Chalmers KJ See Barr AR *et al.* 1117, 1125; Coventry SJ *et al.* 1241; Read BJ *et al.* 1145; Karakousis A *et al.* 1131, 1137, 1173, 1197; Raman H *et al.* 1359; Emebiri LC *et al.* 1211; Cakir M *et al.* 1155; Pallotta MA *et al.* 1141
- Chapman DF See Eckard R *et al.* 561
- Chen D See Khan DF *et al.* 333; Eckard R *et al.* 561
- Chen J, Huang B, Balnave D, Brake J Responses of broilers at moderate or high temperatures to dietary arginine:lysine ratio and source of supplemental methionine activity. 177
- Cheng Y See Jones RAC *et al.* 849
- Cheong J See Williams KJ *et al.* 1387
- Chin JF See Riffkin PA *et al.* 193
- Clarke HJ See Croser JS *et al.* 429
- Clingeffer PR See Liu SM *et al.* 869
- Collins HM See Barr AR *et al.* 1117, 1125; Pallotta MA *et al.* 1141; Li CD *et al.* 1251; Coventry SJ *et al.* 1241; Karakousis A *et al.* 1131
- Collins HM, Panozzo JF, Logue SJ, Jefferies SP, Barr AR Mapping and validation of chromosome regions associated with high malt extract in barley (*Hordeum vulgare* L.). 1223
- Condon AG See Rebetzke GJ *et al.* 381; Husain S *et al.* 589
- Condon AG, Giunta F Yield response of restricted-tillering wheat to transient waterlogging on duplex soils. 957
- Connor DJ See Nuttall JG *et al.* 487; O'Connell MG *et al.* 663
- Cook SE See Pracilio G *et al.* 789
- Coutts BA See Jones RAC *et al.* 849
- Coventry SJ See Pallotta MA *et al.* 1141; Barr AR *et al.* 1117, 1125
- Coventry SJ, Barr AR, Eglinton JK, McDonald GK The determinants and genome locations influencing grain weight and size in barley (*Hordeum vulgare* L.). 1103
- Coventry SJ, Collins HM, Barr AR, Jefferies SP, Chalmers KJ, Logue SJ, Langridge P Use of putative QTLs and structural genes in marker assisted selection for diastatic power in malting barley (*Hordeum vulgare* L.). 1241
- Cranwell PD See Pluske JR *et al.* 515; Dunshea FR *et al.* 363
- Cronje PB See Adams NR *et al.* 1
- Croser JS, Ahmad F, Clarke HJ, Siddique KHM Use of wild *Cicer* in chickpea improvement—progress, constraints and prospects. 429
- Cruickshank AW, Tonks JW, Kelly AK Blanchability of peanut (*Arachis hypogaea* L.) kernels: early generation selection and genotype stability over three environments. 885
- Cullis BR See Barr AR *et al.* 1125; Verbyla AP *et al.* 1395
- Cullis BR, Smith AB, Panozzo JF, Lim P Barley malting quality: are we selecting the best? 1261
- D'Souza DN, Pethick DW, Dunshea FR, Pluske JR, Mullan BP Nutritional manipulation increases intramuscular fat levels in the Longissimus muscle of female finisher pigs. 745
- Dall DJ See Allsopp PG *et al.* 259
- Davidson RH See Wiese S *et al.* 507
- Davies PA See Pallotta MA *et al.* 1141
- Dear BS, Sandral GA, Spencer D, Khan MRI, Higgins TVJ The tolerance of three transgenic subterranean clover (*Trifolium subterraneum* L.) lines with the *bxn* gene to herbicides containing bromoxynil. 203
- Delgado P See Valiente OL *et al.* 693
- Diaz TE See Hess HD *et al.* 703
- Dimassi KN See Papadakis I E *et al.* 571
- Dixon RM, White A, Fry P, Petherick JC Effects of supplement type and previous experience on variability in intake of supplements by heifers. 529
- Doogan VJ See Stephenson RA *et al.* 67
- Dracup MN See Galwey NW *et al.* 649
- Dransfield E See Sanudo C *et al.* 551
- Dunshea FR See D'Souza DN *et al.* 745; Pluske JR *et al.* 515; McCauley I *et al.* 11
- Dunshea FR, Kerton DJ, Cranwell PD, Campbell RG, Mullan BP, King RH, Power GN, Pluske JR Lifetime and post-weaning determinants of performance indices of pigs. 363
- Eady SJ See Prayaga KC *et al.* 159
- Eamens GJ See Kerr CA *et al.* 1057
- Eckard R, Chen D, White RE, Chapman DF Gaseous nitrogen loss from temperate grass and clover dairy pastures in south eastern Australia. 561
- Eckermann PJ See Verbyla AP *et al.* 1395; Long NR *et al.* 1163; Barr AR *et al.* 1117; Pallotta MA *et al.* 1141
- Eglinton JK See Coventry SJ *et al.* 1103
- El-Shatnawi Md K, Al-Qurran LZ, Ereifej KI, Turk M Defoliation time of wall barley under sub-humid Mediterranean conditions. 53
- Ellison FW See Skerritt JH *et al.* 987
- Emebiri LC See Cakir M *et al.* 1369
- Emebiri LC, Moody DB, Panozzo JF, Chalmers KJ, Kretschmer JM, Ablett GA Identification of QTLs associated with variations in grain protein concentration in two-row barley. 1211
- Ercisli S See Esitken A *et al.* 377
- Ereifej KI See El-Shatnawi Md K *et al.* 53
- Esitken A, Karlidag H, Ercisli S, Turan M, Sahin F The effect of spraying a growth promoting bacterium on the yield, growth, and nutrient element composition of leaves of apricot (*Prunus armeniaca* L cv. Hacihaliloglu). 377
- Evans J, Scott G, Lemerle D, Kaiser AG, Orchard BA, Murray GM, Armstrong EL Impact of legume 'break' crops on the residual amount and distribution of soil mineral nitrogen. 63. Impact of legume 'break' crops on the yield and grain quality of wheat and relationship with soil mineral N and crop N content. 777
- Evans PM See Riffkin PA *et al.* 193
- Farquhar GD See Rebetzke GJ *et al.* 381
- Felton WL See Khan DF *et al.* 333
- Ferguson DM See Johnston DJ *et al.* 135; Reverter A *et al.* 149
- Fettell NA See Penrose LDJ *et al.* 293
- de Figueiredo M See Marais JP *et al.* 101
- Fischer TWA See Allsopp PG *et al.* 259
- Fisher AV See Sanudo C *et al.* 551
- Fogarty NM, Safari E, Taylor PJ, Murray W Genetic parameters for meat quality and carcass traits and their correlation with wool traits in Australian merino sheep. 715
- Fox GP See Li CD *et al.* 1251
- Fox GP, Panozzo JF, Li CD, Lance RCM, Inkerman PA, Henry RJ Molecular basis of barley quality. 1081
- Friend MA, Robards GE The effect of ration sequence on the staple strength of genetically high and low wool producing Merino wethers. 923
- Fry P See Dixon RM *et al.* 529
- Fukai S See Gunawardena TA *et al.* 937, 947
- Gallagher EC See Stephenson RA *et al.* 67
- Galwey NW See Cakir M *et al.* 1351, 1155, 1369; Si P *et al.* 397

- Galwey NW, Adhikari KN, Dracup MN, Thomson RD Agronomic potential of genetically diverse narrow-leaved lupins (*Lupinus angustifolius* L.) with restricted branching. 649
- Gardener MR, Whalley RDB, Sindel BM Ecology of *Nassella neesiana*, Chilean needle grass, in pastures on the northern tablelands of New South Wales. I Seed production and dispersal. 613; II Seedbank dynamics, seed germination, and seedling recruitment. 621
- Garvin DF See Raman H *et al.* 1315
- Genger RK See Read BJ *et al.* 1145
- Genger RK, Williams KJ, Raman H, Read BJ, Wallwork H, Burdon JJ, Brown AHD Leaf scald resistance genes in *Hordeum vulgare* and *Hordeum vulgare* ssp. *spontaneum*: parallels between cultivated and wild barley. 1335
- Gibb KS See Blanche KR *et al.* 423
- Gibberd MR, McKay AG, Calder TC, Turner NC Limitations to carrot (*Daucus carota* L.) productivity when grown with reduced rates of frequent irrigation on a free-draining, sandy soil. 499
- Giles LR See Kerr CA *et al.* 1057
- Giunta F See Condon AG *et al.* 957
- Goddard ME See Reverter A *et al.* 119, 149
- Gonzalez A, Blaikie S J Seasonal variation of carbon assimilation in mango (cv. Kensington Pride): effect of flowering treatments. 309
- Goodenough DCW See Marais JP *et al.* 101
- Graham GC See Scott KD *et al.* 739
- Graham RD See Kitchen JL *et al.* 889
- Grant T, Lawn RJ, Bielig LM Variation among Australian accessions of *Vigna vexillata* for traits of agronomic, adaptive, or taxonomic interest. 243
- Graser H-U See Kahi AK *et al.* 1039
- Grime CR See Boyd WJR *et al.* 1277; Li CD *et al.* 1251, 1303; Read BJ *et al.* 1145; Cakir M *et al.* 1155
- Grundy PR See Scott KD *et al.* 739
- Guada JA See Valiente OL *et al.* 693
- Gunawardena TA, Fukai S, Blamey FPC Low temperature induced spikelet sterility in rice. I. Nitrogen fertilisation and sensitive reproductive period. 937; II. Effects of panicle and root temperature. 947
- Gupta S See Cakir M *et al.* 1369
- Gupta S, Loughman R, Platz GJ, Lance RCM Resistance in cultivated barleys to *Pyrenophora teres* f. *teres* and prospects of its utilisation in marker identification and breeding. 1379
- Gustafson JP See Karakousis A *et al.* 1173
- Haire C See Turpin JE *et al.* 39
- Hamza MA, Anderson WK Responses of soil properties and grain yields to deep ripping and gypsum application in a compacted loamy sand soil contrasted with a sandy clay loam soil in Western Australia. 273
- Harasymow S See Li CD *et al.* 1251, 1303
- Hare RA See Munns RE *et al.* 627
- Harrell RJ See McCauley I *et al.* 11
- Hatton TJ See Pracilio G *et al.* 789
- Henry RJ See Fox GP *et al.* 1081; Karakousis A *et al.* 1197; Ablett GA *et al.* 1187
- Herridge DF See Khan DF *et al.* 333
- Hess HD, Monsalve LM, Lascano CE, Carulla JE, Diaz TE, Kreuzer M Supplementation of a tropical grass diet with forage legumes and *Sapindus saponaria* fruits: effects on in vitro ruminal nitrogen turnover and methanogenesis. 703
- Heywood RH See Skerritt JH *et al.* 987
- Higgins TV See Dear BS *et al.* 203
- Hill MJ See Boschma S *et al.* 819, 903
- Hodgson G See Pracilio G *et al.* 789
- Hollamby GJ See Sivapalan S *et al.* 91
- Holton TA See Ablett GA *et al.* 1187; Karakousis A *et al.* 1197
- Hooper RJ See Bahmani I *et al.* 803
- Hopkins C See Marais JP *et al.* 101
- Huang B See Chen J *et al.* 177
- Hunt C See Long NR *et al.* 1163
- Husain S See Munns RE *et al.* 627
- Husain S, Munns RE, Condon AG Effect of sodium exclusion trait on chlorophyll retention and growth of durum wheat in saline soil. 589
- Inkerman PA See Barr AR *et al.* 1125; Fox GP *et al.* 1081
- Irwin JAG See Mackie JM *et al.* 829
- Islam AKM See Karakousis A *et al.* 1137
- Ivancic A, Quero Garcia J, Lebot V Development of visual tools for selecting qualitative corm characteristics of taro (*Colocasia esculenta* (L.) Schott). 581
- Jackson PA, Morgan TE Early stage selection for commercial cane sugar (CCS) in sugarcane clones: effects of time of sampling and irrigation. 389
- Jacobs JL See McKenzie FR *et al.* 461, 471, 477
- Jalal Kamali MR See Boyd WJR *et al.* 1277
- James RA See Munns RE *et al.* 627
- Jefferies SP See Pallotta MA *et al.* 1141; Long NR *et al.* 1163; Collins HM *et al.* 1223; Coventry S J *et al.* 1241; Barr AR *et al.* 1117; Karakousis A *et al.* 1137
- Jerie PH See Stork PR *et al.* 27
- Jessop RS See Zhang XG *et al.* 979
- Johnston DJ See Reverter A *et al.* 119, 149
- Johnston DJ, Reverter A, Burrow HM, Oddy VH, Robinson DL Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds. 1. Live animal measures. 107
- Johnston DJ, Reverter A, Ferguson DM, Thompson JM, Burrow HM Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds. 3. Meat quality traits. 135
- Johnston P See Cakir M *et al.* 1155
- Jones MGK See Cakir M *et al.* 1155, 1369; Paris M *et al.* 1343
- Jones MR See Kerr CA *et al.* 1057
- Jones RAC, Coutts BA, Smith AK, Cheng Y Yield limiting potential of necrotic and non-necrotic strains of Bean Yellow Mosaic Virus in narrow-leaved lupin (*Lupinus angustifolius*). 849
- Kahi AK, Barwick SA, Graser H-U Economic evaluation of Hereford cattle breeding schemes incorporating direct and indirect measures of feed intake. 1039
- Kaiser AG See Evans J *et al.* 777, 763
- Kammholz SJ See Skerritt JH *et al.* 987
- Karakousis A See Long NR *et al.* 1163; Ablett GA *et al.* 1187; Barr AR *et al.* 1117, 1125; Pallotta MA *et al.* 1141; Raman H *et al.* 1315
- Karakousis A, Barr AR, Chalmers KJ, Ablett GA, Holton TA, Henry RJ, Lim P, Langridge P Potential of SSR markers for plant breeding and variety identification in Australian barley germplasm. 1197
- Karakousis A, Barr AR, Kretschmer JM, Manning S, Jefferies SP, Chalmers KJ, Islam A K M, Langridge P Mapping and QTL analysis of the barley population Clipper × Sahara. 1137
- Karakousis A, Barr AR, Kretschmer JM, Manning S, Logue SJ, Roumeliotis S, Collins HM, Chalmers KJ, Li CD, Lance RCM, Langridge P Mapping and QTL analysis of the barley population Galleon × Haruna Nijo. 1131
- Karakousis A, Gustafson JP, Chalmers KJ, Barr AR, Langridge P A consensus map of barley integrating SSR, RFLP, and AFLP markers. 1173

- Karlidag H See Esitken A *et al.* 377  
 Kaveeta L See Boyd WJR *et al.* 1277  
 Kearney GA See McKenzie FR *et al.* 461, 477, 471; Riffkin PA *et al.* 193  
 Kelly AK See Cruickshank AW *et al.* 885  
 Kent JK See Scott KD *et al.* 739  
 Kerr CA, Eamens GJ, Briegel JR, Sheehy PA, Giles LR, Jones MR, Brown F Effects of combined *Actinobacillus pleuropneumoniae* challenge and change in environmental temperature on production, plasma insulin-like growth factor I (IGF-I) and cortisol parameters in growing pigs. 1057  
 Kerton DJ See Dunshea FR *et al.* 363; McCauley I *et al.* 11; Pluske JR *et al.* 515  
 Khan DF, Peoples MB, Schwenke GD, Felton WL, Chen D, Herridge DF Effects of below-ground nitrogen on N balances of field-grown fababean, chickpea, and barley. 333  
 Khan MRI See Dear BS *et al.* 203  
 Kim JC, Mullan BP, Simmins PH, Pluske JR Variation in the chemical composition of wheats grown in Western Australia as influenced by variety, growing region, season and post-harvest storage. 541  
 King JR See Boschma S *et al.* 819  
 King RH See Dunshea FR *et al.* 363; Pluske JR *et al.* 515  
 Kitchen JL, McDonald GK, Shepherd KW, Lorimer MF, Graham RD Comparing wheat grown in South Australian organic and conventional farming systems. 1. Growth and grain yield. 889  
 Knight AJ See Unkovich MJ *et al.* 751  
 Kochian LV See Raman H *et al.* 1315  
 Konstantinov KV, Brien FD Influence of sire by year interactions on the direct-maternal genetic correlation for weaning weight of Western Australian Merino sheep. 723  
 Kretschmer JM See Emebiri LC *et al.* 1211; Barr AR *et al.* 1117, 1125; Long NR *et al.* 1163; Karakousis A *et al.* 1131, 1137  
 Kreuzer M See Hess HD *et al.* 703  
 Kuchel H See Williams KJ *et al.* 731  
 Lagudah ES See Bayliss KL *et al.* 77  
 Lance RCM See Read BJ *et al.* 1145; Karakousis A *et al.* 1131; Paris M *et al.* 1343; Barr AR *et al.* 1117, 1125; Li CD *et al.* 1251, 1303; Pallotta MA *et al.* 1141; Cakir M *et al.* 1155, 1369; Fox GP *et al.* 1081; Gupta S *et al.* 1379; Boyd WJR *et al.* 1277  
 Lange C See Scott KD *et al.* 739  
 Langridge P See Cakir M *et al.* 1155; Ablett GA *et al.* 1187; Barr AR *et al.* 1125; Coventry SJ *et al.* 1241; Karakousis A *et al.* 1131, 1137, 1173, 1197  
 Lascano CE See Hess HD *et al.* 703  
 Lawn RJ See Grant T *et al.* 243  
 Lebot V See Ivancic A *et al.* 581  
 Lee GJ, Nolan JV Sources of variation in n-alkane concentrations in the cuticular wax of two species of pasture plants. 21  
 Lemaire G See Bahmani I *et al.* 803  
 Lemerle D See Evans J *et al.* 777, 763  
 Lewis J See Pallotta MA *et al.* 1141; Williams KJ *et al.* 731  
 Li CD See Karakousis A *et al.* 1131; Paris M *et al.* 1343; Barr AR *et al.* 1125; Cakir M *et al.* 1155, 1369; Fox GP *et al.* 1081; Boyd WJR *et al.* 1277; Read BJ *et al.* 1145  
 Li CD, Lance RCM, Collins HM, Tarr A, Roumeliotis S, Harasymow S, Cakir M, Fox GP, Grime CR, Broughton S, Young KJ, Raman H, Barr AR, Moody DB, Read BJ Quantitative trait loci controlling kernel discolouration in barley (*Hordeum vulgare* L.). 1251  
 Li CD, Tarr A, Lance RCM, Harasymow S, Uhlmann J, Westcot S, Young KJ, Grime CR, Cakir M, Broughton S, Appels R A major QTL controlling seed dormancy and pre-harvest sprouting/grain  $\alpha$ -amylase in two-rowed barley (*Hordeum vulgare* L.). 1303  
 Lim P See Cullis BR *et al.* 1261; Pallotta MA *et al.* 1141; Barr AR *et al.* 1117, 1125; Long NR *et al.* 1163; Karakousis A *et al.* 1197  
 Liu SM, Sykes SR, Clingeleffer PR Improved in ovulo embryo culture for stenospermocarpic grapes (*Vitis vinifera* L.). 869  
 Liu Z Characterisation of glyphosate uptake into grass species. 877  
 Lodge GM See Oram RN *et al.* 211  
 Logue SJ See Collins HM *et al.* 1223; Boyd W J R *et al.* 1277; Coventry SJ *et al.* 1241; Barr AR *et al.* 1117, 1125; Pallotta M A *et al.* 1141; Karakousis A *et al.* 1131  
 Long NR, Jefferies SP, Warner P, Karakousis A, Kretschmer JM, Hunt C, Lim P, Eckermann PJ, Barr AR Mapping and QTL analysis of the barley population Mundah  $\times$  Keel. 1163  
 Lorimer MF See Kitchen JL *et al.* 889  
 Loughman R See Gupta S *et al.* 1379; Cakir M *et al.* 1369  
 Lutton JJ See Boschma S *et al.* 819  
 Mackie JM, Musial JM, O'Neill NR, Irwin JAG Pathogenic specialisation within *Colletotrichum trifoli* in Australia, and lucerne cultivar reactions to all known Australian pathotypes. 829  
 Mailer RJ See Si P *et al.* 397  
 Manning S See Karakousis A *et al.* 1131, 1137; Barr AR *et al.* 1125  
 Marais J P, Goodenough DCW, de Figueiredo M, Hopkins C The development of a *Lolium multiflorum* cultivar with a low moisture content and an increased readily digestible energy to protein ratio. 101  
 Martin PJ See Sivapalan S *et al.* 91  
 Maryam R See Blaney BJ *et al.* 167  
 Masters DG See Wiese S *et al.* 507  
 Matthew C See Bahmani I *et al.* 803  
 McCaskill MR See McKenzie FR *et al.* 461  
 McCauley I, Watt M, Suster D, Kerton DJ, Oliver WT, Harrell RJ, Dunshea FR A GnRF vaccine (Improvac ) and porcine somatotropin (Repocrin ) have synergistic effects upon growth performance in both boars and gilts. 11  
 McDonald GK See Kitchen JL *et al.* 889; Coventry SJ *et al.* 1103  
 McKay AG See Gibberd MR *et al.* 499  
 McKenzie FR, Jacobs JL, Kearney GA Long-term effects of multiple applications of nitrogen fertiliser on grazed dryland perennial ryegrass/white clover dairy pastures in south west Victoria2. Growth rates, dry matter consumed and nitrogen response efficiencies. 471. 3. Botanical composition, nutritive characteristics, mineral content and nutrient selection. 477  
 McKenzie FR, Jacobs JL, Riffkin PA, Kearney GA, McCaskill MR Long-term effects of multiple applications of nitrogen fertiliser on grazed dryland perennial ryegrass/white clover dairy pastures in south west Victoria 1. Nitrogen fixation by white clover. 461  
 McMichael G See Read BJ *et al.* 1145  
 Meinke H See Wang E *et al.* 599  
 Men S See Boyd WJR *et al.* 1277  
 Merritt DJ See Scott KD *et al.* 739  
 Merritt MA See Scott KD *et al.* 739  
 Mills C See Sanudo C *et al.* 551  
 Milton JTB See Wiese S *et al.* 507  
 Mock I See Unkovich MJ *et al.* 751  
 Modarres Sanavy SAM See Amini Dehaghi M *et al.* 917  
 Monsalve LM See Hess HD *et al.* 703  
 Moody DB See Park RF *et al.* 1323; Li CD *et al.* 1251; Cakir M *et al.* 1155, 1351; Barr AR *et al.* 1117, 1125; Emebiri LC *et al.* 1211; Boyd WJR *et al.* 1277; Raman H *et al.* 1359  
 Moore AD See Turpin JE *et al.* 39  
 Moreno MT See Avila CM *et al.* 409; Roman B *et al.* 85  
 Morgan TE See Jackson PA *et al.* 89  
 Moroni JS See Raman H *et al.* 1315

- Mullan BP See Kim JC *et al.* 541; D'Souza DN *et al.* 745; Dunshea F R *et al.* 363; Pluske JR *et al.* 515
- Munns RE See Husain S *et al.* 589
- Munns RE, Rebetzke GJ, Husain S, James RA, Hare RA Genetic control of sodium exclusion in durum wheat. 627
- Murray GM See Evans J *et al.* 763, 777
- Murray SA See Blaney BJ *et al.* 167
- Murray W See Fogarty NM *et al.* 715
- Musial JM See Mackie JM *et al.* 829
- Nasir N, Pittaway PA, Pegg KG Effect of organic amendments and solarisation on Fusarium wilt in susceptible banana plantlets, transplanted into naturally infested soil. 251
- Nolan JV See Lee GJ *et al.* 21
- Ntanos DA, Roupakias DG Rice F<sub>1</sub> hybrids: the breeding goal or a costly solution? 1005
- Nuruzzaman M See Tang CX *et al.* 445
- Nute GR See Sanudo C *et al.* 551
- Nuttall JG, Armstrong RD, Connor DJ Evaluating physicochemical constraints of Calcarosols on wheat production in the Victorian southern Mallee. 487
- O'Brien L See Sivapalan S *et al.* 91
- O'Connell MG, O'Leary GJ, Connor DJ Drainage and change in soil water content below the root-zone under long fallow and continuous cropping sequences in the Victorian Mallee. 663
- O'Leary GJ See O'Connell MG *et al.* 663
- O'Neill NR See Mackie JM *et al.* 829
- Oddy VH See Johnston DJ *et al.* 107; Reverter A *et al.* 149
- Ogbonnaya FC See Cakir M *et al.* 1351
- Oliver WT See McCauley I *et al.* 11
- Oram RN, Lodge GM Trends in temperate Australian grass breeding and selection. 211
- Orchard BA See Evans J *et al.* 763, 777
- Ortiz-Ferrara G See Sivapalan S *et al.* 91
- Pallotta MA See Williams KJ *et al.* 731
- Pallotta MA, Asayama S, Reinheimer JM, Davies PA, Barr AR, Jefferies SP, Chalmers KJ, Lewis J, Collins HM, Roumeliotis S, Logue SJ, Coventry SJ, Lance RCM, Karakousis A, Lim P, Verbyla AP, Eckermann PJ Mapping and QTL analysis of the barley population Amagi Nijo × WI2585. 141
- Pang ECK See Skiba B *et al.* 453
- Panzo JF See Barr AR *et al.* 1117, 1125; Cakir M *et al.* 1155; Emebiri LC *et al.* 1211; Fox GP *et al.* 1081; Collins HM *et al.* 1223; Cullis BR *et al.* 1261
- Papadakis IE, Dimassi KN, Therios IN Response of two citrus genotypes to six boron concentrations: concentration and distribution of nutrients, total absorption and nutrient use efficiency. 571
- Paris M, Potter RH, Lance RCM, Li CD, Jones MGK Typing *Mlo* alleles for powdery mildew resistance in barley by single nucleotide polymorphism analysis using MALDI-ToF mass spectrometry. 1343
- Park RF See Read BJ *et al.* 1145; Cakir M *et al.* 1155; Barr AR *et al.* 1117
- Park RF, Poulsen D, Barr AR, Cakir M, Moody DB, Raman H, Read BJ Mapping genes for resistance to *Puccinia hordei* in barley. 1323
- Pegg KG See Nasir N *et al.* 251
- Penrose LDJ, Fettell NA, Richards RA, Carpenter DJ Predicting the development of photoperiod 'insensitive' winter wheats in south-central New South Wales. 293
- Penrose LDJ, Rawson HM, Zajac M Prediction of vernalisation in three Australian Vrn responsive wheats. 283
- Peoples MB See Khan DF *et al.* 333
- Perry D See Reverter A *et al.* 119, 149
- Petherick JC See Dixon RM *et al.* 529
- Pethick DW See D'Souza DN *et al.* 745
- Peulen O See Pluske JR *et al.* 515
- Piasentier E See Sanudo C *et al.* 551
- Pierzynowski SG See Pluske JR *et al.* 515
- Pittaway PA See Nasir N *et al.* 251
- Platz GJ See Read BJ *et al.* 1145; Williams KJ *et al.* 1387; Raman H *et al.* 1359; Gupta S *et al.* 1379; Cakir M *et al.* 1155, 1369; Barr AR *et al.* 1117, 1125
- Pluske JR See Dunshea FR *et al.* 363; Kim J C *et al.* 541; D'Souza DN *et al.* 745
- Pluske JR, Anderson RD Replacement of limestone with calcite prill derived from underground water in diets for molted layer hens. 933
- Pluske JR, Kerton DJ, Cranwell PD, Campbell RG, Mullan BP, King RH, Power GN, Pierzynowski SG, Westrom BR, Rippe C, Peulen O, Dunshea FR Age, sex and weight at weaning influence organ weight and gastrointestinal development of weanling pigs. 515
- Portelli M See Unkovich MJ *et al.* 751
- Potipibool S See Boyd WJR *et al.* 1277
- Potter RH See Paris M *et al.* 1343
- Poulsen D See Barr AR *et al.* 1117, 1125; Cakir M *et al.* 1155, 1351, 1369; Park RF *et al.* 1323
- Power GN See Dunshea FR *et al.* 363; Pluske JR *et al.* 515
- Pracilio G, Asseng S, Cook SE, Hodgson G, Wong MTF, Adams ML, Hatton TJ Estimating spatially variable deep drainage across a central eastern wheatbelt catchment, Western Australia. 789
- Prangnell R See Read BJ *et al.* 1145
- Prayaga KC Evaluation of beef cattle genotypes and estimation of direct and maternal genetic effects in a tropical environment. 1. Growth traits. 1013; 2. Adaptive and temperament traits. 1027
- Prayaga KC, Eady SJ Performance of purebred and crossbred rabbits in Australia: individual growth and slaughter traits. 159
- Pritsa TS, Voyatzis DG, Voyatzis CJ, Sotiriou MS Evaluation of vegetative growth traits and their relation to time to first flowering of olive seedlings. 371
- Quero Garcia J See Ivancic A *et al.* 581
- Rab A See Unkovich MJ *et al.* 751
- Raman H See Park RF *et al.* 1323; Li CD *et al.* 251; Genger RK *et al.* 1335; Boyd WJR *et al.* 1277; Read BJ *et al.* 1145
- Raman H, Karakousis A, Moroni J S, Raman R, Read BJ, Garvin DF, Kochian LV, Sorrells ME Development and allele diversity of microsatellite markers linked to the aluminium tolerance gene *Alp* in barley. 1315
- Raman H, Platz GJ, Chalmers KJ, Raman R, Read BJ, Barr AR, Moody DB Mapping of genomic regions associated with net form of net blotch resistance in barley. 1359
- Raman R See Raman H *et al.* 1315, 1359; Read B J *et al.* 1145
- Rapp G See Boschma S *et al.* 903
- Rate AW See Valizadeh GR *et al.* 59
- Rawson HM See Penrose LDJ *et al.* 283
- Read BJ See Boyd WJR *et al.* 1277; Cakir M *et al.* 1155; Raman H *et al.* 1315, 1359; Li CD *et al.* 1251; Barr AR *et al.* 1117, 1125; Park RF *et al.* 1323; Genger RK *et al.* 1335
- Read BJ, Raman H, McMichael G, Chalmers KJ, Ablett GA, Platz GJ, Raman R, Genger RK, Boyd WJR, Li CD, Grime CR, Park RF, Wallwork H, Prangnell R, Lance RCM Mapping and QTL analysis of the barley population Sloop × Halcyon. 1145
- Rebetzke GJ See Munns RE *et al.* 627

- Rebetzke GJ, Condon AG, Richards RA, Farquhar GD Gene action for leaf conductance in three wheat crosses. 381
- Reinheimer JM See Pallotta MA *et al.* 1141
- Rengel Z See Valizadeh GR *et al.* 59; Zhang XK *et al.* 183; Tang CX *et al.* 445
- Reverter A See Johnston DJ *et al.* 107, 135
- Reverter A, Johnston DJ, Ferguson DM, Perry D, Goddard ME, Burrow HM, Oddy VH, Thompson JM, Bindon BM Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds: 4. Correlations among live animal, carcass and meat quality traits. 149
- Reverter A, Johnston DJ, Perry D, Goddard ME, Burrow HM Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds. 2. Abattoir carcass traits. 119
- Richards RA See Penrose LDJ *et al.* 293; Rebetzke GJ *et al.* 381
- Riffkin PA See McKenzie FR *et al.* 461
- Riffkin PA, Evans PM, Chin JF, Kearney GA Early-maturing spring wheat outperforms late-maturing winterwheat in the high rainfall environment of south-western Victoria. 193
- Rippe C See Pluske JR *et al.* 515
- Robards GE See Friend MA *et al.* 923
- Robertson MJ See Turpin JE *et al.* 39
- Robinson DL See Johnston DJ *et al.* 107
- Roman B, Satovic Z, Avila CM, Rubiales D, Moreno MT, Torres AM Locating genes associated with *Ascochyta fabae* resistance in *Vicia faba* L. 85
- Rose IA See Turpin JE *et al.* 39
- Roumeliotis S See Pallotta MA *et al.* 1141; Barr AR *et al.* 1117, 1125; Karakousis A *et al.* 1131; Li CD *et al.* 1251
- Roupakias DG See Ntanios DA *et al.* 1005
- Rubiales D See Roman B *et al.* 85
- Ryley MJ See Wang E *et al.* 599; Blaney BJ *et al.* 167
- Sadras VO Influence of size of rainfall events on water-driven processes. I. Water budget of wheat crops in south-eastern Australia. 341
- Sadras VO, Baldock JA Influence of size of rainfall events on water-driven processes. II. Soil nitrogen mineralisation in a semi-arid environment. 353
- Safari E See Fogarty NM *et al.* 715
- Sahin F See Esitken A *et al.* 377
- Sanchez A See Sanudo C *et al.* 551
- Sandral GA See Dear BS *et al.* 203
- Sanudo C, Alfonso M, Sanchez A, Berge P, Dransfield E, Zygoiannis D, Stamataris C, Thorkelsson G, Valdimarsdottir T, Piasentier E, Mills C, Nute GR, Fisher AV Meat texture of lambs from different European production systems. 551
- Satovic Z See Roman B *et al.* 85
- Saul GR See Singh DK *et al.* 677
- Schutze MK See Scott KD *et al.* 739
- Schwenke GD See Khan DF *et al.* 333
- Scott G See Evans J *et al.* 763, 777
- Scott JM See Boschma S *et al.* 819, 903
- Scott KD, Wilkinson KS, Merritt MA, Scott LJ, Lange C, Schutze MK, Kent JK, Merritt DJ, Grundy PR, Graham GC Genetic shifts in *Helicoverpa armigera* Hubner (Lepidoptera: Noctuidae) over a year in the Dawson/Callide Valleys. 739
- Scott LJ See Scott KD *et al.* 739
- Selle PH, Cadogan DJ, Bryden WL Effects of phytase supplementation of phosphorus-adequate, lysine-deficient, wheat-based diets on growth performance of weaner pigs. 323
- Sheehy PA See Kerr CA *et al.* 1057
- Shepherd KW See Kitchen JL *et al.* 889
- Si P, Mailer RJ, Galwey NW, Turner DW Influence of genotype and environment on oil and protein concentrations of canola (*Brassica napus* L.) grown across southern Australia 397
- Siddique KHM See Croser JS *et al.* 429
- Simmins PH See Kim JC *et al.* 541
- Sindel BM See Gardener MR *et al.* 621, 613
- Singh DK, Bird PR, Saul GR Maximising the use of soil water by herbaceous species in the high rainfall zone of southern Australia: a review. 677
- Singh DK, Singh V Seed size and adventitious nodal roots as factors influencing the tolerance of wheat to waterlogging. 969
- Singh V See Singh DK *et al.* 969
- Sivapalan S, O'Brien L, Ortiz-Ferrara G, Hollamby GJ, Barclay I, Martin PJ A comparative study for yield performance and adaptation of some Australian and CIMMYT/ICARDA wheat genotypes grown at selected locations in Australia and the WANA region. 91
- Sivasithamparam K See Bayliss KL *et al.* 77; Wherrett A D *et al.* 837
- Skerritt JH, Heywood RH, Ellison FW, Kammholz SJ, Allen HM Interchangeability of genotypes and growth locations for high-quality, high-protein wheat production in Australia. 987
- Skiba B, Pang ECK Mating trials and genetic study of virulence in *Ascochyta lentis* to the lentil cultivar 'Northfield'. 453
- Smith AB See Cullis BR *et al.* 1261; Barr AR *et al.* 1125
- Smith AK See Jones RAC *et al.* 849
- Sorrells ME See Raman H *et al.* 1315
- Sotiriou MS See Pritsa TS *et al.* 371
- Spackman M See Cakir M *et al.* 1351
- Spencer D See Dear BS *et al.* 203
- Spindler L See Bayliss KL *et al.* 77
- Stamataris C See Sanudo C *et al.* 551
- Stephenson RA, Gallagher EC, Doogan VJ Macadamaia responses to mild water stress at different phenological stages. 67
- Stoddard FL Genetics of starch granule size distribution in tetraploid and hexaploid wheats. 637
- Stork PR, Jerie PH Initial studies of the growth, nitrogen sequestering and de-watering potential of perennial grass selections for use as nitrogen catch crops in orchards. 27
- Suster D See McCauley I *et al.* 11
- Sykes SR See Liu SM *et al.* 869
- Tang CX, Nuruzzaman M, Rengel Z Screening wheat genotypes for tolerance of soil acidity. 445
- Tarr A See Li CD *et al.* 1251, 1303
- Taylor PJ See Fogarty NM *et al.* 715
- Therios IN See Papadakis IE *et al.* 571
- Thom ER See Bahmani I *et al.* 803
- Thompson JM See Reverter A *et al.* 149; Johnston DJ *et al.* 135
- Thompson R See Verbyla AP *et al.* 1395
- Thomson RD See Galwey NW *et al.* 649
- Thorkelsson G See Sanudo C *et al.* 551
- Tonks JW See Cruickshank AW *et al.* 885
- Torres AM See Avila CM *et al.* 409; Roman B *et al.* 85
- Tran-Nguyen L See Blanche KR *et al.* 423
- Turan M See Esitken A *et al.* 377
- Turk M See El-Shatnawi Md K *et al.* 53
- Turner DW See Si P *et al.* 397
- Turner NC See Gibberd MR *et al.* 499
- Turpin JE, Robertson MJ, Haire C, Bellotti WD, Moore AD, Rose IA Simulating fababean development, growth and yield in Australia. 9
- Uhlmann J See Li CD *et al.* 1303

- Unkovich MJ, Blott K, Knight AJ, Rab A, Mock I, Portelli M Water use, competition, and crop production, in low rainfall alley farming systems of south-eastern Australia. 751
- Valdimarsdottir T See Sanudo C *et al.* 551
- Valiente OL, Delgado P, de Vega A, Guada JA Validation of the n-alkane technique to estimate intake, digestibility, and diet composition in sheep consuming mixed grain:roughage diets. 693
- Valizadeh GR, Rengel Z, Rate AW Response of wheat genotypes efficient in P utilisation and genotypes responsive to P fertilisation to different P banding depths and watering regimes. 59
- de Vega A See Valiente OL *et al.* 693
- Verbyla AP See Pallotta MA *et al.* 1141; Barr AR *et al.* 1117
- Verbyla AP, Eckermann PJ, Thompson R, Cullis BR The analysis of quantitative trait loci in multi-environment trials using a multiplicative mixed model. 1395
- Vivar H See Cakir M *et al.* 1351
- Voyiatzi CJ See Pritsa TS *et al.* 371
- Voyiatzis DG See Pritsa TS *et al.* 371
- Wallwork H See Genger RK *et al.* 1335; Williams KJ *et al.* 731, 1387; Read BJ *et al.* 1145
- Wang E, Ryley MJ, Meinke H Effect of climate variability on event frequency of sorghum ergot in Australia. 599
- Ward AL Does soil texture influence the distribution of the greyback canegrub, *Dermolepida albohirtum* (Waterhouse) (Coleoptera: Scarabaeidae), in the Burdekin River sugarcane growing area? 861
- Warner P See Long NR *et al.* 1163
- Watt M See McCauley I *et al.* 11
- Wellings CR See Cakir M *et al.* 1351
- Westcot S See Li CD *et al.* 1303
- Westrom BR See Pluske JR *et al.* 515
- Whalley RDB See Gardener MR *et al.* 613, 621
- Wherrett AD, Sivasithamparam K, Barbetti MJ Chemical manipulation of *Leptosphaeria maculans* (blackleg disease) pseudothelial development and timing of ascospore release from canola (*Brassica napus*) residues. 837
- White A See Dixon RM *et al.* 529
- White CL See Wiese S *et al.* 507
- White RE See Eckard R *et al.* 561
- Wiese S, White CL, Masters DG, Milton JTB, Davidson RH The growth performance and carcass attributes on Merino and Poll Dorset × Merino lambs fed rumen-protected methionine (Smartamine-M). 507
- Wilkinson KS See Scott KD *et al.* 739
- Williams KJ See Genger RK *et al.* 1335
- Williams KJ The molecular genetics of disease resistance in barley. 1065
- Williams KJ, Lewis J, Bogacki P, Pallotta M A, Willsmore K, Kuchel H, Wallwork H Mapping of a QTL contributing to cereal cyst nematode tolerance and resistance in wheat. 731
- Williams KJ, Platz GJ, Barr AR, Cheong J, Willsmore K, Cakir M, Wallwork H A comparison of the genetics of seedling and adult plant resistance to the spot form of net blotch (*Pyrenophora teres* f. *maculata*). 1387
- Willsmore K See Williams KJ *et al.* 731, 1387
- Wong MTF See Pracilio G *et al.* 789
- Young KJ See Li CD *et al.* 1251, 1303
- Zajac M See Penrose LDJ *et al.* 283
- Zhang XG, Jessop RS, Alter D Organic acid exudation associated with aluminium stress tolerance in triticale and wheat. 979
- Zhang XK, Rengel Z Soil solution composition in association with the toxicity of banded di-ammonium phosphate to wheat and amelioration by CaCO<sub>3</sub>. 183
- Zygogiannis D See Sanudo C *et al.* 551