

- Mattner, P. E., Stacy, B. D., and Brown, B. W. (1976). Changes in total ovarian blood flow during anaesthesia and cannulation of utero-ovarian veins. *J. Reprod. Fertil.* **46**, 517.
- Meschia, G., Cotter, J. R., Makowski, E. L., and Barron, D. H. (1967). Simultaneous measurement of uterine and umbilical blood flows and oxygen uptakes. *Q. J. Exp. Physiol.* **52**, 1-18.
- Oddy, V. H., Brown, B. W., and Jones, A. W. (1981). Measurement of organ blood flow using tritiated water. I. Hind limb muscle blood flow in conscious ewes. *Aust. J. Biol. Sci.* **34**, 419-25.
- Pappenheimer, J. R., and Setchell, B. P. (1972). The measurement of cerebral blood flow in the rabbit and sheep. *J. Physiol.* **226**, 48-50P.
- Rosenfeld, C. R. (1977). Distribution of cardiac output in ovine pregnancy. *Am. J. Physiol.* **232**(3), H231-H235.
- Rosenfeld, C. R., Morris, Jr. E. H., Makowski, E. L., Meschia, G., and Battaglia, F. C. (1974). Circulatory changes in the reproductive tissues of ewes during pregnancy. *Gynecol. Invest.* **5**, 252-68.
- Setchell, B. P., Bassett, J. M., Hinks, N. T., and Graham, N. McC. (1972). The importance of glucose in the oxidative metabolism of the pregnant uterus and its contents in conscious sheep with some preliminary observations on the oxidation of fructose and glucose by fetal sheep. *Q. J. Exp. Physiol.* **57**, 257-66.
- Setchell, B. P., and Linzell, J. L. (1974). Soluble indicator techniques for tissue blood flow measurement using ^{86}Rb -rubidium chloride, urea, antipyrine (Phenazone) derivatives or ^3H -water. *Clin. Exp. Pharm. Physiol. Suppl.* **1**, 15-29.
- Setchell, B. P., and Waites, G. M. H. (1964). Blood flow and the uptake of glucose and oxygen in the testis and epididymis of the ram. *J. Physiol.* **171**, 411-25.

