

Index to Volume 53

Authors and Titles

- Acuña CA, Martínez EJ, Quarin CL
Sexual diploid and apomictic tetraploid races in *Thrasya petrosa* (Gramineae) 479
- Adams M
See Jusaitis M *et al.* 535
- Aizen MA
Breeding system of *Tristerix corymbosus* (Loranthaceae), a winter-flowering mistletoe from the southern Andes 357
- Apóstolo NM
See Castro MA *et al.* 69
- Appezato-da-Glória B
See Hissae Hayashi A *et al.* 273
- Arambarri AM, Stenglein SA, Colares MN, Novoa MC
Taxonomy of the New World species of *Lotus* (Leguminosae: Loteae) 797
- Ash A
See Stokes C *et al.* 677
- Auld TD
See Jenkins ME *et al.* 101
- Auld TD, Denham AJ
A technique to estimate the pre-fire depth of burial of *Grevillea* seeds by using seedlings after fire 401
- Azevedo AA
See Campos da Silva L *et al.* 789
- Bancroft WJ, Roberts JD, Garkaklis MJ
Burrowing seabirds drive decreased diversity and structural complexity, and increased productivity in insular-vegetation communities 231
- Banfai DS, Bowman DMJS
Dynamics of a savanna-forest mosaic in the Australian monsoon tropics inferred from stand structures and historical aerial photography 185
- Banks JCG
See Cook GD *et al.* 821
See Heinrich I *et al.* 21
- Barbour RC, Potts BM, Vaillancourt RE
Gene flow between introduced and native *Eucalyptus* species: crossability of native Tasmanian species with exotic *E. nitens* 465
- Barrett DJ, Hill MJ, Hutley LB, Beringer J, Xu JH, Cook GD, Carter JO, Williams RJ
Prospects for improving savanna biophysical models by using multiple-constraints model–data-assimilation methods 689
- Barry K
See Pickering CM *et al.* 517
- Becerra-LopezLavallo LA, Saleeba JA, Lyon BR
Molecular identification of fungi isolated from stem tissue of Upland cotton (*Gossypium hirsutum*) 571
- Bell TL
See Walters JR *et al.* 195
- Beringer J
See Barrett DJ *et al.* 689
See Hutley LB *et al.* 663
- Bieleski RL, Briggs BG
Taxonomic patterns in the distribution of polyols within the Proteaceae 205
- Blackman CJ, Jordan GJ, Wiltshire RJE
Leaf gigantism in coastal areas: morphological and physiological variation in four species on the Tasman Peninsula, Tasmania 91
- Bonser SP
See Mathews S *et al.* 501
- Bowman DMJS
See Banfai DS *et al.* 185
See Prior LD *et al.* 323
- Bowman DMJS, Prior LD
Turner Review No. 10. Why do evergreen trees dominate the Australian seasonal tropics? 379
- Bray S
See Krull E *et al.* 651
- Briggs BG
See Bieleski RL *et al.* 205
- Brodribb T, Holbrook NM, Hill RS
Seedling growth in conifers and angiosperms: impacts of contrasting xylem structure 749
- Burson BL
See Price HJ *et al.* 579
- Caldiz MS, Premoli AC
Isozyme diversity in large and isolated populations of *Luma apiculata* (Myrtaceae) in north-western Patagonia, Argentina 781
- Campos da Silva L, Azevedo AA, Monteiro da Silva EA, Oliva MA
Effects of simulated acid rain on the growth of five Brazilian tree species and anatomy of the most sensitive species (*Joannesia princeps*) 789
- Carter J
See Henry B *et al.* 589
See Williams RJ *et al.* 583
- Carter JO
See Barrett DJ *et al.* 689
See Hill MJ *et al.* 715
- Castro MA, Apóstolo NM, De Magistris AA
Bark anatomy of *Nothofagus* species (Nothofagaceae) indigenous to the Andean–Patagonian Forest, Argentina 69
- Chalmers A, McIntyre S, Whalley RDB, Reid N
Grassland species response to soil disturbance and nutrient enrichment on the Northern Tablelands of New South Wales 485
- Chen X
See Cook GD *et al.* 621
See Williams RJ 607
- Chisholm L
See Stone C *et al.* 45
- Chong C, Walker KF
Does lignum rely on a soil seed bank? Germination and reproductive phenology of *Muehlenbeckia florulenta* (Polygonaceae) 407
- Clarke S, French K
Germination response to heat and smoke of 22 Poaceae species from grassy woodlands 445
- Cleugh HA
See Hutley LB *et al.* 663
- Clissold FJ
See Gras EK *et al.* 33
- Colares MN
See Arambarri AM *et al.* 797

- Comley BWT, McGuinness KA
Above- and below-ground biomass, and allometry, of four common northern Australian mangroves 431
- Conran JG
See Hinchliffe J *et al.* 133
- Cook GD
See Barrett DJ *et al.* 689
See Williams RJ *et al.* 583
- Cook GD, Liedloff AC, Eager RW, Chen X, Williams RJ, O'Grady AP, Hutley LB
The estimation of carbon budgets of frequently burnt tree stands in savannas of northern Australia using allometric analysis and isotopic discrimination 621
- Cook GD, Taylor RJ, Williams RJ, Banks JCG
Sustainable harvest rates of ironwood, *Erythrophleum chlorostachys*, in the Northern Territory, Australia 821
- Coops NC, Stone C
A comparison of field-based and modelled reflectance spectra from damaged *Pinus radiata* foliage 417
- Coupland GT, Paling EI, McGuinness KA
Vegetative and reproductive phenologies of four mangrove species from northern Australia 109
- Cowie A
See Henry B *et al.* 589
- Cramp AP
See Harms BP *et al.* 639
- Dalal RC
See Harms BP *et al.* 639
- De Magistris AA
See Castro MA *et al.* 69
- Denham AJ
See Auld TD *et al.* 401
- Dickson CR
See Petit S *et al.* 455
- Dillon SL
See Price HJ *et al.* 579
- Doley D
See Walters JR *et al.* 251
- Douglas MM
See Flores TA *et al.* 243
- Duff GA
See Williams RJ *et al.* 583
- Eager RW
See Cook GD *et al.* 621
- Eamus D
See Prior LD *et al.* 323
- Eamus D, Macinnis-Ng CMO, Hose GC, Zeppel MJB, Taylor DT, Murray BR
Turner Review No. 9. Ecosystem services: an ecophysiological examination 1
- Eldridge DJ
See Thompson WA *et al.* 545, 555
- Farrer SL
See Williams RJ *et al.* 583
- Fensham RJ
Monitoring standing dead wood for carbon accounting in tropical savanna 631
- Flores TA, Setterfield SA, Douglas MM
Seedling recruitment of the exotic grass *Andropogon gayanus* (Poaceae) in northern Australia 243
- French K
See Clarke S *et al.* 445
- Garkaklis MJ
See Bancroft WJ *et al.* 231
- Gong Xun
See Xiao Longqian *et al.* 219
- Goodwin N, Turner R, Merton R
Classifying *Eucalyptus* forests with high spatial and spectral resolution imagery: an investigation of individual species and vegetation communities 337
- Gorman J
See Griffiths AD *et al.* 771
- Gras EK, Read J, Mach CT, Sanson GD, Clissold FJ
Herbivore damage, resource richness and putative defences in juvenile *versus* adult *Eucalyptus* leaves 33
- Greiner R
See Vella KJ *et al.* 739
- Gresshoff PM
See Taylor KJ *et al.* 437
- Griffiths AD, Schult HJ, Gorman J
Wild harvest of *Cycas arnhemica* (Cycadaceae): impact on survival, recruitment and growth in Arnhem Land, northern Australia 771
- Growns DJ
See Newell C *et al.* 81, 281
- Guerin G
Floral biology of *Hemigenia* and *Microcorys* (Lamiaceae) 147
- Hao Gang
See Xiao Longqian *et al.* 219
- Hardy GEST
See McDougall KL *et al.* 813
- Harms BP, Dalal RC, Cramp AP
Changes in soil carbon and soil nitrogen after tree clearing in the semi-arid rangelands of Queensland 639
- Heard KM
See McIntyre S *et al.* 757
- Heinrich I, Banks JCG
Dendroclimatological potential of the Australian red cedar 21
- Heliyanto B, Veneklaas EJ, Lambers H, Krauss SL
Preferential outcrossing in *Banksia ilicifolia* (Proteaceae) 163
- Henry B, Mitchell C, Cowie A, Woldring O, Carter J
A regional interpretation of rules and good practice for greenhouse accounting: Northern Australian savanna systems 589
- Hill MJ
See Barrett DJ *et al.* 689
- Hill MJ, Roxburgh SH, Carter JO, McKeon GM
Vegetation state change and consequent carbon dynamics in savanna woodlands of Australia in response to grazing, drought and fire: a scenario approach using 113 years of synthetic annual fire and grassland growth 715
- Hill RS
See Brodribb T *et al.* 749
See Read J *et al.* 297
- Hinchliffe J, Conran JG
Life-class stages in coast daisy-bush (*Olearia axillaris*: Asteraceae) as a possible means of monitoring coastal dunes 133
- Hissae Hayashi A, Appezzato-da-Glória B
The origin and anatomy of rhizophores in *Vernonia herbacea* and *V. platensis* (Asteraceae) from the Brazilian Cerrado 273

- Hobbs RJ
 See McDougall KL *et al.* 813
- Hodnett GL
 See Price HJ *et al.* 579
- Hoffman M
 See Williams RJ *et al.* 607
- Holbrook NM
 See Brodribb T *et al.* 749
- Holtum J
 See Stokes C *et al.* 677
- Hope GS
 See Read J *et al.* 297
- Hose GC
 See Eamus D *et al.* 1
- House APN
 See Walters JR *et al.* 251
- Hunter RJ
 See Taylor KJ *et al.* 437
- Hutley LB
 See Barrett DJ *et al.* 689
 See Cook GD *et al.* 621
 See Williams RJ *et al.* 607
- Hutley LB, Leuning R, Beringer J, Cleugh HA
 The Utility of the eddy covariance techniques as a tool in
 carbon accounting: tropical savanna as a case study 663
- Irving DE
 See Macnish AJ *et al.* 119
- Jenkins ME, Morrison DA, Auld TD
 Use of growth characteristics for predicting plant age of
 three obligate-seeder Proteaceae species 101
- Jianguang Xie, Shuguang Jian, Nian Liu
 Genetic variation in the endemic plant *Cycas debaoensis* on
 the basis of ISSR analysis 141
- Jones RC, McKinnon GE, Potts BM, Vaillancourt RE
 Genetic diversity and mating system of an endangered tree
Eucalyptus morrisbyi 367
- Jordaan A, Krüger H
 Development and functional anatomy of pods of *Colophospermum*
mopane (Caesalpinoideae: Dietarieae) 55
- Jordan GJ
 See Blackman CJ *et al.* 91
- Joyce DC
 See Macnish AJ *et al.* 119
- Jusaitis M, Adams M
 Conservation implications of clonality and limited sexual
 reproduction in the endangered shrub *Acanthocladium dockeri*
 (Asteraceae) 535
- Kinloch J
 See McIntyre S *et al.* 757
- Kirschbaum MUF
 See Vella KJ *et al.* 739
- Korczynskij D, Lamont BB
 Grasstree (*Xanthorrhoea preissii*) recovery after fire in
 two seasons and habitats 509
- Krauss SL
 See Heliyanto B *et al.* 163
- Krüger H
 See Jordaan A 55
- Krull E, Bray S
 Assessment of vegetation change and landscape variability by
 using stable carbon isotopes of soil organic matter 651
- Lambers H
 See Heliyanto B *et al.* 163
- Lamont BB
 See Korczynskij D *et al.* 509
- Lamont RW
 See Shapcott A *et al.* 171
- Leuning R
 See Hutley LB *et al.* 663
- Li Xiaoming
 See Tobe K *et al.* 529
- Liedloff AC
 See Cook GD *et al.* 621
- Longcore JE
 Zoospore fungi from Australian and New Zealand tree-canopy
 detritus 259
- Lowe AJ
 See Taylor KJ *et al.* 437
- Lyon BR
 See Becerra-LopezLavalley LA *et al.* 571
- Mach CT
 See Gras EK *et al.* 33
- Macinnis-Ng CMO
 See Eamus D *et al.* 1
- Macnish AJ, Irving DE, Joyce DC, Vithanage V,
 Wearing AH
 Anatomy of ethylene-induced floral-organ abscission in
Chamelaucium uncinatum (Myrtaceae) 119
- Martin TG
 See McIntyre S *et al.* 757
- Martinez EJ
 See Acuña CA *et al.* 479
- Mathews S, Bonser SP
 Life histories, ecological tolerance limits, and the evolution of
 geographic range size in *Eucalyptus* (Myrtaceae) 501
- McComb JA
 See Newell C *et al.* 81, 281
- McDonald S
 See Stone C *et al.* 45
- McDougall KL, Hobbs RJ, Hardy GESTJ
 Distribution of understorey species in forest affected by
Phytophthora cinnamomi in south-western Western
 Australia 813
- McGuinness KA
 See Comley BWT *et al.* 431
 See Coupland GT *et al.* 109
- McIntyre S
 See Chalmers A *et al.* 485
- McIntyre S, Martin TG, Heard KM, Kinloch J
 Plant traits predict impact of invading species:
 an analysis of herbaceous vegetation in the subtropics 757
- McKeon GM
 See Hill MJ *et al.* 715
- McKinnon GE
 See Jones RC *et al.* 367
- McKinnon GE, Potts BM, Steane DA, Vaillancourt RE
 Population and phylogenetic analysis of the cinnamoyl coA
 reductase gene in *Eucalyptus globulus* (Myrtaceae) 827
- Merton R
 See Goodwin N *et al.* 337
- Mitchell C
 See Henry B *et al.* 589
- Montagu K
 See Williams RJ *et al.* 607

- Monteiro da Silva EA
See Campos da Silva L *et al.* 789
- Morrison DA
See Jenkins ME *et al.* 101
- Murray BR
See Eamus D *et al.* 1
- Newell C, Grown DJ, McComb JA
A novel *in vitro* rooting method employing an aerobic medium 81
Corrigendum to: A novel *in vitro* rooting method employing an aerobic medium 281
- Nian Liu
See Jianguang Xie *et al.* 141
- Novoa MC
See Arambarri AM *et al.* 797
- O'Grady AP
See Cook GD *et al.* 621
- Oliva MA
See Campos da Silva L *et al.* 789
- Omasa K
See Tobe K *et al.* 529
- Paling EI
See Coupland GT *et al.* 109
- Panetta FD
See Vivian-Smith G *et al.* 225
- Petit S, Dickson CR
Grass-tree (*Xanthorrhoea semiplana*, Liliaceae) facilitation of the endangered pink-lipped spider orchid (*Caladenia* syn. *Arachnorchis behrii*, Orchidaceae) varies in South Australia 455
- Pickering CM, Barry K
Size/age distribution and vegetative recovery of *Eucalyptus niphophila* (snowgum, Myrtaceae) one year after fire in Kosciuszko National Park 517
- Potts BM
See Barbour RC *et al.* 465
See Jones RC *et al.* 367
See McKinnon GE *et al.* 827
- Premoli AC
See Caldiz MS *et al.* 781
- Price HJ, Hodnett GL, Burson BL, Dillon SL, Rooney WL
A *Sorghum bicolor* × *S. macrosperrum* hybrid recovered by embryo rescue and culture 579
- Prior LD
See Bowman DMJS *et al.* 379
- Prior LD, Bowman DMJS, Eamus D
Intra-specific variation in leaf attributes of four savanna tree species across a rainfall gradient in tropical Australia 323
- Quarin CL
See Acuña CA *et al.* 479
- Read J
See Gras EK *et al.* 33
- Read J, Hope GS, Hill RS
Phytogeography and climate analysis of *Nothofagus* subgenus *Brassospora* in New Guinea and New Caledonia 297
- Read S
See Walters JR *et al.* 195
- Reid N
See Chalmers A *et al.* 485
- Roberts JD
See Bancroft WJ *et al.* 231
- Rooney WL
See Price HJ *et al.* 579
- Rossetto M
See Taylor KJ *et al.* 437
- Roxburgh SH
See Hill MJ *et al.* 715
- Saleeba JA
See Becerra-LopezLavallo LA *et al.* 571
- Sanson GD
See Gras EK *et al.* 33
- Schult HJ
See Griffiths AD *et al.* 771
- Sedgley M
See Wallwork MAB *et al.* 347
- Setterfield SA
See Flores TA *et al.* 243
- Shapcott A, Lamont RW, Thomson A
How do rare *Boronia* species differ from their more widespread congeners? 171
- Shuguang Jian
See Jianguang Xie *et al.* 141
- Sinclair R
Long-term changes in vegetation, gradual and episodic, on the TGB Osborn Vegetation Reserve, Koonamore, South Australia (1926–2002) 283
- Smajgl A
See Vella KJ *et al.* 739
- Steane DA
See McKinnon GE *et al.* 827
- Stenglein SA
See Arambarri AM *et al.* 797
- Stokes C, Ash A, Tibbett M, Holtum J
OzFACE: the Australian savanna free air CO₂ enrichment facility and its relevance to carbon-cycling issues in a tropical savanna 677
- Stone C
See Coops NC *et al.* 417
- Stone C, Chisholm L, McDonald S
Effects of leaf age and psyllid damage on the spectral reflectance properties of *Eucalyptus saligna* foliage 45
- Taylor DT
See Eamus D *et al.* 1
- Taylor KJ, Lowe AJ, Hunter RJ, Ridgway T, Gresshoff PM, Rossetto M
Genetic diversity and regional identity in the Australian remnant *Nothofagus moorei* 437
- Taylor RJ
See Cook GD *et al.* 821
- Thompson WA, Eldridge DJ
Plant cover and composition in relation to density of *Callitris glaucophylla* (white cypress pine) along a rainfall gradient in eastern Australia 545
White cypress pine (*Callitris glaucophylla*): a review of its roles in landscape and ecological processes in eastern Australia 555
- Thomson A
See Shapcott A *et al.* 171
- Tian Bo
See Xiao Longqian *et al.* 219
- Tibbett M
See Stokes C *et al.* 677

- Tierney DA, Wardle GM
 Differential seed ecology in the shrubs *Kunzea rupestris*,
K. capitata and associated hybrids (Myrtaceae): the function of
 thin-walled fruit in a fire-prone vegetation 313
- Tobe K, Li Xiaoming, Omasa K
 Effects of irrigation on seedling emergence and seedling survival of
 a desert shrub *Haloxylon ammodendron*
 (Chenopodiaceae) 529
- Turner R
 See Goodwin N *et al.* 337
- Vaillancourt RE
 See Barbour RC *et al.* 465
 See Jones RC *et al.* 367
 See McKinnon GE *et al.* 827
- Vella KJ, Williams RJ, Walker DH, Smajgl A, Kirschbaum MUF,
 Greiner R
*Viewpoint: Social and economic dimensions of involving savanna
 communities in carbon management systems* 739
- Veneklaas EJ
 See Heliyanto B *et al.* 163
- Vithanage V
 See Macnish AJ *et al.* 119
- Vivian-Smith G, Panetta FD
 Seedling recruitment, seed persistence and aspects of dispersal
 ecology of the invasive moth vine, *Araujia sericifera*
 (Asclepiadaceae) 225
- Walker DH
 See Vella KJ *et al.* 739
- Walker KF
 See Chong C *et al.* 407
- Wallwork MAB, Sedgley M
 Outcrossing in interspecific hybrids between *Eucalyptus spathulata*
 and *E. platypus* 347
- Walters JR, Bell TL, Read S
 Intra-specific variation in carbohydrate reserves
 and sprouting ability in *Eucalyptus obliqua* seedlings 195
- Walters JR, House APN, Doley D
 Water and nutrient availabilities do not affect lignotuber growth and
 sprouting ability of three eucalypt species of south-eastern
 Queensland 251
- Wardle GM
 See Tierney DA *et al.* 313
- Wearing AH
 See Macnish AJ *et al.* 119
- Whalley RDB
 See Chalmers A *et al.* 485
- Whitney KD
*Short Communication: evidence for simple genetic control
 of a fruit-colour polymorphism in *Acacia ligulata** 363
- Williams RJ
 See Barrett DJ *et al.* 689
 See Cook GD *et al.* 621, 821
 See Vella KJ *et al.* 739
- Williams RJ, Carter J, Duff GA, Woinarski JCZ, Cook GD, Farrer SL
 Carbon accounting, land management, science and policy
 uncertainty in Australian savanna landscapes:
 introduction and overview 583
- Williams RJ, Zerihun A, Montagu K, Hoffman M, Hutley LB, Chen X
 Allometry for estimating aboveground tree biomass in tropical and
 subtropical eucalypt woodlands: towards general predictive
 equations 607
- Wiltshire RJE
 See Blackman CJ *et al.* 91
- Woinarski JCZ
 See Williams RJ *et al.* 583
- Woldring O
 See Henry B *et al.* 589
- Xiao Longqian, Gong Xun, Hao Gang, Xuejun Ge,
 Tian Bo, Zheng Sixiang
 Comparison of the genetic diversity in two species of cycads 219
- Xu JH
 See Barrett DJ *et al.* 689
- Xuejun Ge
 See Xiao Longqian *et al.* 219
- Zeppel MJB
 See Eamus D *et al.* 1
- Zerihun A
 See Williams RJ *et al.* 607
- Zheng Sixiang
 See Xiao Longqian *et al.* 219