

10.1071/MUauth2006

## Index to Volume 106

### Authors, Species and Subjects

Compiled by Lachlan Garland

- Acanthagenys rufogularis* 4, 51, 52, 53, 62  
*Acanthiza chrysorrhoa* 4, 31–36, 38  
*A. inornata* 4  
*A. iredalei* 4  
*A. katherina* 4  
*A. lineata* 4, 189  
*A. pusilla* 4, 189  
*A. reguloides* 4  
*A. robustirostris* 4  
*A. sp.* 277, 278  
*A. uropygialis* 4, 31–34, 36–38  
*Acanthorhynchus superciliosus* 5  
*A. tenuirostris* 5, 189, 190  
*Accipiter badius* 159  
*A. cirrhocephalus* 3  
*A. fasciatus* 2, 3  
*A. gularis* 157–161  
*A. nisus* 159  
*A. novaehollandiae* 3  
*A. soloensis* 157–161  
*A. striatus venator* 14, 17, 18  
*A. trivirgatus* 159  
*A. virgatus* 159  
Adams, L. *see* Waugh, S. M. 219–226  
Adaptive divergence, in Superb Fairy-wrens 309–319  
Adélie Penguin 289–290, 306, 307  
African Grey Hornbill 325  
African Penguin 132, 135  
African Spoonbill 135  
*Agapornis nigrigenis* 321–327  
*Ailuroedus crassirostris* 7  
*A. melanotis* 7  
Alderman R. *see* Terauds, A. 211–218  
*Allocaeusuarina verticillata*, influence on Glossy Black-Cockatoo foraging 163–168  
*Amytornis barbatus* 2, 9  
*Anas gracilis* 9, 200  
*A. rhynchotis* 9, 200  
*A. superciliosa* 200  
Anderton, J. C. *see* Rasmussen, P. C. 87–88  
*Anhinga melanogaster* 3  
*Anous stolidus* 81–85  
*A. tenuirostris* 81, 82, 84–85  
*Anthochaera carunculata* 2, 4, 151, 189, 190, 273–280  
*A. chrysoptera* 4  
*A. lunulata* 4  
*Anthus novaeseelandiae* 190  
Antos, M. J., and Bennett, A. F. Foraging ecology of ground-feeding woodland birds in temperate woodlands of southern Australia 29–40  
*Anumbius annumbi* 14, 17, 18  
*Aphelocephala leucopsis* 4, 31–37, 38  
*A. nigricincta* 4  
Aplomado Falcon 14  
Apostlebird 7  
*Aquila audax* 193–201  
Archard, G. A., Robertson, R. J., Jones, D., Painter, J., Crozier, R., and Clarke, M. F. Brooding behaviour in the cooperatively breeding Bell Miner (*Manorina melanophrys*) 105–112  
*Ardea ibis* 3  
*A. intermedia* 3  
*A. pacifica* 3  
*A. picata* 3  
*A. sumatrana* 3  
Arias, A. *see* Gómez Laich, A. 21–28  
*Artamus cinereus* 7  
*A. cyanopterus* 7, 153  
*A. leucorhynchus* 6  
*A. minor* 7  
*A. personatus* 6, 51, 52, 53, 62  
*A. spp.* 52, 54  
*A. superciliosus* 6  
*Atrichornis refescens* 2, 9  
Australasian Grebe 200  
Australasian Pipit 190  
Australasian Shoveler 9, 200  
Australian Hobby 9  
Australian Magpie 7, 151, 152, 200, 277, 278  
Australian Raven 7, 67, 189, 200  
Australian Ringneck 49–58, 61–62  
Australian White Ibis 2, 3  
Australian Wood Duck 195, 200  
*Aviceda subcristata* 3  
*Aythya australis* 9  
Baker, G. B. *see* Terauds, A. 211–218  
Bald Eagle 197  
Banded Honeyeater 5  
Banded Whiteface 4  
Barking Owl 11  
*Barnardius zonarius* 49–58, 61–62  
*B. z. barnardi* 50–58, 61–62  
*B. z. macgillivrayi* 50–58, 62  
*B. z. occidentalis* 50, 56  
*B. z. semitorquatus* 50–58, 61–62  
Bar-shouldered Dove 3  
Bartle, J. A. *see* O'Dwyer, T. W. 245–252, Waugh, S. M. 219–226  
Bassian Thrush 8  
Bay-winged Cowbird 17  
Beautiful Firetail 8  
Beechey Jay 14  
Bell Miner 4, 105–111  
Bennett, A. F. *see* Antos, M. J. 29–40  
Berggren, Å., and Low, M. Sexual dichromatism in North Island Robins (*Petroica longipes*) is weakened by delayed plumage maturation in males and females 203–209  
Besra 159  
Birch, D. *see* Ramos, J. A. 81–86  
Bird migration, effect of snowpack variation 187–192  
Bishop, K. D., book review by 87–88  
Black Bittern 3  
Black Butcherbird 7

- Black Currawong 2  
 Black Honeyeater 5  
 Black Kite 3  
 Black-backed Butcherbird 7  
 Black-browed Albatross 21–27, 305–307  
 Black-cheeked Lovebird 321–327  
 Black-chinned Honeyeater 5  
 Black-Cockatoo 200  
 Black-eared Cuckoo 9  
 Black-eared Miner 2, 5  
 Black-faced Cuckoo-shrike 151, 277, 278  
 Black-faced Wood-swallow 7  
 Black-necked Stork 253–258  
 Black-shouldered Kite 3  
 Black-throated Finch 7  
 Blanco, G. *see* Gómez Laich, A. 21–28  
 Blood oxygen-carrying capacity, in nestling doves 283–288  
 Blood parasites, in New Holland Honeyeaters 113–118  
 Blue-billed Duck 9  
 Blue-faced Honeyeater 4  
 Blue-faced Parrot-Finch 8  
 Bock, W. J., and Lein, M. R. ‘Ernst Mayr at 100: Ornithologist and Naturalist’ (book review) 170–171  
 Bower decoration theft 175–180  
 Bower’s Shrike-thrush 6  
 Bowler, J. *see* Ramos, J. A. 81–86  
 Brachetta, H. *see* Gómez Laich, A. 21–28  
 Brahminy Kite 3  
 Breeding parameters, of robins 147–156  
 Breeding success, of Brown Noddies 81–86  
 Bridled Honeyeater 5  
 Brooding behaviour, of Bell Miners 105–112  
 Brown Cacholote 14, 17, 18  
 Brown Cuckoo-Dove 3  
 Brown Falcon 9  
 Brown Goshawk 2, 3  
 Brown Honeyeater 5  
 Brown Noddy 81–85  
 Brown Thornbill 4, 189  
 Brown Treecreeper 31–38, 93–101  
 Brown-headed Honeyeater 151, 189  
 Brush Bronzewing 3  
 Brush Cuckoo 9  
 Brush Wattlebird 4  
 Budgerigar 284  
 Buff-rumped Thornbill 4  
 Bull, L. S. Geographical variation in the morphology of the Wedge-tailed Shearwater (*Puffinus pacificus*) 233–243  
 Burrowing Parrot 69–77  
*Butorides striatus* 3  
 Buttemer, W. A. *see* O’Dwyer, T. W. 245–252  
*Cacatua roseicapilla* 200  
*Cacomantis castaneiventris* 9  
   *C. flabelliformis* 9, 189, 278  
   *C. variolosus* 9  
*Callaeas cinerea* 41–46  
   *C. c. cinerea* 41–46  
   *C. c. wilsoni* 41–46  
*Callocephalon fimbriatum* 189  
*Calyptorhynchus funereus* 189, 200  
   *C. lathami* 163–167  
 Cañete, G. *see* Gómez Laich, A. 21–28  
 Cape Gull 127  
 Cape Petrel 307  
*Carduelis carduelis* 8  
 Carlile, N. *see* O’Dwyer, T. W. 245–252  
 Carswell, M., Pomeroy, D., Reynolds, J., and Tushabe, H. ‘The Bird Atlas of Uganda’ (book review) 172  
 Catterall, C. P. *see* Piper, S. D. 119–125  
 Cattle Egret 3  
*Centropus phasianinus* 4  
*Certhidea fusca* 13  
*Certhionyx niger* 5  
   *C. pectoralis* 5  
*Certhiornyx variegatus* 5  
*Chalcites basalis* 51, 52, 53, 62  
*Chalcophaps indica* 3  
 Chalk-browed Mockingbird 14, 17  
 Chambers, G. K. *see* Sainsbury, J. P. 329–338  
 Channel-billed Cuckoo 9  
 Chapman T. F., and Paton, D. C. Aspects of Drooping Sheoaks (*Allocasuarina verticillata*) that influence Glossy Black-Cockatoo (*Calyptorhynchus lathami halmaturinus*) foraging on Kangaroo Island 163–168  
*Chenonetta jubata* 195, 200  
 Chesser, R. T. *see* Clayton, M. 173  
 Chestnut-backed Antshrike 14  
 Chestnut-breasted Cuckoo 9  
 Chestnut-crowned Babbler 6  
 Chestnut-rumped Thornbill 4, 31–34, 36–38  
 Chiming Wedgebill 6  
 Chinese Sparrowhawk 157–161  
 Chinstrap Penguin 289  
 Chirruping Wedgebill 6  
*Chlamydera cerviniventris* 7  
   *C. guttata* 7  
   *C. maculata* 7, 175, 179–180  
   *C. nuchalis* 7  
 Christie, D. A. *see* Ferguson-Lees, J. 260–261  
*Chrysococcyx basalis* 9  
   *C. lucidus* 9  
   *C. minutillus* 9  
   *C. osculans* 9  
   *C. russatus* 9  
 Cicadabird 6  
*Circus assimilis* 3  
 Clancy, G. P. *see* Sundar, K. S. G. 253–258  
 Clarke, M. F. *see* Archard, G. A. 105–112  
 Clayton, M., Wombey, J. C., Mason, I. J., Chesser, R. T., and Wells, A. ‘CSIRO List of Australian Vertebrates: A Reference with Conservation Status’ (book review) 173  
 Clifford B. Frith, C. B. book review by 261  
*Climacteris picumnus* 31–38, 93–101  
 Cloncurry Parrot 50–58, 62  
 Cockburn, A., book review by 345–346  
 Collared Sparrowhawk 3  
*Colluricincla boweri* 6  
   *C. harmonica* 6, 66, 67, 122, 151, 189, 278  
   *C. megarhyncha* 6  
*Columba leucomela* 3  
 Common Blackbird 8  
 Common Bronzewing 3  
 Common Koel 9  
 Common Starling 201  
 Congdon, B. C. *see* Peck, D. R. 227–231  
*Conopophila rufogularis* 5  
   *C. whitei* 5  
 Conservation, of Kelp Gulls in South Africa 127–139

- Cooney, S. J. N., Watson, D. M., and Young, J. Mistletoe nesting in Australian birds: a review 1–12
- Copello, S., Quintana, F. and Somoza, G. Sex determination and sexual size-dimorphism in Southern Giant-Petrels (*Macronectes giganteus*) from Patagonia, Argentina 141–146
- Coracina novaehollandiae* 151, 277, 278
- C. papuensis* 6
- C. tenuirostris* 6
- Corcorax melanorhamphos* 31–38, 201, 278
- Cormobates leucophaeus* 93–101, 189
- Corvus bennetti* 7
- C. coronoides* 7, 67, 189, 200
- C. mellori* 7, 189
- C. orru* 7, 122
- C. spp.* 66, 67, 200, 278
- C. tasmanicus* 7
- Cowling, S. Obituary: Thomas Ronald Garnett, MA (Cantab), OAM, 1915–2006 341–342
- Cracticus mentalis* 7
- C. nigrogularis* 7, 122
- C. quoyi* 7
- C. torquatus* 7, 122, 151
- Crescent Honeyeater 189, 190
- Crested Bellbird 6
- Crested Goshawk 159
- Crested Pigeon 3
- Crested Shrike-tit 181–186
- Crimson Finch 7
- Crimson Rosella 175, 176, 180, 189, 200
- Crows 66, 67
- Crozier, R. *see* Archard, G. A. 105–112
- Cuculus pallidus* 9
- Cyanocorax (Cissilopha) beecheii* 14, 17, 18
- Cyanoliseus patagonus* 69–77
- Cyanoramphus forbesi* 330
- D. L. Serventy Medal 2006: Citation 339
- Dacelo novaeguineae* 2, 9, 122, 189, 200, 278
- Dann, P., and Norman, F. I. Population regulation in Little Penguins (*Eudyptula minor*): the role of intraspecific competition for nesting sites and food during breeding 289–296
- Daption capense* 307
- Darter 3
- Darwin's finches 13–19
- Darwin's Warbler Finch 13
- Daugherty C. H. *see* Sainsbury, J. P. 329–338
- Debus, S. J. S. Breeding and population parameters of robins in a woodland remnant in northern New South Wales, Australia 147–156
- Debus, S., book review by 169–170
- Demography, of Westland Petrels 219–226
- Diamond Dove 3
- Diamond Firetail 2, 8–9, 31–38
- Dicaeum hirundinaceum* 2, 8
- Dickinson, E. C. 'The Howard and Moore Complete Checklist of the Birds of the World: Third Edition' (book review) 88
- Diet sampling, of albatross chicks 305–308
- Diomedea exulans* 211–216
- Distribution, of Kelp Gulls in South Africa 127–139
- Doerr, E. D. *see* Doerr, V. A. J. 93–103
- Doerr, V. A. J., Doerr, E. D., and Jenkins, S. H. Habitat selection in two Australasian treecreepers: what cues should they use? 93–103
- Doherty Jr, P. F. *see* Waugh, S. M. 219–226
- Dominican Gull 127
- Double, M. C. *see* Murphy, S. A. 41–48
- Double-barred Finch 7
- Drooping Sheoaks, influence on Glossy Black-Cockatoo foraging 163–168
- Ducula bicolor* 4
- Dudaniec, R. Y., and Kleindorfer, S. Effects of the parasitic flies of the genus *Philornis* (Diptera : Muscidae) on birds 13–20
- Dusky Honeyeater 5
- Dusky Moorhen 9
- Dusky Woodswallow 7, 153
- Eastern Rosella 200
- Eastern Spinebill 5, 189, 190
- Eastern Whipbird 6
- Eastern Yellow Robin 6, 123, 147–154
- Egg-size variation, in Wedge-tailed Shearwaters 227–231
- Egretta garzetta* 3, 200
- E. novaehollandiae* 3
- Eklom, K., and Lill, A. Development of parameters influencing blood oxygen-carrying capacity in nestling doves 283–288
- Elanus axillaris* 3
- E. scriptus* 3
- Emblema picta* 8
- Emerald Dove 3
- Entomyzon cyanotis* 4
- Eopsaltria australis* 6, 123, 147–154
- E. pulverulenta* 6
- Ephippiorhynchus asiaticus* 253–258
- Epthianura albifrons* 66
- Erwin, C. A. *see* Peck, D. R. 227–231
- Erythroriorchis radiatus* 3
- Erythrura trichroa* 8
- Eucalypt forest remnants, effect of nest predation on conservation value 119–125
- Eudynamis scolopacea* 9
- Eudyptula minor* 289–295
- Eungella Honeyeater 5
- Euplectes orix* 325
- Eurasian Coot 200
- Eurasian Sparrowhawk 159
- European Goldfinch 8
- Evolutionary history, of New Zealand's Kokako 41–48
- Falco berigora* 9
- F. cenchroides* 9
- F. femoralis* 14
- F. hypoleucos* 9
- F. longipennis* 9
- F. peregrinus* 9
- Falcunculus frontatus leucogaster* 181–186
- Fan-tailed Cuckoo 9, 189, 278
- Favero, M. *see* Gómez Laich, A. 21–28
- Fawn-breasted Bowerbird 7
- Ferguson-Lees, J., and Christie, D. A. 'Raptors of the World' (book review) 260–261
- Figbird 6
- Firewood-gatherer 14, 17, 18
- Flame Robin 5, 189, 190
- Flock formation, in Black-necked Storks 253–258
- Flock size, of a colony of Psittaciformes 69–79
- Flux, I. A. *see* Murphy, S. A. 41–48
- Food competition, in Little Penguins 289–296
- Food predation, influence on two large honeyeaters 273–281
- Foraging, by Glossy Black-Cockatoos 163–168, Superb Fairy-wrens 309–319
- Foraging ecology, of ground-feeding woodland birds 29–40

- Foraging range, at a colony of Psittaciformes 69–79  
 Forbes' Parakeet 330  
 Ford, H. A. *see* Tokue, K. 273–281  
 Forest Raven 7  
 Freckled Duck 9, 200  
 Freeman, A. N. D. *see* Waugh, S. M. 219–226  
*Fregata minor* 83  
 Frith, C. B., book reviews by 170–171, 172, 343–345  
 Fuentes, E. *see* Olsen, J. 193–201  
*Fulica atra* 200  
 Fuscous Honeyeater 5, 151, 153, 278  
 Galah 200  
 Gales, R. *see* Terauds, A. 211–218  
*Gallinula tenebrosa* 9  
 Gang-gang Cockatoo 189  
 Garnett, S., book review by 173  
 Garnett, Thomas Ronald (obituary) 341–342  
 Genetic variation, of Kaka 329–338  
 Gentoo Penguin 289  
 Geographical variation, of Wedge-tailed Shearwaters 233–243  
*Geopelia cuneata* 3  
   *G. humeralis* 3  
   *G. striata* 3  
*Geospiza fortis* 14  
   *G. fuliginosa* 13, 14  
 Germi, F. *see* Nijman, V. 157–162  
*Gerygone fusca* 4  
 Gilbert's Whistler 6  
 Glossy Black-Cockatoo 163–167  
 Golden Bowerbird 263–270  
 Golden Whistler 6  
 Goldizen, A. W. *see* Wojcieszek, J. M. 175–180  
 Gómez Laich, A., Favero, M., Mariano-Jelicich, R., Blanco, G.,  
 Cañete, G., Arias, A., Rodríguez, P. S., and Brachetta, H.  
 Environmental and operational variability affecting the  
 mortality of Black-browed Albatrosses associated with long-  
 liners in Argentina 21–28  
 Gould's Bronze-Cuckoo 9  
 Gould's Petrel 245–251  
 Graceful Honeyeater 5  
*Grallina cyanoleuca* 6, 278  
*Grantiella picta* 5  
 Great Bowerbird 7  
 Great Frigatebird 83  
 Great Kiskadee 14, 17  
 Great-billed Heron 3  
 Great-crested Flycatcher 14, 16  
 Great-crested Grebe 200  
 Greater Blue-eared Glossy-Starling 325  
 Green Catbird 7  
 Green, K. Effect of variation in snowpack on timing of bird migration  
 in the Snowy Mountains of south-eastern Australia 187–192  
 Greene, T. C. *see* Sainsbury, J. P. 329–338  
 Grey Butcherbird 7, 122, 151  
 Grey Currawong 7, 66, 67, 189  
 Grey Falcon 9  
 Grey Fantail 6, 189  
 Grey Goshawk 3  
 Grey Grasswren 2, 9  
 Grey Honeyeater 5  
 Grey Shrike-thrush 6, 66, 67, 122, 151, 189, 278  
 Grey Teal 9, 200  
 Grey Whistler 6  
 Grey-crowned Babbler 6  
 Grey-fronted Honeyeater 5  
 Grey-headed Albatross 305–307  
 Grey-headed Honeyeater 5  
 Grey-headed Parrot 325  
*Gygis alba* 81  
*Gymnorhina tibicen* 7, 151, 152, 200, 277, 278  
 Habitat selection, in two Australasian treecreepers 93–103  
 Habitat structure, in Golden Bowerbirds 263–272  
*Haemoproteus* spp., in New Holland Honeyeaters 113–118  
*Haliaeetus leucocephalus* 197  
   *H. leucogaster* 193–201  
*Haliastur indus* 3  
   *H. sphenurus* 3  
 Hall's Babbler 6  
 Hardhead 9  
 Hartlaub's Gull 135  
 Hedley, G. K. *see* Waugh, S. M. 219–226  
 Helmeted Friarbird 4  
*Hieraaetus morphnoides* 3  
 Hihi 297–303  
 Hill, G. E., and McGraw, K. J. 'Bird Coloration. Volume 1.  
 Mechanisms and Measurements. Volume 2. Function and  
 Evolution' (book review) 345–346  
 Historical biogeography, of *Barnardius* 49–62  
 Hooded Robin 6, 31–37, 153  
 Horsfield's Bronze-Cuckoo 9, 51, 52, 53, 62  
 House Sparrow 7  
 House Wren 14, 16, 18  
 Ibis sp. 200  
 Intermediate Egret 3  
*Ixobrychus flavicollis* 3  
*Ixodes* sp., in New Holland Honeyeaters 113–118  
 Jacky Winter 5, 31–37  
 Japanese Sparrowhawk 157–161  
 Jenkins, S. H. *see* Doerr, V. A. J. 93–103  
 Johnson, S. *see* Ramos, J. A. 81–86  
 Jones, D. *see* Archard, G. A. 105–112  
 Joseph, L., and Wilke, T. Molecular resolution of population history,  
 systematics and historical biogeography of the Australian ring  
 neck parrots *Barnardius*: are we there yet? 49–62  
 Joseph, L., book review by 343–345  
 Kaka 329–338  
 Kakapo 330  
 Kear, J. 'Ducks, Geese and Gwans: Anseriformes' (book review)  
 88–90  
 Kelcey, J. G., and Rheinwald, G. 'Birds in European Cities'  
 (book review) 171–172  
 Kelp Gull 127–135, 138–139  
 Klages, N. T. W. *see* Whittington, P. A. 127–139  
 Kleindorfer, S., Lambert, S., and Paton, D. C. Ticks (*Ixodes* sp.) and  
 blood parasites (*Haemoproteus* spp.) in New Holland  
 Honeyeaters (*Phylidonyris novaehollandiae*): evidence for site  
 specificity and fitness costs 113–118  
 Kleindorfer, S. *see also* Dudaniec, R. Y. 13–20,  
 Lambert, S. 63–68, Schlotfeldt, B. E. 309–319  
 Kokako 41–46  
 Kroon, F. J., and Westcott, D. A. Song variation and habitat structure  
 in the Golden Bowerbird 263–272  
*Lalage leucomela* 6  
   *L. sueurii* 6  
 Lambert, S., and Kleindorfer, S. Nest concealment but not human  
 visitation predicts predation of New Holland Honeyeater nests  
 63–68  
 Lambert, S. *see also* Kleindorfer, S. 113–118

- Lamprotornis chalybaeus* 325  
 Large-billed Scrubwren 4  
*Larus dominicanus* 127  
   *L. dominicanus vetula* 127–135, 138–139  
   *L. hartlaubii* 135  
 Laughing Kookaburra 2, 9, 122, 189, 200, 278  
 Laughing Turtle-Dove 3  
 Laying date variation, of Brown Noddies 81–86  
 Leaden Flycatcher 151, 153  
 Lein, M. R. *see* Bock, W. J. 170–171  
 Lemon-bellied Flycatcher 5  
 Lesser Masked Weaver 325  
 Lesser Noddy 81, 82, 84–85  
 Letter-winged Kite 3  
*Leucosarcia melanoleuca* 3  
 Lewin's Honeyeater 5  
*Lichenostomus chrysops* 5, 189, 190  
   *L. cratitius* 5  
   *L. fasciularis* 5  
   *L. flavescens* 5  
   *L. flavus* 5  
   *L. frenatus* 5  
   *L. fuscus* 5, 151, 153, 278  
   *L. hindwoodi* 5  
   *L. keartlandi* 5  
   *L. leucotis* 189  
   *L. ornatus* 5  
   *L. penicillatus* 5  
   *L. plumulus* 5  
   *L. unicolor* 5  
   *L. versicolor* 5  
   *L. virescens* 5, 51, 52, 53, 62  
*Lichmera indistincta* 5  
 Lill, A. *see* Eklom, K. 283–288  
 Little Black Cormorant 3  
 Little Bronze-Cuckoo 9  
 Little Crow 7  
 Little Eagle 3  
 Little Egret 3, 200  
 Little Friarbird 4  
 Little Penguin 289–295  
 Little Pied Cormorant 200  
 Little Raven 7, 189  
 Little Shearwater 237  
 Little Shrike-thrush 6  
 Little Wattlebird 4  
 Little Woodswallow 7  
 Longmore, N. W., book review by 88  
 Long-tailed Finch East 7  
*Lophoictinia isura* 3  
*Lopholaimus antarcticus* 4  
 Lovely Fairy-wren 4, 10  
 Low, M. Sex, age and season influence morphometrics in the New Zealand Stitchbird (or Hihī; *Notiomystis cincta*) 297–304  
 Low, M. *see also* Berggren, Å 203–209  
 Macleay's Honeyeater 5  
*Macronectes giganteus* 141–145  
*Macropygia amboinensis* 3  
 Magnificent Riflebird 7  
 Magpie-lark 6, 278  
*Malacorhynchus membranaceus* 9  
 Mallee Ringneck Parrot 50–58, 61–62  
*Malurus amabilis* 4, 10  
   *M. coronatus* 4, 10  
   *M. cyaneus* 4, 10, 31–38, 309–317  
   *M. cyaneus ashbyi* 310  
   *M. lamberti* 4, 10  
   *M. splendens* 4, 10  
 Mangrove Grey Fantail 6  
 Mangrove Honeyeater 5  
 Mangrove Robin 6  
*Manorina flavigula* 4, 5  
   *M. melanocephala* 2, 4, 122, 123, 278  
   *M. melanophrys* 4, 105–111  
   *M. melanotis* 2, 5  
 Marbled Frogmouth 4  
*Margarops fuscatus* 14, 16, 17, 18  
 Mariano-Jelicich, R. *see* Gómez Laich, A. 21–28  
 Marshall, N. J. *see* Wojcieszek, J. M. 175–180  
 Martin, A. P. *see* Whittington, P. A. 127–139  
 Masello, J. F., Pagnossin, M. L., Sommer, C., and Quillfeldt, P. Population size, provisioning frequency, flock size and foraging range at the largest known colony of Psittaciformes: the Burrowing Parrots of the north-eastern Patagonian coastal cliffs 69–79  
 Masked Finch 7  
 Masked Gnatcatcher 14, 17  
 Masked Lapwing 200  
 Masked Woodswallow 6, 51, 52, 53, 62  
 Mason, I. J. *see* Clayton, M. 173  
 Maul, A. M. *see* Ramos, J. A. 81–86  
 McCarthy, E. M. 'Handbook of Avian Hybrids of The World' (book review) 343–345  
 McGraw, K. J. *see* Hill, G. E. 345–346  
 Medium Ground-Finch 14  
*Melanodryas cucullata* 6, 31–37, 153  
*Meliphaga gracilis* 5  
   *M. lewinii* 5  
   *M. notata* 5  
*Melithreptus albogularis* 5  
   *M. brevirostris* 151, 189  
   *M. gularis* 5  
   *M. lunatus* 5, 189, 190  
*Melopsittacus undulates* 284  
*Menura novaehollandiae* 188, 189  
 Meyer's Parrot 325  
*Microeca fascinans* 31–37  
   *M. flavigaster* 5  
   *M. leucophaea* 5  
 Microsatellite analysis, of Kaka 329–338  
*Milvus migrans* 3  
   *M. saturninus* 14, 17  
 Mistletoe nesting, in Australian birds 1–12  
 Mistletoebird 2, 8  
 Mitochondrial DNA sequences, of Kokako 41–48  
 Molecular resolution, of *Barnardius* 49–62  
*Molothrus badius* 17  
   *M. rufoaxillaris* 14, 17  
 Moorhouse, R. J. *see* Sainsbury, J. P. 329–338  
 Morphology, of Superb Fairy-wrens 309–319, Wedge-tailed Shearwaters 233–243  
 Morphometrics, in New Zealand Stitchbirds 297–304  
 Mortality, of Black-browed Albatrosses 21–28  
*Morus bassana* 290, 294  
 Mountain Thornbill 4  
 Mourning Dove 14

- Murphy, S. A., Flux, I. A. and Double, M. C. Recent evolutionary history of New Zealand's North and South Island Kokako (*Callaeas cinerea*) inferred from mitochondrial DNA sequences 41–48
- Myers, S. D., book review by 87–88
- Myiagra alecto* 6
- M. inquieta* 6, 151, 153
- M. rubecula* 151, 153
- Myiarchus crinitus* 14, 16
- Myzomela erythrocephala* 5
- M. obscura* 5
- M. sanguinolenta* 5
- Nankeen Kestrel 9
- Nankeen Night Heron 3
- Neochmia phaeton* 7
- N. ruficauda* 7
- N. temporalis* 7
- Nest concealment, by New Holland Honeyeater 63–68
- Nest predation 119–125, 273–281
- Nesting site competition, in Little Penguins 289–296
- Nestor esslingi* 334
- N. meridionalis* 329–338
- N. occidentalis* 334
- N. superbus* 334
- New Holland Honeyeater 5, 63–67, 113–116
- New Zealand Stitchbird 297–303
- Nicholls, J. A. *see* Wojcieszek, J. M. 175–180
- Nijman, V., Germe, F., and van Balen, S. Relative status of two species of migrant sparrowhawks on Java and Bali, Indonesia 157–162
- Ninox connivens* 11
- Noisy Friarbird 2, 4, 273–280
- Noisy Miner 2, 4, 122, 123, 278
- Noisy Pitta 9
- Norman, F. I. *see* Dann, P. 289–296
- North Island Kokako 41–46
- North Island Robin 203–208
- Northern Fantail 6
- Northern Gannet 290, 294
- Notiomystis cincta* 297–303
- Nycticorax caledonicus* 3
- O'Dwyer, T. W., Priddel, D., Carlile, N., Bartle, J. A., and Buttemer, W. A. An evaluation of three field techniques for sexing Gould's Petrels (*Pterodroma leucoptera*) (Procellariidae) 245–252
- Ocyphaps lophotes* 3
- Olive Whistler 6, 189
- Olive-backed Oriole 6, 278
- Olsen, J., Fuentes, E., and Rose, A. B. Trophic relationships between neighbouring White-bellied Sea-Eagles (*Haliaeetus leucogaster*) and Wedge-tailed Eagles (*Aquila audax*) breeding on rivers and dams near Canberra 193–201
- Olsen, P. D. L. Serventy Medal 2006: Citation. Denis A. Saunders 339
- Olsen, P. 'Wedge-tailed Eagle' (book review) 169–170
- Oreoica gutturalis* 6
- Oriolus sagittatus* 6, 278
- Oxyura australis* 9
- Pachycephala inornata* 6
- P. lanioides* 6
- P. olivacea* 6, 189
- P. pectoralis* 6
- P. rufiventris* 2, 6, 153
- P. rufogularis* 6
- P. simplex* 6
- Pacific Baza 3
- Pacific Black Duck 200
- Pagnossin, M. L. *see* Masello, J. F. 69–79
- Painted Finch 8
- Painted Honeyeater 5
- Painter, J. *see* Archard, G. A. 105–112
- Pale-yellow Robin 6
- Pallid Cuckoo 9
- Paradise Riflebird 7
- Parasites, in New Holland Honeyeaters 113–118
- Parasitic flies, effect on birds 13–20
- Pardalotes 277, 278
- Pardalotus punctatus* 189
- P. sp.* 277, 278
- P. striatus* 189
- Passer diffusus* 325
- P. domesticus* 7
- Paton, D. C. *see* Chapman T. F. 163–168, Kleindorfer, S. 113–118
- Peaceful Dove 3
- Pearly-eyed Thrasher 14, 16, 17, 18
- Peck, D. R., Erwin, C. A., and Congdon, B. C. Variation in egg-size in the Wedge-tailed Shearwater (*Puffinus pacificus*) 227–231
- Peregrine Falcon 9
- Perrin, M. R. *see* Warburton, L. S. 321–328
- Pest species (Black-cheeked Lovebird) 321–328
- Petroica goodenovii* 5, 31–37, 153
- P. longipes* 203–208
- P. multicolor* 5, 31–37, 147–154
- P. phoenicea* 5, 189, 190
- P. rodinogaster* 189
- P. rosea* 5
- Phalacrocorax melanoleucos* 200
- P. sulcirostris* 3
- Phaps chalcoptera* 3
- P. elegans* 3
- Pheasant Coucal 4
- Philemon buceroides* 4
- P. citreogularis* 4
- P. corniculatus* 2, 4, 273–280
- Philesturnus carunculatus* 42, 43, 44
- Phillips, R. A. Efficacy and effects of diet sampling of albatross chicks 305–308
- Philornis* flies, effect on birds 13–20
- Phylidonyris albifrons* 5
- P. novaehollandiae* 5, 63–67, 113–116
- P. pyrrhoptera* 189, 190
- Pied Butcherbird 7, 122
- Pied Currawong 7, 122, 149, 151, 154, 189, 200, 277, 278, 279, 280
- Pied Heron 3
- Pied Honeyeater 5
- Pied Imperial-Pigeon 4
- Pink Robin 189
- Pink-eared Duck 9
- Piper, S. D., and Catterall, C. P. Is the conservation value of small urban remnants of eucalypt forest limited by increased levels of nest predation? 119–125
- Pitangus sulphuratus* 14, 17
- Pitta erythrogaster* 9
- P. versicolor* 9
- Platalea alba* 135
- P. flavipes* 3
- Platycercus elegans* 52, 53, 54, 62, 175, 176, 180, 189, 200
- P. eximius* 200
- P. sp.* 51, 52, 53, 54, 278

- Plectorhyncha lanceolata* 4  
*Plegadis* sp. 200  
*Plocepasser mahali* 325  
*Ploceus intermedius* 325  
 Plumage maturation, in North Island Robins 203–209  
*Podargus ocellatus* 4  
   *P. strigoides* 4  
*Podiceps cristatus* 200  
*Poecilodryas superciliosa* 6  
*Poephila acuticauda* 7  
   *P. cincta* 7  
   *P. personata* 7  
*Poicephalus fuscicollis suahelicus* 325  
   *P. meyeri* 325  
*Polioptila dumicola* 14, 17  
*Pomatostomus halli* 6  
   *P. ruficeps* 6  
   *P. superciliosus* 6, 31–38  
   *P. temporalis* 6  
 Pomeroy, D. *see* Carswell, M., 172  
 Population decline, of Crested Shrike-tits 181–186  
 Population history, of *Barnardius* 49–62  
 Population parameters, of robins 147–156  
 Population regulation, in Little Penguins 289–296  
 Population size, of a colony of Psittaciformes 69–79  
 Population trends, of Wandering Albatrosses 211–218  
 Port Lincoln Parrot 50–58, 61–62  
 Potapov, E., and Sale, R. ‘The Gyrfalcon’ (book review) 261  
 Powell, H. D. W. *see* Saab, V. A. 259–260  
 Pratt, H. D., ‘The Hawaiian Honeycreepers’ (book review) 90–91  
 Pratt, T. K., book review by 90–91  
 Predation, of New Holland Honeyeater nests 63–68  
 Priddel, D. *see* O’Dwyer, T. W. 245–252  
*Prionodura newtoniana* 263–270  
*Procellaria aequinoctialis* 24, 25  
   *P. westlandica* 219–225, 250, 306, 307  
 Provisioning frequency, at a colony of Psittaciformes 69–79  
*Pseudoseisura lophotes* 14, 17, 18  
*Psophodes cristatus* 6  
   *P. occidentalis* 6  
   *P. olivaceus* 6  
*Pterodroma leucoptera leucoptera* 245–251  
*Ptilinopus regina* 4  
   *P. superbus* 3  
*Ptilonorhynchus violaceus* 7, 175–180  
*Ptiloris magnificus* 7  
   *P. paradiseus* 7  
   *P. victoriae* 7  
 Puerto Rican Sharp-shinned Hawk 14, 17, 18  
*Puffinus assimilis* 237  
   *P. pacificus* 227–230, 233–240, 243  
   *P. tenuirostris* 293  
 Purple-crowned Fairy-wren 4, 10  
 Purple-gaped Honeyeater 5  
 Purplish-backed Jay 17, 18  
*Purpureicephalus* sp. 51, 52, 53, 54, 62  
   *P. spurius* 53, 62  
*Pycnonotus jocosus* 8  
*Pygoscelis adeliae* 289–290, 306, 307  
   *P. antarctica* 289  
   *P. papua* 289  
*Pyrrholaemus brunneus* 4  
 Quillfeldt, P. *see* Masello, J. F. 69–79  
 Quintana, F. *see* Copello, S. 141–146  
 Ramos, J. A., Maul, A. M., Bowler, J., Wood, L., Threadgold, R., Johnson, S., Birch, D., and Walker, S. Annual variation in laying date and breeding success of Brown Noddies on Aride Island, Seychelles 81–86  
 Rasmussen, P. C., and Anderton, J. C. ‘Birds of South Asia. The Ripley Guide Volume I: Field Guide, Volume II: Attributes and Status’ (book review) 87–88  
 Ravens 66, 67, 200  
 Recher, H. F. A hypothesis to explain why the south-western subspecies of the Crested Shrike-tit (*Falcunculus frontatus leucogaster*) is rare and declining 181–186  
 Red Bishop 325  
 Red Goshawk 3  
 Red Wattlebird 2, 4, 151, 189, 190, 273–280  
 Red-bellied Pitta 9  
 Red-browed Finch 7  
 Red-capped Robin 5, 31–37, 153  
 Red-eared Firetail 8  
 Red-eyed Dove 325  
 Red-headed Honeyeater 5  
 Red-lored Whistler 6  
 Redthroat 4  
 Red-whiskered Bulbul 8  
 Regent Bowerbird 7  
 Regent Honeyeater 2, 4, 10  
 Restless Flycatcher 6, 151, 153  
 Reynolds, J. *see* Carswell, M., 172  
 Rheinwald, G. *see* Kelcey, J. G. 171–172  
*Rhipidura fuliginosa* 6, 189  
   *R. leucophrys* 6, 31–37  
   *R. phasiana* 6  
   *R. rufifrons* 6  
   *R. rufiventris* 6  
 Robertson, R. J. *see* Archard, G. A. 105–112  
 Rodriguez, P. S. *see* Gómez Laich, A. 21–28  
 Rose Robin 5  
 Rose, A. B. *see* Olsen, J. 193–201  
 Rose-crowned Fruit-Dove 4  
 Roseate Tern 81, 82, 84–85  
 Rosella 278  
 Roshier, D., book review by 88–90  
 Rufous Fantail 6  
 Rufous Scrub-bird 2, 9  
 Rufous Whistler 2, 6, 153  
 Rufous-capped Antshrike 14  
 Rufous-throated Honeyeater. 5  
 Russet-tailed Thrush 8  
 Saab, V. A., and Powell, H. D. W. ‘Fire and Avian Ecology in North America’ (book review) 259–260  
 Sacred Ibis 135  
 Sacred Kingfisher 278  
 Saddleback 42, 43, 44  
 Sainsbury, J. P., Greene, T. C., Moorhouse, R. J., Daugherty C. H., and Chambers, G. K. Microsatellite analysis reveals substantial levels of genetic variation but low levels of genetic divergence among isolated populations of Kaka (*Nestor meridionalis*) 329–338  
 Sale, R., *see* Potapov, E. 261  
 Satin Bowerbird 7, 175–180  
 Saunders, D. S. (D. L. Serventy Medal 2006) 339  
 Scarlet Honeyeater 5  
 Scarlet Robin 5, 31–37, 147–154  
*Scenopoeetes dentirostris* 7

- Schlottfeldt, B. E., and Kleindorfer, S. Adaptive divergence in the Superb Fairy-wren (*Malurus cyaneus*): a mainland versus island comparison of morphology and foraging behaviour 309–319
- Screaming Cowbird 14, 17
- Scythrops novaehollandiae* 9
- Sericornis beccarii* 4
- S. frontalis* 4, 189
- S. magnirostris* 4
- Sericulus chrysocephalus* 7
- Serinus mozambicus* 325
- Serventy Medal 2006 341
- Sex determination, in Southern Giant-Petrels 141–146
- Sexing, Gould's Petrels 245–252
- Sexual dichromatism, in North Island Robins 203–209
- Sexual size-dimorphism, in Southern Giant-Petrels 141–146
- Shah, N. *see* Sundar, K. S. G. 253–258
- Shikra 159
- Shining Bronze-Cuckoo 9
- Shining Flycatcher 6
- Short-tailed Shearwater 293
- Silvereye 8, 189, 315
- Singing Honeyeater 5, 51, 52, 53, 62
- Slaty-backed Thornbill 4
- Slender-billed Thornbill 4
- Small Ground-Finch 13, 14
- Smicornis brevirostris* 4
- Snowpack variation, effect on timing of bird migration 187–192
- Sommer, C. *see* Masello, J. F. 69–79
- Somoza, G. *see* Copello, S. 141–146
- Song variation, in Golden Bowerbirds 263–272
- South Island Kokako 41–46
- Southern Black-backed Gull 127
- Southern Giant-Petrel 141–145
- Southern Grey-headed Sparrow 325
- Southern Whiteface 4, 31–37, 38
- Sphecotheres viridis* 6
- Spheniscus demersus* 132, 135
- Spiny-cheeked Honeyeater 4, 51, 52, 53, 62
- Splendid Fairy-wren 4, 10
- Spotted Bowerbird 7, 175, 179–180
- Spotted Catbird 7
- Spotted Harrier 3
- Spotted Pardalote 189
- Spotted Turtle-Dove 3, 283–287
- Square-tailed Kite 3
- Stagonopleura bella* 8
- S. guttata* 2, 8–9, 31–38
- S. oculata* 8
- Star Finch 7
- Status, of Kelp Gull 127–139, migrant sparrowhawks 157–162
- Sterna dougallii* 81, 82, 84–85
- Stictonetta naevosa* 9, 200
- Straw-necked Ibis 3
- Strepera fuliginosa* 2
- S. graculina* 7, 122, 149, 151, 154, 189, 200, 277, 278, 279, 280
- S. versicolor* 7, 66, 67, 189
- Streptopelia chinensis* 3, 283–287
- S. semitorquata* 325
- S. senegalensis* 3
- Striated Heron 3
- Striated Pardalote 189
- Striated Thornbill 4, 189
- Strigops habroptilus* 330
- Striped Honeyeater 4
- Struthidea cinerea* 7
- Sturnus vulgaris* 201
- Sundar, K. S. G., Clancy, G. P., and Shah, N. Factors affecting formation of flocks of unusual size and composition in Black-necked Storks (*Ephippiorhynchus asiaticus*) in Australia and India 253–258
- Superb Fairy-wren 4, 10, 31–38, 309–317
- Superb Fruit-Dove 3
- Superb Lyrebird 188, 189
- Survival trends, of Wandering Albatrosses 211–218
- Systematics, of *Barnardius* 49–62
- Tachybaptus novaehollandiae* 200
- Taeniopygia bichenovii 7
- T. guttata* 7
- Tawny Frogmouth 4
- Tawny-breasted Honeyeater 5
- Terauds, A., Gales, R., Baker, G. B., and Alderman R. Population and survival trends of Wandering Albatrosses (*Diomedea exulans*) breeding on Macquarie Island 211–218
- Thalassarche chrysostoma* 305–307
- T. melanophris* 21–27, 305–307
- Thamnophilus palliatus* 14
- T. ruficapillus* 14
- Theft of bower decorations 175–180
- Thornbills 277, 278
- Threadgold, R. *see* Ramos, J. A. 81–86
- Threskiornis aethiopicus* 135
- T. molucca* 2, 3
- T. sp.* 200
- T. spinicollis* 3
- Ticks, in New Holland Honeyeaters 113–118
- Tockus nasutus* 325
- Todiramphus sanctus* 278
- Tokue, K., and Ford, H. A. Influence of food and nest predation on the life histories of two large honeyeaters 273–281
- Tooth-billed Bowerbird 7
- Topknot Pigeon 4
- Torresian Crow 7, 122
- Tregellasia capito* 6
- T. leucops* 6
- Troglodytes aedon* 14, 16, 18
- Trophic relationships, between White-bellied Sea-Eagles and Wedge-tailed Eagles 193–201
- Tropical Scrubwren 4
- Turdus merula* 8
- Tushabe, H. *see* Carswell, M. 172
- Twenty-eight Parrot 50–58, 61–62
- van Balen, S. *see* Nijman, V. 157–162
- Vanellus miles* 200
- Varied Honeyeater 5
- Varied Triller 6
- Variiegated Fairy-wren 4, 10
- Veerman, P. A. book review by 171–172
- Victoria's Riflebird 7
- Walker, S. *see* Ramos, J. A. 81–86
- Wandering Albatross 211–216
- Warburton, L. S., and Perrin, M. R., The Black-cheeked Lovebird (*Agapornis nigrigenis*) as an agricultural pest in Zambia 321–328
- Watson, D. M. *see* Cooney, S. J.N. 1–12
- Waugh, S. M., Doherty Jr, P. F., Freeman, A. N. D., Adams, L., Woods, G. C., Bartle, J. A., and Hedley, G. K. Demography of Westland Petrels (*Procellaria westlandica*), 1995–2003. 219–226



- Wedge-tailed Eagle 193–201  
 Wedge-tailed Shearwater 227–230, 233–240, 243  
 Weebill 4  
 Wells, A. *see* Clayton, M. 173  
 Westcott, D. A. *see* Kroon, F. J. 263–272  
 Western Bowerbird 7  
 Western Gerygone 4  
 Western Spinebill 5  
 Western Thornbill 4  
 Westland Petrel 219–225, 250, 306, 307  
 Whistling Kite 3  
 White Tern 81  
 White, C. M. book review by 260–261  
 White-bellied Cuckoo-shrike 6  
 White-bellied Sea-Eagle 193–201  
 White-breasted Whistler 6  
 White-breasted Woodswallow 6  
 White-browed Babbler 6, 31–38  
 White-browed Robin 6  
 White-browed Scrubwren 4, 189  
 White-browed Sparrow-Weaver 325  
 White-browed Woodswallow 6  
 White-chinned Petrel 24, 25  
 White-eared Honeyeater 189  
 White-faced Heron 3  
 White-faced Robin 6  
 White-fronted Chat 66  
 White-fronted Honeyeater 5  
 White-gaped Honeyeater 5  
 White-headed Pigeon 3  
 White-naped Honeyeater 5, 189, 190  
 White-necked Heron 3  
 White-plumed Honeyeater 5  
 White-throated Honeyeater 5  
 White-throated Treecreeper 93–101, 189  
 White-winged Chough 31–38, 201, 278  
 White-winged Triller 6  
 Whittington, P. A., Martin, A. P., and Klages, N. T.W. Status, distribution and conservation implications of the Kelp Gull (*Larus dominicanus vetula*) within the Eastern Cape region of South Africa 127–139  
 Wilke, T. *see* Joseph, L. 49–62  
 Willie Wagtail 6, 31–37  
 Woinarski, J. book review by 259–260  
 Wojcieszek, J. M., Nicholls, J. A., Marshall, N. J., and Goldizen, A.W. Theft of bower decorations among male Satin Bowerbirds (*Ptilonorhynchus violaceus*): why are some decorations more popular than others? 175–180  
 Wombey, J. C. *see* Clayton, M. 173  
 Wonga Pigeon 3  
 Wood, L. *see* Ramos, J. A. 81–86  
 Woods, G. C. *see* Waugh, S. M. 219–226  
*Xanthomyza phrygia* 2, 4, 10  
*Xanthotis flaviventer* 5  
     *X. macleayana* 5  
 Yellow Honeyeater 5  
 Yellow White-eye 8  
 Yellow-billed Spoonbill 3  
 Yellow-faced Honeyeater 5, 189, 190  
 Yellow-fronted Canary 325  
 Yellow-plumed Honeyeater 5  
 Yellow-rumped Thornbill 4, 31–36, 38  
 Yellow-spotted Honeyeater 5  
 Yellow-tailed Black-Cockatoo 189, 200  
 Yellow-throated Miner 4, 5  
 Yellow-tinted Honeyeater 5  
 Young, J. *see* Cooney, S. J. N. 1–12  
 Zebra Finch 7  
*Zenaidura macroura* 14  
*Zoothera heinei* 8  
     *Z. lunulata* 8  
*Zosterops lateralis* 8, 189  
     *Z. lateralis chlorocephalus* 315  
     *Z. lutea* 8