

# ANIMAL PRODUCTION SCIENCE

**CONTENTS** Volume 57, Issue 12, 2017, 2325–2512

## MANIPULATING PIG PRODUCTION XVI

PROCEEDINGS OF THE 16th BIENNIAL CONFERENCE OF THE AUSTRALASIAN  
PIG SCIENCE ASSOCIATION (APSA)

Preliminary Material i–xlii

### **Chapter 1: The A. C. Dunkin Memorial Lecture**

Seasonal infertility in pigs: what have we achieved and where are we up to?  
*R. H. King* 2325–2330

### **Chapter 2: Symposia – What consumers want**

Consumers want pork with ‘adjectives’  
*D. N. D’Souza, D. Cleary and R. J. E. Hewitt* 2331–2338

Innovation in an expanding market: Australian pork is not a commodity  
*E. P. Bittner, H. Ashman, M. Hastie, R. J. van Barneveld, A. H. Hearn,  
N. Thomson and F. R. Dunshea* 2339–2344

What are they thinking? Consumer attitudes to meat production in Australia  
*H. J. Bray, E. A. Buddle and R. A. Ankeny* 2345–2352

### **Chapter 3: Symposia – Genetics**

What does the ‘closed herd’ really mean for Australian breeding companies and their customers?  
*K. L. Bunter and S. Hermesch* 2353–2359

The role of genomics in pig improvement  
*D. J. Garrick* 2360–2365

Genetic improvement and dissemination for the global commercial swine industry  
*M. S. Culbertson, W. O. Herring, J. W. Holl and D. Casey* 2366–2369

### **Chapter 4: Reviews**

Neurophysiological assessment of animal welfare  
*A. J. Tilbrook and C. R. Ralph* 2370–2375

Novel marine polysaccharides and maternal nutrition to stimulate gut health and performance in post-weaned pigs  
*J. V. O'Doherty, M. A. Bouwhuis and T. Sweeney* 2376–2385

Guaranteeing consistently high quality Australian pork: are we any closer?  
*H. A. Channon, D. N. D’Souza and F. R. Dunshea* 2386–2397

Current and future antimicrobial resistance issues for the Australian pig industry  
*S. Abraham, M. O'Dea, S. W. Page and D. J. Trott* 2398–2407

### **Chapter 5: Contributed abstracts – Nutrition, growth performance, heat stress and gut health**

Mannitol and galactose as markers of gastrointestinal tract morphology in pigs after gradual or conventional weaning  
*D. L. Turpin, P. L. Langendijk and J. R. Pluske* 2408–2408

Dietary fibre improved ileal morphology without reducing ileal digestibility in weaned pigs housed in an inferior environmental condition  
*T. K. Shin, H. M. Cho, S. S. Wickramasuriya, E. Kim, S. K. Lee and J. M. Heo* 2409–2409

Increasing dietary tryptophan and decreasing other large neutral amino acids increases weight gain and feed intake in weaner pigs infected with *Escherichia coli*  
*S. O. Sterndale, D. W. Miller, J. P. Mansfield, J. C. Kim and J. R. Pluske* 2410–2410

Effects of feeding conjugated linoleic acid (CLA) and medium chain fatty acids (MCFA) to gilts and sows on survival of their progeny  
*J. R. Craig, F. R. Dunshea, J. J. Cottrell, E. M. Ford, U. A. Wijesiriwardana and J. R. Pluske* 2411–2411

*continued on next page*

- Dietary essential oil volatiles are transferred to milk and amniotic fluid in sows  
*R. Palou, S. Fuller and E. Roura* 2412–2412
- Effects of different amounts of wheat bran and oat hulls on production of short chain fatty acids in the hindgut of pigs  
*V. Ratanapaul, D. Zhang, S. Diffey, J. L. Black, M. J. Gidley and B. A. Williams* 2413–2413
- Effects of L-citrulline supplementation on lactation performance of sows in summer  
*F. Liu, E. M. de Ruyter, R. Z. Athorn, C. J. Brewster, D. J. Henman, J. J. Cottrell and F. R. Dunshea* 2414–2414
- The effect of heat stress on respiratory alkalosis, blood acid base balance and insulin sensitivity in cinnamon supplemented pigs  
*J. J. Cottrell, F. Liu, S. Wan, U. A. Wijesiriwardana, K. DiGiacomo, F. Kelly, P. Celi, B. Leury, I. J. Clarke and F. R. Dunshea* 2415–2415
- Dietary phytate, calcium and phytase levels affect mineral utilisation in weaned pigs  
*P. Guggenbuhl, R. Aureli and E. Perez Calvo* 2416–2416
- Potential of blood biomarkers to estimate optimum amino acid requirements for pig growth  
*E. A. Soumeh, M. S. Hedemann, E. Corrent, J. van Milgen and J. V. Nørgaard* 2417–2417
- Factors influencing the measure of creatinine in non-reproductive pigs  
*T. L. Muller, R. J. E. Hewitt, D. N. D'Souza and R. J. van Barneveld* 2418–2418
- Effects of dietary Ca and digestible P concentrations and addition of phytase on growth performance of nursery pigs  
*F. Wu, M. D. Tokach, J. M. DeRouchey, S. S. Dritz, J. C. Woodworth and R. D. Goodband* 2419–2419
- The expression of bitter taste receptors (T2Rs) in the porcine gastrointestinal tract epithelium and smooth muscle  
*N. Tang, V. Ting, M. Fu and E. Roura* 2420–2420
- Importance of connectivity grains for AusScan NIR prediction accuracy  
*J. L. Black and S. Diffey* 2421–2421
- A double-choice model to quantify negative preference to bitterness in pigs  
*J. Wang, M. Fu, M. Navarro and E. Roura* 2422–2422
- Preference thresholds for four limiting essential amino acids in piglets  
*M. Muller, S. Diffey and E. Roura* 2423–2423
- Effects of standardised total tract digestible phosphorus on performance, carcass characteristics, and economics of 24 to 130 kg pigs  
*C. M. Vier, F. Wu, M. B. Menegat, H. Cemin, S. S. Dritz, M. D. Tokach, M. A. D. Goncalves, U. A. D. Orlando, J. C. Woodworth, R. D. Goodband and J. M. DeRouchey* 2424–2424
- Saccharomyces cerevisiae boulardii* improves performance of pigs fed low and high energy diets in summer  
*C. J. Brewster, D. J. Henman, E. M. de Ruyter, A. J. Turney and F. Bravo de Laguna* 2425–2425
- Cooling innovations for loose farrowing pens in summer  
*R. S. Morrison, J. N. E. Hogg, J. Hales, E. M. Baxter and V. A. Moustsen* 2426–2426
- Dietary cellulose could reduce cytokine responses without compromising growth performance in weaner pigs under a farm-like circumstance  
*H. M. Cho, S. S. Wickramasuriya, T. K. Shin, E. Kim, S. K. Lee and J. M. Heo* 2427–2427
- Dietary phytate, calcium and phytase levels affect growth performance in weaned pigs  
*P. Guggenbuhl, R. Aureli and E. Perez Calvo* 2428–2428
- Dietary phytate, calcium and phytase levels affect the small intestine and plasma myo-inositol concentrations in weaned pigs  
*P. Guggenbuhl, R. Aureli and E. Perez Calvo* 2429–2429
- Enhanced *E. coli* phytase at 2500 FTU improved piglet performance in both animal and plant protein-based diets  
*D. J. Henman, K. O'Halloran, J. N. E. Hogg, P. Wilcock, R. A. H. M. ten Doeschate and J. C. Kim* 2430–2430
- Alternative milk derivatives do not reduce weaner pig performance  
*R. J. E. Hewitt, S. M. Tritton, D. N. D'Souza and R. J. van Barneveld* 2431–2431
- Levan-type fructan improved growth performance and nutrient digestibility of weaner pigs  
*X. J. Lei, J. H. Park, D. H. Baek, H. M. Yun and I. H. Kim* 2432–2432
- Using hydroxyl selenomethionine as an antioxidant for weaned piglets  
*Y. G. Liu* 2433–2433

*In vivo* digestion of encapsulated essential oils in weaned pigs  
*R. Palou, B. Bhandari, C. Castro and E. Roura* 2434–2434

Elucidation of the complex carbohydrate structures of canola meal fibre by commercial feed enzymes  
*N. R. Pedersen, K. Stamatopoulos, D. Pettersson, K. A. Kristensen and J. L. Ravn* 2435–2435

Effects of different amounts of wheat bran and oat hulls in a starch-based diet on voluntary feed intake in grower pigs  
*V. Ratanpaul, D. Zhang, B. A. Williams, S. Diffey, J. L. Black and M. J. Gidley* 2436–2436

Effects of dietary supplementation of *Curcuma aromatica* and inositol monophosphate on performance and IgG of blood in lactating sows and piglets  
*H. Y. Sun, J. K. Kim and I. H. Kim* 2437–2437

NSP-ase and phytase improve growth performance and upholds carcass traits  
*D. Wu and Y. G. Liu* 2438–2438

#### **Chapter 6: Contributed abstracts – Lactation and welfare**

The reproductive value of enrichment to sows at farrowing  
*R. E. Doyle, C. R. Ralph, L. E. Edwards, R. S. Morrison, G. M. Cronin and K. J. Plush* 2439–2439

A preliminary examination of sham chewing behaviour in group-housed, nulliparous sows  
*L. M. Hemsworth, R. Y. Acharya and P. H. Hemsworth* 2440–2440

Influence of access to maize silage on sham chewing and stomach ulcer of gestating sows  
*L. U. Hansen, G. Sørensen and C. F. Hansen* 2441–2441

Agonistic interactions in stable group housed swine using a Gestal® free access stall over two gestation periods  
*M. D. Pairis-Garcia and M. R. Campler* 2442–2442

Group lactation compromises piglet performance and shifts injuries from weaning to lactation  
*D. S. Lines, J. S. Huser, S. H. Hallett, K. J. Plush and A. Martyniuk* 2443–2443

Confinement of sows at parturition increases the incidence of behaviours thought to indicate pain  
*T. L. Nowland, W. H. E. J. van Wettere and K. J. Plush* 2444–2444

Nurse sows display altered reproduction in the next gestation  
*J. G. Alexopoulos, D. S. Lines and K. J. Plush* 2445–2445

Farrowing performance of sows with increased magnesium concentrations in a transition diet  
*K. J. Plush, D. S. Lines, J. S. Huser, S. H. Hallett and W. H. E. J. van Wettere* 2446–2446

Play behaviour in piglets is infrequent and not altered by enrichment with lucerne when measured by scan sampling  
*J. Zemitis, K. J. Plush, C. R. Ralph, R. S. Morrison, S. Hazel and R. E. Doyle* 2447–2447

Strategies to reduce the pain of tail docking in piglets  
*R. S. Morrison, N. J. Kells, C. B. Johnson and P. H. Hemsworth* 2448–2448

Provision of enrichment blocks alters red blood cell parameters in sucker and weaner pigs  
*S. A. Barnes, S. Kitessa, G. M. Cronin and C. R. Ralph* 2449–2449

Group-lactation housing from 7 or 14 days post-partum: effects on piglet behaviour  
*M. Verdon, R. S. Morrison and J.-L. Rault* 2450–2450

Effect of L-glutamine in late gestation sow diets on survivability and growth of piglets  
*R. Z. Athorn, A. R. Wilkinson and D. J. Henman* 2451–2451

Pre-weaning growth of gilt and sow progeny is not improved by feeding conjugated linoleic acid and medium chain fatty acids during gestation  
*J. R. Craig, F. R. Dunshea, J. J. Cottrell, E. M. Ford, U. A. Wijesiriwardana and J. R. Pluske* 2452–2452

Piglet birth weight is related to time to first walk after birth  
*M. E. Quinn and R. S. Morrison* 2453–2453

Oxytocin delivered intranasally to gilts immediately after the birth of the first piglet decreased colostrum intake and growth of piglets  
*C. R. Ralph, K. J. Plush and J.-L. Rault* 2454–2454

Effect of maternal creatine supplementation prior to parturition on piglet growth and survival prior to weaning  
*W. H. E. J. van Wettere and B. A. Dearlove* 2455–2455

*continued on next page*

The effects of provided enrichment in the sucker phase on piglet scratch score post-weaning  
*L. A. McKenny, G. M. Cronin, M. L. Hebart, K. J. Plush and C. R. Ralph* 2456–2456

Amino acid complexed minerals in the diet increased mineral content in the hair and hoof of growing gilts  
*T. L. Muller, R. J. E. Hewitt, D. N. D'Souza and R. J. van Barneveld* 2457–2457

A poured block reduces feeding associated aggression in sows during gestation  
*T. L. Muller, M. J. Callaghan, R. J. E. Hewitt, D. N. D'Souza and R. J. van Barneveld* 2458–2458

Sucker and weaner pigs prefer brick shaped enrichment blocks over cube or wedge shaped enrichment blocks  
*C. R. Ralph, J. A. Winfield, G. F. Macnamara, B. L. F. Macnamara, C. O'Shea, E. J. S. Hall and G. M. Cronin* 2459–2459

The provision of lucerne to sows evoked greater arousal in response to an anticipatory behaviour test  
*C. R. Ralph, K. J. Plush, S. Hazel, J. Zemitis and R. E. Doyle* 2460–2460

Group-lactation housing from 7 or 14 days post partum: effects on sow behaviour  
*M. Verdon, R. S. Morrison and J.-L. Rault* 2461–2461

Efficiency to complete the maze test is decreased in young pigs enriched during the sucker phase  
*J. Zemitis, G. M. Cronin, M. L. Hebart and C. R. Ralph* 2462–2462

#### **Chapter 7: Contributed abstracts – Reproduction, genetics and environment**

Seasonal effects can be separated from other challenges in the pig environment using time series analysis  
*S. Z. Y. Guy, L. Li, P. C. Thomson and S. Hermesch* 2463–2463

Modifying procedures to assess immune competence in mature boars  
*J. Harper, K. L. Bunter, S. Hermesch, B. C. Hine and A. M. Collins* 2464–2464

Breeder dam parity does not affect lifetime reproductive performance  
*R. J. E. Hewitt, D. N. D'Souza and R. J. van Barneveld* 2465–2465

Early lifetime performance parameters affecting selection and reproductive success in gilts  
*R. Z. Athorn, K. L. Bunter and J. R. Craig* 2466–2466

Caffeine increases gestation length on a commercial farm  
*B. A. Dearlove, A. C. Weaver, K. L. Kind, K. L. Gatford and W. H. E. J. van Wettere* 2467–2467

Sow dimensions increase with increasing parity but not with increasing litter size  
*V. A. Moustsen, M. B. F. Nielsen, S. E. Nielsen and A. R. Kristensen* 2468–2468

A single intravenous injection of Kisspeptin evokes an increase in luteinising hormone in 15- and 18-week-old gilts  
*C. R. Ralph, R. N. Kirkwood and A. J. Tilbrook* 2469–2469

Lifetime sow productivity is influenced by both body protein and body fat reserves after first-litter weaning  
*R. J. Smits, M. V. Tull and K. L. Bunter* 2470–2470

Effect of parity and stage of gestation on maternal growth and feed efficiency of gestating sows  
*L. L. Thomas, R. D. Goodband, M. D. Tokach, J. C. Woodworth, J. M. DeRouche and S. S. Dritz* 2471–2471

Development of non-invasive methods to monitor the transfer of dietary volatile compounds in pigs  
*C. Castro, S. Fuller, M. Navarro, R. Palou and E. Roura* 2472–2472

Predicting oestrus and ovulation in sows using the vulva, cervical mucus and body temperature  
*D. Glencorse, C. G. Grupen and R. Bathgate* 2473–2473

The pre-ovulatory luteinising hormone surge is affected by the sex ratio of a gilt's birth litter  
*J. Seyfang, R. N. Kirkwood, A. J. Tilbrook and C. R. Ralph* 2474–2474

The effects of the *in utero* environment on gilt performance  
*L. M. Staveley, K. L. Kind, J. Kelly and W. H. E. J. van Wettere* 2475–2475

Can serum levels of anti-Müllerian hormone and oestradiol in juvenile gilts be used to predict future reproductive performance?  
*A. N. Steel, R. Z. Athorn and C. G. Grupen* 2476–2476

Commercial evaluation of a mating in lactation protocol  
*R. Z. Athorn and J. A. Downing* 2477–2477

Melatonin fed in early gestation increases fetal weight  
*B. A. Dearlove, K. L. Kind, K. L. Gatford and W. H. E. J. van Wettere* 2478–2478

Aerobic and algal treatment for piggery effluent and water reuse: design of an integrated wastewater treatment plant  
*N. N. Cheng and H. J. Fallowfield* 2479–2479

Assessing the suitability of microalgae biomass produced from piggery waste as a fertiliser  
*S. N. Jenkins, C. A. Paredes-Valdivia, I. S. Waite, J. Ayre, N. Moheimani, L. Barton and L. K. Abbott* 2480–2480

Effect of feed wastage on piggery effluent characteristics  
*A. G. Skerman, S. Willis, D. J. Batstone, S. D. Yap and S. Tait* 2481–2481

The effect of dam parity on growth, white blood cell count, haemoglobin and immunoglobulin levels of weaner pigs  
*S. Hermesch, T. McKenna, M. M. Bauer and N. Sales* 2482–2482

The effect of parity on haemoglobin levels in sows prior to farrowing and in 1-day-old piglets  
*B. L. Hollema, G. J. Davis and S. Hermesch* 2483–2483

The effects of selecting growing pigs for a high growth rate and low backfat on sow characteristics  
*B. L. Hollema, G. J. Davis and S. Hermesch* 2484–2484

Predicting body protein and body fat for breeding sows of a modern commercial genotype  
*R. J. Smits, W. C. Morley and K. L. Bunter* 2485–2485

#### **Chapter 8: Contributed abstracts – Meat eating quality and food safety**

The effect of pre-slaughter factors on meat quality varies between muscle cuts  
*A. K. Lealiifano, D. N. D'Souza, F. R. Dunshea and R. J. Smits* 2486–2486

The incidence of pale soft exudative pork in entire male pigs from an Australian herd  
*C. G. Jose* 2487–2487

Prevalence survey of *Toxoplasma gondii* in hearts from Western Australian sows  
*K. Hodgson, J. Tan, V. Torok, G. Holds and D. Hamilton* 2488–2488

Deep litter housed pigs have a faster pH decline compared to conventional housed pigs  
*A. K. Lealiifano, D. N. D'Souza, F. R. Dunshea and R. J. Smits* 2489–2489

Development of an algorithm to correlate Physi-Trace pig liver data with pork meat data  
*R. J. Watling, H. A. Channon and G. S. H. Lee* 2490–2490

#### **Chapter 9: Contributed abstracts – Antimicrobial resistance and health**

Reduced antimicrobial resistance in weaner pigs treated with Detach® following natural challenge with F4 *Escherichia coli*  
*A. M. Collins and B. G. Bowring* 2491–2491

The emergence of community associated MRSA (ST93) in piggery workers and associated risk factors  
*S. Sahibzada, M. Hernández-Jover and J. Heller* 2492–2492

Disinfectant susceptibility in south east Australian pig herds  
*L. K. van Breda and M. P. Ward* 2493–2493

Investigation of a novel porcine bacterium by whole genome sequencing and mouse inoculation  
*A. E. Watt, M. S. Marenda and G. F. Browning* 2494–2494

Haptoglobin in oral fluid samples from pens of pigs can potentially be used to estimate herd inflammatory status  
*J. C. Kim, D. L. Turpin and J. R. Pluske* 2495–2495

Novel feed additives controlling *Salmonella typhimurium* in pigs  
*J. Allaart, C. Silva, M. van der Heijden and P. Roubos-van den Hil* 2496–2496

*Lactobacillus acidophilus* fermentation product as an alternative to therapeutic zinc oxide in weaned pig diets on performance and response to *Escherichia coli* challenge  
*X. Guan, B. E. Bass, P. J. van der Aar, C. Piñeiro, J. W. Frank, J. Morales, F. Molist and D. J. Cadogan* 2497–2497

Effect of the combination of three yeast strains on post weaning piglets after an experimental *E. coli* infection  
*X. Guan, F. Molist, F. Bravo de Laguna and D. Saornil* 2498–2498

Pen hygiene and piglet mortality in farrowing pens with partly solid floor, changes through lactation  
*J. Hales, A. Norval, M. B. F. Nielsen and V. A. Moustsen* 2499–2499

Topical zinc oxide improves shoulder lesion healing compared with other treatments  
*S. H. Hallett, J. S. Huser, K. J. Plush and D. S. Lines* 2500–2500

Microencapsulated feed additives allow improved production efficiency in weaner pigs  
*R. J. E. Hewitt, W. Bradshaw and L. Lahaye* 2501–2501

Zinc oxide presentation can influence weaner performance

*R. J. E. Hewitt, S. M. Tritton, D. N. D'Souza and R. J. van Barneveld* 2502–2502

A comparative study of the efficacy of Detach® versus zinc oxide to control post-weaning diarrhoea in pigs

*P. K. Holyoake and T. L. Mynott* 2503–2503

Effects of microencapsulated organic acids and essential oils supplementation on performance and rectal temperature in challenged weaning pigs

*S. D. Liu, W. Yun, J. H. Lee, W. G. Kwak, H. J. Oh, C. H. Lee and J. H. Cho* 2504–2504

Effect of probiotic and xylanase on growth performance, nutrient digestibility, blood profiles, and faecal microflora in growing pigs

*D. H. Nguyen, H. N. Tran, K. Y. Lee and I. H. Kim* 2505–2505

*In vitro* antimicrobial activity of essential oils against enterotoxigenic *Escherichia coli* found in a nation-wide commercial farm survey

*R. Palou, C. Turni and E. Roura* 2506–2506

Cereal and protein sources fed to pigs after weaning influence faecal shedding of β-haemolytic *Escherichia coli*

*J. R. Pluske, B. P. Mullan and J. C. Kim* 2507–2507

A potential new species of porcine *Actinobacillus* defined by multi-locus sequence analysis

*C. Turni, N. Giang, Y. Wu, P. Blackall and H. Christensen* 2508–2508

Effects of a multi-strain probiotic on growth performance and faecal microflora in weaner pigs

*H. Shi, S. T. Upadhyaya, X. X. Liang, S. Q. Huang, X. Z. Hao and I. H. Kim* 2509–2509

Does dietary supplementation of gamma-aminobutyric acid improve performance in weaner pigs experimentally infected with *Escherichia coli* and given adrenocorticotrophic hormone?

*S. O. Sterndale, D. W. Miller, J. P. Mansfield, J. C. Kim and J. R. Pluske* 2510–2510

**Chapter 10: Index of Authors 2511–2512**