

CSIRO Publishing



AUSTRALIAN JOURNAL *of* BOTANY

VOLUME 49, 2001

© CSIRO 2001

AN INTERNATIONAL JOURNAL FOR
THE PUBLICATION OF ORIGINAL
RESEARCH IN PLANT SCIENCE

All enquiries and manuscripts should be directed to:

Australian Journal of Botany
CSIRO Publishing
PO Box 1139 (150 Oxford St)
Collingwood, Vic. 3066, Australia



Telephone: +61 3 9662 7613
Fax: +61 3 9662 7611
Email: publishing.ajb@csiro.au

Published by CSIRO Publishing
for CSIRO and the Australian Academy of Science

www.publish.csiro.au/journals/ajb

Index to Volume 49

Authors and Titles

- Aberton MJ, Wilson BA, Hill J, Cahill DM
Development of disease caused by *Phytophthora cinnamomi* in mature *Xanthorrhoea australis* 209
- Appezato-da-Glória B
See Hayashi AH *et al.* 745
- Armesto JJ
See Figueroa JA *et al.* 411
- Asante KS, Brophy JJ, Doran JC, Goldsack RJ, Hibbert DB, Larmour JS
A comparative study of the seedling leaf oils of the spotted gums: species of the *Corymbia* (Myrtaceae), section *Politaria* 55
- Ash JE
See Oliver EJ *et al.* 561
- Attiwill P
See Hill J *et al.* 1
- Auld TD, Denham AJ
Predispersal seed predation in shrubs of *Grevillea* (Proteaceae) from south-eastern Australia 17
- Bandyopadhyay A
See Radhakrishnan T *et al.* 753
- Barmuta LA
See Whinam J *et al.* 673
- Barnes RW
See Rowell MV *et al.* 235
- Barnes RW, Hill RS, Bradford JC
The history of Cunoniaceae in Australia based on macrofossil evidence 301
- Barthomeuf C
See Hitmi A *et al.* 81
- Batty AL, Dixon KW, Brundrett M, Sivasithamparam K
Long-term storage of mycorrhizal fungi and seed as a tool for the conservation of endangered Western Australian terrestrial orchids 619
- Bauer LM, Johnston ME, Williams RR
Rate and timing of vegetative growth, flowering and fruit development of *Persoonia virgata* (Proteaceae) 245
- Beattie AJ
See Pharo EJ *et al.* 23
- Bell DT
See James SA *et al.* 259
- Boon WM
See Chambers GK *et al.* 377
- Bowman DMJS
On the elusive definition of 'Australian rainforest': response to Lynch and Neldner (2000) 785
- Bowman DMJS, Price O, Whitehead PJ, Walsh A
The 'wilderness effect' and the decline of *Callitris intratropica* on the Arnhem Land Plateau, northern Australia 665
- Bradford JC
See Barnes RW *et al.* 301
- Bridle KL, Kirkpatrick JB
Impacts of grazing by vertebrate herbivores on the flower stem production of tall alpine herbs, Eastern Central Plateau, Tasmania 459
- Broadhurst LM, Coates DJ, Tan BH
Patterns of morphological variation and allelic distribution across a zone of overlap between two subspecies of *Geleznowia verrucosa* (Rutaceae) 451
- Brophy JJ
See Asante KS *et al.* 55
- Brown EA
See Taaffe G *et al.* 107
- Brundrett M
See Batty AL *et al.* 619
- Buckley TR
See Chambers GK *et al.* 377
- Buckney RT
See King SA *et al.* 717
- Burd M
See Jones A *et al.* 603
- Burdon JJ
See Oliver EJ *et al.* 561
- Cahill DM
See Aberton MJ *et al.* 209
- Cairney JWG
See Van Leerdam DM *et al.* 75
- Cairney JWG, Van Leerdam DM, Chen DM
Metal insensitivity in ericoid mycorrhizal endophytes from *Woolfsia pungens* (Epacridaceae) 571
- Chambers GK, Boon WM, Buckley TR, Hitchmough RA
Using molecular methods to understand the Gondwanan affinities of the New Zealand biota: three case studies 377
- Chandran K
See Radhakrishnan T *et al.* 753
- Chang K-W
See Kao W-Y *et al.* 509
- Chen DM
See Cairney JWG *et al.* 571
- Chen L-B
See Fu J-H *et al.* 771
- Chilcott N
See Whinam J *et al.* 673
- Chisholm L
See Stone C *et al.* 687
- Clarke K, Prakash N
Floral morphology and embryology of two Australian species of *Citrus* (Rutaceae) 199
- Coates DJ
See Broadhurst LM *et al.* 451
- Coops N
See Stone C *et al.* 687
- Crayn DM
See Taaffe G *et al.* 107
- Crowley GM, Garnett ST
Growth, seed production and effect of defoliation in an early flowering perennial grass *Alloteropsis semialata* (Poaceae) on Cape York Peninsula, Australia 735
- Dell B
See Tynan KM *et al.* 761
- Denham AJ
See Auld TD *et al.* 17
- Dixon KW
See Batty AL *et al.* 619
See Rokich DP *et al.* 169
- Doran JC
See Asante KS *et al.* 55

- Dutkowski GW
See Freeman JS *et al.* 585
- Figueroa JA, Armesto JJ
Community-wide germination strategies in a temperate rainforest of Southern Chile: ecological and evolutionary correlates 411
- Freeman JS, Jackson HD, Steane DA, McKinnon GE, Dutkowski GW, Potts BM, Vaillancourt RE
Chloroplast DNA phylogeography of *Eucalyptus globulus* 585
- Froend RH
See Pettit NE *et al.* 515
- Fu J-H, Lei L-G, Chen L-B, Qiu G-Z
Wall ultrastructure and cytochemistry and the longevity of pollen of three grass species 771
- Gadek PA
See Taaffe G *et al.* 107
- Galloway PD
See Pate JS *et al.* 529
- García-Berthou E
See Verdaguer D *et al.* 67
- Garnett ST
See Crowley GM *et al.* 735
- Goldingay RL
See Hackett DJ *et al.* 637
- Goldsack RJ
See Asante KS *et al.* 55
- Gul B
See Khan MA *et al.* 185
- Hackett DJ, Goldingay RL
Pollination of *Banksia* spp. by non-flying mammals in north-eastern New South Wales 637
- Hansman DJ
Floral biology of dry rainforest in north Queensland and a comparison with adjacent savanna woodland 137
- Hardy GESTJ
See McDougall KL *et al.* 193
See Tynan KM *et al.* 761
- Hayashi AH, Penha AS, Rodrigues RR, Appezzato-da-Glória B
Anatomical studies of shoot bud-forming roots of Brazilian tree species 745
- Heyligers PC
Dispersal and monoecy in *Atriplex cinerea* (Chenopodiaceae) 501
- Hibbert DB
See Asante KS *et al.* 55
- Hill J
See Aberton MJ *et al.* 209
- Hill J, Attiwill P, Uren NC, O'Brien ND
Does manganese play a role in the distribution of the eucalypts? 1
- Hill RS
Biogeography, evolution and palaeoecology of *Nothofagus* (Nothofagaceae): the contribution of the fossil record 321
See Barnes RW *et al.* 301
See Swenson U *et al.* 367
- Hitchmough RA
See Chambers GK *et al.* 377
- Hitmi A, Sallanon H, Barthomeuf C
Effects of plant growth regulators on the growth and pyrethrin production by cell cultures of *Chrysanthemum cinerariaefolium* 81
- Hobbs RJ
See McDougall KL *et al.* 193
- Holmes JM
See Tynan KM *et al.* 761
- Holtum JAM, Winter K
Are plants growing close to the floors of tropical forests exposed to markedly elevated concentrations of carbon dioxide? 629
- Hopper SD
See Krauss SL *et al.* 611
- Hovenden MJ
The influence of temperature and genotype on the growth and stomatal morphology of southern beech, *Nothofagus cunninghamii* (Nothofagaceae) 427
- Jackson HD
See Freeman JS *et al.* 585
- James SA, Bell DT
Leaf morphological and anatomical characteristics of heteroblastic *Eucalyptus globulus* ssp. *globulus* (Myrtaceae) 259
- Johnston ME
See Bauer LM *et al.* 245
- Jones A, Burd M
Vegetative and reproductive variation among unisexual and hermaphroditic individuals of *Wurmbea dioica* (Colchicaceae) 603
- Jordan GJ
An investigation of long-distance dispersal based on species native to both Tasmania and New Zealand 333
See Rowell MV *et al.* 235
- Kao W-Y, Chang K-W
Altitudinal trends in photosynthetic rate and leaf characteristics of *Miscanthus* populations from central Taiwan 509
- Keiper FJ, McConchie R
Morphological variation among *Sticherus flabellatus* (Gleicheniaceae) populations of the Sydney region 89
- Khan AG
See Khanam N *et al.* 443
- Khan MA, Gul B, Weber DJ
Germination of dimorphic seeds of *Suaeda moquinii* under high salinity stress 185
- Khan MA, Ungar IA
Alleviation of salinity stress and the response to temperature in two seed morphs of *Halopyrum mucronatum* (Poaceae) 777
- Khanam N, Khoo C, Khan AG
Effects of cytokinin–auxin combinations on cell arrangement in the basal stems and tropane alkaloid production in cultured non-rooted shoots of *Duboisia myoporoides* 443
- Khoo C
See Khanam N *et al.* 443
- King SA, Buckney RT
Exotic plants in the soil-stored seed bank of urban bushland 717
- Kirkpatrick JB
See Bridle KL *et al.* 459

- Krauss SL, Hopper SD
From Dampier to DNA: the 300-year-old mystery of the identity and proposed allopolyploid origin of *Conostylis stylioides* (Haemodoraceae) 611
- Ladd PG
See Woolfrey AR *et al.* 705
- Ladiges PY
See Nelson G *et al.* 389
- Larmour JS
See Asante KS *et al.* 55
- Lee DE, Lee WG, Mortimer N
Where and why have all the flowers gone? Depletion and turnover in the New Zealand Cenozoic angiosperm flora in relation to palaeogeography and climate 341
- Lee WG
See Lee DE *et al.* 341
- Lei L-G
See Fu J-H *et al.* 771
- Loveys Beth R
See Loveys Brian R *et al.* 9
- Loveys Beth R, Loveys Brian R, Tyerman SD
Water relations and gas exchange of the root hemiparasite *Santalum acuminatum* (quandong) 479
- Loveys Brian R
See Loveys Beth R *et al.* 479
- Loveys Brian R, Tyerman SD, Loveys Beth R
Transfer of photosynthate and naturally occurring insecticidal compounds from host plants to the root hemiparasite *Santalum acuminatum* (Santalaceae) 9
- Lynch AJJ
See Neldner VJ *et al.* 789
- Mallick SA
Production and consumption of nectar in flowers of Tasmanian leatherwood, *Eucryphia lucida* (Eucryphiaceae) 435
- Martin HA
The family Convolvulaceae in the Tertiary of Australia: evidence from pollen 221
- McComb JA Colquhoun IJ
See Tynan KM *et al.* 761
- McConchie R
See Keiper FJ *et al.* 89
- McDougall KL, Hardy GESTJ, Hobbs RJ
Additions to the host range of *Phytophthora cinnamomi* in the jarrah (*Eucalyptus marginata*) forest of Western Australia 193
- McKinnon GE
See Freeman JS *et al.* 585
- McLoughlin S
The breakup history of Gondwana and its impact on pre-Cenozoic floristic provincialism 271
- Meagher PF
See Offord CA *et al.* 699
- Meney KA
See Rokich DP *et al.* 169
- Miguens FC
See Santos M *et al.* 579
- Morgan JW
See Wearne LJ *et al.* 721
- Mortimer N
See Lee DE *et al.* 341
- Murphy PG
See Werner PA 155
- Murthy TGK
See Radhakrishnan T *et al.* 753
- Neldner VJ, Lynch AJJ
In defence of a workable national rainforest definition in Australia: response to Bowman (2001) 789
- Nelson G, Ladiges PY
Gondwana, vicariance biogeography and the New York School revisited 389
- Noble JC
Lignotubers and meristem dependence in mallee (*Eucalyptus* spp.) coppicing after fire 31
- O'Brien ND
See Hill J *et al.* 1
- O'Connor PJO, Smith SE, Smith FA
Arbuscular mycorrhizal associations in the southern Simpson Desert 493
- Offord CA, Meagher PF
Effects of temperature, light and stratification on seed germination of Wollemi pine (*Wollemia nobilis*, Araucariaceae) 699
- de Oliveira PL
See Santos M *et al.* 579
- Oliver EJ, Thrall PH, Burdon JJ, Ash JE
Vertical disease transmission in the *Cakile-Alternaria* host-pathogen interaction 561
- Osunkoya OO, Swanborough PW
Reproductive and ecophysiological attributes of the rare *Gardenia actinocarpa* (Rubiaceae) compared with its common co-occurring congener, *G. ovularis* 471
- Ough K
Regeneration of Wet Forest flora a decade after clear-felling or wildfire—is there a difference? 645
- Pascual G
See Verdaguer D *et al.* 67
- Pate JS, Verboom WH, Galloway PD
TURNER REVIEW No. 4 Co-occurrence of Proteaceae, laterite and related oligotrophic soils: coincidental associations or causative inter-relationships? 529
- Penha AS
See Hayashi AH *et al.* 745
- Pettit NE, Froend RH
Availability of seed for recruitment of riparian vegetation: a comparison of a tropical and a temperate river ecosystem in Australia 515
- Pharo EJ, Beattie AJ
Management forest types as a surrogate for vascular plant, bryophyte and lichen diversity 23
- Pole MS
Can long-distance dispersal be inferred from the New Zealand plant fossil record? 357
- Potts BM
See Freeman JS *et al.* 585
See Turner C *et al.* 43
- Prakash N
See Clarke K *et al.* 199
- Price O
See Bowman DMJS *et al.* 665
- Puigderrajols P
See Verdaguer D *et al.* 67
- Qiu G-Z
See Fu J-H *et al.* 771

- Quinn CJ
See Taaffe G *et al.* 107
- Radhakrishnan T, Murthy TKG, Chandran K, Bandyopadhyay A
Somatic embryogenesis in *Arachis hypogaea*: revisited 753
- Read J
Soil and rainforest composition in Tasmania: correlations of soil characteristics with canopy composition and growth rates in *Nothofagus cunninghamii* associations 121
- Rodrigues RR
See Hayashi AH *et al.* 745
- Rokich DP, Meney KA, Dixon KW, Sivasithamparam K
The impact of soil disturbance on root development in woodland communities in Western Australia 169
- Rowell MV, Jordan GJ, Barnes RW
An *in situ*, Late Pleistocene *Melaleuca* fossil forest at Coal Head, western Tasmania, Australia 235
- Ryley MJ
Location and activity of hyphae of the downy mildew, *Peronosclerospora noblei* (Family Peronosporaceae), and its relationship to symptom expression on wild sorghum (*Sorghum leiocladum*) 487
- Sallanon H
See Hitmi A *et al.* 81
- Santos M, de Oliveira PL, Miguens FC
A method of estimating stomatal density in *Paspalum notatum* (Poaceae) 579
- Sivasithamparam K
See Batty AL *et al.* 619
See Rokich DP *et al.* 169
- Smith FA
See O'Connor PJO *et al.* 493
- Smith SE
See O'Connor PJO *et al.* 493
- Steane DA
See Freeman JS *et al.* 585
- Stone C, Chisholm L, Coops N
Spectral reflectance characteristics of eucalypt foliage damaged by insects 687
- Swanborough PW
See Osunkoya OO *et al.* 471
- Swenson U, Hill RS
Most parsimonious areagrams versus fossils: the case of *Nothofagus* (Nothofagaceae) 367
- Taaffe G, Brown EA, Crayn DM, Gadek PA, Quinn CJ
Generic concepts in Stypheliaceae: resolving the limits of *Leucopogon* 107
- Tan BH
See Broadhurst LM *et al.* 451
- Thrall PH
See Oliver EJ *et al.* 561
- Turner C, Wiltshire RJE, Potts BM, Vaillancourt RE
Variation in seedling morphology in the *Eucalyptus risdonii*-*E. tenuiramis* complex 43
- Tyerman SD
See Loveys Beth R *et al.* 479
See Loveys Brian R *et al.* 9
- Tynan KM, Wilkinson CJ, Holmes JM, Dell B, Colquhoun IJ, McComb JA, Hardy GESTJ
The long-term ability of phosphite to control *Phytophthora cinnamomi* in two native plant communities of Western Australia 761
- Ungar IA
See Khan MA *et al.* 777
- Uren NC
See Hill J *et al.* 1
- Vaillancourt RE
See Freeman JS *et al.* 585
See Turner C *et al.* 43
- Van Leerdam DM
See Cairney JWG *et al.* 571
- Van Leerdam DM, Williams PA, Cairney JWG
Phosphate-solubilising abilities of ericoid mycorrhizal endophytes of *Woolisia pungens* (Epacridaceae) 75
- Verboom WH
See Pate JS *et al.* 529
- Verdaguer D, García-Berthou E, Pascual G, Puigderrajols P
Sprouting of seedlings of three *Quercus* species in relation to repeated pruning and the cotyledonary node 67
- Walsh A
See Bowman DMJS *et al.* 665
- Wang YZ
Reversion of floral development under adverse ecological conditions in *Whytockia bijieensis* (Gesneriaceae) 253
- Wearne LJ, Morgan JW
Floristic composition and variability of subalpine grasslands in the Mt Hotham region, north-eastern Victoria 721
- Weber DJ
See Khan MA *et al.* 185
- Werner PA, Murphy PG
Size-specific biomass allocation and water content of above- and below-ground components of three *Eucalyptus* species in a Northern Australia savanna 155
- Whinam J, Barmuta LA, Chilcott N
Floristic description and environmental relationships of Tasmanian *Sphagnum* communities and their conservation management 673
- Whitehead PJ
See Bowman DMJS *et al.* 665
- Wilkinson CJ
See Tynan KM *et al.* 761
- Williams PA
See Van Leerdam DM *et al.* 75
- Williams RR
See Bauer LM *et al.* 245
- Wilson BA
See Aberton MJ *et al.* 209
- Wiltshire RJE
See Turner C *et al.* 43
- Winter K
See Holtum JAM *et al.* 629
- Woolfrey AR, Ladd PG
Habitat preference and reproductive traits of a major Australian riparian tree species (*Casuarina cunninghamiana*) 705
- Wooller RD
See Wooller SJ *et al.* 597
- Wooller SJ, Wooller RD
Seed set in two sympatric banksias, *Banksia attenuata* and *B. baxteri* 597