

Supplementary Material

Synthesis and properties of novel BODIPY-tethered triphenylamine conjugates

Yucai Wang^{A, B}, Junxu Liao^{B, C}, Bangying Wang^{A, B}, Hongbiao Chen^{A, C}, Hongbin Zhao^B, Min Peng^B and Sujuan Fan^B

^A College of Chemistry, Xiangtan University, Hunan 411105, People's Republic of China


^B College of Chemistry and Environmental Engineering, Dongguan University of Technology, Guangdong 523808, People's Republic of China

^C Corresponding author. Email: liaojunxu503@sina.com, zhaohbhanlf@163.com.



Email: zhaohbhanlf@163.com

Fax: (+86)-769-2286-1233



Characterization Data: ^1H NMR and ^{13}C NMR Spectra





^1H NMR and ^{13}C NMR spectra of compound **6**.





^1H NMR and ^{13}C NMR spectra of compound **8**.




¹H NMR and ¹³C NMR spectra of compound **BDP5**.



^1H NMR and ^{13}C NMR spectra of compound **BDP6**.







¹H NMR and ¹³C NMR spectra of compound BDP7.



¹H NMR and ¹³C NMR spectra of compound **BDP8**.

MALDI-TOF-MS Spectra of partial BDPs



High-resolution Mass Spectrum of BDP5-BDP6

