

10.1071/CP18458\_AC

© CSIRO 2019

**Supplementary Material: *Crop & Pasture Science*, 2019, 70, 147–158.**

**Performance and weed-suppressive potential of selected pasture legumes against annual weeds in south-eastern Australia**

*Sajid Latif<sup>A,B</sup>, Saliya Gurusinghe<sup>A</sup>, Paul A. Weston<sup>A,C</sup>, William B. Brown<sup>A,C</sup>, Jane C. Quinn<sup>A,B</sup>, John W. Piltz<sup>A,D</sup> and Leslie A. Weston<sup>A,C</sup>*

<sup>A</sup>Graham Centre for Agricultural Innovation (NSW Department of Primary Industries), Locked Bag 588, Wagga Wagga, NSW 2678, Australia.


<sup>B</sup>School of Animal and Veterinary Sciences, Charles Sturt University, Wagga Wagga, NSW 2678, Australia.

<sup>C</sup>School of Agriculture and Wine Sciences, Charles Sturt University, Wagga Wagga, NSW 2678, Australia.


<sup>D</sup>NSW Department of Primary Industries, Agricultural Institute, Wagga Wagga, NSW 2650, Australia.

<sup>E</sup>Corresponding author. Email: [slatif@csu.edu.au](mailto:slatif@csu.edu.au)

## Supplementary Figures



**Figure S1.** Mean pasture and weed cover in various pasture mixtures assessed at physiological maturity in 2015 at the Graham Centre field site Wagga Wagga NSW. Error bars indicate the standard error of mean.



**Figure S2.** Mean pasture and weed cover in various pasture mixtures assessed at physiological maturity in 2016 at the Graham Centre field site Wagga Wagga NSW. Error bars indicate the standard error of mean.