
- Standard Practice for cleaning and disinfection of flexible fiber optic and video endoscopes use in the examination of the hollow viscera. ASTM Standard F1518-94, American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.
- Systchenko R, Marchetti B, Canard J N et al. Guidelines of the French Society of Digestive Endoscopy: Recommendations For Setting Up Cleaning and Disinfection Procedures In Gastrointestinal Endoscopy. Endoscopy. 2000; 32 (10):807-818.
- Alvarado, Carla J.; Reichelderfer, Mark. APIC guideline for infection prevention and control in flexible endoscopy. AJIC (American Journal of Infection Control). Volume 2002;28(2) April:138-155.
- 8. Australian Standard 4187, Code of Practice for cleaning, disinfecting and sterilizing reusable medical and surgical instruments and equipment, and maintenance of associated environments in health care facilities.
- Cheetham NWH & Berentsveig V. Relative efficacy and activity of medical instrument cleaning agents, Australian Infection Control Journal. Vol 7:3, September. 2002.
- Biofilm Formation and Biocide Susceptibility Testing of Mycobacterium fortuitumand Mycobacterium marinum Current Microbiology 46 (1): 28-32 2003 Bardouniotis, Elias Ceri, Howard Olson, Merle E.
- The chaperone/usher pathways of Pseudomonas aeruginosa: Identification of fimbrialgene clusters (cup) and their involvement in

- biofilm formation. Proceedings of National Academyof Sciences of USAJune 5, 2001vol. 98 no. 12 6911-6916 Isabelle Vallet\*, John W. O.
- Park S. H. 1. Itoh, K. 1. Fujisawa, T. 2. Characteristics and identification of enterococins produced by Enterococcus faecium. JCM 5804T. Journal of Applied Microbiology.2003; 95(2) August:294-300.
- Le Minh Tam\*. Vanderheyden, Patrick M. L., Fierens, Frederik L. P., Vauquelin, George. Molecular characterization of the high-affinity [3H] neuropeptide Y-binding component from the venom of Conus anemone. Fundamental & Clinical Pharmacology. 2003;17(4) August: 457-462.
- 14. Oda Y & Tonomura K. [alpha]-Galactosidase from the yeast Torulaspora delbrueckii IFO 1255. Journal of Applied Bacteriology. 1996;80(2)February:203-208.
- Cao M Y MD, Deggouj N MD, Gersdorff M MD, PhD. Tomasi J-P. MD. Guinea Pig Inner Ear Antigens: Extraction and Application to the Study of Human Autoimmune Inner Ear Disease. Laryngoscope. 1996;106(2)February:207-212.
- 16. Copeland R A. Methods for protein analysis: a practical guide to laboratory protocols New York: Chapman and Hall, 1994.
- 17. Shyh-Horng Chiou, Shih-Hsiung Wu. Evaluation of commonly used electrophoretic methods for the analysis of proteins and peptides and their application to biotechnology. Analytica Chimica Acta .1999;(383):47-60.
- 18. Mini-PROTEAN 3 Cell Instruction Manual, Sections 2-5. BIO-RAD.

## Erratum

These tables appeared in the June 2005 issue of *Australian Infection Control*. However, some data were reproduced incorrectly in the publishing process. The tables shown here therefore replace that version.

The publishers and AICA apologise for any inconvenience.



E.g. 1 Registered Nurse (RN) walks into the bay area and the field observer is unsure of hand hygiene (HH) performed by the RN (?) and the RN touches the patient's skin (PT) and fails to perform HH (X). The same RN moves to a second patient in the bay area and has contact with the patient's intravenous circuit (VA), then performs HH with an alcohol-chlorhexidine hand rub (D), then the RN touches the patient's bed (PT) but fails to perform HH (X). The same RN moves onto a third patient and the RN touches the bed linen (PT) and the last HH activity performed by the RN was not sighted by the field observer (?) and the RN walks-out of the bay area.

Figure 1: Recording Health Care Workers moving from one patient to another and leaving a bay (for coding of activities refer to Table 1 and Table 2).




Figure 3: Calculating hand hygiene compliance (for coding of activities refer to Table 1 and Table 2).