Marine and Freshwater Research, 2018, **69**, 562–573
http://dx.doi.org/10.1071/MF17163_AC © CSIRO 2018

Life history characteristics of the silky shark *Carcharhinus falciformis* from the central west Pacific

Michael I. Grant[A,F], *Jonathan J. Smart*[A,B], *William T. White*[C,D], *Andrew Chin*[A], *Leontine Baje*[A,E] *and Colin A. Simpfendorfer*[A]

[A]Centre for Sustainable Tropical Fisheries and Aquaculture and College of Science and Engineering, James Cook University, 1 James Cook Drive, Townsville, Qld 4811, Australia.

[B]SARDI Aquatic Sciences, 2 Hamra Avenue, West Beach, SA 5024, Australia.

[C]CSIRO Oceans and Atmosphere, 3–4 Castray Esplanade, Hobart, Tas. 7004, Australia.

[D]Australian National Fish Collection, CSIRO National Research Collections Australia, Hobart, Tas. 7004, Australia.

[E]National Fisheries Authority, The Tower, Douglas Street, PO Box 2016, Port Moresby, National Capital District, Papua New Guinea.

[F]Corresponding author. Email: Michael.grant4@my.jcu.edu.au

© CSIRO 2018
http://dx.doi.org/10.1071/MF17163_AC



Fig. S1. Age-bias plots for *Carcharhinus falciformis*. Mean age-specific agreements between Read 1 and Read 3. The 95% confidence limits are plotted along a 1:1 equivalence line for comparison. APE, average percentage error. CV, coefficient of variation.