CSIRO PUBLISHING

Marine Freshwater Research

Volume 50, 1999 © CSIRO Australia 1999

A journal for the publication of original contributions in physical oceanography, marine chemistry, marine and estuarine biology and limnology

www.publish.csiro.au/journals/mfr

All enquiries and manuscripts should be directed to Marine and Freshwater Research

CSIRO PUBLISHING

PO Box 1139 (150 Oxford St)

Collingwood Telephone: 61 3 9662 7618 Vic. 3066 Facsimile: 61 3 9662 7611 Australia Email: ann.grant@publish.csiro.au



Published by **CSIRO** PUBLISHING for CSIRO Australia and the Australian Academy of Science



10.1071/MFauth1999 991

Index to Volume 50 (1999) Authors and Titles

Aarn

See Ivantsoff W 467

Acha E M, Mianzan H, Lasta C A, Guerrero R A Estuarine spawning of the whitemouth croaker *Micropogonias furnieri* (Pisces: Sciaenidae), in the Rio de la Plata, Argentina. 57

Adams M

See Bryars S R 15

Alexander C G

See Johnston D J 213

Allen D

See Donnelly T H 689

Almeida Z

See Lessa R 383

Alongi D M

See Trott L A 451

Anderson T J, Babcock R C

Subcutaneous electromagnetic tagging of benthic octopus: a preliminary evaluation. 225

Andrew N L

See Stewart J 389

Anstiss J M

See Taylor H H 907

Apte S C

See Batley G E 729

Au D W

See Smith S E 373

Ayvazian S G

See Young G C 633

Babcock R C

See Anderson T J 225 and Kelly S 409

Baker P D

Role of akinetes in the development of cyanobacterial populations in the lower Murray River, Australia. 265

Baldwin J, Gupta A, Iglesias X

Scaling of anaerobic energy metabolism during tail flipping behaviour in the freshwater crayfish, *Cherax destructor*. 183

Banks S A

See Harriott V J 299

Barnett C W, Pankhurst N W

Reproductive biology and endocrinology of greenback flounder *Rhombosolea tapirina* (Günther 1862). 35

Batley G E, Apte S C, Stauber J L

Acceptability of aquatic toxicity data for the derivation of water quality guidelines for metals. 729

Batley G E

See also Fabris G J 503

Baverstock P R

See Jerry D R 661

Beckley L E, van der Lingen C D

Biology, fishery and management of sardines (*Sardinops sagax*) in southern African waters.

Berelson W M, Townsend T, Heggie D T, Ford P, Longmore A R, Skyring G W, Kilgore T,

Nicholson G J

Modelling bio-irrigation rates in the sediments of Port Phillip Bay. 573

Berelson W M

See also Nicholson G J 567

and Heggie D T 589

Bird F L, Ford P W, Hancock G J

Effect of burrowing macrobenthos on the flux of dissolved substances across the water–sediment interface. 523

Blaber S J M

See Staunton-Smith J 643

Black K P

See Sokolov S 493

Blake S

See van Woesik R 427

Boon P I

See Robertson A I 813

Bormans M, Sherman B S, Webster I T Is buoyancy regulation in cyanobacteria an adaptation to exploit separation of light and

nutrients? 897

Boyd P

See Hunter K A 739

Brand S J, Lanyon J M, Limpus C J

Digesta composition and retention times in wild immature green turtles, *Chelonia mydas*: a preliminary investigation. 145

Breen B

See Marsh H 979

Bryars S R, Adams M

Allozyme study of the blue swimmer crab *Portunus pelagicus* (Crustacea: Portunidae), in Australia: stock delineation in southern Australia and evidence for a cryptic species in northern waters. 15

Bulman C M, Koslow J A, Haskard K A
Estimation of the spawning stock biomass of
blue grenadier (*Macruronus novaezelandiae*)
off western Tasmania based upon the annual
egg production method. 197

Bunn S E

See Woolschot L 681 and Robertson A I 813

Burke C N

Molecular diffusive fluxes of oxygen in sediments of Port Phillip Bay in south-eastern Australia. 557

Burton C

See Moran M 27

Cairns S C

See Jerry D R 661

Campbell S J

Uptake of ammonium by four species of macroalgae in Port Phillip Bay, Victoria, Australia. 515

Caputi N

See Moran M 27

Carranza-Edwards A

See Rosales-Hoz L 189

Chen H-Y, Chen Y-L L

Temperature preferendum of postlarval black tiger shrimp (*Penaeus monodon*). 67

Chen Y, Kennelly S J

Growth of spanner crabs, *Ranina ranina*, off the east coast of Australia. 319

Chen Y-L L

See Chen H-Y 67

Cho E-A

See Ha K 89

Corkeron P

See Marsh H 979

Crook D A, Robertson A I
Relationships between riverine fish and
woody debris: implications for lowland
rivers. 941

Currie K I, Hunter K A

Seasonal variation of surface water CO₂ partial pressure in the Southland Current, east of New Zealand. 375

Davidson N C

See Finlayson C M 717

Davis K M, Dixon P I, Harris J H

Allozyme and mitochondrial DNA analysis of carp, *Cyprinus carpio* L., from south-eastern Australia. 253

Die D J, Ellis N

Aggregation dynamics in penaeid fisheries: banana prawns (*Penaeus merguiensis*) in the Australian Northern Prawn Fishery. 667

Dijkstra L H, Jellyman D J

Is the subspecies classification of the freshwater eels *Anguilla australis* australis Richardson and *A. a. schmidtii* Phillipps still valid? 261

Dixon P I

See Davis K M 253

Donnelly T H, Ford P W, McGregor D, Allen D Anthropogenic changes to a billabong in New South Wales: 1. Lagoon evolution and phosphorus dynamics. 689

Ellis N

See Die D J 667

Eros C

See Marsh H 979

Escot C, Granado-Lorencio C

Comparison of four methods of backcalculating growth using otoliths of a European barbel, *Barbus sclateri* (Günther)

(Pisces : Cyprinidae). 83

Fabris G J, Monahan C A, Batley G E

Heavy metals in waters and sediments of Port Phillip Bay, Australia. 503

Fairfull S J L, Harriott V J

Succession, space and coral recruitment in a subtropical fouling community. 235

Ferguson G J

See McGarvey R 333

Ferrell D J

See Stewart J 389

Findlay S, Sinsabaugh R L

Unravelling the sources and bioavailability of dissolved organic matter in lotic aquatic ecosystems. 781

between macro- and microbiology. 791

Harris J H Finlayson C M, Davidson N C, Spiers A G, Jellyman D J Stevenson N J See Davis K M 253 See Dijkstra L H 261 Global wetland inventory - current status and Haskard K A and Francis RICC 355 See Bulman C M 197 future priorities. 717 Jerry D R, Raadik T A, Cairns S C, Baverstock P R Fletcher W J Haywood M D E Evidence for natural interspecific hybridiza-Vertical distribution of pilchard (Sardinops See Wang Y-G 313 tion between the Australian bass (Macquaria sagax) eggs and larvae off southern Australia. Hegge B J novemaculeata) and estuary perch See Lemm A J 95 (M. colonorum). 661 Ford P W Heggie D T, Skyring G W, Orchardo J, Longmore Johnston D J, Alexander C G Functional morphology of the mouthparts and See Bird F L 523 AR, Nicholson GJ, Berelson WM and Berelson W M 573 Denitrification and denitrifying efficiencies alimentary tract of the slipper lobster Thenus and Donnelly T H 689 in sediments of Port Philip Bay: direct orientalis (Decapoda: Scyllaridae). 213 Fowler AJ, McLeay L, Short DA determinations of biogenic N2 and Joo G J Reproductive mode and spawning information N-metabolite fluxes. 589 See Ha K 89 Heggie D T based on gonad analysis for the King George whiting (Percoidei: Sillaginidae) from South See also Berelson W M 573 Kelly S, MacDiarmid AB, Babcock RC Australia. 1 Hehir G Characteristics of spiny lobster, Jasus Francis RICC See Marchant R 179 edwardsii, aggregations in exposed reef and Optimum design for catch sampling of eels. Heron M.L. sandy areas. 409 See Prvtz A 483 343 Kennelly S J Francis RICC, Jellyman D J Herzfeld M. Tomczak M See Chen Y 319 Are mean size data adequate to monitor Bottom-driven upwelling generated by Kenyon R A freshwater eel fisheries? 355 eastern intensification in closed and semi-See Pendrey R C 677 closed basins with a sloping bottom. 613 Kilgore T García V B Hobday D K, Officer R A, Parry G D See Berelson W M 573 See Lucifora LO 629 Changes to demersal fish communities in Kim H W García-Ruiz R, Lucena J, Niell F X Port Phillip Bay, Australia, over two decades, See Ha K 89 1970-91. 397 Do bacteria regenerate phosphorus Kim J P, Hunter K A, Reid M R while decomposing seston? 459 Hoegh-Guldberg O Geochemical processes affecting the major Graham D Climate change, coral bleaching and the ion composition of rivers in the South Island, See Roubal F R 291 future of the world's coral reefs. 839 New Zealand. 699 Granado-Lorencio C Horn PL, Hurst RJ Kim J P See Escot C 83 Age and stock structure of gemfish (Rexea See also Hunter K A 367 solandri) in New Zealand waters. 103 Greenwood J G Koslow J A See Staunton-Smith J 643 Hughes J M See Bulman C M 197 See Woolschot L 681 Fish cleaning behaviour in Noumea, Hunter J R Lanyon J M New Caledonia. 209 See Hancock G J 533 See Brand S J 145 Guerrero R A Hunter K A Direct disposal of liquified fossil fuel carbon Lasta CA See Acha E M 57 dioxide in the ocean. 755 See Acha E M 57 Gunta A Hunter K A, Boyd P Leeming R See Baldwin J 183 See O'Leary T 547 Biogeochemistry of trace metals in the ocean. Ha K, Cho E-A, Kim H-W, Joo G-J Lemm A J, Hegge B J, Masselink G Microcystis bloom formation in the lower Hunter K A, Kim J P, Reid M R Offshore wave climate, Perth (Western Nakdong River, South Korea: importance of Factors influencing the inorganic speciation Australia), 1994-96. 95 hydrodynamics and nutrient loading. 89 of trace metal cations in fresh waters. 367 Lessa R, Santana F, Menni R, Almeida Z Hancock G J. Hunter J R Hunter K A Population structure and reproductive biology Use of excess ²¹⁰Pb and ²²⁸Th to estimate See also Currie K I 375 of the smalltail shark (Carcharhinus porosus) rates of sediment accumulation and and Kim JP 699 off Maranhão (Brazil). 383 bioturbation in Port Phillip Bay. 533 Hurst R J Limpus C J Hancock G J See Horn P L 103 See Brand S J 145 See also Bird F L 523 Loneragan N R Harriott V J, Banks S A, Mau R L, Richardson See Park Y C 327 Iglesias X D. Roberts L G and Pendrey R C 677 See Baldwin J 183 Ecological and conservation significance of Longmore A R the subtidal rocky reef communities of Illingworth J See Neira F J 43 northern New South Wales, Australia. 299 See Moss G A 129 and Nicholson G J 567 Harriott V J Ivantsoff W, Aarn and Berelson W M 573 See also Fairfull SJL 235 Detection of predation on Australian native and Nicholson G.J. 581 Harris G P fishes by Gambusia holbrooki. 467 and Heggie D T 589 Comparison of the biogeochemistry of lakes Lucas J S and estuaries: ecosystem processes, functional Jeffrey S W, Wright S W, Zapata M See Stump R J W 71 groups, hysteresis efffects and interactions Recent advances in HPLC pigment analysis Lucena J

of phytoplankton. 879

See García-Ruiz R 459

Lucifora L O, Valero J L, García V B
Length at maturity of the greeneye spurdog
shark, *Squalus mitsukurii* (Elasmobranchii:
Squalidae), from the SW Atlantic, with
comparisons with other regions. 629

MacDiarmid A B See Kelly S 409 Marchant R, Hehir G

A method for quantifying hand-net samples of stream invertebrates. 179

Marsh H , Eros C, Corkeron P, Breen B A conservation strategy for dugongs: implications of Australian research. 979 Martin R B

See Young P C 417

Masselink G

See Lemm A J 95

Mau R L

See Harriott V J 299

McEwan A D

See Reichelt R E 711

McGarvey R, Ferguson G J, Prescott J H
Spatial variation in mean growth rates at size
of southern rock lobster, *Jasus edwardsii*, in
South Australian waters. 333

McGregor D

See Donnelly T H 689

McLeav L

See Fowler A J 1

McLoughlin R J

See Young P C 417

Melville A

See Stevenson J 229

Melville M D

See Wilson B P 149

Mendez-Jaime C

See Rosales-Hoz L 189

Menni R

See Lessa R 383

Mianzan H

See Acha E M 57

Mitchell B D

See Newton G M 441

Monahan C A

See Fabris G J 503

Monreal-Gómez M A

See Rosales-Hoz L 189

Moran M, Burton C, Caputi N

Sexual and local variation in head morphology of snapper, *Pagrus auratus*, Sparidae, in the Shark Bay region of Western Australia.

Morison A K

See Robertson S G 73

Moss G A, Tong L J, Illingworth J
Effects of light intensity and food density on
the growth and survival of early-stage
phyllosoma larvae of the rock lobster *Jasus*edwardsii. 129

Murray A G, Parslow J S

Modelling of nutrient impacts in Port Phillip bay — a semi-enclosed marine Australian ecosystem. 597

Murray S, Suthers I M

Population ecology of *Noctiluca scintillans*Macartney, a red-tide-forming dinoflagellate.
243

Neira F J, Sporcic M I, Longmore A R
Biology and fishery of pilchard, *Sardinops*sagax (Clupeidae), within a large southeastern Australian bay. 43

Newton G M, Mitchell B D

Egg dormancy in the Australian estuarineendemic copepods *Gippslandia estuarina* and *Sulcanus conflictus*, with reference to dormancy of other estuarine fauna. 441

Nichols P D

See O'Leary T 547

Nicholson G J, Longmore A R

Causes of observed temporal variability of nutrient fluxes from a southern Australian marine embayment. 581

Nicholson G J, Longmore A R, Berelson W M Nutrient fluxes measured by two types of benthic chamber. 567

Nicholson G J

See also Berelson W M 573 and Heggie D T 589

Niell F X

See García-Ruiz R 459

O'Leary T, Leeming R, Nichols P D, Volkman J K Assessment of the sources, transport and fate of sewage-derived organic matter in Port Phillip Bay, Australia, using the signature lipid coprostanol. 547

Officer R A

See Hobday D K 397

Orchardo J

See Heggie D T 589

Page M J

See Woods C M C 135

Pankhurst N W

See Barnett C W 35

Park Y C, Loneragan N R

Effect of temperature on the behaviour of the endeavour prawns *Metapenaeus endeavouri* (Schmitt) and *Metapenaeus ensis* (De Haan) (Decapoda: Penaeidae). 327

Parry G D

See Hobday D K 397

Parslow J S

See Murray A G 597

Pattiaratchi C

See Ranasinghe R 281

Pendrey R C, Loneragan N R , Kenyon R A, Vance D J

Simple morphometric characters, confirmed by gel electrophoresis, separate small juvenile banana prawns (*Penaeus indicus* and *P. merguiensis*). 677

Pettovello A D

By-catch in the Patagonian red shrimp (*Pleoticus muelleri*) fishery. 123

Plaut I

Effects of salinity acclimation on oxygen consumption in the freshwater blenny, *Salaria fluviatilis*, and the marine peacock blenny, *S. pavo.* 655

Prescott J H

See McGarvey R 333

Prytz A, Heron M L

On the flushing of Port Phillip Bay: an application of HF ocean radar. 483

Raadik T A

See Jerry D R 661

Ranasinghe R, Pattiaratchi C

Circulation and mixing characteristics of a seasonally open tidal inlet: a field study. 281

Reichelt R E, McEwan A D

Australia's marine science and technology plan: an action plan for Australia's Oceans Policy. 711

Reid M R

See Hunter K A 367 and Kim J P 699

Richardson D

See Harriott V J 299

Risk M

Paradise lost: how marine science failed the world's coral reefs. 831

Roberts L G

See Harriott V J 299

Robertson A I , Bunn S E, Boon P I, Walker K F Sources, sinks and transformations of organic carbon in Australian floodplain rivers. 813

Robertson A I

See also Crook DA 941

Robertson S G, Morison A K

A trial of artificial neural networks for automatically estimating the age of fish. 73

Rosales-Hoz L, Carranza-Edwards A, Mendez-Jaime C, Monreal-Gómez M A Metals in shelf sediments and their association with continental discharges in a tropical zone. 189

Roubal F R, Graham D

Monthly variation in recruitment, infection, size, fecundity and mating of *Naobranchia variabilis* (Copepoda: Naobrachiidae) parasitic on the gills of toadfish *Tetractenos hamiltoni* from Moreton Bay, Australia. 291

Santana F

See Lessa R 383

Short D A

See Fowler A J 1

Show C

See Smith S E 373

Sinsabaugh R L

See Findlay S 781

Skyring G W

See Berelson W M 573 and Heggie D T 589

Smith S E, Au D W, Show C

Corrigendum to: Intrinsic rebound potentials of 26 species of Pacific sharks [Vol.49 issue 7 pages 663–78]. 373

Sokolov S, Black K P

Long-term prediction of water quality for three types of catchment. 493

Spiers A G

See Finlayson C M 717

Sporcic M I

See Neira F J 43

Stauber J L

See Batley G E 729

Staunton-Smith J, Blaber S J M, Greenwood J G Interspecific differences in the distribution of adult and juvenile ponyfish (Leiognathidae) in the Gulf of Carpentaria, Australia. 643

Stevenson J, Melville A

Settlement and recruitment of the abalone Haliotis cyclobates Péron, 1816. 229

Stevenson N J

See Finlayson C M 717

Stewart J, Ferrell D J, Andrew N L

Validation of the formation and appearance of annual marks in the otoliths of vellowtail (Trachurus novaezelandiae) and blue mackerel (Scomber australasicus) in New South Wales. 389

Stump R J W, Lucas J S

Age estimation and patterns of growth in Acanthaster planci: a reply to Souter (1997). 71

Suthers I M

See Murray S 243

Taylor H H, Anstiss J M

Copper and haemocyanin dynamics in aquatic invertebrates. 907

Tomascik T

See van Woesik R 427

Tomczak M

See Herzfeld M 613

Tong L J

See Moss G A 129

Townsend T

See Berelson W M 573

Trott L A, Alongi D M

Variability in surface water chemistry and phytoplankton biomass in two tropical, tidally dominated mangrove creeks. 451

Valero I L

See Lucifora LO 629

Vance D J

See Pendrey R C 677

van der Lingen C D

See Beckley L E 955

Van Woesik R, Tomascik T, Blake S

Coral assemblages and physico-chemical characteristics of the Whitsunday Islands: evidence of recent community changes. 427

Volkman J K

Australasian research on marine natural products: chemistry, bioactivity and ecology. 761

Volkman J K

See also O'Leary T 547

Walker D

Some physical and chemical features of two upland crater lakes in tropical north-eastern Australia. 159

Walker K F

See Robertson A I 813

Walker S J

Coupled hydrodynamic and transport models of Port Phillip Bay, a semi-enclosed bay in south-eastern Australia. 469

Wang Y-G

A maximum-likelihood method for estimating natural mortality and catchability coefficient from catch-and-effort data. 307

Wang Y-G, Haywood M D E

Size-dependent natural mortality of juvenile banana prawns Penaeus merguiensis in the Gulf of Carpentaria, Australia. 313

Wells R M G

Haemoglobin function in aquatic animals: molecular adaptations to environmental challenge. 933

West G J

See Young P C 417

White I

See Wilson B P 149

Wilkinson C R

Global and local threats to coral reef functioning and existence: review and predictions. 867

Wilson B P, White I, Melville M D

Floodplain hydrology, acid discharge and change in water quality associated with a drained acid sulfate soil. 149

Wise B S

See Young G C 633

Woods C M C, Page M J

Sponge masking and related preferences in the spider crab Thacanophrys filholi (Brachyura: Majidae). 135

Woolschot L, Hughes J M, Bunn S E

Dispersal among populations of Caridina sp. (Decapoda: Atyidae) in coastal lowland streams, south-eastern Queensland, Australia.

Wright S W

See Jeffrey S W 879

Young G C, Wise B S, Ayvazian S G A tagging study on tailor (Pomatomus

saltatrix) in Western Australian waters: their movement, exploitation, growth and mortality. 633

Young P C, West G J, McLoughlin R J, Martin R B Reproduction of the commercial scallop, Pecten fumatus, Reeve, 1852 in Bass Strait, Australia, 417

Zapata M

See Jeffrey S W 879