tions. These we wish to thank. Especially enthusiastic in this regard have been M. D. Murray, S. G. Lane and C. Campion, who acted as leaders of the Malabar group. We must also acknowledge with appreciation the consistent enthusiasm and generosity of Mr. A. Mothersdill who has contributed in many ways to the successful work at Bellambi, and Mr. G. Reid who gave his services as launchman at Malabar.

VII. ADDENDUM

Since the foregoing notes were submitted for publication, Falkland Islands Dependencies Survey personnel have notified the Wildlife Division of the C.S.I.R.O. that Wandering Albatross no. 140-02111, an adult male banded off Bellambi on August 23, 1958, was present on Bird Island, South Georgia, from December 29, 1958, to March 6, 1959. During that time it occupied a territory with a mate, but did not breed.

VIII. REFERENCES

Le Souef, D. 'North Queensland Birds', Emu, 14, 163-166. Hull, A. F. Basset. 'Avifauna of New South Wales Islands', 1915. 1916.

Emu, 15, 207-216.

Ferguson, Eustace W. 'Notes on Some Australian Tubinares-1921.

1927.

Petrels and Albatrosses', Emu, 21, 104-114.
Alexander, W. B. 'Observation and Records of Australian Seabirds, 1920-1', Emu, 21, 261-272.
MacGillivray, W. 'Birds from a Coastal Boat', Emu, 27, 92-101.
Murphy, R. C. Oceanic Birds of South America, vol. 1.
Warner, Dwain W. 'Occurrence of the Wandering and Blackbrowed Albatross on New Caledonia', Emu, 47, 222 1936. 1947. browed Albatross on New Caledonia', Emu. 47, 233.

Allan, Joyce. Australian Shells, Georgian House, Melbourne. Serventy, D. L., and Whittell, H. M. Handbook of the Birds of 1951.

Western Australia.

1955a. Gibson, J. D., and Sefton, A. R. 'Notes on Some Albatrosses of Coastal New South Wales', Emu, 55, 44-48.

1955b. Hindwood, K. A. 'Sea-birds and Sewage', Emu, 55, 212-216.

1958a. Sladen, W. J. L., and Tickell, W. L. N. 'Antarctic Bird-banding by the Falkland Islands Dependencies Survey, 1945-1957', Bird-

banding, 29, 1-26.

1958b. Amiet, L. 'The Distribution of Diomedea in Eastern Australian Waters: North of Sydney', Notornis, 7, 219-230.

Tasmanian 'Records'.—On January 12, my wife and I saw a Tattler (Tringa sp.) feeding on a rock reef on the beach at Marrawah in the extreme north-west of Tasmania. The only other records of Tattlers in this State have been in the southeast at South Arm, and at Pittwater where Mr. L. E. Wall had a bird under observation at intervals from 1948.

On Good Friday, March 27, at Little Swanport on Tasmania's east coast, we had two Little Egrets (Egretta garzetta) under observation from thirty feet for over half an hour. We could find no deviation from field descriptions obtained at Dunalley in 1957 and 1958, which are the subject of a recent submission to The Emu.—Peter F. Bolger, Medway Point, Tas., 21/4/59.