5. AREA HEALTH SERVICES

Information on the health of Aboriginal and Torres Strait Islander mothers, and mothers born in non-English speaking countries is shown in Chapters 6 and 7 respectively.

Confinements

The largest numbers of confinements in 2004 were among mothers resident in the Sydney South West (18,720, 22.2 per cent), followed by Sydney West (15,834, 18.8 per cent) and South Eastern Sydney & Illawarra (14,121, 16.8 per cent) Areas (Table 22).

Maternal age

The proportion of women giving birth at less than 20 years of age varied from 1.7 per cent in the Northern Sydney & Central Coast Area to 8.5 per cent in the Greater Western Area, while the proportion of mothers giving birth at 35 years of age or more ranged from 14.0 per cent in the Greater Western Area to 28.4 per cent in the Northern Sydney & Central Coast Area (Table 22).

Maternal country of birth

Seventy-nine per cent of women who gave birth in NSW in 2004 were born in English speaking countries, 11.0 per cent were born in Asian countries, and 4.6 per cent were born in the Middle East or Africa (Table 23).

The highest proportions of mothers born in non-English speaking countries were in the Sydney South West and Sydney West Areas. In Sydney South West, the majority of mothers born in non-English speaking countries were born in South East Asia, and the Middle East and Africa. In Sydney West, the most common maternal countries of birth were in the Middle East and Africa, and in South East and Southern Asia.

Maternal Aboriginality

In 2004, 2.7 per cent of mothers were reported to be Aboriginal or Torres Strait Islander (Table 24). The proportion of Aboriginal or Torres Strait Islander mothers varied from 0.7 per cent in the Northern Sydney & Central Coast Area to 13.3 per cent in the Greater Western Area.

Health Area								I	/laterna		ears)							
	12-	-19	20	0–24	25	-29	30	0–34	3	5–39	40	0–44	4	l5+	Not st	ated	TO	DTAL
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Sydney South																		
West	593	3.2	2748	14.7	5377	28.7	6317	33.7	3006	16.1	644	3.4	32	0.2	3	0.0	18720	100.
South Eastern																		
Sydney &																		
Illawarra	351	2.5	1370	9.7	3647	25.8	5424	38.4	2750	19.5	554	3.9	24	0.2	1	0.0	14121	100.
Sydney West	667	4.2	2520	15.9	4862	30.7	5173	32.7	2167	13.7	426	2.7	17	0.1	2	0.0	15834	100.
Northern Sydney &																		
Central Coast	220	1.7	974	7.5	2705	20.8	5431	41.7	3043	23.4	624	4.8	34	0.3	1	0.0	13032	100.
Hunter &																		
New England	607	6.3	1823	18.8	2868	29.7	2879	29.8	1247	12.9	236	2.4	12	0.1	0	0.0	9672	100.
North Coast	343	7.3	952	20.3	1257	26.8	1385	29.5	604	12.9	139	3.0	9	0.2	1	0.0	4690	100.
Greater Southern	255	6.6	791	20.6	1148	29.9	1061	27.6	469	12.2	99	2.6	6	0.2	9	0.2	3838	100.
Greater Western	322	8.5	811	21.4	1060	28.0	1062	28.1	441	11.7	80	2.1	7	0.2	1	0.0	3784	100.
Other-Not stated	29	4.9	106	17.8	189	31.7	174	29.1	81	13.6	17	2.8	1	0.2	0	0.0	597	100.
TOTAL	3387	4.0	12095	14.3	23113	27.4	28906	34.3	13808	16.4	2819	3.3	142	0.2	18	0.0	84288	100.

Health Area		lish king	Cent & So Amer	uth	Melar Micro 8 Polyr	nesia k	Eur		Wes	ountratern & thern ope		tern ope, ssia, itral an & Itic	group Middle 8 Afr	k		st	E	orth ast sia		uther Asia	n T	OTAL
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Sydney South																						
West South Eastern Sydney &	11445	61.3	265	1.4	683	3.7	393	2.1	115	0.6	122	0.7	1873	10.0	2398	12.8	839	4.5	535	2.9	18668	100.
Illawarra	11328	80.6	146	1.0	140	1.0	258	1.8	157	1.1	171	1.2	441	3.1	573	4.1	638	4.5	205	1.5	14057	100.
Sydney West Northern Sydney	11211 §	70.9	122	8.0	513	3.2	146	0.9	88	0.6	90	0.6	1239	7.8	875	5.5	665	4.2	863	5.5	15812	100.
Central Coast Hunter &	10882	83.6	90	0.7	113	0.9	89	0.7	191	1.5	102	0.8	221	1.7	420	3.2	658	5.1	254	2.0	13020	100.
New England	9355	96.8	17	0.2	55	0.6	17	0.2	32	0.3	16	0.2	60	0.6	67	0.7	34	0.4	14	0.1	9667	100
North Coast	4479	95.6	16	0.3	29	0.6	6	0.1	42	0.9	5	0.1	13	0.3	58	1.2	19	0.4	16	0.3	4683	100
Greater Southern	3681	96.1	5	0.1	34	0.9	11	0.3	13	0.3	4	0.1	17	0.4	22	0.6	12	0.3	32	0.8	3831	100
Greater Western	3701	97.9	4	0.1	13	0.3	4	0.1	7	0.2	5	0.1	9	0.2	22	0.6	9	0.2	7	0.2	3781	100
Other–Not stated	539	91.5	10	1.7	4	0.7	2	0.3	4	0.7	3	0.5	3	0.5	10	1.7	10	1.7	4	0.7	589	100
TOTAL	66621	79.2	675	0.8	1584	1.9	926	1.1	649	0.8	518	0.6	3876	4.6	4445	5.3	2884	3.4	1930	2.3	84108	100

Source: NSW Midwives Data Collection (HOIST), Centre for Epidemiology and Research, NSW Department of Health.
Excludes 180 mothers for which country of birth was not stated. Maternal countries of birth and country of birth groups are shown in Appendix 3.

Health Area	Torre Isla	riginal s Strait inder	Non-Al Torre Isla	riginality poriginal s Strait inder	Not s			OTAL
	No.	%	No.	%	No.	%	No.	%
Sydney South West	164	0.9	18553	99.1	3	0.0	18720	100.0
South Eastern Sydney & Illawarra	221	1.6	13889	98.4	11	0.1	14121	100.0
Sydney West	238	1.5	15595	98.5	1	0.0	15834	100.0
Northern Sydney & Central Coast	93	0.7	12936	99.3	3	0.0	13032	100.0
Hunter & New England	508	5.3	9163	94.7	1	0.0	9672	100.0
North Coast	390	8.3	4295	91.6	5	0.1	4690	100.0
Greater Southern	173	4.5	3658	95.3	7	0.2	3838	100.0
Greater Western	505	13.3	3279	86.7	0	0.0	3784	100.0
Other-Not stated	16	2.7	580	97.2	1	0.2	597	100.0
TOTAL	2308	2.7	81948	97.2	32	0.0	84288	100.0

Source: NSW Midwives Data Collection (HOIST), Centre for Epidemiology and Research, NSW Department of Health.

Duration of pregnancy at first antenatal visit

In 2004, 87.5 per cent of mothers commenced antenatal care prior to 20 weeks gestation. This percentage varied from 82.6 per cent in the Sydney West Area to 95.1 per cent in the Northern Sydney and Central Coast Area (Table 25).

TABLE 25							
DURATION OF PREGNANCY A	T FIRST ANTI	ENATAL CHE	CK BY HEALT	H AREA OF R	ESIDENCE, N	SW 2004	
Health Area		Duratio	n of pregnancy	/ at first antena	ıtal visit		
	0-	-19	20-	plus	Not st	ated	Т
	No.	%	No.	%	No.	%	No.
Sydney South West	15528	82.9	3094	16.5	98	0.5	18720
South Eastern Sydney & Illawarra	12871	91.1	1183	8.4	67	0.5	14121

	U	-13	20-	pius	1401 31	aicu	101	IAL
	No.	%	No.	%	No.	%	No.	%
Sydney South West	15528	82.9	3094	16.5	98	0.5	18720	100.0
South Eastern Sydney & Illawarra	12871	91.1	1183	8.4	67	0.5	14121	100.0
Sydney West	13077	82.6	2677	16.9	80	0.5	15834	100.0
Northern Sydney & Central Coast	12391	95.1	618	4.7	23	0.2	13032	100.0
Hunter & New England	8334	86.2	1196	12.4	142	1.5	9672	100.0
North Coast	4232	90.2	394	8.4	64	1.4	4690	100.0
Greater Southern	3439	89.6	359	9.4	40	1.0	3838	100.0
Greater Western	3377	89.2	354	9.4	53	1.4	3784	100.0
Other-Not stated	526	88.1	59	9.9	12	2.0	597	100.0
TOTAL	73775	87.5	9934	11.8	579	0.7	84288	100.0

Source: NSW Midwives Data Collection (HOIST), Centre for Epidemiology and Research, NSW Department of Health.

Smoking in pregnancy

In 2004, 14.2 per cent of mothers reported smoking in the second half of pregnancy (Table 26). The lowest reported rate was among mothers resident in the Northern Sydney & Central Coast Area (7.7 per cent) and the highest rate among residents of the Greater Western Area (29.0 per cent).

Health Area	Nor	ne	1–10 da	per		than	d half of pro Smol amo	ked-	Not s	stated	тс	TAL
	No.	%	No.	%	No.	%	not s	tated %	No.	%	No.	%
0 1 0 11												
Sydney South West	16849	90.0	1015	5.4	810	4.3	46	0.2	0	0.0	18720	100.0
South Eastern	10049	90.0	1015	5.4	810	4.3	40	0.2	U	0.0	10720	100.
Sydney &												
Illawarra	12734	90.2	891	6.3	445	3.2	49	0.3	2	0.0	14121	100.0
Sydney West	13598	85.9	1173	7.4	1016	6.4	47	0.3	0	0.0	15834	100.
Northern Sydney 8												
Central Coast	12022	92.2	579	4.4	408	3.1	22	0.2	1	0.0	13032	100.
Hunter &												
New England	7522	77.8	1051	10.9	1051	10.9	47	0.5	1	0.0	9672	100.
North Coast	3536	75.4	584	12.5	515	11.0	51	1.1	4	0.1	4690	100.
Greater Southern	2894	75.4	467	12.2	466	12.1	9	0.2	2	0.1	3838	100.
Greater Western	2681	70.9	475	12.6	598	15.8	25	0.7	5	0.1	3784	100
Other-Not stated	457	76.5	68	11.4	69	11.6	1	0.2	2	0.3	597	100
TOTAL	72293	85.8	6303	7.5	5378	6.4	297	0.4	17	0.0	84288	100

Place of birth

Ninety-six per cent of mothers chose to deliver in a hospital delivery suite in 2004, compared to 3.7 per cent who planned a birth centre birth and 0.1 per cent who planned a home birth (Table 27). Planned birth centre births were most commonly reported in the Sydney West, Sydney South West, and South Eastern Sydney & Illawarra Areas.

Labour

In 2004, the onset of labour was spontaneous in 60.3 per cent of confinements (Table 28). Labour was induced in 24.4 per cent of confinements and no labour (elective caesarean section) was reported in 15.3 per cent. The rate of spontaneous onset of labour was highest among residents of the North Coast Area (63.4 per cent). The highest rate of induction of labour was among residents of the Hunter & New England Area (26.2 per cent).

Health Area	Но	spital	_	irth ntre	Plan birth c	entre- pital	Plar ho	of birth nned me rth	Plar home hos	nned birth– pital	be	orn fore rival	то	ΓAL
	No.	%	No.	%	admi: No.	ssion %	No.	%	admi No.	ssion %	No.	%	No.	%
Sydney South West	17839	95.3	573	3.1	211	1.1	12	0.1	1	0.0	84	0.4	18720	100.0
South Eastern Sydney &														
Illawarra	13271	94.0	440	3.1	343	2.4	17	0.1	2	0.0	48	0.3	14121	100.0
Sydney West	14972	94.6	359	2.3	430	2.7	5	0.0	0	0.0	68	0.4	15834	100.0
Northern Sydney &														
Central Coast	12692	97.4	193	1.5	81	0.6	18	0.1	4	0.0	44	0.3	13032	100.0
Hunter & New England	9134	94.4	433	4.5	56	0.6	2	0.0	2	0.0	45	0.5	9672	100.0
North Coast	4640	98.9	2	0.0	2	0.0	19	0.4	10	0.2	17	0.4	4690	100.0
Greater Southern	3815	99.4	1	0.0	1	0.0	9	0.2	0	0.0	12	0.3	3838	100.0
Greater Western	3756	99.3	2	0.1	1	0.0	2	0.1	1	0.0	22	0.6	3784	100.0
Other-Not stated	582	97.5	0	0.0	1	0.2	9	1.5	1	0.2	4	0.7	597	100.0
TOTAL	80701	95.7	2003	2.4	1126	1.3	93	0.1	21	0.0	344	0.4	84288	100.0

Health Area	Spontar	neous	Sponta augm with	ented	aug oxy	ntaneo mente with ytocics rosta- andins	ed lab	lo our	oxyt	of labouced- ocics sta- idins	Indi	uced I only	Al oxy	uced- RM+ tocics osta- ndins		luced- ther#		Not tated	тс	OTAL
	No.	%	No.	%	No.	andins %	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Sydney South West South Eastern Sydney &	8689	46.4	1020	5.4	1999	10.7	2560	13.7	1947	10.4	252	1.3	2161	11.5	92	0.5	0	0.0	18720	100.0
Illawarra Sydney West Northern Sydney 8	5989 7144	42.4 45.1	1003 1103		1316 1392		2395 2225		1112 1038	7.9 6.6	185 179	1.3 1.1	2040 2695	14.4 17.0	80 58	0.6 0.4	1 0	0.0	14121 15834	100.0
Central Coast Hunter &	5225	40.1	828		1314			19.4			144		2094	16.1	23	0.2	0	0.0	13032	100.0
New England North Coast Greater Southern	4416 2041 1737	45.7 43.5 45.3	723 541 365	7.5 11.5 9.5	579 391 262	6.0 8.3 6.8	1418 678 524	14.7 14.5 13.7	788 373 531	8.1 8.0 13.8	232 77 89	2.4 1.6 2.3	1481 580 316	15.3 12.4 8.2	35 9 14	0.4 0.2 0.4	0 0 0	0.0 0.0 0.0	9672 4690 3838	100.0 100.0
Greater Western Other–Not stated TOTAL	1627 269 37137	43.0 45.1 44.1		11.8 9.9	272 55 7580	7.2 9.2	530 67 12930	14.0 11.2	336 53 7049	8.9 8.9	97 12 1267	2.6 2.0	466 79 11912	12.3 13.2	8 3 322	0.2 0.5 0.4	0 0 1	0.0 0.0 0.0	3784 597 84288	100.0 100.0

Delivery

Sixty-two per cent of confinements were by normal vaginal birth, 10.3 per cent were instrumental and 27.2 per cent were by caesarean section (Table 29). The highest rate of normal vaginal birth was among residents of the Greater Western Area (67.8 per cent), while the highest rates of instrumental delivery were among residents of

South Eastern Sydney and Illawarra (12.9 per cent). The caesarean section rate varied from 24.1 per cent among mothers resident in the Sydney South West Area to 32.7 per cent in the Northern Sydney & Central Coast Area.

Health Area	No	rmal	Ford	ceps		ype of uum	deliver Vag	•	Ele	ctive	Emer	gency	Not st	tated	тот	ſAL
		ginal irth			extra	ction	bre			sarean	caes	arean				
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Sydney South West	12190	65.1	422	2.3	1514	8.1	77	0.4	2560	13.7	1957	10.5	0	0.0	18720	100.0
South Eastern Sydney &																
Illawarra	8017	56.8	544	3.9	1280	9.1	46	0.3	2395	17.0	1836	13.0	3	0.0	14121	100.
Sydney West	10058	63.5	744	4.7	757	4.8	66	0.4	2225	14.1	1984	12.5	0	0.0	15834	100.0
Northern Sydney &																
Central Coast	7215	55.4	399	3.1	1120	8.6	41	0.3	2533	19.4	1722	13.2	2	0.0	13032	100.
Hunter &																
New England	6322	65.4	250	2.6	600	6.2	55	0.6	1418	14.7	1027	10.6	0	0.0	9672	100.
North Coast	3128	66.7	133	2.8	196	4.2	24	0.5	678	14A.5	531	11.3	0	0.0	4690	100.0
Greater Southern	2441	63.6	169	4.4	253	6.6	14	0.4	524	13.7	435	11.3	2	0.1	3838	100.
Greater Western	2565	67.8	88	2.3	154	4.1	22	0.6	530	14A.0	425	11.2	0	0.0	3784	100.
Other-Not stated	430	72.0	13	2.2	28	4.7	2	0.3	67	11.2	57	9.5	0	0.0	597	100.
TOTAL	52366	62.1	2762	3.3	5902	7.0	347	0.4	12930	15.3	9974	11.8	7	0.0	84288	100.0

Birth weight

In 2004, 6.4 per cent of births were low birth weight (less than 2,500 grams). These comprised 0.7 per cent of birth weight less than 1,000 grams, 0.7 per cent in the 1,000 to 1,499 gram range, and 5.0 per cent in the 1,500 to 2,499 gram range (Table 30). Rates of low birth weight ranged from 5.3 per cent in Greater Southern Area to 7.6 per cent in the Hunter and New England Area.

Emergency caesarean section includes caesarean section where the onset of labour was not stated.

Health Area											E	3irth v	veight	(gran	ns)									
	Less	s tha	ın 5	-00		00-	15	00-	20	00-	25	500-	30	000-	35	-00	40	-000	45	+00	ı	lot	TC	DTAL
	_	00	-	999	-	199		999	_	499	2	999	_	499		999		499				ated		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	. %	No.	%	No.	%	No.	%	No.	%	No.	. %
Sydney South																								
West	62	0.3	95	0.5	139	0.7	219	1.2	752	4.0	3022	15.9	7075	37.3	5540	29.2	1768	9.3	294	1.5	12	0.1	18978	100
South Eastern																								
Sydney &																								
Illawarra	33	0.2	68	0.5	84	0.6	152	1.1	495	3.4	2180	15.2	5100	35.5	4522	31.5	1451	10.1	275	1.9	13	0.1	14373	100
Sydney West	43	0.3	78	0.5	94	0.6	208	1.3	605	3.8	2500	15.5	5789	36.0	4886	30.4	1593	9.9	283	1.8	5	0.0	16084	100
Northern Sydney	&																							
Central Coast	19	0.1	58	0.4	86	0.6	168	1.3	428	3.2	1679	12.6	4695	35.4	4336	32.7	1557	11.7	250	1.9	2	0.0	13278	100
Hunter &																								
New England	28	0.3	55	0.6	86	0.9	138	1.4	435	4.4	1474	15.0	3226	32.9	3077	31.3	1090	11.1	198	2.0	9	0.1	9816	100
North Coast		0.2	14	0.3	25	0.5	67	1.4	196	4.1	740	15.6	1560	32.8	1506	31.7	542	11.4	94	2.0	2	0.0	4757	100
Greater Southern		0.2	_	0.1		0.4		0.9	143	3.7		13.7	1300		1294	33.3		11.6	-	2.4	5	0.1	3883	100
Greater Western		0.3		0.5		0.6		1.7	156	4.1		14.9	1279		1227	31.9		10.5	89	2.3	1	0.0	3847	100
Other-Not stated	0	0.0	2	0.3		0.7	•	1.0	21	3.4	•	15.9		35.1	182	29.8		12.8	6	1.0	•	0.0	610	100
TOTAL	214	0.2	395	0.5	558	0.7	1059	1.2	3231	3.8	12797	14.9	30238	35.3	26570	31.0	8931	10.4	1584	1.8	49	0.1	85626	100

Gestational age

The majority of births (90.6 per cent) were at term, and 2.1 per cent were post-term (42-plus weeks). The 7.3 per cent of preterm births comprised 0.7 per cent born at less than 28 weeks, 0.8 per cent at 28–31 weeks, and 5.8 per

cent at 32–36 weeks. The highest rate of preterm birth was in the Hunter and New England Area (8.8 per cent), while the lowest was 6.0 per cent in the Greater Southern Area (Table 31).

Health Area							Gestation							
	Less th	nan 28	28-		32	-36	37	-41	4	2+	Not s	stated	TO	TAL
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Sydney South West	156	0.8	157	0.8	1080	5.7	17135	90.3	449	2.4	1	0.0	18978	100.0
South Eastern Sydney &														
Illawarra	96	0.7	100	0.7	794	5.5	13079	91.0	303	2.1	1	0.0	14373	100.
Sydney West	118	0.7	124	0.8	894	5.6	14661	91.2	287	1.8	0	0.0	16084	100.
Northern Sydney &														
Central Coast	77	0.6	103	0.8	792	6.0	12024	90.6	282	2.1	0	0.0	13278	100.
Hunter &														
New England	81	0.8	95	1.0	685	7.0	8689	88.5	266	2.7	0	0.0	9816	100.
North Coast	27	0.6	29	0.6	290	6.1	4354	91.5	57	1.2	0	0.0	4757	100.
Greater Southern	21	0.5	19	0.5	193	5.0	3583	92.3	65	1.7	2	0.1	3883	100
Greater Western	27	0.7	35	0.9	214	5.6	3526	91.7	45	1.2	0	0.0	3847	100
Other-Not stated	2	0.3	5	0.8	33	5.4	563	92.3	7	1.1	0	0.0	610	100
TOTAL	605	0.7	667	0.8	4975	5.8	77614	90.6	1761	2.1	4	0.0	85626	100

Perinatal outcomes

The perinatal mortality rate in 2004 was 9.0 per 1,000 births. This includes all births and deaths of babies of at least 400 grams birth weight or at least 20 weeks gestation (Table 32). The rate varied from 6.7 per 1,000 in the Greater Southern and Northern Sydney and Central Coast Areas to 13.0 per 1,000 in the Greater Western Area.

Health Area	Live surv	born iving	Still	oorn	Perinatal Neor dea		N sta	ot ted	Tota birth		Perinatal mortality rate/1,000 births
	No.	%	No.	%	No.	%	No.	%	No.	%	Dirtiis
Sydney South West	18764	98.9	146	0.8	68	0.4	0	0.0	18978	100.0	11.3
South Eastern Sydney &											
Illawarra	14266	99.3	77	0.5	30	0.2	0	0.0	14373	100.0	7.4
Sydney West	15941	99.1	101	0.6	41	0.3	1	0.0	16084	100.0	8.8
Northern Sydney &											
Central Coast	13188	99.3	67	0.5	22	0.2	1	0.0	13278	100.0	6.7
Hunter &											
New England	9711	98.9	74	0.8	31	0.3	0	0.0	9816	100.0	10.7
North Coast	4718	99.2	29	0.6	9	0.2	1	0.0	4757	100.0	8.0
Greater Southern	3857	99.3	22	0.6	4	0.1	0	0.0	3883	100.0	6.7
Greater Western	3796	98.7	44	1.1	6	0.2	1	0.0	3847	100.0	13.0
Other-Not stated	608	99.7	1	0.2	1	0.2	0	0.0	610	100.0	3.3
TOTAL	84849	99.1	561	0.7	212	0.2	4	0.0	85626	100.0	9.0

Source: NSW Midwives Data Collection (HOIST), Centre for Epidemiology and Research, NSW Department of Health.

Perinatal deaths include deaths reported to the MDC only. As the MDC form is completed at discharge or transfer of the baby, deaths occurring after this time may not be reported to the MDC.

Livebirths by statistical local areas

Health Area and Statistical Local Area	No.	%	Health Area and Statistical Local Area	No.	%
Sydney South West			Hunter and New England		
Ashfield	493	2.6	Armidale Dumaresq: City	225	2.3
Bankstown	2638	14.0	Armidale Dumaresq: Balance	72	0.7
Burwood	316	1.7	Barraba	21	0.2
Camden	810	4.3	Bingara	19	0.2
Campbelltown	2109	11.2	Cessnock	620	6.4
Canterbury	2154	11.4	Dungog	83	0.9
Concord	395	2.1	Glen Innes	79	0.8
Drummoyne	495	2.6	Gloucester	38	0.4
Fairfield	2616	13.9	Greater Taree	493	5.1
Leichhardt	998	5.3	Great Lakes	335	3.4
Liverpool	2830	15.0	Gunnedah	124	1.3
•	1063			59	
Marrickville		5.6	Guyra		0.6
South Sydney (SSW)	437	2.3	Inverell: Pt A	62	0.6
Strathfield	295	1.6	Inverell: Pt B	134	1.4
Sydney (SSW)	89	0.5	Lake Macquarie	2092	21.5
Wingecarribee	457	2.4	Maitland	840	8.6
Wollondilly	637	3.4	Manilla	37	0.4
	18832	100.0	Merriwa	28	0.3
South Eastern Sydney & Illawarra			Moree Plains	203	2.1
Botany	482	3.4	Murrurundi	34	0.3
Hurstville	977	6.8	Muswellbrook	243	2.5
Kiama	181	1.3	Narrabri	160	1.6
Kogarah	682	4.8	Newcastle: Inner	32	0.3
Randwick	1515	10.6	Newcastle: Remainder	1687	17.3
Rockdale	1299	9.1	Nundle	15	0.2
Shellharbour	840	5.9	Parry: Pt A	50	0.5
Shoalhaven: Pt A	399	2.8	Parry: Pt B	129	1.3
Shoalhaven: Pt B	567	4.0	Port Stephens	626	6.4
	501	3.5	Quirindi	68	0.7
South Sydney (SESAHS)			Scone	142	1.5
Sutherland Shire: East	1270	8.9	Severn	33	0.3
Sutherland Shire: West	1462	10.2		316	3.2
Sydney (Inner)	96	0.7	Singleton		
Sydney (SESI)	109	0.8	Tamworth	491	5.0
Waverley	890	6.2	Tenterfield	26	0.3
Wollongong	2338	16.4	Uralla	61	0.6
Woollahra	687	4.8	Walcha	37	0.4
Other	1	0.0	Yallaroi	28	0.3
TOTAL	14296	100.0	TOTAL	9742	100.0
Sydney West			North Coast		
Auburn	1113	7.0	Ballina	383	8.1
Baulkham Hills	1984		Bellingen	109	2.3
		12.4 9.7	Byron	283	6.0
Blacktown: North	1548		Coff's Harbour: Pt A	506	10.7
Blacktown: South-East	1380	8.6	Coff's Harbour: Pt B	137	2.9
Blacktown: South-West	1651	10.3	Coms narbour. Pt B Copmanhurst	39	0.8
Blue Mountains	872	5.5	•		
Greater Lithgow	221	1.4	Grafton	196 412	4.1 8.7
Hawkesbury	902	5.6	Hastings: Pt A		
Holroyd	1438	9.0	Hastings: Pt B	298	6.3
Parramatta	2209	13.8	Kempsey	381	8.1
Penrith	2664	16.7	Kyogle	71	1.5
TOTAL	15982	100.0	Lismore: Pt A	362	7.7
Northern Sydney & Central Coast			Lismore: Pt B	155	3.3
Gosford	1920	14.5	Maclean	153	3.2
Hornsby	1778	13.5	Nambucca	177	3.7
Hunter's Hill	147	1.1	Pristine Waters: Nymboida	71	1.5
Ku-ring-gai	857	6.5	Pristine Waters: Ulmarra	65	1.4
			Richmond River: Casino	124	2.6
Lane Cove	383	2.9	Richmond River: Balance	113	2.4
Manly	551	4.2	Tweed: Pt A	402	8.5
Mosman	378	2.9	Tweed: Pt B	290	6.1
North Sydney	780	5.9	TOTAL	4727	100.0
Pittwater	715	5.4	TOTAL	7721	100.0
Ryde	1215	9.2			
Warringah	1830	13.9			
Willoughby	888	6.7			
Wyong	1768	13.4			

TABLE 33 (continued)

LIVEBIRTHS BY HEALTH AREA AND STATISTICAL LOCAL AREA OF RESIDENCE, NSW 2004

Health Area and Statistical Local Area	No.	%	Health Area and Statistical Local Area	No.	%
Greater Southern			Greater Western		
Albury	13	0.3	Bathurst	372	9.8
Bega Valley	261	6.8	Blayney: Pt A	75	2.0
Berrigan	26	0.7	Blayney: Pt B	16	0.4
Bland	86	2.2	Bogan	56	1.5
Bombala	31	0.8	Bourke	53	1.4
Boorowa	18	0.5	Brewarrina	33	0.9
Carrathool	66	1.7	Broken Hill	223	5.9
Conargo	5	0.1	Cabonne: Pt A	16	0.4
Coolamon	33	0.9	Cabonne: Pt B	10	0.3
Cooma-Monaro	106	2.7	Cabonne: Pt C	100	2.6
Cootamundra	97	2.5	Central Darling	23	0.6
Crookwell	25	0.6	Cobar	82	2.2
Culcairn	22	0.6	Coolah	44	1.2
Deniliquin	87	2.3	Coonabarabran	78	2.1
Eurobodalla	317	8.2	Coonamble	65	1.7
Goulburn	209	5.4	Cowra	149	3.9
Griffith	379	9.8	Dubbo: Pt A	542	14.3
Gundagai	50	1.3	Dubbo: Pt B	77	2.0
Gunning	10	0.3	Evans: Pt A	13	0.3
Harden	43	1.1	Evans: Pt B	32	
Hay	42	1.1	Forbes	103	0.8
Holbrook	9	0.2			2.7
Jerilderie	13	0.2	Gilgandra	49	1.3
Junee	63	1.6	Lachlan	97	2.6
			Mudgee	197	5.2
Leeton	186	4.8	Narromine	113	3.0
Lockhart	30	0.8	Oberon	105	2.8
Mulwaree	79	2.0	Orange	552	14.5
Murray	7	0.2	Parkes	192	5.0
Murrumbidgee	27	0.7	Rylstone	32	0.8
Narrandera	77	2.0	Walgett	113	3.0
Queanbeyan	179	4.6	Warren	39	1.0
Snowy River	75	1.9	Weddin	33	0.9
Tallaganda	6	0.2	Wellington	103	2.7
Temora	65	1.7	Wentworth	6	0.2
Tumbarumba	26	0.7	Unincorporated Far West	8	0.2
Tumut	137	3.5	Other	1	0.0
Urana	8	0.2	TOTAL	3802	100.0
Wagga Wagga: Pt A	675	17.5			
Wagga Wagga: Pt B	87	2.3	Other-Not stated	609	100.0
Windouran	10	0.3			
Yarrowlumla: Part A	36	0.9	TOTAL NSW	85061	100.0
Yass	5	0.1			
Young	128	3.3			
Other	7	0.2			
TOTAL	3861	100.0			

Source: NSW Midwives Data Collection (HOIST). Centre for Epidemiology and Research, NSW Department of Health.