NSW Public Health Bulletin Supplement

Volume 16 Number S-1

November 2005

NEW SOUTH WALES POPULATION HEALTH SURVEY









2004 Report on adult health

NSW HEALTH

Copyright © NSW Department of Health, November 2005

This work is copyright. It may be reproduced in whole or in part, subject to the inclusion of an acknowledgment of the source and no commercial usage or sale.

State Health Publication No: PH 05114

ISSN 1034 7674

suggested citation:

Centre for Epidemiology and Research, NSW Department of Health. 2004 Report on Adult Health from the New South Wales Population Health Survey. *N S W Public Health Bull* 2005; 16(S-1).

produced by:

Centre for Epidemiology and Research Population Health Division NSW Department of Health Locked Mail Bag 961 North Sydney NSW 2059 Australia Tel: 61 2 9424 5759 Fax: 61 2 9424 5755

further copies of this publication can be obtained by contacting:

Centre for Epidemiology and Research Population Health Division NSW Department of Health Locked Mail Bag 961 North Sydney NSW 2059 Australia Tel: 61 2 9424 5759 Fax: 61 2 9424 5755

or from the NSW Department of Health website at:

www.health.nsw.gov.au

The electronic report of the 2004 Report on Adult Health from the New South Wales Population Health Survey, which contains additional information to that published in this printed report, can be downloaded from the NSW Department of Health website at www.health.nsw.gov.au.

NSW HEALTH

CONTENTS

| 1. | FOREWORD | | | |
|----|---|--|--|--|
| 2. | ACKNOWLEDGEMENTS | | | |
| 3. | EXECUTIVE SUMMARY | | | |
| 4. | SNAPSHOT OF ADULT HEALTH | | | |
| 5. | METHODS | | 10 | |
| | Table 1: Table 2: Table 3 Map of NSW | Outcomes of telephone calls Completed interviews and response rates by health area Completed interviews by language area health services | 11 11 11 13 | |
| 6. | REPRESENTATIVENESS OF SAMPLE | | | |
| | Table 4: Figure 1: Figure 2: Figure 3: Figure 4: Figure 5: Figure 6 Figure 7: Figure 7: Figure 8: Figure 9: Figure 10: | Survey sample size and NSW population by age and sex Age distribution of unweighted survey sample versus NSW population: Males Age distribution of unweighted survey sample versus NSW population: Females Aboriginal or Torres Strait Islander origin Country of birth Socioeconomic Index (SEIFA) quintile Accessibility–Remoteness Index (ARIA) quintile Lanuage spoken at home Current employment status Highest level of school completed Annual household income | 14 15 16 16 17 17 18 18 19 19 | |
| 7. | HEALTH BEHAVIOURS | | 20 | |
| | Alcohol | | 20 | |
| | Figure 11: Figure 12: Figure 13: Figure 14: | Any risk alcohol drinking by age Any risk alcohol drinking by socioeconomic disadvantage Alcohol drinking by risk High risk alcohol drinking by age | 21 22 22 23 | |
| | Cancer screening: breast and cervical | | | |
| | Figure 15: Figure 16: | Screening mammogram within the last 2 years by age Pap test within the last 2 years by age | 25 25 | |
| | Cancer screening: colorectal | | | |
| | Figure 17: Figure 18: | Screening test for colorectal cancer in the last 5 years by age Reasons for having faecal occult blood test to screen for colorectal cancer | 27 | |
| | Figure 19: | in last 5 years Reasons for having sigmoidoscopy or colonoscopy to screen for colorectal cancer in last 5 years | 28 28 | |
| | Immunisation | | | |
| | Figure 20: Figure 21: | Vaccinated against influenza in the last 12 months by age Vaccinated against influenza in the last 12 months by socioeconomic | 30 | |
| | Figure 22: | disadvantage Vaccinated against pneumococcal disease in the last 5 years by age | 31 31 | |
| | Injury prevention | | | |
| | Figure 23: Figure 24: | Fire safety measures in the home Homes with a smoke alarm or detector by age | 33 33 | |

| | Nutrition | | 34 |
|----|--|--|--|
| | Figure 25: Figure 26: | Number of serves of fruit per day Recommended fruit consumption by age | 36 37 |
| | Figure 27: | Number of serves of vegetables per day | 37 |
| | Figure 28: Figure 29: | Recommended vegetable consumption by age Type of milk usually consumed | 38 38 |
| | Figure 30: | Usual use of lower fat milks by age | 39 |
| | Figure 31: Figure 32: | Frequency of eating chips, french fries, wedges, fried potatoes or crisps per week Frequency of eating breakfast cereal, breads, pasta, rice and noodles per day | 39 40 |
| | Figure 33: | Frequency of eating processed meat products per week | 40 |
| | Figure 34: Figure 35: | Food insecurity in the last 12 months by age Food insecurity in the last 12 months by socioeconomic disadvantage | 41 41 |
| | Physical a | | 42 |
| | Figure 36: | Adequate physical activity by age | 43 |
| | Figure 37: | Usual transport to work | 44 |
| | Sexual health | | |
| | Figure 38: | Sexual behaviour in last 12 months | 46 |
| | Figure 39: | Unsafe sex by age | 46 |
| | Smoking | | 47 |
| | Figure 40: Figure 41: | Smoking status Current daily or occasional smoking by age | 48 49 |
| | Figure 42: | Current daily or occasional smoking by socioeconomic disadvantage | 49 50 |
| | Figure 43: Figure 44: | Intention to quit smoking Smoke-free households by age | 50 50 |
| | Figure 45: | Smoke-free households by socioeconomic disadvantage | 51 |
| | Figure 46: | Smoke-free cars by age | 51 |
| | 0 | tion . | 50 |
| | Sun protec | | 52 |
| | Sun protect | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes | 52 55 |
| | Figure 47: Figure 48: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age | 55 55 |
| | Figure 47: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes | 55 |
| | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area | 55 55 56 56 57 |
| | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area | 55 55 56 56 57 57 |
| | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area | 55 55 56 56 57 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 55 56 56 57 57 58 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 55 56 57 57 58 58 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 56 56 57 57 58 58 59 59 60 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 56 56 57 57 58 58 59 59 60 60 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 56 56 57 57 58 58 59 59 60 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: Figure 54: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 56 56 57 57 58 58 59 60 60 61 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: Figure 54: Figure 55: Asthma Figure 56: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local p | 55 55 56 57 57 58 58 59 60 61 61 61 61 61 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: Figure 54: Figure 55: Asthma | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area Easy to find shade at local public park by health area | 55 55 56 57 57 58 58 59 60 60 61 61 61 62 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: Figure 54: Figure 55: Asthma Figure 57: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at local p | 55 56 56 57 57 58 58 59 60 60 61 61 61 61 61 63 63 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: Figure 53: Figure 54: Figure 55: Asthma Figure 56: Figure 57: Figure 58: Diabetes Figure 59: | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Excellent, very good, or good self-rated health status by age Difficulty doing work or activity Bodily pain in the last 4 weeks Ever diagnosed with asthma by age Visited doctor or emergency department for asthma attack in last 4 weeks Diabetes or high blood sugar by age | 55 55 56 57 57 58 59 59 60 61 61 61 61 62 63 64 64 64 65 66 |
| 8. | Figure 47: Figure 48: Figure 49: Table 5: Figure 50: Table 6: Figure 51: Table 7: HEALTH S Self-rated Figure 52: Figure 53: Figure 53: Figure 55: Asthma Figure 56: Figure 57: Figure 58: Diabetes | Sun protection behaviours between 11.00 a.m. and 3.00 p.m. last summer when out in the sun for more than 15 minutes High sun protection behaviour index score last summer by age Easy to find shade in local sporting areas by health area Easy to find shade at local sporting areas by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at outdoor public swimming pool by health area Easy to find shade at local public park by health area Easy to find shade at loca | 55 55 56 57 57 58 59 59 60 60 61 61 61 61 62 63 64 64 65 |

| | Mental health | | |
|----|---|--|---|
| | Figure 62: Figure 63: Figure 64: Figure 65: | Psychological distress by Kessler 10 categories High and very high psychological distress by age High and very high psychological distress by socioeconomic disadvantage Times that physical problems have caused psychological distress | 69 69 70 |
| | Table 8: | in past 4 weeks Effect of psychological stress on daily activities | 70 71 |
| | Oral health | | 71 |
| | Figure 66: Figure 67: Figure 68: Figure 69: | All natural teeth missing by age All natural teeth missing by socioeconomic disadvantage Frequency of oral health problem in the last 12 months Time since last dental visit | 72 73 73 74 |
| | Overweigh | t and obesity | 74 |
| | Figure 70: Figure 71: Figure 72: Table 9: Figure 73: Figure 74: Vision | Body Mass Index categories Overweight and obesity by age Overweight and obesity by health area Overweight and obesity by health area Obesity by age Obesity by socioeconomic disadvantage | 75 76 76 77 77 78 78 |
| | | When evenight last checked by any | |
| | Figure 75: Figure 76: Figure 77: Figure 78: | When eyesight last checked by sex Eyesight tested in last 2 years by age Normal vision in both eyes by age Difficulty with reading or doing close work even with glasses or contact | 80 80 81 |
| | Hearing | lenses by age | 81 82 |
| | Figure 79: | Ever had hearing tested by age | 83 |
| | Figure 80: Figure 81: | Normal hearing in both ears by age Currently using a hearing aid by age | 83 84 |
| | Injury | | 84 |
| | Figure 82; Figure 83: | Location of most recent physical attack in last 12 months by sex Relationship with the person who was violent towards you by sex | 86 86 |
| 9. | HEALTH SERVICES | | |
| | Difficulties | getting health care | 87 |
| | Figure 84: Figure 85: Figure 86: Table 10: Figure 87: | Health services attended in last 12 months by sex Difficulties getting health care when needing it by age Difficulties getting health care when needing it by health area Difficulties getting health care when needing it by health area Types of difficulties getting health care when needing it by sex | 88 88 89 89 90 |
| | Emergency departments | | |
| | Figure 88: Figure 89: Figure 90: Figure 91: | Emergency department attendance in the previous 12 months by age Emergency department care ratings by sex Emergency department care rated as excellent, very good or good by age Reason for rating most recent emergency visit as fair or poor by sex | 91 92 92 93 |
| | Hospital admissions | | |
| | Figure 92: Figure 93: Figure 94: Figure 95: | Hospital admission in the previous 12 months by age Hospital care ratings by sex Hospital care rated as excellent, very good or good by age Reason for rating most recent overnight hospital stay as fair or poor by sex | 94 95 95 96 |

| | Community health centres | | |
|-----|---|--|--------------------------|
| | Figure 96: Figure 97: Figure 98 Figure 99: | Community health centre attendance in the previous 12 months by age Community health centre care ratings by sex Community health centre care rated as excellent, very good, or good by age Reason for rating most recent community health centre visit as fair or poor by sex | 97 98 98 99 |
| | Public dental services | | 99 |
| | Figure 101: Figure 102: | Public dental service attendance in the previous 12 months by age Public dental service care rating by sex Public dental service care rated as excellent, very good, or good by age Reason for rating most recent public dental service visit as fair or poor by sex | 100 101 101 102 |
| 10. | CONCLUSION | | 103 |
| | Table 11: Table 12: Table 13: | Trends in indicators of health behaviours by sex Trends in indicators of health status by sex Trends in indicators of health services by sex | 105 106 107 |
| 11. | QUESTION MODULES | | |