11. Appendices

Appendix 1. Description of selected congenital conditions

The following include descriptions of some of the congenital conditions included in this report:

Anencephaly Absence of the cranial vault, with the brain tissue completely missing or markedly reduced.

Spina bifida Incomplete closure of the bony encasement of the spinal cord, through which the spinal cord may protrude.

Encephalocele Protrusion of brain through a congenital opening in the skull.

Hydrocephalus Dilatation of the cerebral ventricles accompanied by an accumulation of cerebral fluid within the skull.

Buphthalmos Enlargement and distension of the fibrous coats of the eye.

Hypospadias The opening of the urethra lies on the underside of the penis or on the perineum.

Absence of the upper wall of the urethra. The opening of the urethra lies on the dorsum of the penis in males,

and anterior to or onto the clitoris in females.

Chordee Downward bowing of the penis.

Talipes equinovarus A deformity of the foot in which the heel is elevated and turned outward.

Polydactyly Presence of additional fingers or toes on hands or feet.

Syndactyly Attachment of adjacent fingers or toes on hands or feet.

Craniosynostosis Premature closure of the sutures of the skull.

Exomphalos Herniation of the abdominal contents into the umbilical cord.

Gastroschisis A defect in the abdominal wall not involving the umbilicus and through which the abdominal contents herniate.

Cystic hygroma A sac, cyst or bursa distended with fluid.

Appendix 2. Congenital conditions exclusion list

The following is a general list of minor conditions and non-structural disorders that are excluded from the NSW Register

of Congenital Conditions

Abnormal palmar creases Haemophilia Muscular dystrophies & myopathies

Accessory nipples Heart murmurs (functional) Oesophageal reflux

Balanced chromosomal translocation Hernia (epigastric, hiatus, inguinal, umbilical) Patent ductus arteriosus (less than 37 weeks gestation)

Hydrocele (testis)

Birthmarks (single, < 4 cms diameter)

Hypoplastic lung (less than 37 weeks gestation)

Pilonidal sinus

Cerebral palsy

Single umbilical artery
Inborn errors of metabolism other

(unless occurring with a

Clicky hips than phenylketonuria, galactosemia and congenital infections (unless occurring with structural anomalies)

Skin tag

(unless occurring with structural anomalies) Intrauterine growth retardation Strabismus

Congenital neoplasms/tumours Low birth weight Talipes (exception: those requiring surgery)

(exception: cystic hygroma)

Meconium ileus

Tongue tie

Developmental disability
Minor ear anomalies
Undescended testes

Deviated nasal septum (exception: those requiring surgery)

Minor finger/hand anomalies

Fetal alcohol syndrome Webbing of 2nd and 3rd toes
Minor toe/foot anomalies

Glucose-6-phosphate dehydrogenase Wide sutures (G6PD) deficiency

Appendix 3. Maternal countries of birth and country of birth groups

English speaking Australia **Christmas Island** Cocos (Keeling) Islands Norfolk Island **New Zealand United Kingdom Channel Islands** Isle of Man Ireland Bermuda

United States of America South Africa

Canada

Central and South America

Bahrain Argentina Bolivia **Brazil** Chile Colombia Ecuador Falkland Islands French Guiana Guyana Paraguay Peru Surinam Uruguay Venezuela Belize Costa Rica El Salvador Guatamala Honduras Mexico

Antigua and Barbuda

Bahamas Barbados Cayman Islands

Nicaragua

Panama

Cuba Grenada Guadeloupe Jamaica **Netherlands Antilles**

Puerto Rico St Kitts-Nevis St Lucia

St Vincent and the Grenadines Trinidad and Tobago Turks and Caicos Islands

Eastern Europe, Russia, Central **Asian and Baltic States**

Bulgaria Czechoslovakia Hungary Poland Romania Armenia Azerbaijan

Belarus (formerly Byelorussia)

Estonia Georgia Kazakhstan Latvia Lithuania

Moldova (formerly Moldavia)

Russian Federation Ukraine Uzbekistan Kazakhstan Kyrgystan

Melanesia, Micronesia

and Polynesia New Caledonia Papua New Guinea Solomon Islands Vanuatu Guam Kiribati Nauru Cook Islands

French Polynesia (including Tahiti)

Niue

American Samoa Western Samoa Tokelau Tonga Tuvalu

Wallis and Fortuna

Middle East and Africa

Bahrain Gaza Strip Iran Iraq Israel Jordan Kuwait Lebanon Oatar Saudi Arabia Syria Turkey

Algeria

United Arab Emirates West Bank Yemen

Egypt Libya Mauritania Morocco Sudan Tunisia Cameroon

Central African Republic

Congo Cote d'Ivoire Gambia Ghana Guinea-Bissau Liberia Mali Nigeria Senegal Sierra Leone Zaire Angola Botswana Djibouti

Ethiopia Kenya Malawi Mauritius Mozambique Namibia Reunion Rwanda Seychelles

Somalia Swaziland Tanzania Uganda Zambia Zimbabwe Eritrea

North East Asia

Ethiopia

China (excluding Taiwan)

Hong Kong Japan North Korea South Korea Macau Mongolia Taiwan

South Fast Asia Brunei

Cambodia Indonesia Laos Malaysia Burma (Myanmar) **Philippines** Singapore Thailand Vietnam

Southern Asia

Afghanistan Bangladesh Bhutan India Maldives Nepal

Pakistan Sri Lanka

Southern Europe

Albania Andorra Cyprus Gibraltar Greece Italy Malta Portugal Spain

Bosnia-Herzegovina

Croatia Macedonia Slovenia

Serbia and Montenegro Former Yugoslavia (not otherwise defined)

Western and Northern Europe

Austria Belgium France

Germany (United) Luxembourg Netherlands Switzerland Denmark Faeroe Islands Finland Iceland Norway Sweden

Public Health Act, 1991

PLEASE PRESS FIRMLY WHEN COMPLETING THIS FORM

Mother Unit Record No. First Name	e Birth
First Name	e Birth
Address Mother's birth date Country of birth	e Birth
Mother's birth date day month year Australia 101 Other If other, specify Indigenous status Aboriginal and Torres Strait Islander 2 Aboriginal and Torres Strait Islander 3 None of the above 4 Australia 101 Analgesia for labour (tick one or more) Model of care Antenatal care (for shared care tick more than one box) Private obstetrician Hospital-based medical General practitioner Hospital-based midwife/midwives Independent midwife Normal vaginal 1 Vacuum extr. 3 Forceps 2 Vaginal breech 4 Caesarean section 5 Mother referred from another hospital-based modulations Mother referred from another hospital-based modulations Mother referred from another hospital-based midwife Mo	e Birth
birth date day month year Country of birth Australia 100 Other None Epidural/caudal Other Other Systemic opioids Spinal-epidural Spinal Other Type of birth Torres Strait Islander Aboriginal and Torres Strait Islander None of the above 4 None of the above 4 Caesarean section 5 Model of care Antental care (for shared care tick more than one box) Private obstetrician Hospital-based medical General practitioner Hospital-based midwife/midwives Independent midwife Not applicable Mother referred from another hospital-based modified Mother referred from another hospital-based modified Not applicable Mother referred from another hospital-based modified Not applicable Mother referred from another hospital-based modified Not applicable	e Birth
Country of birth Australia 1101 Other Other Other, specify If other, specify Indigenous status Aboriginal and Torres Strait Islander Aboriginal and Torres Strait Islander None of the above 4 None of the above 4 Australia 1101 None Epidural/caudal Combined Spinal-epidural spinal-epidural spinal-epidural Spinal Other Hospital-based medical General practitioner Hospital-based midwife/midwives Independent midwife Normal vaginal 1 Vacuum extr. 3 Forceps 2 Vaginal breech 4 Caesarean section 5 Mother referred from another hospi	e Birth
Nitrous oxide Combined Hospital-based medical Systemic opioids Spinal Other Hospital-based midwife/midwives Independent midwife Normal vaginal 1 Vacuum extr. 3 None of the above 4 Caesarean section 5 Mother referred from another hospital-based midwife Mother referred from another hospital-based midwife Mother referred from another hospital-based midwife Normal vaginal 1 Vacuum extr. 3 Not applicable Mother referred from another hospital-based midwife Normal vaginal 1 Vacuum extr. 3 Not applicable Mother referred from another hospital-based midwife Normal vaginal 1 Vacuum extr. 3 Not applicable Mother referred from another hospital-based medical Hospital-based midwife/midwives Independent midwife Normal vaginal 1 Vacuum extr. 3 Not applicable Mother referred from another hospital-based medical Hospital-based midwife/midwives Independent midwife Normal vaginal 1 Vacuum extr. 3 Not applicable Normal vaginal 1 Vacuum extr. 3 Normal vaginal 1 Va	
Systemic opioids Other General practitioner Hospital-based midwife/midwives Independent midwife Normal vaginal 1 Vacuum extr. 3 None of the above 4 Caesarean section 5 Mother referred from another hospital value Mother referre	
Indigenous status Aboriginal 1 Type of birth Torres Strait Islander 2 Aboriginal and Torres Strait Islander 3 None of the above 4 Caesarean section 5 Mother referred from another hospi	
Aboriginal and Torres Strait Islander 3 None of the above 4 None of the above 4 None of the above 4 None of the above 5 Normal vaginal 1 Vacuum extr. 3 Normal vaginal 1 Vacuum extr. 3 Normal vaginal 5 Caesarean section 5 Normal vaginal 5 Caesarean section 5	
None of the above 4 Caesarean section 5 Mother referred from another hospi	
	_
PREVIOUS PREGNANCIES If caesarean section, main induction: Failure to progress Yes 1 N If yes, specify hospital	10
greater than 20 weeks? Yes 1 No 0 - Cx 3cm dilated or less 2	
If yes - Cx dilated more than 3cm ☐ 3 Referral prior to onset of lab No. previous pregnancies > 20 weeks Fetal distress ☐ 4 Referral after onset of lab	
Was the last birth by Was the last birth by Elective repeat caesarean section Baby place of birth	Juf
caesarean section? Tes Tivo Other clinical indication 6 Hospital theatre/delivery su	
Total number of previous caesarean sections? Birth centre/delivery suite birth centre	
THIS PREGNANCY None Epidural/caudal Planned homebi Local to perineum Combined Planned homebirth/hospital admissi	
Date of EDC Pudendal spinal+epidural Born before arri	_
day month year Spinal General anaesthetic POSTNATAL	
received? Yes 1 No 0 Perineal status Other Mother Postpartum haemorrhage Yes 1 N	0 [
If yes, duration of pregnancy at first contact for care (weeks) Intact 1 3rd deg. tear 4 requiring blood transfusion 1st deg. tear/graze 2 4th deg. tear 5 Baby	_
Medical conditions	o [
Chronic hypertension	
Pregnancy-induced hypertension: - proteinuric Surgical repair of the vagina or perineum? Admitted to SCN/NICU Yes 1 N	0
- non-proteinuric Yes 1 No 0 If admitted to NICU	
Did the mother smoke at all during pregnancy? Yes 1 No 0 Management of the 3rd stage Active 1 Physiological 2 Was a birth defect the main reason for admission? Yes 1 N	o [
If yes, how many cigarettes each day on average in the second half of pregnancy? BABY Vitamin K Oral 1 IM 2 No	ne _
None 1 >10 per day 2 Unit Record No. Hepatitis B birth dose Yes 1 N	o [
S TO per day 3 Unknown 4	
Conset of labour Birth date Birth date Mother Baby	
Spontaneous 1 Induced 2 day month year Discharged 1 Discharge 1 Discharged 2 Transferred 2 Transferred 2 Transferred 2 Transferred 2 Transferred 1 Transferred 1 Transferred 2 Transferred 2 Transferred 2 Transferred 2 Transferred 2 Transferred 1 Transferred 2 Transferr	
If labour augmented/induced (tick 1 or more): Plurality Single 1 Multiple 2 Died 3 Stillbi	rth _
Oxytocins ARM I If multiple, total number Transferred and di	ed _ ed _
If labour induced, main indication: If multiple hirth, specify below number of discharge	
Diabetes 1 Hypertensive disease 2 Hospital mother Hospital mother	ar
Fetal distress 3 Birthweight (grams) transferred to	
Fetal death 4	
Blood group isoimmunisation 6 (tick one or more) Infant form	
Prolonged pregnancy (41+ weeks) 8 of discharge of discharge	ır
Prolonged pregnancy (41+ weeks) 8 Suspected intrauterine growth restriction 9 Resuscitation of baby (tick 1 or more) of discharge of discharge day month year	
Prolonged pregnancy (41+ weeks) 8 Suspected intrauterine growth restriction 9 Presentation at birth Other 10 None/minimal 1 IPPR: bag + mask 4 Prolonged pregnancy (41+ weeks) 8 1 min 5 min 5 min 6 min 5 min 6 min 5 min 1 min 1 min 5 min 1 mi	o
Prolonged pregnancy (41+ weeks) 8 Suspected intrauterine growth restriction 9 Presentation at birth Other 10 Vertex 1 Brow 4 Breech 2 Shoulder/transverse 5 O2 therapy 3 External cardiac 6 Signature of midwife	0
Prolonged pregnancy (41+ weeks) 8 Suspected intrauterine growth restriction 9 Presentation at birth Other 10 Vertex 1 Brow 4 Suction 2 Shoulder/transverse 5	0