

INDEX

	PAGE		PAGE
Aluminium, energy levels in	803	Bassett, I. M.—	
Aluminium: study of 3.00 MeV level of		Trial of a numerical method for solving	
^{27}Al via $^{24}\text{Mg}(\alpha, p\gamma)^{27}\text{Al}$	405	the Schrödinger wave equation in	
Andrews, M., Bertram, W. K., and Tassie,		several variables	113
L. J.—		Bateson, F. M.—	
The behaviour of DWBA stripping		<i>See</i> Higgins, C. S.	725
amplitudes near the Butler pole ..	423	Baxter, R. J.—	
Antarctica, spread- F irregularities in ..	695	Ornstein-Zernike relation for a dis-	
Astronomy		ordered fluid	563
Observations of flare star UV Ceti ..	725	Bennett, J. A.—	
Optical spectrum of Vela X	501	The ray theory of Doppler frequency	
Rectangular coordinates of galactic		shifts	259
plane positions on the Palomar Sky		Bertram, W. K.—	
Atlas	APS* 5	<i>See</i> Andrews, M.	423
<i>See also</i> Astrophysics; Identifications,		Beryllium: 0^+ states of ^8Be	239
astronomical; Radiofrequency radia-		Beryllium: R -matrix fit to $^9\text{Be}(\gamma, n)^8\text{Be}$	
tion, cosmic		cross section	415
Astrophysics		Bolton, J. G.—	
Consequences of existence of charged		<i>See</i> Merkelijn, Jeannette K.	523
intermediate vector bosons ..	139	Bolton, J. G., Shimmins, A. J., and	
Equilibrium poloidal magnetic fields		Merkelijn, Jeannette—	
in rotating stars	293	Identification of radio sources between	
Nonlinear adiabatic pulsations of mas-		declinations $+27^\circ$ and -30° ..	81
sive stars	465	Boltzmann equation, exact solution of,	
Propagation of shock waves in poly-		for rigid sphere gas	543
trope with poloidal magnetic field		Bowman, G. G.—	
Structure of polytropes with purely		The nature of spread- F irregularities	
toroidal magnetic fields	283	in Antarctica	695
Bajaj, M. M.—		Bromine: γ -rays in decay of 36 hr ^{82}Br	649
<i>See</i> Gupta, S. L.	649	Brooker, P. I., and Green, H. S.—	
Bajaj, M. M., Gupta, S. L., and Saha,		An exact solution of Boltzmann's	
N. K.—		equation for a rigid sphere gas ..	543
Directional correlation of gamma rays		Butler pole, behaviour of DWBA stripping	
in the decay of 2.3 d ^{115}Cd	317	amplitudes near	423
Barker, A. A.—		Bydder, E. L., and Liley, B. S.—	
A quantum mechanical calculation of		The formal nonequilibrium theory of	
the radial distribution function for a		partially ionized and/or nonuniform	
plasma	121	gas mixtures	609
Barker, F. C., and Fitzpatrick, B. M.—		Cadmium: directional correlation of	
<i>R</i> -matrix fit to $^9\text{Be}(\gamma, n)^8\text{Be}$ cross sec-		γ -rays in 2.3 d ^{115}Cd decay	317
tion near threshold	415	Campbell, J. A.—	
Barker, F. C., Hay, H. J., and Treacy,		Astrophysical consequences of the	
P. B.—		existence of charged intermediate vec-	
0^+ states of ^8Be	239	tor bosons	139
		Cole, T.—	
		Finite sample correlations of quantized	
		Gaussians	273

* APS 5 = Astrophysical Supplement No. 5.

	PAGE		PAGE
Cook, J. L.—		Elford, M. T.—	
Application of reaction matrix theory		<i>See</i> Crompton, R. W.	43
to meson processes	769	Elliott, R. V.—	
Cosmic rays: sudden intensity increases	755	<i>See</i> Kean, D. C.	405
Crawley, G. M., Powell, D. L., and			
Narasimha Rao, B. V.—		Fitzpatrick, B. M.—	
States in ^{27}Al and ^{89}Y using high		<i>See</i> Barker, F. C.	415
resolution surface barrier counters . .	803	Forwood, C. T.—	
Crompton, R. W., Elford, M. T., and		<i>See</i> Humble, P.	941
McIntosh, A. I.—		Francey, R. J.—	
Electron transport coefficients in		<i>See</i> Harries, J. R.	715
hydrogen and deuterium	43		
Crompton, R. W., and McIntosh, A. I.—		Gardner, F. F.—	
Electron drift and diffusion in para-		<i>See</i> McGee, R. X.	149
hydrogen at 77°K	637	Gardner, F. F., and Morimoto, M.—	
Cross, R. C., and Lehane, J. A.—		5 GHz continuum radiation from sou-	
Compressional Alfvén wave propaga-		thern hemisphere galactic HII regions	881
tion below ion cyclotron frequency . .	129	Garzón Cárdenas, X.—	
		<i>See</i> Wielebinski, R.	185
Davidson, W.—		Gaseous electronics	
Study of a complete sample of cosmic		Electron drift and diffusion in para-	
radio sources	871	hydrogen at 77°K	637
Davies, G. F.—		Electron transport coefficients in hydro-	
Equilibrium poloidal magnetic fields		gen and deuterium	43
in rotating stars	293	Formal nonequilibrium theory of parti-	
Day, G. A.—		tially ionized and/or nonuniform gas	
<i>See</i> Shimmins, A. J.	377	mixtures	609
Delves, L. M., and Kalotas, T.—		Properties of drifting and diffusing	
The ground state of the $(p-\mu-p)^+$ mole-		pulse of electrons and Townsend's	
cule ion	1	coefficient of ionization	761
Variational calculations for three-body		Gellie, R. W.—	
S-states with Coulomb interactions . .	431	The (γ, p) and (γ, n) reactions in molyb-	
Deuterium, electron transport coefficients		denum	765
in	43	Geomagnetism: multipole analysis theory	
Deuterons, APB model analysis for elastic		and geomagnetic multipoles 1965.0 . .	455
scattering of	7	Gold, electron energy loss spectrum for	811
Deuterons inelastically scattered from		Goss, M.—	
^{56}Fe	235, 944	Rectangular coordinates of galactic	
Doppler frequency shifts, ray theory of	259	plane positions on the Palomar Sky	
Dyne, R. J.—		Atlas	APS 5
<i>See</i> Parsons, R. W.	13	Green, H. S.—	
		<i>See</i> Brooker, P. I.	543
Electrons		Gupta, S. L.—	
Drift and diffusion in parahydrogen		<i>See</i> Bajaj, M. M.	317
at 77°K	637	Gupta, S. L., and Bajaj, M. M.—	
Energy loss spectra for second and		Directional correlations of gamma rays	
third series transition metals	811	in the decay of 36 hr ^{82}Br	649
Possible limits on local interstellar			
spectrum	845	Hafnium, electron energy loss spectrum	811
Properties of drifting and diffusing		Hamilton, P. A.—	
pulse	761	<i>See</i> Haynes, R. F.	87, 539
Transport coefficients in hydrogen and			
deuterium	43		

	PAGE		PAGE
Hamilton, P. A., and Haynes, R. F.—		Hydrogen	
Observations of the southern sky at		Continuum radiation, 5 GHz, from	
10.02 MHz	895	southern hemisphere galactic HII	
Harries, J. R., and Francey, R. J.—		regions	881
Observations of Cen XR-2, Sco XR-1,		Electron drift and diffusion in para-	
and terrestrial X-rays	715	hydrogen at 77°K	637
Harvey, P. J.—		Electron transport coefficients in	
A search for a 5.5 MeV level in ^7Li ..	103	hydrogen	43
Hay, H. J.—		Excited atomic H lines 126 α and 127 α	
See Barker, F. C.	239	in HII regions	149
Haynes, R. F.—			
See Hamilton, P. A.	895	Identifications, astronomical	
Haynes, R. F., and Hamilton, P. A.—		Radio sources between declinations	
Observations of 31 radio sources		+20° and +27°	523, 903
between 40 and 130 MHz	87	Radio sources between declinations	
Haynes, R. F., Hamilton, P. A., and		+27° and -30°	81
McCulloch, P. M.—		Ion, isolated monovalent, interaction	
Observations of 11 radio sources near		energy of	597
55 MHz	539	Ion pair with overlapping hydration	
Higgins, C. S.—		shells, interaction energy of ..	571, 587
See Slee, O. B.	341	Ionosphere	
Higgins, C. S., Solomon, L. H., and		Nature of spread- F irregularities in	
Bateson, F. M.—		Antarctica	695
Optical and radio observations of the		Ray theory of Doppler frequency shifts	259
flare star UV Ceti in Australasia during		Ions: potential due to two point charges	
September–October 1967	725	each at the centre of a spherical cavity	
Hill, E. R.—		and embedded in a dielectric medium	817
A continuum survey of the Southern		Iridium, electron energy loss spectrum for	811
Milky Way at 1410 MHz	735		
Humble, P.—		James, R. W.—	
Computed electron micrographs for		Multipole analysis. I. Theory, and	
tilted foils containing dislocations and		geomagnetic multipoles 1965.0 ..	455
stacking faults	325	Jayakaran Isaac, R.—	
Humble, P., and Forwood, C. T.—		See Uberoi, C.	931
The determination of stacking fault		Jupiter	
energy by the tetrahedron method ..	941	Decametric radio emission and the	
Huxley, L. G. H.—		solar wind	341
The properties of a drifting and diffusing		Interpretation of radio rotation period	
pulse of electrons and Townsend's		in terms of the cyclotron theory ..	409
coefficient of ionization α_T	761	Linear polarization of radiation at 6 cm	
Hydrodynamics		wavelength	337
Combined effect of Kelvin–Helmholtz			
instability and gravitational instabil-		Kalotas, T.—	
ity on a self-gravitating fluid layer	931	See Delves, L. M.	1, 431
Effect of horizontal and vertical mag-		Kean, D. C., Elliott, R. V., and Spear,	
netic fields on Kelvin–Helmholtz		R. H.—	
instability	917	A study of the 3.00 MeV level of ^{27}Al	
Effect of horizontal and vertical mag-		via $^{24}\text{Mg}(\alpha, p)^{27}\text{Al}$	405
netic fields on Rayleigh–Taylor in-		Kelvin–Helmholtz instability, effect of	
stability	923	horizontal and vertical magnetic fields	917
Shape and energy of revolving liquid		Kelvin–Helmholtz instability, effect on	
mass held together by surface tension	823	self-gravitating fluid layer of ..	931
Stability of revolving liquid mass held			
together by surface tension	837		

	PAGE		PAGE
Kesteven, M. J. L.—		Milky Way, Southern, continuum survey	735
A catalogue of galactic radio sources	369	Mills, B. Y., and Shaver, P. A.—	
Supernova remnants as radio sources	739	High resolution observations of the	
Khan, A. H.—		Orion Nebula at 408 MHz	95
<i>See</i> Rahman, M.	7	Mills, B. Y., Shobbrook, R. R., and	
		Stewart-Richardson, D.—	
Lehane, J. A.—		Radio sources in clusters of galaxies	511
<i>See</i> Cross, R. C.	129	Milne, D. K.—	
Levine, S.—		Radio emission from the supernova	
<i>See</i> Ross, D. K.	571	remnant Vela X	201
Liley, B. S.—		The optical spectrum of Vela X	501
<i>See</i> Bydder, E. L.	609	Molybdenum, electron energy loss spec-	
Lithium: search for 5.5 MeV level in ^7Li	103	trum for	811
Lithium atoms, charge exchange collisions		Molybdenum, (γ , p) and (γ , n) reactions in	765
between protons and	793	Morimoto, M.—	
Lodge, J. G., and May, R. M.—		<i>See</i> Gardner, F. F.	881
Charge exchange collisions involving		Morris, D., and Whiteoak, J. B.—	
multielectron atoms (lithium and		The distribution of linear polarization	
sodium)	793	over 13 extended sources at 21.2 cm	
Lynch, M. J., and Swan, J. B.—		wavelength	475
The characteristic loss spectra of the		Observations of the linear polarization	
second and third series transition metals	811	of radio sources at 6 cm wavelength	493
		Morris, D., Whiteoak, J. B., and Tonking,	
McCulloch, P. M.—		F.—	
Interpretation of the radio rotation		The linear polarization of radiation	
period of Jupiter in terms of the cyclo-		from Jupiter at 6 cm wavelength	337
tron theory	409	Murphy, J. O.—	
<i>See also</i> Haynes, R. F.	539	Nonlinear adiabatic pulsations of	
McGee, R. X., and Gardner, F. F.—		massive stars	465
The excited atomic hydrogen lines 126 α		Musgrove, A. R. de L.—	
and 127 α in HII regions	149	On the problem of unresolved reson-	
McIntosh, A. I.—		ances in neutron spectroscopy	779
<i>See</i> Crompton, R. W.	43, 637		
Majumder, A. R., and Sen Gupta, H. M.—		Narasimha Rao, B. V.—	
Inelastic scattering of deuterons from		<i>See</i> Crawley, G. M.	803
^{56}Fe	235, 944	Nicholas, J. F.—	
May, R. M.—		Calculation of surface energy as a	
<i>See</i> Lodge, J. G.	793	function of orientation for cubic crystals	21
Merkelijn, Jeannette K.—		Niobium, electron energy loss spectrum	811
Accurate positions and identifications		Nuclear physics	
of 75 radio sources between declina-		Angular distributions in the giant	
tions +20° and +27°	903	resonance of ^{16}O	107
<i>See also</i> Bolton, J. G.	81	APB model analysis for elastic scatter-	
Merkelijn, Jeannette K., Shimmins, A. J.,		ing of deuterons	7
and Bolton, J. G.—		Application of <i>R</i> -matrix theory to	
Accurate positions and some optical		meson processes	769
identifications for 67 radio sources		Behaviour of DWBA stripping ampli-	
between declinations +20° and +27°	523	tudes near the Butler pole	423
Meson processes, application of <i>R</i> -matrix		Directional correlations of γ -rays in	
theory to	769	decay of 36 hr ^{82}Br	649
Metchnik, V. I.—		Directional correlations of γ -rays in	
<i>See</i> Parsons, R. W.	13	decay of 2.3 d ^{115}Cd	317
Microwave spectroscopy: collision broad-			
ening of spectral lines	13		

	PAGE		PAGE
(γ , p) and (γ , n) reactions in molybdenum	765	Quantum theory: exact solution of Boltzmann equation for rigid sphere gas	543
Gamma radiation from $^{20}\text{Ne}(\alpha, \alpha'\gamma_{1-63})^{20}\text{Ne}$ and $^{20}\text{Ne}(\alpha, p\gamma_{0-44})^{23}\text{Na}$	307	Radiofrequency radiation, cosmic	
Ground state of the ($p-\mu-p$) ⁺ molecule ion	1	Accurate positions and some optical identifications for 67 sources between declinations +20° and +27° ..	523
Inelastic scattering of deuterons from ^{56}Fe	235	Accurate positions of 75 sources between declinations +20° and +27° ..	903
0 ⁺ states of ^8Be	239	Accurate positions of 210 radio sources	65
R-matrix fit to $^9\text{Be}(\gamma, n)^8\text{Be}$ cross section near threshold	415	Accurate right ascensions of selected southern sources	221
Search for 5.5 MeV level in ^7Li ..	103	Catalogue of galactic sources	369
States in ^{27}Al and ^{89}Y using high resolution surface barrier counters ..	803	Continuum radiation, 5 GHz, from southern hemisphere galactic HII regions	881
Study of 3.00 MeV level of ^{27}Al via $^{24}\text{Mg}(\alpha, p\gamma)^{27}\text{Al}$	405	Continuum survey of Southern Milky Way at 1410 MHz	735
Unresolved resonances in neutron spectroscopy	779	Distribution of linear polarization over 13 extended sources at 21.2 cm ..	475
Variational calculations for three-body S-states with Coulomb interactions	431	Emission from supernova remnant Vela X	201
Oitmaa, J.—		Emissions from 158 galaxies	193
Dielectric saturation in ionic crystals.		Excited atomic H lines 126 α and 127 α in HII regions	149
II. Deformable ions	439	High resolution observations of Orion Nebula at 408 MHz	95
Optics		Identification of radio sources between declinations +27° and -30° ..	81
Diffraction by E-polarized plane slit aperture	35	Interpretation of distribution of metre wavelength emission	167
Diffraction by slit aperture formed by two inclined surfaces	661	Interpretation of radio rotation period of Jupiter in terms of cyclotron theory	409
Orion Nebula, high resolution observations of	95	Linear polarization of Jovian radiation at 6 cm	337
Ornstein-Zernike relation for disordered fluid	563	Nonthermal emission from the Galaxy and local interstellar electron spectrum	845
Oxygen: angular distributions in the giant resonance of ^{16}O	107	Observations of 11 radio sources near 55 MHz	539
Palladium, electron energy loss spectrum	811	Observations of flare star UV Ceti ..	725
Parkes catalogue of radio sources, declination zone +20° to +27°	377	Observations of linear polarization at 6 cm	493
Parsons, R. W., Metchnik, V. I., and Dyne, R. J.—		Observations of southern sky at 10.02 MHz	895
The collision broadening of spectral lines	13	Observations of 31 radio sources between 40 and 130 MHz	87
Plasma		Parkes catalogue of radio sources, declination zone +20° to +27° ..	377
Charge exchange collisions involving multielectron atoms (lithium and sodium)	793	Solar wind and Jovian decametric radio emission	341
Compressional Alfvén wave propagation below ion cyclotron frequency	129	Sources in clusters of galaxies ..	511
Quantum mechanical calculation of radial distribution function	121		
Platinum, electron energy loss spectrum	811		
Powell, D. L.—			
See Crawley, G. M.	803		

	PAGE		PAGE
Study of complete sample of sources	871	Shimmins, A. J., and Day, G. A.—	
Supernova remnants as sources	739	The Parkes catalogue of radio sources,	
Survey of galactic plane at 85 and		declination zone +20° to +27°	377
150 MHz	185	Shobbrook, R. R.—	
Rahman, M., Khan, A. H., and Sen Gupta,		<i>See</i> Mills, B. Y.	511
H. M.—		Silver, electron energy loss spectrum for	811
The Akhiezer-Pomeranchuk-Blair		Sinha, Narendra K.—	
model analysis for elastic scattering of		Propagation of shock waves in a	
deuterons	7	polytrope with a poloidal magnetic	
Rayleigh-Taylor instability, effect of		field	681
horizontal and vertical magnetic fields	923	Structure of polytropes with purely	
Rhenium, electron energy loss spectrum	811	toroidal magnetic fields	283
Rhodium, electron energy loss spectrum	811	Slater determinants employed in a numeri-	
Ross, D. K.—		cal method for solving Schrödinger	
The interaction energy of an ion pair		wave equation	113
with overlapping hydration shells.		Slee, O. B., and Higgins, C. S.—	
II. A spheroidal cavity model	587	The solar wind and Jovian decametric	
The interaction energy of an isolated		radio emission	341
monovalent ion	597	Smith, D. H.—	
The potential due to two point charges		<i>See</i> Wielebinski, R.	185
each at the centre of a spherical cavity		Sodium atoms, charge exchange collisions	
and embedded in a dielectric medium	817	between protons and	793
The shape and energy of a revolving		Solid state physics	
liquid mass held together by surface		Computed electron micrographs for	
tension	823	tilted foils containing dislocations	
The stability of a rotating liquid mass		and stacking faults	325
held together by surface tension	837	Crystals, ionic, dielectric saturation in	439
Ross, D. K., and Levine, S.—		Determination of stacking fault energy	
The interaction energy of an ion pair		by tetrahedron method	941
with overlapping hydration shells.		Surface energy as a function of orien-	
I. A truncated spheres model	571	tation for cubic crystals	21
Saha, N. K.—		Solomon, L. H.—	
<i>See</i> Bajaj, M. M.	317	<i>See</i> Higgins, C. S.	725
Sen Gupta, H. M.—		Spear, R. H.—	
<i>See</i> Majumder, A. R.	235, 944	<i>See</i> Kean, D. C.	405
Rahman, M.	7	Spear, R. H., and Wright, I. F.—	
Sharma, R. C., and Srivastava, K. M.—		Gamma radiation from the reactions	
Effect of horizontal and vertical mag-		$^{20}\text{Ne}(\alpha, \alpha'\gamma_{1.63})^{20}\text{Ne}$ and	
netic fields on Kelvin-Helmholtz		$^{20}\text{Ne}(\alpha, p\gamma_{0.44})^{23}\text{Na}$	307
instability	917	Srivastava, K. M.—	
Effect of horizontal and vertical mag-		<i>See</i> Sharma, R. C.	917, 923
netic fields on Rayleigh-Taylor instab-		Stewart, R. J. J.—	
ility	923	Angular distributions in the giant	
Shaver, P. A.—		resonance of ^{16}O	107
<i>See</i> Mills, B. Y.	95	Stewart-Richardson, D.—	
Sheppard, L. M.—		<i>See</i> Mills, B. Y.	511
The temperature at 120 km altitude		Sud, L. V.—	
in April-May 1965	939	Cosmic ray intensity increase on	
Shimmins, A. J.—		January 28, 1967	755
Accurate positions of 210 radio sources	65	Sun: solar wind and Jovian decametric	
<i>See also</i> Bolton, J. G.	81	radio emission	341
Merkelijn, Jeannette K.	523	Sutton, J. M.—	
		Accurate right ascensions of selected	
		southern radio sources	221

	PAGE		PAGE
Swan, J. B.—		Webber, W. R.—	
<i>See</i> Lynch, M. J. 	811	On the relationship between recent	
		measurements of cosmic ray electrons,	
Tan, H. S.—		nonthermal radio emission from the	
Diffraction by a slit aperture formed		Galaxy, and the solar modulation of	
by two inclined surfaces 	661	cosmic rays 	845
Electromagnetic diffraction by a plane		Whiteoak, J. B.—	
slit aperture 	35	<i>See</i> Morris, D. 	337, 475, 493
Tantalum, electron energy loss spectrum	811	Wickersham, A. F.—	
Tassie, L. J.—		The origin and propagation of acoustic-	
<i>See</i> Andrews, M. 	423	gravity waves ducted in the thermo-	
Tonking, F.—		sphere 	671
<i>See</i> Morris, D. 	337	Wielebinski, R., Smith, D. H., and	
Tovmassian, H. M.—		Garzón Cárdenas, X.—	
Radio emission of 158 galaxies ..	193	A survey of the galactic plane at 85	
Treacy, P. B.—		and 150 MHz 	185
<i>See</i> Barker, F. C. 	239	Wright, I. F.—	
Tungsten, electron energy loss spectrum	811	<i>See</i> Spear, R. H. 	307
Uberoi, C., and Jayakaran Isaac, R.—		X-rays: observations of Cen XR-2, Sco	
Study of Kelvin-Helmholtz instability		XR-1, and terrestrial X-rays	715
and gravitational instability on a self-			
gravitating fluid layer	931		
Upper atmosphere			
Acoustic-gravity waves ducted in the		Yates, K. W.—	
thermosphere	671	An interpretation of the distribution	
Temperature at 120 km in April-May		of metre wavelength radio emission ..	167
1965 	939	Yttrium, electron energy loss spectrum	811
		Yttrium, energy levels in 	803
Vela X, optical spectrum of 	501		
Vela X, Y, and Z, radio emission from ..	201	Zirconium, electron energy loss spectrum	811