

---

**Supplementary material**

**Estimating the burden of genital warts in Taiwan**

*Tsen-Fang Tsai*<sup>A,G</sup>, *Smita Kothari-Talwar*<sup>B</sup>, *Karen Yee*<sup>C</sup>, *Amit Kulkarni*<sup>B</sup>, *Nuria Lara*<sup>D</sup>, *Montserrat Roset*<sup>D</sup>, *Anna R. Giuliano*<sup>E</sup>, and *Suzanne M. Garland*<sup>F</sup>

<sup>A</sup>National Taiwan University Hospital, No. 7, Zhongshan S Road, Zhongzheng District, Taipei City, 100, Taiwan.

<sup>B</sup>Merck & Co. Inc., 2000 Galloping Hill Road, Kenilworth, NJ, 07033, USA.


<sup>C</sup>Cubist Pharmaceuticals, 65 Hayden Avenue, Lexington, MA 02421, USA.

<sup>D</sup>Intercontinental Marketing Services Health, Carrer de Provença, 392, 08025 Barcelona, Spain.


<sup>E</sup>Center for Infection Research in Cancer at Moffitt Cancer Center, 12902 USF Magnolia Drive, Tampa, FL 33612, USA.

<sup>F</sup>Royal Women's Hospital, 20 Flemington Road, Parkville, Vic. 3052, Australia.


<sup>G</sup>Corresponding author. Email: tftsai@yahoo.com




**Figure S1.** GW prevalence estimate according to age and physician specialty in Taiwan. GW: genital warts; OB/GYN: obstetrician/gynecologist; URO: urologist; DERM: dermatologist




**Figure S2a.** Diagnostic tool and technique utilization - mean percentage of last 20 female GW study patients. GW: genital warts; URO: urologist; HPV: human papillomavirus; PCR: polymerase chain reaction; DNA: deoxyribonucleic acid




**Figure S2b.** Diagnostic tool and technique utilization – mean percentage of last 20 male GW study patients. DERM: dermatologist; DNA: deoxyribonucleic acid; GW: genital warts; HPV: human papillomavirus; OB/GYN: obstetrician/gynecologist; Pap: Papanicolaou test; PCR: polymerase chain reaction



**Figure S3a.** In-office treatment/procedure utilization – mean percentage of last 20 male GW study patients. GW: genital warts; DERM: dermatologist; URO: urologist



**Figure S3b.** In-office and at-home topical medication utilization – mean percentage of the last 20 male GW study patients. GW: genital warts; DERM: dermatologist; URO: urologist



**Figure S4.** In-office and At-home Topical Medication Utilization - Mean Percentage of Last 20 Female GW Study Patients. GW=genital warts; DERM=dermatologist; OB/GYN=obstetrician/gynecologist