Sexual Health

Supplementary Material

Associations between receiving non-consensual image and video sexts and average sleep duration among adolescents and young adults

Kyle T. Ganson^{A,*}, Carolyn O'Connor^A, Jason M. Nagata^B, Alexander Testa^C, Dylan B. Jackson^D, Nelson Pang^A, and Faye Mishna^A

^AFactor-Inwentash Faculty of Social Work, University of Toronto, Toronto, ON, Canada.

^BDepartment of Pediatrics, University of California, San Francisco, San Francisco, CA, USA.

^cDepartment of Management, Policy and Community Health, University of Texas Health Science Center at Houston, Houston, TX, USA.

^DDepartment of Population, Family, and Reproductive Health, Johns Hopkins Bloomberg School of Public Health, Johns Hopkins University, Baltimore, Maryland, USA.

*Correspondence to: Kyle T. Ganson Factor-Inwentash Faculty of Social Work, University of Toronto, 246 Bloor Street W, Toronto, ON M5S 1V4, Canada Email: kyle.ganson@utoronto.ca

Supplementary Table S1.

Associations Between Receiving a Non-Consensual Sext and Average Sleep per Night (7-8 Hours as Base Category), Past 2 Weeks

Girls and Women

	Girls and Women								
	≤ 5 Hours vs. 7-8 Hours		6 Hours vs. 7-8	Hours	≥ 9 Hours vs.7-8 Hours				
	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p			
Received Image Sext without Consent, Past 12 Months	2.32 (1.02-5.28)	0.044	1.36 (0.75-2.48)	0.306	1.31 (0.59-2.94)	0.507			
Received Video Sext without Consent, Past 12 Months	2.98 (1.17-7.58)	0.022	1.26 (0.60-2.63)	0.543	1.49 (0.58-3.81)	0.401			
	Boys and Men								
	≤ 5 Hours vs. ≥ 8 Hours		6 Hours vs. ≥ 8	Hours	7 Hours vs. ≥ 8 Hours				
	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p			
Received Image Sext without Consent, Past 12 Months	1.17 (0.38-3.65)	0.782	0.65 (0.30-1.39)	0.267	0.87 (0.23-3.30)	0.839			
Received Video Sext without Consent, Past 12 Months	1.11 (0.34-3.63)	0.861	0.75 (0.34-1.67)	0.488	1.55 (0.39-6.14)	0.525			

Boldface indicates statistical significance at p < 0.05. RRR = Relative risk ratio; CI = Confidence interval

^a Adjusted for age, race/ethnicity, sexual orientation, relationship status, annual personal income, depression symptoms, and anxiety symptoms.

Supplementary Table S2.
Associations Between Receiving a Non-Consensual Sext (Both Image and Video Combined) and Average Sleep per Night, Past 2 Weeks

	Girls and Women							
	≤ 5 Hours vs. 8 Hours		6 Hours vs. 8 Hours		7 Hours vs. 8 Hours		≥ 9 Hours vs. 8 Hours	
	RRR (95% CI) ^a	p						
Received Image or Video Sext without Consent, Past 12 Months	4.66 (1.70-12.78)	0.003	2.70 (1.17-6.25)	0.020	2.20 (1.00-4.85)	0.050	2.58 (0.97-6.89)	0.058
	Boys and Men							
	≤ 5 Hours vs. ≥ 8 Hours		6 Hours vs. ≥ 8 Hours		7 Hours vs. ≥ 8 Hours		≥ 9 Hours vs. 8 Hours	
	DDD (0.50/ 05)-		DDD (050/ CI)		DDD (050/ CI)		DDD (050/ CI)	
	RRR (95% CI) ^a	p						

Boldface indicates statistical significance at p < 0.05. RRR = Relative risk ratio; CI = Confidence interval

^a Adjusted for age, race/ethnicity, sexual orientation, relationship status, annual personal income, depression symptoms, and anxiety symptoms.

Supplementary Table S3.
Associations Between Consensual Sexting (Image and Video) and Average Sleep per Night, Past 2 Weeks

	Girls and Women								
	≤ 5 Hours vs. 8 Hours		6 Hours vs. 8 Hours		7 Hours vs. 8 Hours		≥ 9 Hours vs. 8 Hours		
	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	
Sent Image Sext, Past 12 Months ^b	1.57 (0.62-3.97)	0.339	1.66 (0.85-3.37)	0.136	1.48 (0.79-2.77)	0.220	1.45 (0.61-3.43)	0.392	
Sent Video Sext, Past 12 Months ^c	1.12 (0.37-3.35)	0.839	1.29 (0.57-2.90)	0.544	1.45 (0.70-3.03)	0.318	0.87 (0.31-2.43)	0.795	
Asked for Image Sext, Past 12 Months ^d	1.46 (0.44-4.80)	0.533	1.51 (0.60-3.79)	0.380	1.23 (0.52-2.93)	0.633	1.03 (0.33-3.23)	0.959	
Asked for Video Sext, Past 12 Months ^e	1.44 (0.38-5.47)	0.588	1.12 (0.39-3.27)	0.829	1.25 (0.47-3.33)	0.657	0.62 (0.15-2.54)	0.504	
	Boys and Men								
	≤ 5 Hours vs. ≥ 8 Hours		6 Hours vs. ≥ 8 Hours		7 Hours vs. \geq 8 Hours		≥ 9 Hours vs. 8 Hours		
	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	RRR (95% CI) ^a	p	
Sent Image Sext, Past 12 Months ^b	1.18 (0.32-4.35)	0.798	0.89 (0.33-2.36)	0.823	1.20 (0.48-2.98)	0.690	2.50 (0.55-11.41)	0.235	
Sent Video Sext, Past 12 Months ^c	0.77 (0.17-3.06)	0.659	1.07 (0.39-2.92)	0.892	0.78 (0.30-2.06)	0.620	6.51 (1.25-33.54)	0.025	
Asked for Image Sext, Past 12 Months ^d	0.37 (0.09-1.62)	0.188	0.48 (0.18-1.30)	0.150	0.55 (0.21-1.37)	0.199	11.10 (1.70-80.83)	0.012	
Asked for Video Sext, Past 12 Months ^e	0.72 (0.15-3.42)	0.684	0.80 (0.27-2.34)	0.681	0.65 (0.23-1.84)	0.418	7.74 (1.22-49.06)	0.030	
D 116 ' 1' ' ' ' ' ' 1 ' 'C'	0.05								

Boldface indicates statistical significance at p < 0.05.

RRR = Relative risk ratio; CI = Confidence interval

^a Adjusted for age, race/ethnicity, sexual orientation, relationship status, annual personal income, depression symptoms, and anxiety symptoms.

^b In the past 12 months, have you sent a naked or partially naked picture of yourself through text, email, or a social media app (e.g., Instagram)?

^c In the past 12 months, have you sent a naked or partially naked video of yourself through text, email, or a social media app (e.g., Instagram)?

^d In the past 12 months, have you asked someone to send naked or partially naked pictures of themselves to you through text, email, or a social media app (e.g., Instagram)?

^e In the past 12 months, have you asked someone to send naked or partially naked video of themselves to you through text, email, or a social media app (e.g., Instagram)?