

# ANIMAL PRODUCTION SCIENCE

**CONTENTS** Volume 54, Issue 10, 2014, 1513–1881

## HARNESSING THE ECOLOGY AND PHYSIOLOGY OF HERBIVORES

30th PROCEEDINGS OF THE AUSTRALIAN SOCIETY OF ANIMAL PRODUCTION

### REVIEWS

Drives and limits to feed intake in ruminants

*Michael S. Allen* 1513–1524

Antioxidant dynamics in the live animal and implications for ruminant health and product (meat/milk) quality: role of vitamin E and selenium

*Surinder S. Chauhan, Pietro Celi, Eric N. Ponnampalam, Brian J. Leury, Fan Liu and Frank R. Dunshea* 1525–1536

Win–win strategies for high beef quality, consumer satisfaction, and farm efficiency, low environmental impacts and improved animal welfare

*J. F. Hocquette, R. Botreau, I. Legrand, R. Polkinghorne, D. W. Pethick, M. Lherm, B. Picard, M. Doreau and E. M. C. Terlouw* 1537–1548

Recent developments in lipid metabolism in ruminants – the role of fat in maintaining animal health and performance

*Beate Hiller* 1549–1560

Stress, acute phase proteins and immune modulation in calves

*Cheol-Heui Yun, Peter Wynn and Jong K. Ha* 1561–1568

A need for generating sound quantitative data at national levels for feed-efficient animal production

*Harinder P. S. Makkar and Philippe Ankers* 1569–1574

Ruminant glycogen metabolism

*G. E. Gardner, P. McGilchrist and D. W. Pethick* 1575–1583

Livestock water productivity: feed resourcing, feeding and coupled feed-water resource data bases

*Michael Blümmel, Amare Hailelassie, Anandan Samireddypalle, Vincent Vadez and An Notenbaert* 1584–1593

NutriPhysioGenomics applications to identify adaptations of cattle to consumption of ergot alkaloids and inorganic versus organic forms of selenium: altered nutritional, physiological and health states?

*J. C. Matthews and P. J. Bridges* 1594–1604

### RESEARCH PAPERS

Effects of cloprostenol and flurogestone acetate sponge on embryo yields and quality in indigenous ewes in Bangladesh

*B. F. Zohara, Azizunnesa, M. F. Islam, M. G. S. Alam and F. Y. Bari* 1605–1608

Application of the Wood model to analyse lactation curves of organic dairy sheep farming

*Juan Carlos Ángeles Hernández, Octavio Castelán Ortega, Benito Albarrán Portillo, Hugo H. Montaldo and Manuel González Ronquillo* 1609–1614

Long-term growth of male and female Bali cattle fed *Sesbania grandiflora*

*Dahlanuddin, B. S. Ningsih, D. P. Poppi, S. T. Anderson and S. P. Quigley* 1615–1619

Forage growing as an incentive to improve smallholder beef production in Cambodia

*R. D. Bush, J. R. Young, S. Suon, M. S. Ngim and P. A. Windsor* 1620–1624

Modelling the effect on stocking rate and lamb production of allowing ewes to graze a dual-purpose wheat crop in southern New South Wales

*S. R. McGrath, J. M. Virgona and M. A. Friend* 1625–1630

*continued on next page*

Using partial records to identify productive older ewes to retain in the breeding flock to increase the flock net reproduction rate

*G. J. Lee, M. A. Sladek, S. Hatcher and J. S. Richards* 1631–1634

Limited application of irrigation water does not affect the nutritive characteristics of lucerne

*M. E. Rogers, A. R. Lawson, S. Chandra and K. B. Kelly* 1635–1640

Effects of crossbreeding on milk production and composition in dairy sheep under organic management

*Juan C. Angeles Hernandez, Octavio A. Castelan Ortega, Aurora H. Ramirez Perez and Manuel González Ronquillo* 1641–1645

Nutrient selection by dairy cows grazing chicory or perennial ryegrass during spring

*S. K. Muir, G. N. Ward and J. L. Jacobs* 1646–1650

Nitrogen partitioning, energy use efficiency and isotopic fractionation measurements from cows differing in genetic merit fed low-quality pasture in late lactation

*L. Cheng, S. L. Woodward, R. J. Dewhurst, H. Zhou and G. R. Edwards* 1651–1656

Effect of feeding a balanced ration on milk production, microbial nitrogen supply and methane emissions in field animals

*M. R. Garg, P. L. Sherasia, B. T. Phondba and S. A. Hossain* 1657–1661

Ruminal inoculum activity in cattle supplemented with corn grain at different daily frequencies: evaluation using the *in vitro* gas-production technique

*G. Antúnez, C. Cajarville, A. Britos, A. González and J. L. Repetto* 1662–1664

Effects of site of assessment and variation in wool quality traits on the tactile assessment of textural greasy wool handle

*J. W. V. Preston, S. Hatcher and B. A. McGregor* 1665–1670

Pattern of partitioning of aflatoxins from feed to urine and its effect on serum chemistry in Nili-Ravi buffalo heifers

*N. Aslam, Z. M. Iqbal, H. M. Warriach and P. C. Wynn* 1671–1675

A pilot study into the use of global navigation satellite system technology to quantify the behavioural responses of sheep during simulated dog predation events

*Jaime K. Manning, Eloise S. Fogarty, Mark G. Trotter, Derek A. Schneider, Peter C. Thomson, Russell D. Bush and Greg M. Cronin* 1676–1681

What is the best additive to use at the ensiling of sugarcane SP81-3250?

*C. H. S. Rabelo, A. P. Costa, A. V. Rezende, C. J. Härter, L. A. Florentino and F. H. S. Rabelo* 1682–1686

Wireless sensor networks to study, monitor and manage cattle in grazing systems

*L. A. González, G. Bishop-Hurley, D. Henry and E. Charmley* 1687–1693

Modelling the risk of different joining times and lamb sale policies

*S. M. Robertson, A. F. Southwell and M. A. Friend* 1694–1698

Effects of calcium salts of medium-chain fatty acids on plasma metabolite and hormone concentrations in early lactating dairy cows

*T. Sugino, A. Tateno, G. Ueno, K. Kawashima, T. Okimura, H. Hirabayashi, A. Suzuki, S. Asakuma, H. Kobayashi, N. Isobe, T. Obitsu and S. Kushibiki* 1699–1702

The effect of silage plant species, concentrate proportion and sugar beet pulp supplementation on the performance of growing and finishing crossbred bulls

*M. Pesonen, E. Joki-Tokola and A. Huuskonen* 1703–1708

Effect of type and inclusion level of cold-pressed oilseed cakes on *in vitro* rumen fermentation

*H. Benhissi, A. García-Rodríguez and I. Beltrán de Heredia* 1709–1713

Ensiling characteristics of rice whole stillage inoculated with or without *Amylomyces rouxii* and evaluation of the feeding value for growing Japanese black steers

*Badee Ghilailat, Yongchao Liu and Hidaka Satoshi* 1714–1721

The use of GNSS technology to identify lambing behaviour in pregnant grazing Merino ewes

*R. C. Dobos, S. Dickson, D. W. Bailey and M. G. Trotter* 1722–1727

*continued on next page*

- Effect of cold exposure on plasma glucose and acetate turnover rates in sheep  
*M. Al-Mamun, Y. Sako and H. Sano* 1728–1731
- Effect of glucagon-like peptide-1 and ghrelin on liver metabolites in steers  
*M. El-Sabagh, D. Taniguchi, T. Sugino, T. Obitsu and K. Taniguchi* 1732–1736
- Methane emissions and feeding behaviour of feedlot cattle supplemented with nitrate or urea  
*J. I. Velazco, D. J. Cottle and R. S. Hegarty* 1737–1740
- Grazing alternative herbage in lactation increases the liveweight of both ewe lambs and their progeny at weaning  
*R. A. Corner-Thomas, P. D. Kemp, S. T. Morris and P. R. Kenyon* 1741–1746
- Estimation of dry matter intake by n-alkanes in dairy cows fed TMR: effect of dosing technique and faecal collection time  
*P. Bani, F. Piccioli Cappelli, A. Minuti, V. Ficuciello, V. Lopreiato, P. C. Garnsworthy and E. Trevisi* 1747–1751
- Meal pattern analysis for effects of compound feed formulation in mid to late lactating dairy cows fed hay and compound feed both *ad libitum*  
*F. Leen, A. Navarro-Villa, R. Fowers, J. Martín-Tereso and W. F. Pellikaan* 1752–1756
- Methane emissions of dairy cows cannot be predicted by the concentrations of C8:0 and total C18 fatty acids in milk  
*S. R. O. Williams, P. J. Moate, M. H. Deighton, M. C. Hannah and W. J. Wales* 1757–1761
- Estimation of genetic parameters for litter traits in grasscutters (*Thryonomys swinderianus*)  
*A. J. Henry, S. N. Ibe and B. O. Asuquo* 1762–1764
- The incidence of dark cutting in southern Australian beef production systems fluctuates between months  
*P. McGilchrist, J. L. Perovic, G. E. Gardner, D. W. Pethick and C. G. Jose* 1765–1769
- Influence of supplementation of tropical plant feed additives on *in vitro* rumen fermentation and methanogenesis  
*P. N. Chatterjee, D. N. Kamra, N. Agarwal and A. K. Patra* 1770–1774
- Nutritional characteristics and *in vitro* digestibility by near-infrared spectroscopy of local and hybrid napiergrass varieties grown in rain-fed and irrigated conditions  
*U. P. Tiwari, B. Turano and R. Jha* 1775–1778
- Effect of temperature and pre-incubation time of fibrolytic enzymes on *in vitro* degradability of *Brachiaria (Brachiaria decumbens)*  
*D. Dineshkumar, A. L. Abdalla, S. C. M. L. Silva, R. C. Lucas, S. E. A. S. Cavalcante, G. D. Souza, P. P. dos Santos, J. E. M. dos Santos and H. Louvandini* 1779–1783
- Effect of low light intensity at night on cow traffic in automatic milking systems  
*Fanny Hjalmarsson, Ingemar Olsson, Sabine Ferneborg, Sigrid Agenäs and Emma Ternman* 1784–1786
- Carbon precursors of methane synthesis in the rumen of sheep dosed with ionophores  
*M. L. Loughnan, J. V. Nolan and R. A. Leng* 1787–1790
- Nutritive value for ruminants of winter oats–legume intercrops in organic cultivation  
*Alexey Díaz, María Dolores Carro, Carlos Palacios, Iván Mateos, Cristina Saro, María Luisa Tejido and María José Ranilla* 1791–1795
- New ways of measuring intake, efficiency and behaviour of grazing livestock  
*Paul L. Greenwood, Philip Valencia, Leslie Overs, David R. Paull and Ian W. Purvis* 1796–1804
- Identification of bioactive grassland plants for reducing enteric methane production and rumen proteolysis using an *in vitro* screening assay  
*V. Niderkorn and D. Macheboeuf* 1805–1809
- Pasture intake and milk production of dairy cows grazing annual ryegrass with or without corn silage supplementation  
*Marcolino Frederico Miguel, Henrique Mendonça Nunes Ribeiro-Filho, Ederson Américo de Andrade, Teresa Cristina Moraes Genro and Rémy Delagarde* 1810–1816
- Effects of including olive cake in the diet on performance and rumen function of beef cattle  
*J. Estain, J. Dosil, A. Al Alami, A. Gimeno and A. de Vega* 1817–1821

*continued on next page*

Relationships of both urine nitrogen output and plasma urea concentration with rumen protein balance in lactating goats

*S. Giger-Reverdin and D. Sauvant* 1822–1825

Bioactive forage legumes as a strategy to improve silage quality and minimise nitrogenous losses

*G. Copani, C. Ginane, A. Le Morvan and V. Niderkorn* 1826–1829

Effects of different doses of sodium monensin on rumen papillae and tissue histology of feedlot Nellore cattle

*Murillo C. S. Pereira, Tássia V. B. Carrara, Juliana da Silva, Ana Carolina J. Pinto, Daniel V. F. Vicari, Flavia T. V. Pereira, Mário D. B. Arrigoni and Danilo D. Millen* 1830–1833

Effect of supplementation with saponins from *Yucca schidigera* on ruminal methane production by Pelibuey sheep fed *Pennisetum purpureum* grass

*J. R. Canul-Solis, A. T. Piñero-Vázquez, E. G. Briceño-Poot, A. J. Chay-Canul, J. A. Alayón-Gamboa, A. J. Ayala-Burgos, C. F. Aguilar-Pérez, F. J. Solorio-Sánchez, O. A. Castelan-Ortega and J. C. Ku-Vera* 1834–1837

Effects of cooked molasses licking block supplementation pre- and post-partum on feed intake, suckling lamb performance, milk yield and milk quality in dairy sheep. Part 1

*A. Cabiddu, E. Trevisi, G. Molle, G. Lovotti, C. Manca, G. Epifani and M. Dattena* 1838–1842

The effect of maternal arginine supplementation on the development of the thermogenic program in the ovine fetus

*S. McCoard, N. Wards, J. Koolaard and M. Senna Salerno* 1843–1847

New approach to improve the calibration of main fatty acids by near-infrared reflectance spectroscopy in ruminant meat

*B. P. Mourot, D. Gruffat, D. Durand, G. Chesneau, S. Prache, G. Mairesse and D. Andueza* 1848–1852

Factors influencing the occurrence of high ultimate pH in three muscles of lamb carcasses in Australia

*N. G. McPhail, J. L. Stark, A. J. Ball and R. D. Warner* 1853–1859

Use of nitrate and *Propionibacterium acidipropionici* to reduce methane emissions and increase wool growth of Merino sheep

*V. de Raphélis-Soissan, L. Li, I. R. Godwin, M. C. Barnett, H. B. Perdok and R. S. Hegarty* 1860–1866

Comparison of the growth and meat tenderness of Brahman and F1 Senepol × Brahman steers

*T. J. Schatz, S. Thomas and G. Geesink* 1867–1870

The effect of lipid sources on intake, rumen fermentation parameters and microbial protein synthesis in Nellore steers supplemented with glycerol

*Arturo Samuel Gomez Insuasti, Yury Tatiana Granja Salcedo, Pablo de Souza Castagnino, Bruno Ramalho Vieira, Euclides Braga Malheiros and Telma T. Berchielli* 1871–1876

Thermoregulatory differences in lactating dairy cattle classed as efficient or inefficient based on residual feed intake

*K. DiGiacomo, L. C. Marett, W. J. Wales, B. J. Hayes, F. R. Dunshea and B. J. Leury* 1877–1881