VOLUME 25

MELBOURNE 1972

A medium for the publication of results of original scientific research in the biological sciences with special emphasis on the experimental phases.

Published by the Commonwealth Scientific and Industrial Research Organization. Issued six times a year, \$A6 per annum.

BOARD OF STANDARDS

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of Dr. S. D. Hamann (Chairman), Mr. B. J. Walby (Editor-in-Chief), Professor D. G. Catchside, Professor T. C. Chambers, Professor C. M. Donald, Professor R. A. W. Green, Dr. I. G. Jarrett, Professor F. L. Milthorpe, Professor C. B. O. Mohr, Mr. D. J. Rochford, Professor H. R. Wallace, and Dr. J. P. Wild.

ADVISORY COMMITTEE

Acceptance of papers for this Journal is in the hands of an Advisory Committee consisting of a Chairman, appointed by the Executive of CSIRO and the Council of the Australian Academy of Science, and members appointed by the Board of Standards: Dr. I. G. Jarrett (Chairman), Professor G. Burnstock, Professor C. M. Donald, Professor F. J. R. Hird, Professor L. G. Paleg, Professor M. G. Pitman, and Mr. B. J. Walby (Editor-in-Chief).

All enquiries and manuscripts should be forwarded to The Editor-in-Chief, Editorial and Publications Section, CSIRO, Sixth Floor, 372 Albert Street, East Melbourne, Victoria 3002

VOLUME 25, NUMBER 1, FEBRUARY 1972

CONTENTS

Plant Physiology

î

20.00

| 1 |
|-----|
| 9 |
| 23 |
| 35 |
| |
| 43 |
| 53 |
| |
| 61 |
| |
| 77 |
| 89 |
| 103 |
| 115 |
| |

AJBSAM 25(1) 1-214 (1972)

| Ethanolamine phospholipid metabolism in myelinating rat brain. By S. J. Wysocki and W. Segal | 125 |
|--|-----|
| Keratin fibres. VI. Mechanism of the Allwörden reaction. By J. H. Bradbury and J. D. Leeder | 133 |
| Ultra-high-sulphur proteins in the hairs of the Artiodactyla. By J. M. Gillespie and Andrea Broad | 139 |
| Genetics | |
| Corrigendum to: Genetic polymorphism in a subdivided population. By M. A. B. Deakin | 213 |
| Animal Physiology | |
| The significance of hormones, bile salts, and feeding in the regulation of bile and other digestive secretions in the rat. By H. M. Shaw and T. Heath | 147 |
| Regulation of output of electrolytes in bile and pancreatic juice in sheep. By I. Caple and T. Heath | 155 |
| Ovum transport in the ewe. By P. J. Holst and A. W. H. Braden | 167 |
| The effect of storage <i>in vitro</i> on the DNA content of bull spermatozoa. By A. W. Blackshaw and G. W. Salisbury | 175 |
| Sulphur metabolism and excretion studies in ruminants. V. Ruminal desul- phuration of methionine and cyst(e)ine. By P. R. Bird | 185 |
| Sulphur metabolism and excretion studies in ruminants. VI. The digestibility and utilization by sheep of ³⁵ S from ³⁵ S-labelled ruminal microorganisms. By P. R. Bird | 195 |
| The incorporation of linoleic acid into the tissues of growing steers offered a dietary supplement of formaldehyde-treated casein-safflower oil. By G. J. Faichney, H. Lloyd Davies, T. W. Scott, and L. J. Cook | 205 |

VOLUME 25, NUMBER 2, APRIL 1972

CONTENTS

/

Plant Physiology

| i mit i mjotologj | |
|---|-----|
| Relationship of photosynthetic effectiveness of different kinds of light to chlorophyll content and chloroplast structure in greening wheat and in ivy leaves. By J. T. O. Kirk and D. J. Goodchild | 215 |
| Uptake and transport of ions in barley seedlings. II. Evidence for two active stages in transport to the shoot. By M. G. Pitman | 243 |
| Haploid Arabidopsis thaliana callus and plants from anther culture. By P. M. Gresshoff and C. H. Doy | 259 |
| Ultrastructure and differentiation of <i>Hydrodictyon reticulatum</i> . III. Formation of the vegetative daughter net. By H. J. Marchant and J. D. Pickett- Heaps | 265 |
| Ultrastructure and differentiation of <i>Hydrodictyon reticulatum</i> . IV. Conjugation of gametes and the development of zygospores and azygospores. By H. J. Marchant and J. D. Pickett-Heaps | 279 |
| Vascular tissue and transfer cell distribution in the rice spikelet. By SY. Zee | 411 |
| Localization of thallium in stomata is independent of transpiration. By C. K. Pallaghy | 415 |
| Activation energy analysis and limiting factors in photosynthesis. By R. M. Gifford and R. B. Musgrave | 419 |
| Conductive capacities of veins in expanding leaves of <i>Quercus</i> . By D. F. Parkhurst | 425 |
| Microbiology | |
| Inter-isolate heterokaryosis in <i>Thanatephorus cucumeris</i> . I. Between isolates of similar pathogenicity. By Helena M. Stretton and N. T. Flentje | 293 |
| Inter-isolate heterokaryosis in <i>Thanatephorus cucumeris</i> . II. Between isolates of different pathogenicity. By Helena M. Stretton and N. T. Flentje | 305 |
| A field experiment to assess the role of parainfluenza type 3 virus in pneumonia in a flock of sheep in Victoria. By T. D. St. George and C. E. Liefman | 319 |
| The possible use of alternating temperatures for the reduction of viruses in plant tissue. By J. G. Bald | 429 |
| | |

Biochemistry

| Fluoroacetic acid biosynthesis: a proposed mechanism. By R. J. Mead and W. Segal | 327 |
|--|-----|
| Genetics | |
| The role of wild and cultivated grasses in the hybridization of formae speciales of <i>Puccinia graminis</i> . By N. H. Luig and I. A. Watson | 335 |
| Computer simulation of a sporophytic self-incompatibility breeding system. By B. C. Imrie, Colleen J. Kirkman, and D. R. Ross | 343 |
| Animal Physiology | |
| The output of spermatozoa in rams. I. Relationship with testicular output of spermatozoa and the effect of ejaculations. By B. F. Lino and A. W. H. Braden | 351 |
| The output of spermatozoa in rams. II. Relationship to scrotal circumference, testis weight, and the number of spermatozoa in different parts of the urogenital tract. By B. F. Lino | 359 |
| Effects of some buffers and inorganic and organic sodium salts in synthetic diluents for the storage of ram spermatozoa at 37 or 5°C. By K. R. Lapwood and I. C. A. Martin | 367 |
| Effects of composition of diluent, method of addition of glycerol, freezing rate, and storage temperature on the revival of ram spermatozoa after deep- freezing. By K. W. Entwistle and I. C. A. Martin | 379 |
| Changes in acid and alkaline phosphatase activities in the uterus and oviduct of the rabbit doe during early pregnancy. By R. N. Murdoch | 387 |
| Effects of fasting on oestrus and ovulation in the oestrous rabbit. By T. N. Edey and L. E. Casida | 397 |
| Pancreatic exocrine secretion and digestion in the sheep. By I. G. Jarrett and O. H. Filsell | 405 |
| Fertilization of sheep ova following mechanical penetration of the zona pellucida. By N. W. Moore | 433 |

VOLUME 25, NUMBER 3, JUNE 1972

CONTENTS

Plant Physiology

| Hormonal modification of plant response to water stress. By Y. Mizrahi and A. E. Richmond | 437 |
|--|-----|
| Effects of intercellular resistances on estimates of the intracellular resistance to $\rm CO_2$ uptake by plant leaves. By H. G. Jones and R. O. Slatyer \dots | 443 |
| Distribution of assimilate during stem elongation in wheat. By J. W. Patrick | 455 |
| The fine structure of the wheat scutellum during germination. By J. G. Swift and T. P. O'Brien | 469 |
| Localization of arginine-rich proteins in mature seeds of some members of the Gramineae. By R. G. Fulcher, T. P. O'Brien, and D. H. Simmonds | 487 |
| Ultrastructural localization of ions. I. Effect of high external sodium chloride concentration on the apparent distribution of chloride in leaf parenchyma cells of barley seedlings. By R. F. M. Van Steveninck and A. R. F. Chenoweth | 499 |
| Light-induced effects of Tris on the ultrastructure of leaf tissue. By Cathryn J. Mittelheuser and R. F. M. Van Steveninck | 517 |
| Nitrate accumulation and reduction in papaw fruits. By R. C. Menary and R. H. Jones | 531 |
| Control of growth in <i>Callitriche</i> shoots by growth retardants and gibberellic acid. By C. H. Wong and A. J. McComb | 637 |
| Influence of epicuticular waxes on foliar absorption of nitrate ions by apricot leaf disks. By D. R. Leece and A. L. Kenworthy | 641 |

Microbiology

| Ultrastructure of spermine-treated Escherichia coli, including a polar organe | lle | |
|---|-----|-----|
| concerned with envelope synthesis. By K. Y. Cho and C. H. Doy | ••• | 543 |
| Investigation of vascular-streak dieback of cocoa in Papua New Guinea. H | Зy | |
| P. J. Keane, N. T. Flentje, and K. P. Lamb | • • | 553 |

Genetics

| Further evidence on multiple-peak epistasis in Drosophila melanogaster. E | Зy |
|--|------------|
| R. F. Nassar | 565 |
| Animal Physiology | |
| The distribution of coated vesicles in keratinizing cells of the wool follicle. E D. F. G. Orwin and R. W. Thomson | Зу 573 |
| The sweat glands and hair follicles of European cattle. By D. McEwa Jenkinson and T. Nay | an 585 |
| The time course of embryonic resorption in the ewe. By C. J. Thwaites | 597 |
| Effect of composition of Tris-based diluent and of thawing solution on surviv of ram spermatozoa frozen by the pellet method. By S. Salamon an D. Visser | nd |
| Erythrocyte glutathione polymorphism in sheep. By N. S. Agar, J. Robert | 605 ts, |
| and J. V. Evans | 619 |
| Seasonal changes in reproductive productivity, growth rate, and food intake mice exposed to different regimes of day length and environment | |

| Structure of the h | eart of | the as | cidian | Pyura | praeputial is | (Heller). | By C. | Κ. | |
|--------------------|---------|--------|--------|-------|---------------|-----------|-------|----|-----|
| Goddard | | | | | | | | | 645 |

..

. .

. .

temperature. By Pamela R. Pennycuik

•••

627

VOLUME 25, NUMBER 4, AUGUST 1972

CONTENTS

Plant Physiology

| The effect of day length on primordia production of the wheat apex. By Daphne Lucas | 649 |
|--|-----|
| Accumulation of dry matter and nitrogen by grains in different positions of the wheat ear as influenced by shading and defoliation. By P. M. Bremner | 657 |
| A model of the extension and branching of a seminal root of barley, and its use in studying relations between root dimensions. I. The model. By C. Hackett and D. A. Rose | 669 |
| A model of the extension and branching of a seminal root of barley, and its use in studying relations between root dimensions. II. Results and inferences from manipulation of the model. By C. Hackett and D. A. Rose | 681 |
| Organ regeneration on excised roots of <i>Chondrilla juncea</i> and its chemical regulation. By N. P. Kefford and O. H. Caso | 691 |
| The external location of phosphatase activity in phosphorus-deficient Spirodela oligorrhiza. By R. L. Bieleski and P. N. Johnson | 707 |
| The transverse veins of the wheat leaf. By J. Kuo, T. P. O'Brien, and SY. Zee | 721 |
| Internode extension of eucalypts reduced in artificial light. By K. W. Cremer | 849 |
| The initiation of developmental drifts in excised plant tissues. By W. J. Cram | 855 |

Microbiology

| Heterokaryon formation and genetic recombination between auxotrophic and | |
|---|-----|
| morphological mutants of Thanatephorus cucumeris. By R. L. Dodman | 739 |
| Plant competition mediated by host-specific parasites—a simple model. By | |
| G. A. Chilvers and E. G. Brittain | 749 |
| Oospore production in Phytophthora cinnamomi in the presence of Trichoderma | |
| koningii. By B. H. Pratt, J. H. Sedgley, W. A. Heather, and C. J. | |
| Shepherd | 861 |

AJBSAM 25(4) 649-875 (1972)

Biochemistry

| The entry of selenium into rabbit protein following the administration of Na ₂ ⁷⁵ SeO ₃ . By K. O. Godwin and Christine N. Fuss | 865 |
|--|-----|
| Genetics | |
| Genetic studies of a dome mutant and its suppressor gene in Schizophyllum commune. By S. T. Chang | 757 |
| Cytogenetical studies in wheat. VI. Chromosome location and linkage studies involving $Sr13$ and $Sr8$ for reaction to <i>Puccinia graminis</i> f. sp. <i>tritici</i> . By R. A. McIntosh $\ldots \ldots \ldots$ | 765 |
| Apparent effect of the N gene of sorghum on incidence of infection by a "Johnson grass" strain of sugar-cane mosaic virus. By D. S. Teakle and R. F. MooreR. F. Moore | 873 |
| Animal Physiology | |
| Ultrastructure of nuclear division in <i>Paramecium aurelia</i> . III. Meiosis in the micronucleus during conjugation. By I. Stevenson | 775 |
| Oestrous frequency and incidence of pregnancy in mice housed singly and in groups at 4, 21, and 33°C. By Pamela R. Pennycuik | 801 |
| Metabolism of [¹⁴ C]formaldehyde when fed to ruminants as an aldehyde- casein-oil complex. By S. C. Mills, L. F. Sharry, L. J. Cook, and T. W. Scott | 807 |
| Sulphur metabolism and excretion studies in ruminants. VII. Secretion of sulphur and nitrogen in sheep pancreatic and bile fluids. By P. R. Bird | 817 |
| Sulphur metabolism and excretion studies in ruminants. VIII. Methionine degradation and utilization in sheep when infused into the rumen or abomasum. By P. R. Bird and R. J. Moir | 835 |

| Corrigendum | | | | •• | • • | •• | •• | 875 |
|-------------|------|------|------|----|-----|----|----|-----|
| | | | | | | | | |

VOLUME 25, NUMBER 5, OCTOBER 1972

CONTENTS

Plant Physiology

| The regulation of stomatal aperture in tobacco leaf epidermal strips. IV. The effect of bicarbonate/carbon dioxide. By D. A. Thomas | 877 |
|---|------|
| Action spectrum for the opening of <i>Albizia julibrissin</i> pinnules, and the role of phytochrome in the closing movements of pinnules and of stomata of <i>Vicia faba</i> . By L. T. Evans and W. G. Allaway | 885 |
| Effect of sodium chloride salinity on the water balance of <i>Atriplex halimus</i> . By A. Kaplan and J. Gale | 895 |
| Uptake and transport of ions in barley seedlings. III. Correlation between transport to the shoot and relative growth rate. By M. G. Pitman | 905 |
| Fixation of ¹⁴ CO ₂ by flowering and non-flowering glumes of the wheat ear, and the pattern of transport of label to individual grains. By P. M. Bremner and H. M. Rawson | 921 |
| Microbiology | |
| Transcontinental occurrence of A1 and A2 strains of <i>Phytophthora cinnamomi</i> in Australia. By B. H. Pratt, W. A. Heather, and C. J. Shepherd | 1099 |
| Biophysics | |
| Permeability of the duodenum of the toad to non-electrolytes. By D. K. C. Tay and G. P. Findlay | 931 |
| Biochemistry | |
| A polymeric form of haemoglobin-binding protein in sheep following metabolic and hormonal disturbance. By I. G. Jarrett | 941 |
| On the dissociation of bovine β -lactoglobulins A, B, and C near pH 7. By H. A. McKenzie and W. H. Sawyer | 949 |
| Keratin fibres. VII. Proteins of the histological components of kangaroo fibres. By J. H. Bradbury and J. M. O'Shea | 963 |
| Compositional studies of high- and low-crimp wools. By M. E. Campbell, K. J. Whiteley, and J. M. Gillespie | 977 |
| Studies on monotreme proteins. I. Amino acid sequence of the β -chain of haemoglobin from the echidna, <i>Tachyglossus aculeatus aculeatus</i> . By R. G. Whittaker, W. K. Fisher, and E. O. P. Thompson | 989 |
| Non-soil constituents of termite (Coptotermes acinaciformis) mounds. By L. Rosemary Gillman, Marilyn K. Jefferies, and G. N. Richards | 1005 |

Genetics

| Selection for sexual dim | orphism | in body | y weig | ght of n | nice. I | By E. J | . Eiser | and and | |
|--------------------------|---------|---------|--------|----------|---------|---------|---------|---------|------|
| J. P. Hanrahan | •• | •• | •• | •• | •• | •• | •• | •• | 1015 |

Animal Physiology

| Insect-control chemicals from plants. Nagilactone C, a toxic substance from the leaves of <i>Podocarpus nivalis</i> and <i>P. hallii</i> . By G. B. Russell, P. G. | |
|---|--------------|
| Fenemore, and P. Singh | 1025 |
| Inheritance of patterns of oxygen consumption in mice. By Pamela R. Pennycuik | 1031 |
| Toxic effects of aromatic amino acids on the livability of bull spermatozoa. By K. L. Macmillan, J. L. Tiku, and N. L. Hart | 1039 |
| Effect of osmolality and phosphate, 'Tris', 'TES', 'MES', and 'HEPES' hydro- gen ion buffers on the motility of bull spermatozoa stored at 37 or 5°C. | 1047 |
| By R. C. Jones and R. H. Foote | 1047 1057 |
| Sulphur metabolism and excretion studies in ruminants. IX. Sulphur, nitrogen, and energy utilization by sheep fed a sulphur-deficient and a sulphate- | 1001 |
| supplemented, roughage-based diet. By P. R. Bird | 1073 |
| Sulphur metabolism and excretion studies in ruminants. X. Sulphide toxicity in sheep. By P. R. Bird | 1087 |
| Effect of pregnancy on the excretion of sulphobromophthalein in bile. By H. M. Shaw and T. Heath | 1101 |
| Effect of colchicine on pre-implantation blastocysts and 10-day-old embryos of the golden hamster. M. Sohrab | 1105 |

VOLUME 25, NUMBER 6, DECEMBER 1972

CONTENTS

Plant Physiology

| Aspects of potassium accumulation by stomata of Vicia faba. By R. A. Fischer | 1107 |
|---|------|
| The action of abscisic acid on ion uptake and water flow in plant roots. By W. J. Cram and M. G. Pitman | 1125 |
| Photosynthesis of tropical pasture plants. IV. Basis and consequences of differences between grasses and legumes. By M. M. Ludlow and G. L. Wilson | 1133 |
| The contribution by leaves of different age to new growth of subterranean clover plants following the removal of a sulphur stress. I. Origin and distribution of dry matter. By D. Bouma, E. A. N. Greenwood, and E. J. Dowling | 1147 |
| The contribution by leaves of different age to new growth of subterranean clover plants following the removal of a sulphur stress. II. Uptake and distribution of sulphur. By D. Bouma, Z. Titmanis, and E. A. N. Greenwood | 1157 |
| A method of applying nutrients locally to roots under controlled conditions, and some morphological effects of locally applied nitrate on the branching of wheat roots. By C. Hackett | 1169 |
| Influence of nutrition on the activities of some enzymes of glycolysis and the pentose phosphate pathway in expanding lucerne leaves. By B. Cartwright | 1181 |
| Ultrastructure and differentiation of <i>Hydrodictyon reticulatum</i> . V. Develop- ment of polyhedra. By H. J. Marchant and J. D. Pickett-Heaps | 1187 |
| Ultrastructure and differentiation of <i>Hydrodictyon reticulatum</i> . VI. Formation of the germ net. By H. J. Marchant and J. D. Pickett-Heaps | 1199 |
| The importance of high temperatures in the induction of the resting phase of <i>Pinus elliottii.</i> By M. U. Slee and K. R. Shepherd | 1351 |
| Microbiology | |
| Effects of lettuce mosaic virus on the fine structure of mesophyll cells of Chenopodium quinoa Willd. By R. D. Pares | 1355 |
| Biophysics | |
| | |

Thermal properties of the collagen of jellyfish (Aurelia coerulea) and their relation to its thermal behaviour. By B. J. Rigby and M. Hafey ... 1361

Biochemistry

| Control of glucose-metabolizing enzymes in preneoplastic rat liver. By M. G. Irving, J. F. Williams, and J. B. W. Halley | 1215 |
|--|------|
| The chemical composition of wool. X. Material digested by trypsin from fibres and cortical cells. By D. E. Peters and J. H. Bradbury | 1225 |
| The chemical composition of wool. XI. Separation and analysis of exocuticle | |
| and endocuticle. By J. H. Bradbury and K. F. Ley | 1235 |
| groups in haemoprotein and vitamin B_{12} structures. By J. E. Fergusson, W. T. Robinson, and G. A. Rodley $\dots \dots \dots \dots \dots \dots$ | 1365 |
| Microfibrillar material from various sources of keratin. By P. G. Whitmore Effect of sulphate ion on the <i>in vitro</i> rumen digestion of polysaccharide con- | 1373 |
| stituents of bagasse. By R. F. H. Dekker and G. N. Richards | 1377 |
| Animal Physiology | |
| Tinctorial differentiation of the cell types in the pars anterior of the sheep. By Robin Tassell and J. P. Kennedy | 1249 |
| Metabolism of cystine by Merino sheep genetically different in wool pro- duction. I. Comparison of the entry rates of cystine in sheep from flocks selectively bred for high and low fleece weight. By A. J. Williams, R. A. | |
| Leng, and S. K. Stephenson | 1259 |
| Metabolism of cystine by Merino sheep genetically different in wool pro- duction. II. The responses in wool growth to abomasal infusions of L-cystine or DL-methionine. By A. J. Williams, G. E. Robards, and | |
| D. G. Saville | 1269 |
| Plasma glucagon concentrations in sheep: their regulation and relation to concentrations of insulin and growth hormone. By J. M. Bassett | 1277 |
| Phosphomonoesterases and histamine in the uterus of the ewe during early pregnancy. By R. N. Murdoch | 1289 |
| Sulphur metabolism and excretion studies in ruminants. XI. Cycling of ³⁵ S to the caecum and colon and the influence of the hindgut on sulphur | |
| excretion. By P. R. Bird and R. F. Thornton | 1299 |
| Estimation of the total entry rate and resynthesis of glucose in sheep using glucoses uniformly labelled with ¹⁴ C and variously labelled with ³ H. | 1010 |
| By G. J. Judson and R. A. Leng Trans-lactation changes in the activities of selected enzymes in biopsy samples | 1313 |
| of the bovine mammary gland. By W. B. Currie | 1333 |
| Relationships between milk and milk fat composition and trans-lactation changes in mammary gland enzyme activities in grazing cattle. By W. B. Currie | 1341 |
| Histamine levels in the blood of pregnant mares. By N. S. Fernandes and | 1011 |
| C. K. Rantilla | 1381 |
| Corrigendum | 1383 |
| Index | 1385 |