10.1071/BT04138_AC
© CSIRO 2006
Accessory Publication: Aust. J. Bot. 2006, 54(3), 239–247.

Appendix 1. Occurrence of bryophyte species (species occurring at five or more sites) in old-growth mixed forest along the fitted vector for mean annual temperature ranging from left to right from coldest to warmest

Dashes indicate sites from which species were absent. Species found at less than five sites are listed below the table. Latitudinal band: C = central, S = southern, N = northern. Those species not recorded by Jarman and Kantvilas (1995) are indicated with an asterisk

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
Chandonanthus squarrosus	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
*Distichophyllum microcarpum**	1	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
*Thuidium sparsum**	1	1	–	1	1	1	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plagiochila retrospectans	–	1	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Distichophyllum crispulum	1	1	–	–	–	1	1	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Catagonium nitens (Brid.) Cardot ssp. *nitens**	–	1	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
*Kurzia hippurioides**	1	1	1	1	–	1	1	–	–	–	1	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Distichophyllum pulchellum	1	–	–	–	1	1	1	1	1	–	1	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metzgeria saccata	–	–	1	–	1	–	1	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tylimanthus pseudosaccatus	1	1	1	–	1	1	1	1	1	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Saccogynidium decurvum	1	–	1	–	1	1	1	1	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
*Thuidium furfurosum**	–	–	–	–	1	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acrochila biserialis	1	1	1	–	1	1	1	–	–	1	1	1	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
*Glyphothecium sciuriodes**	1	1	1	1	1	1	1	–	1	–	1	1	1	–	–	1	1	1	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
Frullania rostrata	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	1
Lepicolea scolopendra	1	1	1	1	1	1	1	–	–	–	1	1	1	1	1	1	1	–	1	1	1	1	–	–	–	–	–	1	–	–	–	–	–

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
Weymouthia cochlearifolia	1	1	1	–	1	1	–	1	–	–	–	1	1	–	–	1	1	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Dicranoloma robustum	1	–	1	1	–	1	1	1	1	–	1	1	–	1	–	1	1	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–
Plagiochila radiculosa	–	1	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hypnodendron spininervium ssp. *archeri**	–	1	1	1	1	1	1	1	1	1	1	–	1	1	–	–	1	1	–	1	1	–	–	1	–	–	–	1	1	–	–	–	–
Zygodon intermedius	–	1	1	–	1	–	1	1	–	–	1	1	1	–	1	–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Hypnodendron comosum	–	1	–	–	–	1	–	–	–	1	1	1	–	1	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Plagiochila circinalis	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Frullania falciloba	1	1	1	–	1	1	–	–	–	1	–	1	1	1	1	–	–	–	1	–	–	1	1	–	–	–	–	1	1	–	–	–	–
Dicranoloma robustum var. *setosum*	1	1	–	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	–	–	–	1	–	–	–	1	–	1	–	1	–	1	–
*Thamnobryum pumilum**	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
*Telaranea centipes**	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Radula compacta	–	–	1	1	1	1	1	1	–	–	1	1	–	1	1	1	1	1	–	1	1	–	–	1	1	–	–	–	1	–	–	–	–
Leptostomum inclinans	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	–	1	–	1	–	1	–	1	1	–	–	1	–	1	1	1	–	–
Camptochaete arbuscula	1	1	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	1	1	–	1	–	–	–	–	–
Balantiopsis diplophylla	–	1	1	–	1	1	1	1	1	1	1	1	1	–	1	–	1	1	–	–	1	–	1	1	–	–	–	1	1	–	–	1	–
*Kurzia compacta**	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Riccardia cochleata	1	–	–	–	–	1	–	–	–	–	1	–	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Gackstroemia weindorferi	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	–	1	1	1	–	1	–	–	1	–	–
Tylimanthus tenellus	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	–	–	–	1	1	1	–	–
Radula tasmanica	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Zoopsis setulosa	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
Leptophyllopsis laxus	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Zoopsis leitgebiana	1	–	–	–	–	1	–	1	–	1	1	1	1	–	1	–	1	1	–	1	–	–	–	–	–	–	1	1	–	–	–	–	1
Frullania aterrima	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Isopterygium limatum	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Plagiochila strombifolia	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	–	1	1	1	1	1	1	–	1	1	1	1	–	–	–	1	1	–
Riccardia crassa	–	–	–	–	–	1	–	1	1	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Acromastigum colensoanum	1	–	1	1	–	1	–	1	–	1	1	1	–	1	1	1	1	1	–	1	1	–	1	1	1	–	–	–	1	–	–	1	–
*Frullania clavata**	1	1	–	1	1	–	–	1	1	–	–	1	1	1	1	1	–	–	1	–	1	1	1	–	1	1	–	1	1	–	–	–	–
Brevianthus flavus	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chiloscyphus leucophyllus	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–
Symphyogyna podophylla	1	–	–	–	1	1	1	1	1	1	1	1	1	–	1	–	1	–	–	–	1	–	1	1	–	1	–	1	1	1	1	–	–
Lopidium concinnum	–	–	–	1	1	1	1	1	1	1	–	1	1	–	–	–	1	1	–	–	–	1	1	1	1	–	1	–	–	1	–	1	–
*Lembophyllum divulsum**	1	–	–	1	1	–	–	–	–	1	–	1	1	–	1	–	–	1	–	–	1	1	1	–	–	1	1	–	–	1	–	–	–
*Metzgeria decipiens**	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	–	1	1	1	1	1	1	1	1	1	–	1	1
Plagiochila fasciculata	1	1	–	1	1	1	1	1	–	–	1	1	1	1	1	–	1	–	1	–	1	1	1	–	–	1	1	1	–	1	1	–	1
Rosulabryum billardieri var. *billardieri* (Schwägr.) Spence	–	–	–	1	1	1	1	–	1	1	–	–	–	1	1	1	–	–	–	–	1	–	1	–	–	1	–	1	1	–	–	1	–
Tylimanthus diversifolius Hodgs.	–	1	1	1	1	1	–	1	1	1	1	1	1	–	1	1	1	1	–	1	–	1	1	1	1	1	1	–	1	–	–	1	1
*Weymouthia mollis**	1	–	–	–	–	–	1	1	–	1	1	1	1	–	1	–	–	1	–	–	1	1	–	1	1	1	–	1	–	1	–	–	–
Hypnum cupressiforme	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	–	1

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
*Heteroscyphus limosus**	–	1	1	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	1
Rhaphidorrhynchium amoenum	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1
Rhizogonium novae-hollandiae	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1
Zoopsis argentea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Warburgiella leucocytus (Müll. Hal.) Tan, Schofield & Ramsay	1	1	1	1	1	1	1	–	1	–	1	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	–	1	1
*Heteroscyphus sinosus**	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Bazzania involuta	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dicranoloma menziesii	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lepidozia ulothrix	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ptychomnion aciculare	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
*Telaranea patentissima**	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Wijkia extenuata	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Mittenia plumula	–	–	–	–	1	–	–	1	–	–	1	1	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	1	–	–	1	–
Radula buccinifera	–	1	–	1	1	1	–	1	1	1	–	1	1	–	1	1	1	1	–	–	1	1	1	1	1	–	1	1	–	1	1	1	–
Podomitrium phyllanthus	1	–	–	–	1	1	1	–	–	–	1	–	1	–	1	–	1	1	–	1	1	1	1	–	1	–	1	–	–	–	1	1	–
Leptotheca gaudichaudii	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Trichocolea mollissima	1	1	1	1	–	1	1	1	–	–	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	–	1	1	1	–	1	1
Hypnum chrysogaster	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fissidens pallidus	1	1	1	–	–	1	–	1	1	1	1	–	–	–	1	–	1	1	1	–	1	1	1	1	–	1	1	1	–	1	1	–	1
Schistochila	1	1	–	–	1	1	1	1	1	1	1	1	1	–	1	–	1	1	–	1	1	–	1	1	1	1	1	1	1	1	1	1	1

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
lehmanniana																																	
Bazzania monilinervis	1	1	1	–	–	1	1	1	–	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	–	1	1	1	1
Lepidozia procera	1	1	1	–	1	1	1	1	–	–	1	1	–	1	1	1	1	1	–	1	1	1	–	1	1	1	1	1	1	1	1	1	1
Dicranoloma dicarpum	1	–	–	1	1	1	–	–	1	1	1	–	–	–	1	–	1	–	1	–	–	–	–	–	1	1	1	1	1	1	1	1	–
Kurzia hippurioides aff.	1	–	–	–	1	–	1	1	–	–	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	–	1	–	–	1
Dicranoloma billardieri	–	1	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Macromitrium archeri	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	1	–	1	1	–	1	–	1	–	–	–	–	–	1	–	1	–	–
Marsupidium surculosum	–	–	1	–	–	1	–	–	1	1	1	1	1	1	–	1	1	1	–	1	1	–	–	–	1	–	–	1	1	–	1	1	1
Chiloscyphus echinellus	1	1	1	–	1	1	1	1	–	–	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fissidens tenellus	–	–	–	1	1	–	1	–	–	1	–	1	–	–	1	–	–	–	1	–	1	–	1	–	1	1	1	1	1	–	–	–	–
Heteroscyphus fissistipus	–	1	–	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Telaranea herzogii (Hodgs.) Hodgs.*	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–	1	–	–	–	–	–
Hypnodendron vitiense ssp. *australe**	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	1	1	–
Plagiochila baileyana	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	1	1	1	–	1	1	–	–	–	1	1	–	–	–	1	–	1	–
Cyathophorum bulbosum	1	–	–	–	1	1	1	1	1	1	–	–	1	–	1	–	1	1	1	1	1	1	1	1	1	–	1	1	–	1	1	1	1
Hymenophyton flabellatum	–	–	1	–	1	1	1	1	1	–	1	–	1	–	1	–	1	1	–	–	1	–	1	1	–	1	1	1	1	1	1	1	1
*Campylopus introflexus**	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–
Riccardia spp.	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
*Lepidozia laevifolia**	–	1	1	–	1	–	–	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	–	1	1	1	1	1	1	1

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
Orthodontium lineare	–	–	–	1	–	–	1	–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	1	1	–	–	1	1	–	1
Achrophyllum dentatum	1	–	–	–	1	1	–	1	1	1	1	–	1	–	1	–	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Acrobolbus cinerascens	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	1	–	1	1	–	–	–	–	1	–	–	–	–	1	–	1	–
Riccardia aequicellularis	–	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–	1	1	–	–	1	1	–	1	1	1	1	–	1	1	–	–	1
Heteroscyphus coalitus	–	1	–	1	1	–	–	–	1	1	1	1	1	–	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Heteroscyphus billardieri	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	1
*Lepidozia glaucophylla**	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	1	1	1	–	–	–	–	1	1	1	–	1	–	–	1	–	1	1
Paraschistochila tuloides	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	1	–	1	1	1	–	–	1	1	–	–	–	–	–	–	1	–
Leucobryum candidum	–	1	1	1	–	–	1	–	–	1	–	1	–	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cuspidatula monodon	–	1	1	–	–	1	1	–	–	–	1	1	–	1	1	1	1	–	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Heteroscyphus conjugatus	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Chiloscyphus semiteres	–	1	–	1	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	1	–	1	1	1	1	–	1	1	1	1	–	1	1
Plagiothecium lamprostachys (Hampe) Jaeg.*	–	–	–	1	1	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	1
Dicranoloma platycaulon	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	1	–	–	–	1	1	–	1	–	1	–	–
Lejeunea drummondii	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	1	1	–	1	–	–	1	–	1	1	–	–	1	1	1	1	–
*Lejeunea primordialis**	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Rhizogonium distichum	1	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–	1	1	1	1	1	1	1	1	1	1	1	1	1

Latitudinal band	C	C	C	C	C	C	C	C	C	C	S	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Site no.	85	90	80	91	73	65	79	64	69	70	39	40	34	1	36	30	4	32	29	8	22	23	19	21	49	24	51	25	18	28	50	48	5
Species																																	
*Temnoma townrowii**	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Goniobryum subbasilare	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	1	1	1
Plagiochila spp.	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	1	–	1	1	1	–	1	–	1	1	1	1	1	1	1	1
Telaranea mooreana	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–
Adelanthus bisetulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–
*Jamesoniella tasmanica**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–
Pallaviciniaceae sp.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1
Chiloscyphus muricatus	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	1	1	1	1	1	1	–	1	1	1	–	1	1
Macromitrium microstomum	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	1	–	1	–	–	1	–	–	1
Telaranea tetradactyla	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	1
*Fissidens taylorii**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	1	–	–	–
Papillaria flavolimbata	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–	1	1	1	1	1	1

(4 sites: *Acromastigum mooreanum*, *Atrichum androgynum**, *Brachythecium salebrosum/rutabulum*, *Hypnodendron* spp., *Jungermannia inundata**, *Orthotrichum tasmanicum* var. *tasmanicum**, *Pyrrhobryum mnioides**; 3 sites: *Acrocladium chlamydophyllum**, *Adelanthus falcatus*, *Aneura alterniloba*, *Campylopus purpureocaulis*, *Cheilolejeunea mimosa**, *Chiloscyphus novae-zeelandiae*, *Cryptochila grandiflora**, *Drepanolejeunea aucklandica*, *Calyptrochaeta brownii* (Dix.) J.K.Bartlett*, *Geocalyx caledonicus**, *Hampeella alaris*, *Heteroscyphus decipiens*, *Kurzia tenax*, *Radula multiamentula*, *R. ratkowskiana*, *Riccardia wattsiana**, *Schistochila pseudociliata*, *Sphagnum australe**, *Ulota lutea*; 2 sites: *Acrobolbus concinnus*, *Campylopus bicolor* var. *ericeticola**, *C. pyriformis**, *C. pyriformis* var. a, *Chiloscyphus bispinosus* aff., *C. villosus**, *Ditrichum difficile*, *Fissidens pungens**, *Frullania probosciphora*, *Funaria hygrometrica**, *Holomitrium perichaetiale*, *Hypopterygium didictyon* Müll.Hal.*, *Lejeunea* spp., *Marsupidium setulosum**, *Metzgeria* spp., *Pallavicinia lyellii* (Hook.) Gray*, *Paraschistochila pinnatifolia*, *Plagiochila incurvicolla*, *Racopilum convolutaceum**, *Radula* spp., *Schistochila tasmanica*, *Trachyloma planifolium*; 1 site: *Anastrophyllum schismoides*, *Camptochaete deflexa* (Wilson) Jaeg.*, *Campylopus flindersii**, *Cephaloziella hirta**, *Ceratodon purpureus**, *Cheilolejeunea albovirens**, *C. cambelliensis*, *Chiloscyphus bispinosus**, *C. minor**, *C. subporosus**, *Daltonia splachnoides**, *Dawsonia superba*, *Diplasiolejeunea plicatiloba*, *Distichophyllum rotundifolium*, *Ditrichum cylindricarpum**,

*Frullania monocera**, *Heteroscyphus biciliatus* (Hook.f. & Tayl.) Engel*, *H. knightii**, *Lepidozia concinna**, *L. pendulina**, *Macrocoma tenue* ssp. *tenue**, *Macromitrium ligulaefolium**, *Pogonatum subulatum**, *Polytrichum juniperinum**, *Riccardia eriocaula*, *Rosulabryum capillare**, *Sauloma tenella**, *Sematophyllum subhumile* var. *contiguum* (Mitt.) Tan, Schofield & Ramsay*, *S. uncinatum**, *Ulota* spp., *U. viridis*