CSIRO PUBLISHING

Australian Journal of Botany

Volume 47, 1999 © CSIRO Australia 1999

An international journal for the publication of original research in plant science

www.publish.csiro.au/journals/ajb

All enquiries and manuscripts should be directed to Australian Journal of Botany

CSIRO PUBLISHING

PO Box 1139 (150 Oxford St)

Collingwood Telephone: 61 3 9662 7624 Vic. 3066 Facsimile: 61 3 9662 7611 Australia Email: simone.farrer@publish.csiro.au



Published by **CSIRO** PUBLISHING for CSIRO Australia and the Australian Academy of Science



10.1071/BTauth1999 925

Index to Volume 47

Authors and Titles

Adkins S W See Samosir Y M S et al. 69

Afshar-Sterle S, Kollmorgen J F, and Fincher G B, Establishment of fine suspension cultures of *Triticum tauschii* ([Coss.] Schmal.) which remain embryogenic for several years 611

Anderson G J See Stiefkens L et al. 147

Astarini I A, Yan G, and Plummer JA Interspecific hybridisation of boronias 851

Bell D T See Peishi Z et al. 265

Bell D T

Turner Review No. 1. The process of germination in Australian species 475 Australian trees for the rehabilitation of water-logged and salinity-damaged landscapes 697

Bellairs S M See Read T R et al. 563

Berger J-P

Redefinition of European Oligo–Miocene charophyte biozonation 283

Berliner P R See Nativ R et al. 577

Bernardello G See Stiefkens L et al. 147

Bhatia S B

Revision of the charophyte flora of the Siwalik group (Neogene-Quaternary) of the Lesser Himalaya, India 459

Boesewinkel F D

Ovules and seeds of Tremandraceae 769

Bouharmont J See Lutts S et al. 835

Bridle K L See Kirkpatrick J B et al. 1

Bridle K L, and Kirkpatrick J B

Comparative effects of stock and wild vertebrate herbivore grazing on treeless subalpine vegetation, Eastern Central Plateau, Tasmania 817

Brock M. A. See Casanova M. T. et al. 383

Brock M A See Casanova M T et al. 437

Brodribb T See Hill R S et al. 639

Buchanan A M See Rozefelds A C F et al. 23

Bullock S See McGee P A et al. 85

Bullock S See Burrows G E et al. 795

Burrows G E

The Wollemi pine (*Wollemia nobilis*, Araucariaceae) possesses the same unusual leaf axil anatomy as the other investigated members of the family 61 Burrows G E, and Bullock S Leaf anatomy of Wollemi pine (*Wollemia nobilis*, Araucariaceae) 795

Carlquist S, Schneider E L, and Kenneally K F SEM studies on vessels in ferns.

8. *Platyzoma* 277

Carpenter R J See Hill R S et al. 717

Casanova M T See McCourt R M et al. 361

Casanova M T, and Brock M A

Life histories of charophytes from permanent and temporary wetlands in eastern Australia 383

Charophyte occurrence, seed banks and establishment in farm dams in New South Wales 437

Cave L See Rozefelds A C F et al. 23

Chapman R L See Meiers S T et al. 347

Choengsaat D See Peishi et al. 265

Clarke P J, and Martin A R H

Sphagnum peatlands of Kosciuszko National Park in relation to altitude, time and disturbance 519

Coates F, and Kirkpatrick J B

Is geographic range correlated with climatic range in Australian *Spyridium* taxa? 755

Crisci J V See Katinas L et al. 111

Dalgleish E

Effectiveness of invertebrate and vertebrate pollinators and the influence of pollen limitation and inflorescence position on follicle production of *Banksia aemula* (Family Proteaceae) 553

Datt B

Remote sensing of water content in *Eucalyptus* leaves 909

Dixon K A See Tieu A et al. 207

Döring H, Henssen A, and Wedin M

Ascoma development in *Neophyllis melacarpa* (Lecanorales, Ascomycota), with notes on the systematic position of the genus 783

Dutkowski G W, and Potts B M

Geographic patterns of genetic variation in Eucalyptus globulus ssp. globulus and a revised racial classification 237

Eamus D See Prior L D et al. 587

926 Authors and Titles

Eldridge D J, and Leys J F
Wind dispersal of the vagant lichen
Chondropsis semiviridis in semi-arid
eastern Australia 157

Ephrath J E See Nativ R et al. 577

Feist M See McCourt R M et al. 361 Fincher G B See Afshar-Sterle S et al. 611

Garcia A

Charophyte flora of south-eastern South Australia and south-western Victoria, Australia: systematics, distribution and ecology 407

Gibbs L, Reid N, and Whalley R D B
Relationships between tree cover and grass
dominance in a grazed temperate stringybark
(*Eucalyptus laevopinea*) open-forest 49

Gilfedder L See Lynch A J J et al. 97 Godwin I D See Samosir Y M S et al. 69

Gordon V See Reddell P et al. 881

Grabowski V See Winter U et al. 337

Grigg A H, and Mulligan D R

Biometric relationships for estimating standing biomass, litterfall and litter accumulation of *Acacia salicina* on mined land in central Queensland 807

Haas J N

Charophyte population dynamics during the Late Quaternary at Lake Bibersee, Switzerland 315

Hawes I See Schwarz A-M et al. 325

Heinemann U See Winter U et al. 337

Henssen A See Döring H et al. 783

Hill R S, and Brodribb T

Turner Review No. 2. Southern conifers in time and space 639

Hill R S, and Carpenter R J

Ginkgo leaves from Paleogene sediments in Tasmania 717

Hood V See Washington W S et al. 77

Hooda N, and Weston C J

Influence of site and fertiliser addition on nutrient cycling in *Eucalyptus globulus* plantations in Gippsland, south-eastern Australia I. Foliage and litter quality 189

Hopkins M S See Reddell P et al. 881

Howard-Williams C See Schwarz A-M et al. 325

Hussain M I, and Khoja T M

Chara braunii (Charales, Charophyta) in an arid rainfed waterbody, Saudi Arabia 427

Huxtable C, and Whalley R D B

Emergence and survival of three native grass species sown on roadsides on the Northern Tablelands, New South Wales, Australia 221

James A T, Lawn R J, Williams R W, and Lambrides C J

Cross fertility of Australian accessions of wild mungbean (*Vigna radiata* ssp. *sublobata*) with green gram (*V. radiata* ssp. *radiata*), and black gram (*V. mungo*) 601

Karol K G See McCourt R M et al. 361

Katinas L, Morrone J J, and Crisci J V

Track analysis reveals the composite nature
of the Andean biota 111

Kenneally K F See Carlquist S et al. 277

Khoja T M See Hussain M I et al. 427

Kinet J -M See Lutts S et al. 835

Kirkpatrick J B See Lynch A J J et al. 97

Kirkpatrick J B See Coates F et al. 755

Kirkpatrick J B See Bridle K L et al. 817

Kirkpatrick J B See McKenny H J A et al. 745

Kirkpatrick J B, and Bridle K L

Environment and floristics of 10 Australian alpine vegetation formations 1

Kirst G O See Winter U et al. 337

Kollmorgen J F See Afshar-Sterle S et al. 611

Lambrides C J See James A T et al. 601 Lawn R J See James A T et al. 601 Leys J F See Eldridge D J et al. 157

Lucas S G See Zhamangara A K et al. 297

Lunt I D, and Morgan J W

Vegetation changes following 10 years of grazing exclusion and intermittent burning in a *Temeda triandra* (Poaceae) grassland reserve in south-eastern Australia 537

Lutts S, Bouharmont J, and Kinet J-M
Physiological characterisation of salt-resistant
rice (*Oryza sativa*) somaclones 835

Lynch A J J

Distribution, ecology and rarity of the nationally vulnerable species *Pultenaea* selaginoides (Fabaceae) 865

Lynch A J J, Gilfedder L, and Kirkpatrick J B
The Tasmanian endemic shrub *Acacia axillaris*:
conservation ecology applied to the question
of rarity or vulnerability 97

Authors and Titles 927

- Mann H, Proctor V W, and Taylor A S
 Towards a biogeography of North American
 charophytes 445
- Margelí M, Pedrola-Monfort J, and Vallès Xirau J Karyological studies in the genus *Androcymbium* (Colchicaceae) 131
- Martin A R H See Clarke P J et al. 519

Martin A R H

Pollen analysis of Digger's Creek Bog, Kosciuszko National Park: vegetation history and tree-line change 725

Martín-Closas C

Epiphytic overgrowth of charophyte thalli by stromatolite-like structures and fungi in the Lower Cretaceous of the Iberian Ranges (Spain) 305

McCourt R M, Karol K G, Casanova M T, and Feist M

Monophyly of genera and species of Characeae based on *rbc*L sequences, with special reference to Australian and European *Lychnothamnus barbatus* (Characeae: Charophyceae) 361

McGee P A , Bullock S, and Summerell B A Structure of mycorrhizae of the Wollemi pine (Wollemia nobilis) and related Araucariaceae 85

McKenny H J A, and Kirkpatrick J B

The role of fallen logs in the regeneration of tree species in Tasmanian mixed forest 745

Meiers S T, Proctor V W, and Chapman R L Phylogeny and biogeography of *Chara* (Charophyta) inferred from 18S rDNA sequences 347

Morgan J W See Lunt I D et al. 537 Morris D I See Rozefelds A C F et al. 23 Morrone J J See Katinas L et al. 111 Mulligan D R See Grigg A H et al. 807

Nativ R, Ephrath J E, Berliner P R, and Saranga Y Drought resistance and water use efficiency in *Acacia saligna* 577

Odgers B M

Seasonal variation in buried germinable seed banks of grass species in an urban eucalypt forest reserve 623

Papst W A See Wahren C-H et al. 165 Pedrola-Monfort J See Margelí M et al. 131 Peishi Z, Plummer J A, Turner D W, Choengsaat D, and Bell D T

Low- and high-temperature storage effects on viability and germinability of seeds of three Australian Asteraceae 265

Plettner I See Winter U et al. 337

Plummer J A See Tieu A et al. 207

Plummer J A See Peishi Z et al. 265

Plummer J A See Astarini I A et al. 851

Potts B M See Dutkowski G W et al. 237

Potts M D See Twigg L E et al. 877

Prior L D, and Eamus D

Seasonal changes in leaf water characteristics of *Eucalyptus tetrodonta* and *Terminalia* ferdinandiana saplings in a northern Australian savanna 587

Proctor V W See Meiers S T et al. 347

Proctor V W

Charophytivory, Playas y papalotes, a local paradigm of global relevance 399

Proctor V W See Mann H et al. 445

Read T R, and Bellairs S M
Smoke affects the germination of native
grasses of New South Wales 563

Reddell P, Gordon V, and Hopkins M S
Ectomycorrhizas in *Eucalyptus tetrodonta*and *E. miniata* forest communities in
tropical northern Australia and their role
in the rehabilitation of these forests
following mining 881

Reid N See Gibbs L et al. 49

Rozefelds A C F, Cave L, Morris D I, and Buchanan A M The weed invasion in Tasmania since 1970 23

Samosir Y M S, Godwin I D, and Adkins S W A new technique for coconut (*Cocos mucifera*) germplasm collection from remote sites: culturability of embryos following low temperature incubation 69

Saranga Y See Nativ R et al. 577

Schneider E L See Carlquist S et al. 277

Schwarz A-M, Hawes I, and Howard-Williams C Mechanisms underlying the decline and recovery of a characean community in fluctuating light in a large oligotrophic lake 325

Sieler I *See* Tieu A *et al.* 207 Sivasithamparam K *See* Tieu A *et al.* 207 928 Authors and Titles

Soulié-Märsche I

Extant gyrogonite populations of *Chara zeylanica* and *Chara haitensis*: implications for taxonomy and paleoecology 371

Stewart-Wade S See Washington W S et al. 77

Stiefkens L, Bernardello G, and Anderson G J Karotypic studies in artificial hybrids from Solanum sections Anarrhichomenum and Basarthrum (Solanaceae) 147

Summerell B A See McGee P A et al. 85

Taylor A S See Mann H et al. 445

Tieu A, Dixon K A, Sivasithamparam K,
Plummer J A, and Sieler I M
Germination of four species of native
Western Australian plants using plantderived smoke 207

Turner D W See Peishi Z et al. 265

Twigg L E , Wright G R, and Potts M D Fluoroacetate content of *Gastrolobium* brevipes in central Australia 877

Vallès Xirau J See Margelí M et al. 131

Wahren C-H, Williams R J, and Papst W A
Alpine and subalpine wetland vegetation on
the Bogong High Plains, south-eastern
Australia 165

Washington W S, Stewart-Wade S, and Hood V *Phomopsis castanea*, a seed-borne endophyte in chestnut trees 77

Wedin M See Döring H et al. 783

Weston C J See Hooda N et al. 189

Whalley R D B See Gibbs L et al. 49

Whalley R D B See Huxtable C et al. 221

Wiese S See Winter U et al. 337

Williams R J See Wahren C-H et al. 165

Williams R W See James A T et al. 601

Winter U, Kirst G O, Grabowski V, Heinemann U, Plettner I, and Wiese S Salinity tolerance in *Nitellopsis obtusa* 337

Saminty tolerance in Tructiopsis Obtasa

Wright G R See Twigg L E et al. 877

Yan G See Astarini I A et al. 851

Zhamangara A K, and Lucas S G
Revision of some Eocene charophytes from
the Zaysan Basin, eastern Kazakstan 297