

10.1071/CH09015_AC

© CSIRO 2009

Accessory Publication: *Australian Journal of Chemistry*, **2009**, 62(6), 546–552

Accessory Publication

An Improved Synthetic Route to the Potent Angiogenesis Inhibitor

Benzyl Man α (1→3)-Man α (1→3)-Man α (1→3)-Man α (1→2)-Man

Hexadecasulfate*

Ligong Liu,^{A,B} Ken D. Johnstone,^A Jon K. Fairweather,^{A,C} Keith Dredge,^A Vito Ferro^{A,D,E}

^ADrug Design Group, Progen Pharmaceuticals Limited, Darra, Qld 4076, Australia.

^BPresent address: Centre for Drug Design and Development, Institute for Molecular Bioscience, University of Queensland, Brisbane, Qld 4072, Australia.

^CPresent address: Chemical Analysis Pty Ltd, 41 Greenaway Street, Bulleen, VIC 3105, Australia.

^DPresent address: CRC for Polymers, School of Physical and Chemical Sciences, Queensland University of Technology, GPO Box 2434, Brisbane, Qld 4001, Australia.


^ECorresponding author. Email: vito.ferro@qut.edu.au


Content

□

* Dedicated to Professor Robert (Bob) V. Stick on the occasion of his retirement.

^1H NMR spectrum of compound 20	S3
^{13}C NMR spectrum of compound 20	S4
^1H NMR spectrum of compound 22	S5
^{13}C NMR spectrum of compound 22	S6
^1H NMR spectrum of compound 24	S7
^{13}C NMR spectrum of compound 24	S8
^1H NMR spectrum of compound 26	S9
^{13}C NMR spectrum of compound 26	S10





20

