10.1071/CH12010
Australian Journal of Chemistry 65(5), 531–538.
©CSIRO 2012

Oxygenated Terpenoids from the Australian Sponges *Coscinoderma mathewsi*, and *Dysidea* sp., and from the Nudibranch *Chromodoris albopunctata.*

Peter L. Katavic, Pinus Jumaryatno, John N. A. Hooper, Joanne T. Blanchfield, Mary J. Garson*

Supplementary Material



1

Figure **S1**. Structure of Furanoterpene **1** Isolated from *Coscinoderma mathewsi*



10 **12**

13 **14**

Figure **S2**. Structures of Diterpenes **10, 12-14** Isolated from *Chromodoris albopunctata*



17 **18**

Figure **S3**. Structures of Diterpenes **17** and **18** Isolated from *Dysidea* sp.

^{1}H NMR of Furanoterpene **1**



Figure **S4**. ^{1}H NMR Spectrum of Furanoterpene **1** in $CDCl_3$

^{1}H NMR of Diterpene **10**



Figure **S5**. ^{1}H NMR Spectrum of Diterpene **10** in $CDCl_3$

^{1}H NMR of Diterpene **12**



Figure **S6**. ^{1}H NMR Spectrum of Diterpene **12** in $CDCl_3$

^{1}H NMR of Diterpene **13**



Figure **S7**. ^{1}H NMR Spectrum of Diterpene **13** in $CDCl_3$

^{1}H NMR of Diterpene **14**



Figure **S8**. ^{1}H NMR Spectrum of Diterpene **14** in $CDCl_3$

^{1}H NMR of Diterpene **17**



Figure **S9**. ^{1}H NMR Spectrum of Diterpene **17** in $CDCl_3$

^{1}H NMR of Diterpene **18**



Figure **S10**. ^{1}H NMR Spectrum of Diterpene **18** in $CDCl_3$