# **Supplementary Material**

# Microwave-Assisted Synthesis of a Series of Ag/ZnO

#### Nanocomposites and Evaluation of Their Photocatalytic Activities

## **Under Multi-Mode Photodegradation**

Li Li<sup>a,c\*</sup>, Xiandan Huang<sup>b</sup>, Yu Gao<sup>b</sup>, Wenzhi Zhang<sup>b</sup>, Xiuli Zhang<sup>b</sup>, Xi Chen<sup>b</sup>

<sup>a</sup>College of Materials Science and Engineering, Qiqihar University, Qiqihar 161006, PR China <sup>b</sup>Faculty of Chemistry and Chemical Engineering, Qiqihar University, Qiqihar 161006, PR China <sup>c</sup>Key Laboratory of Composite Modified Material of Colleges in Heilongjang Provence, Qiqihar 161006, PR China

## SUMMARY

In order to make a clearer comparison of the morphologies of Ag/ZnO, we have provided the SEM images (Figure S1) of AZ-000, AZ-100, AZ-200, AZ-300 under the magnification of 50 thousand times.




Figure S1 SEM images of AZ-000 (A), AZ-100 (B), AZ-200 (C) and AZ-300 (D)

under the magnification of 50 thousand times

Corresponding author.

E-mail address: qqhrll@163.com (L. Li)