SUPPLEMENTARY MATERIAL

On the Mechanism of Berberine-INF55 (5-Nitro-2-Phenylindole) Hybrid

Antibacterials

Naveen K. Dolla, A,F Chao Chen, B,F Jonah Larkins-Ford, Rajmohan Rajamuthiah, Sakthimala Jagadeesan, Annie L. Conery, Frederick M. Ausubel, Eleftherios Mylonakis, John B. Bremner, Mim Lewis, Michael J. Kelso, Kel

^ASchool of Chemistry, University of Wollongong, Wollongong, NSW 2522, Australia.

^BDepartment of Biology and Antimicrobial Discovery Center, Northeastern University, Boston, MA 02115, USA.

^CDepartment of Molecular Biology, Massachusetts General Hospital, Boston, MA 02114, USA.

^DDepartment of Medicine, Infectious Diseases Division, Rhode Island Hospital, Warren Alpert Medical School of Brown University, Providence, RI 02903, USA.

^EDepartment of Genetics, Harvard Medical School, Boston, MA 02115, USA.

^FThese authors contributed equally to this work.

Corresponding author. Email: mkelso@uow.edu.au

Table of Contents

Figure S1. ¹H NMR spectrum of 8.

Figure S2. ¹³C (APT) NMR spectrum of 8.

Figure S3. ¹H NMR spectrum of **9**.

Figure S4. ¹³C (APT) NMR spectrum of 9.

Figure S5. ¹H NMR spectrum of **19**.

Figure S6. ¹³C (APT) NMR spectrum of 19.

Figure S7. ¹H NMR spectrum of **20**.

Figure S8. ¹³C (APT) NMR spectrum of 20.




Figure S1. ¹H NMR spectrum of 8.




Figure S2. ¹³C (APT) NMR spectrum of 8.




Figure S3. ¹H NMR spectrum of 9.




Figure S4. 13 C (APT) NMR spectrum of 9.




Figure S5. ¹H NMR spectrum of 19.




Figure S6. ¹³C (APT) NMR spectrum of 19.




Figure S7. ¹H NMR spectrum of 20.




Figure S8. ¹³C (APT) NMR spectrum of 20.