

SUPPLEMENTARY MATERIAL

Tert-butyldimethylsilyl amine (TBDMS-NH₂): A mild and green reagent for the protection for benzyl alcohols, phenols and carboxylic acids under solvent free conditions.


Jeremy A Duczynski, Rebecca Fuller,* Scott G. Stewart*

School of Chemistry and Biochemistry, The University of Western Australia (M310), 35
Stirling Highway, Crawley WA 6009.

*Corresponding authors. Email: rebecca.fuller@uwa.edu.au; scott.stewart@uwa.edu.au

Table of Contents

¹ H NMR spectra of tert-butyldimethyl(3-(trifluoromethyl)phenoxy)silane	S2
¹³ C NMR spectra of tert-butyldimethyl(3-(trifluoromethyl)phenoxy)silane	S3
¹ H NMR spectra of 8-((tert-butyldimethylsilyl)oxy)quinoline	S4
¹³ C NMR spectra of 8-((tert-butyldimethylsilyl)oxy)quinoline	S5
¹ H NMR spectra of tert-butyldimethyl(2-phenoxyphenoxy)silane	S6
¹³ C NMR spectra of tert-butyldimethyl(2-phenoxyphenoxy)silane	S7
¹ H NMR spectra of tert-butyl(2,6-dimethoxyphenoxy)dimethylsilane	S8
¹³ C NMR spectra of tert-butyl(2,6-dimethoxyphenoxy)dimethylsilane	S9
¹ H NMR spectra of tert-butyldimethylsilyl 4-methoxybenzoate	S10
¹³ C NMR spectra of tert-butyldimethylsilyl 4-methoxybenzoate	S11
¹ H NMR spectra of tert-butyldimethylsilyl 2-acetoxybenzoate	S12
¹³ C NMR spectra of tert-butyldimethylsilyl 2-acetoxybenzoate	S13
¹ H NMR spectra of tert-butyldimethylsilyl hexanoate	S14
¹³ C NMR spectra of tert-butyldimethylsilyl hexanoate	S15
¹ H NMR spectra of (Benzo[d][1,3]dioxol-5-ylmethoxy)(tert-butyl)dimethylsilane	S16
¹³ C NMR spectra of (Benzo[d][1,3]dioxol-5-ylmethoxy)(tert-butyl)dimethylsilane	S17
¹ H NMR spectra of 3-(((tert-butyldimethylsilyl)oxy)methyl)phenol	S18
¹³ C NMR spectra of 3-(((tert-butyldimethylsilyl)oxy)methyl)phenol	S19



7.35
7.34
7.32
7.26
7.26
7.22
7.22
7.22
7.21
7.21
7.21
7.08
7.08
7.07
7.01
7.01
7.00
7.00

1.00
1.00
1.00
1.00

1.00
0.22

9.0
8.5
8.0
7.5
7.0
6.5
6.0
5.5
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
-0.5
-1.0

f1 (ppm)

1.00 H
1.00 H
0.99 H
0.99 H

9.24 H
6.06 H

