

Supplementary Material

Synthesis of novel drug-like small molecules library based on 1*H*-benzo[*d*]imidazole

Tejasvi H. Parmar^A, Chetan B. Sangani^{A,} and Mahesh Kulkarni^B*

^ADepartment of Chemistry, Shri Maneklal M. Patel Institute of Sciences and Research, Kadi Sarva Vishwavidyalaya, Gandhinagar – 382023, India


^BDepartment of Chemistry, Organic Chemistry Research Centre, K. R. T. Arts, B. H. Commerce and A. M. Science College, Gangapur Road, Nashik 422 002, Maharashtra, India



*Correspondence to: Email: chetansangani1986@yahoo.com

Contents


1. Copies of $^1\text{H-NMR}$ spectra
2. Copies of $^{13}\text{C-NMR}$ spectra
3. Copies of Mass spectra

^1H NMR tert-butyl 4-(5-(3-chlorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate.(6a)








¹³C NMR tert-butyl 4-(5-(3-chlorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate.(6a)




LC-MS analysis of tert-butyl 4-(5-(3-chlorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate.(6a)




¹H NMR of tert-butyl 4-(5-(3-cyanophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6b).




¹³C NMR of tert-butyl 4-(5-(3-cyanophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6b).





Mass of tert-butyl 4-(5-(3-cyanophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6b).




¹H NMR of tert-butyl 4-(5-(3-chloro-5-fluorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6c).




¹³C NMR of tert-butyl 4-(5-(3-chloro-5-fluorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate (6c).




¹H NMR of tert-butyl 4-(5-(3-cyano-5-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate (6d).




¹³C NMR of tert-butyl 4-(5-(3-cyano-5-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate (6d).




Mass analysis of tert-butyl 4-(5-(3-cyano-5-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate (6d).




¹H NMR of tert-butyl 4-(5-(3-fluoro-5-methoxyphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6e).




¹³C NMR of tert-butyl 4-(5-(3-fluoro-5-methoxyphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6e).




Mass analysis of tert-butyl 4-(5-(3-fluoro-5-methoxyphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6e).




¹H NMR of tert-butyl 4-(5-(5-chloro-2-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6f).




¹³C NMR of tert-butyl 4-(5-(5-chloro-2-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate(6f).




Mass analysis of tert-butyl 4-(5-(5-chloro-2-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6f).




Mass analysis of 4-(1-(tert-butoxycarbonyl)piperidin-4-yl)-2-(furan-2-yl)-1H-benzo[d]imidazol-5-yl)-2-fluorobenzoic acid (6g).




¹H NMR of 3-(1-(tert-butoxycarbonyl)piperidin-4-yl)-2-(furan-2-yl)-1H-benzo[d]imidazol-5-yl)benzoic acid (6h).




Mass analysis of 3-(1-(tert-butoxycarbonyl)piperidin-4-yl)-2-(furan-2-yl)-1H-benzo[d]imidazol-5-yl)benzoic acid (6h).




¹H NMR of tert-butyl 4-(5-(3-chloro-5-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6i).




¹³C NMR of tert-butyl 4-(5-(3-chloro-5-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6i).




LC-MS of tert-butyl 4-(5-(3-chloro-5-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6i).




¹H NMR of tert-butyl 4-(5-(3-chloro-5-cyanophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6j).




¹³C NMR of tert-butyl 4-(5-(3-chloro-5-cyanophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6j).




¹H NMR of tert-butyl 4-(5-(3-fluoro-2-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6k).




¹³C NMR of tert-butyl 4-(5-(3-fluoro-2-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6k).




Mass of tert-butyl 4-(5-(3-fluoro-2-methylphenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate (6k).




¹H NMR of tert-butyl 4-(5-(3-cyano-5-fluorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate(6l).




Mass spectra of tert-butyl 4-(5-(3-cyano-5-fluorophenyl)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6l).




¹H NMR of tert-butyl 4-(5-((3,5-dichlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7a).




Mass of tert-butyl 4-(5-((3,5-dichlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7a).




¹H NMR of tert-butyl 4-(5-((2,4-dichlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7b).




Mass of tert-butyl 4-(5-((2,4-dichlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7b).




¹H NMR of tert-butyl 4-(2-(furan-2-yl)-5-((4-isopropylphenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7c).




¹³C NMR of tert-butyl 4-(2-(furan-2-yl)-5-((4-isopropylphenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7c).




Mass of tert-butyl 4-(2-(furan-2-yl)-5-((4-isopropylphenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7c).




¹H NMR of tert-butyl 4-(5-((4-chlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl) piperidine-1-carboxylate (7d).




¹³C NMR of tert-butyl 4-((4-chlorophenyl)amino)-2-(furan-2-yl)-1H-benzo [d] imidazol-1-yl) piperidine-1-carboxylate (7d).




Mass of tert-butyl 4-((4-chlorophenyl)amino)-2-(furan-2-yl)-1H-benzo [d]imidazol-1-yl) piperidine-1-carboxylate (7d).




^1H NMR of tert-butyl 4-(5-((4-fluorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7e).





^{13}C NMR of tert-butyl 4-(5-((4-fluorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7e).




Mass of tert-butyl 4-((4-fluorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d] imidazol-1-yl)piperidine-1-carboxylate (7e).




¹H NMR of tert-butyl 4-((3-chlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate(7f).




Mass of tert-butyl 4-(5-((3-chlorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7f)




^1H NMR of tert-butyl 4-(5-((3,4-dimethylphenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7g).




^{13}C NMR of tert-butyl 4-(5-((3,4-dimethylphenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7g).




Mass of tert-butyl 4-((3,4-dimethylphenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7g).




¹H NMR of tert-butyl 4-((4-(difluoromethoxy)phenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7h).




¹³C NMR of tert-butyl 4-((4-(difluoromethoxy)phenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7h).




¹H NMR of tert-butyl 4-(2-(furan-2-yl)-5-((4-(trifluoromethoxy)phenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7i).




LC-MS of tert-butyl 4-(2-(furan-2-yl)-5-((4-(trifluoromethoxy)phenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7i).




¹H NMR of tert-butyl 4-(2-(furan-2-yl)-5-((4-methoxyphenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7j).




¹³C NMR of tert-butyl 4-(2-(furan-2-yl)-5-((4-methoxyphenyl)amino)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate. (7j).




Mass analysis of tert-butyl 4-(2-(furan-2-yl)-5-((4-methoxyphenyl)amino)-1H-benzo [d] imidazol-1-yl)piperidine-1-carboxylate. (7j).




^1H NMR of tert-butyl 4-(5-((4-(tert-butyl)phenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7k).




¹³C NMR of tert-butyl 4-((4-(tert-butyl)phenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7k).




Mass of tert-butyl 4-((4-(tert-butyl)phenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7k).



¹H NMR of tert-butyl 4-((3-chloro-5-fluorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7l).



¹³C NMR of tert-butyl 4-((3-chloro-5-fluorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (7l).



Mass of tert-butyl 4-((5-chloro-3-fluorophenyl)amino)-2-(furan-2-yl)-1H-benzo[d]imidazol-1-yl)piperidine-1-carboxylate (6l).

