

Index

- acid sulfate soils 71
- agriculture
 - productivity and irrigation 9, 61, 105–17
 - value of 19
- algal blooms 65, 123
- aquatic ecosystems ix, xiv, 15, 40, 61, 70, 83, 149–51, 152
 - condition of 120–1
- Australian Drinking Water Guidelines 98
- Australian Environment Protection and Biodiversity Conservation Act 1999* 23
- Bowen Basin 56, 141, 142, 144
- bushfires 12, 13, 15, 105, 109
- chemicals
 - contaminants 61, 73–4
 - organic 61, 68–9, 72, 98, 100
- cities *see* urban water sustainability
- Clarence River 10, 23
- climate change x, 12, 30, 90, 151
 - impact on river flow 37–42
 - water management and planning xi–xii, 42–4, 151
 - yield of dams and groundwater systems 90
- climate drivers 30–1
- climate models, global 37–40
- climate variability 29, 35, 43, 102
- coal seam gas development 56, 135, 138, 140–5, 151
- coastal waters 68–70
- Commonwealth Environmental Water Holder xii, 132–3
- conflicts in water values 25–6
- contaminants
 - emerging 61, 73–4
 - groundwater 72
 - metal 61, 70–1
 - organic chemicals 61, 68–9, 72, 98, 100
 - pathogens 61, 69–70, 93, 95, 98, 99
 - pesticides 61, 68–9, 73, 93
- Coorong 23, 129, 130–1
- Daly River 11, 23, 52, 54, 124
- dams
 - city supply 8, 15, 82, 89, 90, 97
 - and evaporation 8, 101–2, 145, 148
 - farm 4, 12, 13, 106, 109
 - and fish passage 124
 - management of xiii, 43, 132
 - northern Australia 11
 - operating rules 132
 - and river flows 119–20
 - storage volume 8, 35, 36, 42, 89
 - tailings 70, 138
 - water quality 61
 - Wivenhoe xiii, 8, 35, 97–8
- desalination xiii, 42, 79, 81–2, 103, 149
 - and future urban water supplies 89–90, 91, 92, 93–5, 96–7
 - plant (Perth) 10, 33
- double accounting (groundwater and surface water use) 12, 53
- drought
 - irrigation during the millennium 110–15

- millennium xi, 31, 33, 34, 37, 38, 42, 45, 49, 64, 71, 79, 89, 105, 107, 109, 110–15, 126, 130, 140, 148, 151
- southern Australia 31–4
- droughts 29, 30, 31–4, 110–15
- dryness index 5, 6
- economic values and water 18–20, 26
- ecosystems, aquatic v, ix, xi, xii, xiv, 15, 17, 23, 26, 38, 40, 45, 47, 52, 61, 70, 83, 119, 120–1, 122, 127–9, 131, 149–51, 152
 - degraded 43
 - ground-water dependent 54–5, 56, 138
 - value of 21
- El Nino 8, 30, 35, 36, 38
- energy and water 81–2
- energy consumption by water utilities 81
- entitlements, water xii, 24, 109, 119, 133
- environment, water for the 119–33
 - condition of aquatic ecosystems 120–1
 - Coorong 23, 129, 130–1
 - estuary requirements 126–7
 - floodplain requirements 124–6
 - flow–ecology link for sustainability 122–7
 - management 127–30
 - operations 132–3
 - river requirements 123–4
 - wetland requirements 124–6
- environmental water values 21–3
- estuaries ix, 4, 17, 20, 23, 66, 68–70, 71, 75, 83, 96, 119–20, 123
 - water requirements 126–7, 130, 147, 149
- evaporation from dams 8, 101–2, 145, 148
- evapotranspiration 2, 9, 51
- farm dams 4, 12, 13, 106, 109
- fish, native 23, 121, 124, 127
- floodplain ecosystem 125–6
- floodplain harvesting 12, 13
- floodplain wetlands x, 121, 125
- floodplains, water requirements of 124–6
- floods 29, 30, 35
- forest plantations 13, 109, 151
- global climate models 37–40
- global warming x, 33, 35, 37, 39, 40, 41, 42, 151
- Great Artesian Basin xi, 11, 48, 54, 56, 57, 142, 143, 144
- Great Barrier Reef 67, 68
- greenhouse gas emissions 37, 38, 39, 82, 84–5, 104, 151
- groundwater 47–60
 - assessments 60
 - bores, unlicensed 12, 13
 - contamination 72
 - double accounting of 12, 53
 - flow systems 54
 - and rainfall 47, 50–1, 54
 - as a renewable resource 50–2
 - resources 47, 48–9
 - to surface water connections 52–4
 - sustainability issues 47, 48, 50–2, 55–8
 - use 47, 49
- groundwater recharge ix, 2, 44, 45, 50, 63, 89, 113, 151
 - rates 52, 55–6
- groundwater-dependent ecosystems 54–5, 56, 138
- household water use, values of 20

- Indian Ocean Dipole 30
- Indigenous values and water 24–5
- industry and water 135–45
- Intergovernmental Panel on Climate Change (IPCC) 38
- International Water Association 76, 87
- irrigation x, xiii, 4, 9, 105–17
 - and agricultural productivity 9, 61, 105–17
 - cost of 10, 23, 26, 95
 - developments, new 112
 - during the millennium drought 110–15
 - efficiency 43, 79, 113–16
 - entitlements 90, 132
 - and evaporation 14, 15
 - flow monitoring 116
 - future prospects 108–9, 150, 151
 - garden 80
 - and groundwater contamination 72
 - improving on-farm efficiency 116
 - Murray–Darling Basin 105, 106, 109–10, 148, 150
 - in northern Australia 11
 - return flows 12
 - and salinity 64, 115, 145
 - system efficiency 113–16
 - technology 114
 - and water availability/use 12, 31, 63, 77
 - and water markets 25
- La Nina 8, 30, 35, 36, 38
- metal contaminants 61, 70–1
- mining
 - coal seam gas development 140–5
 - metal contaminants 61, 70–1
 - tailings dams 70, 138
 - and water 13, 135–45
 - water use 12, 13, 137–40, 151
- Moreton Bay 20, 23
- Murray–Darling Basin ix, xi, 57
 - and drought 31–3, 40, 42, 49, 110–12
 - environmental flows 18, 64, 109, 121, 131, 148
 - environmental water operations 132–3
 - floodplain wetlands 121, 124–6, 128
 - floods 124
 - and groundwater 48–9
 - and irrigation 105, 106, 109–12, 148, 150
 - regional over-use 147
 - rivers of the 119, 121
 - runoff 9, 11, 29, 40, 41, 42, 43
 - salinity management 64, 131
 - surface water consumption 5
 - sustainable management xii, 43, 56–7, 64, 150
 - values 23, 25–6
 - water ecosystem 23, 132–3, 150
 - water entitlements 107–8, 133
 - water trading 25–6, 107–8
 - water transfers 10, 112
 - water use 5, 8, 15, 26, 29, 111, 112, 147, 148
 - waterbirds 121, 123, 126, 128
- Murray–Darling Basin Plan 26
- Murray–Darling Sustainable Yields project 56–7
- Murray Flows Assessment Tool 129
- Murray River 8, 13, 21, 23, 31, 32, 43, 54, 63–4, 71, 109, 121, 125, 126, 129, 130–1, 132
- Murrumbidgee River xii, 31, 37, 43, 97, 106, 107, 113, 126

- Namoi region (NSW) 56–8
- native ecosystems 62
- northern Australia 11
- on-farm irrigation efficiency 116
- organic chemicals 61, 68–9, 72, 98, 100
- pathogens 61, 69–70, 93, 95, 98, 99
- Perth 10, 33
- pesticides 61, 68–9, 73, 84, 93
- plantations 12, 13
- pollutants 20, 61, 62–3, 66–7, 68, 72, 86, 94–5, 98, 100, 137
- population
 - concentration 148
 - density 2–4, 15, 75–6, 78, 148
 - global 84, 105, 108–9, 117, 150
 - growth ix–x, 2, 42, 75–6, 79, 82, 83, 84–5, 89–90, 102, 108–9, 137, 149
 - and human waste 85
 - and water use 3–4
- rainfall
 - and agriculture 4, 15, 105
 - average 1–2, 6, 9, 33, 35, 38, 39, 42
 - changes in 45
 - and climate change x, 29, 31, 42, 45
 - conditions 31
 - decline 33, 37
 - deficit 9, 11
 - estimates x, 15, 35
 - and evaporation 5, 6, 9, 51
 - forecasts 35
 - and groundwater 47, 50–1, 54
 - measurement xiv, 1, 14
 - patterns 37, 39–40
 - and runoff 2, 3, 5, 6, 32, 36, 38, 45, 151
 - and salinity 63
 - seasonal 96
 - South West of WA 33, 34, 37
 - variability ix, 8, 15, 29–30, 32, 36, 37, 45, 50
 - and water plans 44
- rainwater tanks 80, 82, 89, 95–7, 103, 104
- Ramsar Convention on Wetlands of International Importance 23, 56
- recycled water 20, 66, 77, 79, 82, 84, 86, 97–9, 104, 149
 - future urban water supplies 97–9, 149
 - process, purified 98
- renewable water ix, 2, 47, 50–2, 148
- reservoir evaporation 101–2
- reservoir inflows 40
- river degradation 23
- river flow
 - and dams 119–20
 - impact of climate change on 37–42
 - short-term and seasonal forecasting of 36–7
- rivers
 - salinity loads in 64–5
 - water requirements of 123–4
- runoff
 - projected changes to average annual 41
 - and rainfall 2, 3, 5, 6, 32, 36, 38, 45, 151
 - stormwater 68, 70, 83–4, 96, 99
 - surface ix, 2, 5–7, 8–9, 11, 13, 29, 30, 32–3, 36–8, 40–5, 50–1, 52, 89, 104, 106, 151
- salinity 18, 31, 47, 48, 54, 56, 58, 59–60, 61, 63–5, 112, 115, 126–7, 130–1, 145, 149, 152

- science and technology xiii–xiv
- seasonal forecasting of river flow 36–7
- sediments 61, 65, 66–7, 68, 71, 123, 124, 126
- sewage volumes 83–4, 85–6
- Snowy Mountains Hydroelectric Scheme 18
- southern Australia
 - and climate change 90
 - drought 31–4
- stormwater
 - harvesting/capture 82, 89, 90, 96, 99–101, 102, 104
 - impacts 83–4
 - runoff 68, 70, 83–4, 96, 99
 - urban 75–8, 79, 82, 87, 89, 90, 96, 99–101, 149
- Surat Basin 56, 141, 142, 144
- surface runoff ix, 2, 5–7, 8–9, 11, 13, 29, 30, 32–3, 36–8, 40–5, 50–1, 52, 89, 104, 106, 151
- surface water 5, 7, 8, 47, 49, 50, 55, 90, 119, 120, 149
 - double accounting 12, 53
 - to groundwater connections 52–4
- sustainability, urban water 75–88
 - and growing cities 75–8
 - managing demand 78–81
 - reducing wastewater 83–4
 - resource recovery 84–6
 - stormwater impacts 83–4
 - transitioning 87–8
 - water and energy 81–2
- sustainability issues and groundwater 47, 48, 50–2, 55–8
- Swan River 23, 127
- tailings dams 70, 138
- The Living Murray Program 129
- urban water supplies, future 89–104
 - augmentation 89–92
 - availability 92
 - choosing the best options 102–4
 - desalination 91, 93–5
 - rainwater tanks 80, 82, 89, 95–7, 103, 104
 - recycled water 97–9, 149
 - reservoir evaporation 101–2
 - stormwater harvesting/capture 82, 89, 90, 96, 99–101, 102, 104, 149
- urban water sustainability 75–88
 - and growing cities 75–8
 - managing demand 78–81
 - reducing wastewater 83–4
 - resource recovery 84–6
 - sewage volumes 83–4, 85–6
 - stormwater impacts 83–4
 - transitioning 87–8
 - water and energy 81–2
- values, water 17–26, 147–8
 - economic values 18–20
 - environmental 21–3
 - household water use 20
 - Indigenous values 24–5
 - resolving conflicts in 25–6
- wastewater, reducing 83–4
- water
 - conservation by communities 43
 - consumption by different sectors of the economy 3
 - consumption, urban 78–81
 - and degraded ecosystems 43
 - demand for x, 89–90

- as an economic good xii
- and energy 81–2
- entitlements xii, 24, 109, 119, 133
- management xi–xii, 42–4, 151
- plans and regulations 26
- prices xii
- recycled 20, 66, 77, 79, 82, 84, 86, 97–9, 104, 149
- renewable ix, 2, 47, 50–2, 148
- resource planning x
- runoff 42, 43, 45
- science and technology xiii–xiv
- utilities, energy consumption by 81–2
- see also* groundwater; surface water; urban water supplies, future; urban water sustainability
- Water Act 2007* (Commonwealth) xii
- water availability
 - for Australia's capital cities 92
 - risks 12–13
- waterbirds 23, 121, 123, 126, 128, 130–1
- water ecosystems 17–18, 20, 21, 22–3, 26, 65, 119–20, 125, 139, 147
- water for the environment 119–33
 - condition of aquatic ecosystems 120–1
 - Coorong 23, 129, 130–1
 - estuary requirements 126–7, 130, 147, 149
 - floodplain requirements 124–6
 - flow–ecology link for sustainability 122–7
 - management 127–30
 - operations 132–3
 - river requirements 123–4
 - wetland requirements 124–6
- Water Footprint Network 4
- water management and planning
 - in a changing climate xi–xii, 42–4, 151
 - and societal challenges 151
- water quality 61–72
 - controls 61
 - and dams 61
 - and salinity 61
- water recycling 20, 66, 77, 79, 82, 84, 86, 97–9, 104, 149
- water requirements
 - for estuaries 126–7, 130, 147, 149
 - of floodplain 124–6
 - of rivers 123–4
 - of wetland 124–6
- water resource patterns across Australia 5–7
- water resource planning x, 24, 25–6, 42–4, 102, 104, 128, 130, 151
- water resources and use, global comparison 3
- water resources, Australia's 1–4, 29
 - better information 14
 - and climate change 45
 - development opportunities 10–12
 - future challenges 149–51
 - prospects 152
 - renewable ix, 1, 2, 47, 50–2, 148
 - status 148–9
 - valued 147–8
 - variability 45
- water supplies, future urban 89–104
 - augmentation 89–92
 - availability 92
 - choosing the best options 102–4
 - desalination 91, 93–5
 - rainwater tanks 80, 82, 89, 95–7, 103, 104
 - recycled water 97–9, 149
 - reservoir evaporation 8, 101–2, 145, 148
 - stormwater harvesting/capture 82, 89, 90, 96, 99–101, 102, 104, 149

- water sustainability, urban 75–88
 - and growing cities 75–8
 - managing demand 78–81
 - reducing wastewater 83–4
 - resource recovery 84–6
 - stormwater impacts 83–4
 - transitioning 87–8
 - water and energy 81–2
- water sustainability
 - flow–ecology link for 122–7
 - issues (groundwater) 47, 48, 50–2, 55–8
- water use ix, xiii, 1–4, 5
 - constraints 8–9
 - household, values of 20
 - and mining 12, 13, 137–40
 - risks 12–13
 - urban 75–81, 89–104
- water values 17–26, 147–8
 - economic values 18–20
 - environmental 21–3
 - household water use 20
 - Indigenous values 24–5
 - resolving conflicts in 25–6
- water, sustainable groundwater extraction 55–8
- weather and climate drivers 30–1
- Western Australia, South West region (rainfall) 33, 34, 37
- wetlands 5, 20, 21, 23, 26, 42, 43, 54, 56, 71, 84, 100, 109, 115, 119–21, 123, 129–30, 133, 147, 149
 - floodplain x, 121, 125, 128
 - Murray–Darling Basin 121, 124–6, 128
 - water requirements of 124–6
- Wivenhoe Dam xiii, 8, 35, 97–8