

**Supplementary material**

**Evolution of placentotrophy: using viviparous sharks as a model to understand vertebrate placental evolution**

*Alice L. Buddle<sup>A</sup>, James U. Van Dyke<sup>B</sup>, Michael B. Thompson<sup>A</sup>, Colin A. Simpfendorfer<sup>C</sup> and Camilla M. Whittington<sup>D,E</sup>*

<sup>A</sup>The University of Sydney, School of Life and Environmental Sciences,  
Heydon-Laurence Building (A08), NSW 2006, Australia.

<sup>B</sup>Charles Sturt University, School of Environmental Sciences, Institute for Land,  
Water and Society, Albury, NSW 2640, Australia.

<sup>C</sup>James Cook University, College of Science and Engineering and Centre  
for Sustainable Tropical Fisheries and Aquaculture, Townsville, Qld 4811, Australia.

<sup>D</sup>The University of Sydney, Sydney School of Veterinary Science,  
Camperdown, NSW 2006, Australia.

<sup>E</sup>Correspondence. Email: camilla.whittington@sydney.edu.au

**Table S1. Table of known parity mode, mode of embryonic nutrition, and other reproductive parameters of extant shark species**

Viviparous reproductive modes were assigned to species based on evidence of maternal contributions during pregnancy: lecithotrophic (embryos are reliant on yolk stores), lecithotrophic with histotrophy (embryos absorb maternal secretions in the form of histotroph), placental (development of a placental connection between the embryo and mother during pregnancy; note that placental nutrient transport has not necessarily been shown), oophagy (embryos ingest ova produced by the mother), and adelphophagy (embryos ingest sibling in utero). It should be noted that all viviparous species are initially lecithotrophic

Order	Family	Species	Parity mode	Mode of embryonic nutrition	Size at birth (cm)	Litter size range (mean)	Gestation period	References
<b>Carcharhiniformes</b>	Carcharhinidae	<i>Carcharhinus acronotus</i>	Viviparous	placental	31–36	1–5 (3.53)	11 months	Hamlett 2005; Driggers <i>et al.</i> 2004
		<i>C. albimarginatus</i>	Viviparous	placental	70–82	1–10	12 months	Cortés 2000; Compagno <i>et al.</i> 2005; Wheeler 1962
		<i>C. altimus</i>	Viviparous	placental	70–90	3–15		Fourmanoir 1961; Cortés 2000.
		<i>C. brachyurus</i>	Viviparous	placental	69–75	13–20	~12 months	Bass <i>et. al.</i> 1973; Chiaramonte 1996; Cortés 2000
		<i>C. brevipinna</i>	Viviparous	placental	60–70	6–8	11–12 months	Branstetter 1981; Capapé <i>et al.</i> 2003
		<i>C. cautus</i>	Viviparous	placental	~40	1–5 (2.9)	7–9 months	Lyle 1987; White <i>et al.</i> 2002
		<i>C. dussumieri</i>	Viviparous	placental	37–38	2		Teshima and Mizue 1972
		<i>C. falciformis</i>	Viviparous	placental	75–85	5–8 (6.5)	12 months	Gilbert and Schleritzauer 1966; Branstetter 1981; Gilbert 1984; Stevens 1984b
		<i>C. fitzroyensis</i>	Viviparous	placental	47.7–52.8	1–7 (3.7)	7–9 months	Lyle 1987; Simpfendorfer 1993
		<i>C. isodon</i>	Viviparous	placental	48–58	2–6 (4)		Castro 1993
		<i>C. leiodon</i>	Viviparous	placental	35–51	~4–6		Moore <i>et al.</i> 2014
		<i>C. leucas</i>	Viviparous	placental	43445	5–10		Clark and Von Schmidt 1965; Branstetter and Stiles 1987
		<i>C. limbatus</i>	Viviparous	placental	50–65	~6–8	12 months	Branstetter 1981; Capapé <i>et. al.</i> 2004
		<i>C. longimanus</i>	Viviparous	placental	60–65	2–9 (6)	10–11 months	Bigelow and Schroeder 1948;

<i>C. macloei</i>	Viviparous	probably placental	40–45	1–2 (3)	12 months	Lessa <i>et al.</i> 1999b Stevens and McLoughlin 1991
<i>C. melanopterus</i>	Viviparous	placental	48–50	2–5 (3.7)	10–11 months	Gilbert 1984; Stevens 1984a; Lyle 1987; Cortés 2000
<i>C. obscurus</i>	Viviparous	placental	85– 100	6–9 (8)	16 months	Clark and Von Schmidt 1965
<i>C. perezi</i>	Viviparous	probably placental	73	4–6		Cortés 2000
<i>C. plumbeus</i>	viviparous	placental	40–45	4–10 (6.5)	12 months	Baranes and Wendling 1981; Hamlett <i>et al.</i> 1985; McAuley <i>et al.</i> 2007; Piercy <i>et al.</i> 2016
<i>C. porosus</i>	Viviparous	probably placental	30	2–7	> 10 months	Compagno 1984; Cortés 2000
<i>C. sealai</i>	Viviparous	probably placental	35–45	1–2	9 months	Bass <i>et al.</i> 1973; Cortés 2000
<i>C. signatus</i>	Viviparous	placental	65	12–18		Hazin <i>et al.</i> 2000; Cortés 2000
<i>C. sorrah</i>	Viviparous	placental	62	1–8 (3.1)	10 months	Stevens and Wiley 1986; Compagno 1988; Stevens and Wiley 1986
<i>C. tilstoni</i>	Viviparous	placental	60	1–6 (3)	10 months	Stevens and Wiley 1986
<i>C. wheeleri</i>	Viviparous	probably placental	70	1–4 (2.4)		Compagno 1984; Cortés 2000
<i>Galeocerdo cuvier</i>	Viviparous	lecithotrophic with histotrophy	80–90	3–57 (32.6)	15–16 months	Whitney and Crow 2007; Castro <i>et al.</i> 2016
<i>Isogomphodon oxyrhynchus</i>	Viviparous	placental	43	3–7 (6)		Lessa <i>et al.</i> 1999a
<i>Loxodon macrorhinus</i>	Viviparous	placental	40–46	1–2 (2)	9–12 months	Stevens and McLoughlin 1991; Gutteridge <i>et al.</i> 2013
<i>Negaprion acutidens</i>	Viviparous	placental	60	6–12 (9)	10–11 months	Stevens 1984a
<i>Negaprion brevirostris</i>	Viviparous	placental	60–65	5–17 (11)	12 months	Clark and Von Schmidt 1965; Hamlett and Wourms 1984
<i>Prionace glauca</i>	Viviparous	placental	36–43	4–75 (37)	9–12 months	Otake and Mizue 1985; Castro and Mejuto 1995; Skomal and Natanson, 2003
<i>Rhizoprionodon acutus</i>	Viviparous	placental	33– 50(39)	1–8 (4)	12 months	Capapé <i>et al.</i> 2006a
<i>R. lalandii</i>	Viviparous	placental	30–35	1–5 (3)	11–12 months	Motta <i>et al.</i> 2007
<i>R. longurio</i>	Viviparous	placental	15–31	1–12 (7)	10–11 months	Frías-Espericueta <i>et al.</i> 2014

	<i>R. oligolinax</i>	Viviparous	probably placental	21–26	3–5		Setna and Sarangdhar, 1949
	<i>R. porosus</i>	Viviparous	placental	~33– 37	1–8 (4)	10–11 months	Mattos <i>et al.</i> 2001
	<i>R. taylori</i>	Viviparous	placental	22–26	1–10 (4.5)	11.5 months	Simpfendorfer 1992; Simpfendorfer 1993
	<i>R. terraenovae</i>	Viviparous	placental	29–32	1–7 (5)	11–12 months	Hamlett <i>et al.</i> 1987; Castro and Wourms 1993
	<i>Scoliodon laticaudus</i>	Viviparous	placental	14	6–18 (13)	5–6 months	Devadoss 1988; Wourms 1993
	<i>Scoliodon sorrakowah</i>	Viviparous	placental				Mahadevan 1940
Hemigaleidae	<i>Triaenodon obesus</i>	Viviparous	placental	~59	1–5 (3)		Randall 1977
	<i>Hemigaleus microstoma</i>	Viviparous	placental	~47	1–19 (8)	~6 months	Stevens and Cuthbert 1983; White 2007
	<i>Hemipristis elongatus</i>	Viviparous	probably placental	45–52	2–11 (6)	7–8 months	Compagno 1984; Last and Stevens 2009
Proscylliidae	<i>Paragaleus pectoralis</i>	Viviparous	placental	39–50	2–7 (5)	12 months	Capapé <i>et al.</i> 2005
	<i>Eridacnis radcliffei</i>	Viviparous	lecithotrophic	10–11	2 (2)		Nair and Appukuttan 1974
	<i>Proscyllium habereri</i>	Oviparous	lecithotrophic		2 (2)		Dodd and Dodd 1985; Compagno 1988
Pseudotriakidae	<i>Gollum attenuatus</i>	Viviparous	oophagous	34–42	2 (2)		Yano 1993
	<i>Pseudotriakis microdon</i>	Viviparous	oophagous with histotrophy	116– 120	2 (2)		Yano 1992
Scyliorhinidae	<i>Apristurus aphyodes</i>	Oviparous	lecithotrophic				Iglésias <i>et al.</i> 2002
	<i>A. brunneus</i>	Oviparous	lecithotrophic	7	2		Cortés 2000;
	<i>A. exsanguis</i>	Oviparous	lecithotrophic				Flammang <i>et al.</i> 2007a
	<i>A. kampae</i>	Oviparous	lecithotrophic				Sato <i>et al.</i> 1999
	<i>A. laurussoni</i>	Oviparous	lecithotrophic				Flammang <i>et al.</i> 2007a
	<i>A. macrorhynchus</i>	Oviparous	lecithotrophic				Nakaya and Sato 1998
	<i>A. manis</i>	Oviparous	lecithotrophic				Nakaya 1975
	<i>A. melanoasper</i>	Oviparous	lecithotrophic				Flammang <i>et al.</i> 2007b
	<i>A. microps</i>	Oviparous	lecithotrophic				Iglésias <i>et al.</i> 2004
	<i>A. platyrhynchus</i>	Oviparous	lecithotrophic				Ebert <i>et al.</i> 2006
	<i>A. riveri</i>	Oviparous	lecithotrophic				Nakaya 1975
	<i>A. saldanha</i>	Oviparous	lecithotrophic				Flammang <i>et al.</i> 2007b
	<i>A. spongiceps</i>	Oviparous	lecithotrophic				Ebert <i>et al.</i> 2006
	<i>Asymbolus analis</i>	Oviparous	lecithotrophic				Flammang <i>et al.</i> 2007b
	<i>A. rubiginosus</i>	Oviparous	lecithotrophic				Bustamante <i>et al.</i> 2013
	<i>Bythaelurus canescens</i>	Oviparous	lecithotrophic				Bustamante <i>et al.</i> 2013
	<i>B. clevai</i>	Viviparous	lecithotrophic	14	2		Concha <i>et al.</i> 2010
	<i>B. dawsoni</i>	Oviparous	lecithotrophic				Seret 1987
	<i>B. hispidus</i>	Viviparous	lecithotrophic	~12	2		Francis 2006
							Akhilesh <i>et al.</i> 2013a

	<i>B. lutarius</i>	Viviparous	lecithotrophic	11	2	Springer 1979; Francis 2006
	<i>B. naylori</i>	Oviparous	lecithotrophic			Ebert and Clerkin 2015
	<i>Cephaloscyllium laticeps</i>	Oviparous	lecithotrophic			Awruch <i>et al.</i> 2009
	<i>C. umbratile</i>	Oviparous	lecithotrophic			Taniuchi 1988
	<i>C. ventriosum</i>	Oviparous	lecithotrophic			Schaaf Da Silva and Ebert 2008
	<i>Cephalurus cephalus</i>	Viviparous	lecithotrophic	2.1– 6.5		Balart <i>et al.</i> 2000
	<i>Figaro boardmani</i>	Oviparous	lecithotrophic			Bustamante <i>et al.</i> 2013
	<i>Galeus antillensis</i>	Oviparous	lecithotrophic			Konstantinou <i>et al.</i> 2000
	<i>G. aerae</i>	Oviparous	lecithotrophic			Konstantinou <i>et al.</i> 2000
	<i>G. atlanticus</i>	Oviparous	lecithotrophic			Munoz-Chapuli and Perez Ortega 1985
	<i>G. cadenati</i>	Oviparous	lecithotrophic			Konstantinou <i>et al.</i> 2000
	<i>G. eastmani</i>	Oviparous	lecithotrophic			Horie and Tanaka 2000
	<i>G. piperatus</i>	Oviparous	lecithotrophic			Mathews 1975
	<i>G. polli</i>	Viviparous	lecithotrophic	11.7	5–13	Ebert <i>et al.</i> 2006
	<i>G. melastomus</i>	Oviparous	lecithotrophic			Costa <i>et al.</i> 2005
	<i>G. murinus</i>	Oviparous	lecithotrophic			Iglésias <i>et al.</i> 2002
	<i>G. nipponensis</i>	Oviparous	lecithotrophic			Horie and Tanaka 2000
	<i>G. sauteri</i>	Oviparous	lecithotrophic			Chen <i>et al.</i> 1996
	<i>G. springeri</i>	Oviparous	lecithotrophic			Springer 1979; Konstantinou <i>et al.</i> 2000
	<i>Halaaelurus boesemani</i>	Oviparous	lecithotrophic			Springer and D'Aubrey 1972
	<i>H. buergeri</i>	Oviparous	lecithotrophic			Nakaya 1975
	<i>H. dawsoni</i>	Oviparous	lecithotrophic			Francis 2006
	<i>H. lineatus</i>	Oviparous	lecithotrophic			Bass <i>et al.</i> 1975
	<i>H. natalensis</i>	Oviparous	lecithotrophic			Bass <i>et al.</i> 1975
	<i>Haploblepharus pictus</i>	Oviparous	lecithotrophic			Pretorius and Griffiths 2013
	<i>Holohalaelurus regani</i>	Oviparous	lecithotrophic			Richardson <i>et al.</i> 2000
	<i>Parmaturus xaniurus</i>	Oviparous	lecithotrophic			Flammang <i>et al.</i> 2008
	<i>Poroderma pantherinum</i>	Oviparous	lecithotrophic			Pretorius and Griffiths 2013
	<i>Scyliorhinus canicula</i>	Oviparous	lecithotrophic			Henderson and Casey 2001
	<i>S. capensis</i>	Oviparous	lecithotrophic			Ebert <i>et al.</i> 2006
	<i>S. retifer</i>	Oviparous	lecithotrophic			Castro <i>et al.</i> 1988
	<i>S. stellaris</i>	Oviparous	lecithotrophic	10.6		Capapé <i>et al.</i> 2006b
	<i>S. torazame</i>	Oviparous	lecithotrophic	8		Cortés 2000; Horie and Tanaka 2002
Sphyrnidae	<i>Eusphyra blochii</i>	Viviparous	placental	46	3–11 (7)	~12 months
	<i>Sphyra lewini</i>	Viviparous	placental	39–57	14–41 (25)	~8 months
	<i>S. mokarran</i>	Viviparous	placental	65	6–33 (15.4)	~11 months
	<i>S. tiburo</i>	Viviparous	placental	35	3–15 (9)	4.5–5 months
						Appukuttan 1978 White <i>et al.</i> 2008; Lyons and Adams 2015 Clark and Von Schmidt 1965; Stevens and Lyle 1989 Gilbert and Schlerfenzauer 1966;

Triakidae							
	<i>S. tudes</i>	Viviparous	placental	30	5–12		Manire <i>et al.</i> 1995; Parsons 1993
	<i>Furgaleus macki</i>	Viviparous	lecithotrophic	20	9–16	7–9 months	Castro 1989 Simpfendorfer and Unsworth 1998
	<i>Galeorhinus galeus</i>	Viviparous	lecithotrophic with histotrophy	30			Lucifora <i>et al.</i> 2004; Walker 2011
	<i>G. japonicus</i>	Viviparous	lecithotrophic	21–25	8–22	~10 months	Chen and Mizue 1973; Tanaka <i>et al.</i> 1978
	<i>Gogolia filewoodi</i>	Viviparous	lecithotrophic	22	2		Compagno 1973
	<i>Hypogaleus hyugaensis</i>	Viviparous	placental	30–32	2–15 (9.6)	11 months	Simpfendorfer <i>et al.</i> 2002
	<i>Iago omanensis</i>	Viviparous	placental	16–19	2–24	10–12 months	Henderson <i>et al.</i> 2006
	<i>Mustelus antarcticus</i>	Viviparous	lecithotrophic with histotrophy		3–37	11–12 months	Storrie <i>et al.</i> 2009
	<i>M. asterias</i>	Viviparous	lecithotrophic with histotrophy	28–30	6–18	11 months	Capapé and Quignard 1977; Farrell <i>et al.</i> 2010
	<i>M. californicus</i>	Viviparous	placental	20–30	3–16	10–12 months	Yudin and Cailliet 1990; Castro 1996;
	<i>M. canis</i>	Viviparous	placental	30–40	3–18 (9.53)	11–12 months	Pérez-Jiménez and Sosa-Nishizaki 2010 Conrath and Musick 2002; Jones and Hamlett 2004
	<i>M. dorsalis</i>	Viviparous	placental	22–23			Cortés 2000; Pérez Jiménez <i>et al.</i> 2005
	<i>M. griesius</i>	Viviparous	placental	30		10 months	Teshima <i>et al.</i> 1974
	<i>M. hacat</i>	Viviparous	placental	30–35	3–23 (16)		Pérez-Jiménez <i>et al.</i> 2005
	<i>M. henlei</i>	Viviparous	placental	28	1–20	10 months	Pérez-Jiménez and Sosa-Nishizaki 2008
	<i>M. lenticulatus</i>	Viviparous	lecithotrophic	30–32	(10.7)	11 months	Francis and Mace 1980
	<i>M. lunulatus</i>	Viviparous	placental	28–34	6–19 (12.9)	~11 months	Pérez-Jiménez and Sosa-Nishizaki 2010
	<i>M. manazo</i>	Viviparous	lecithotrophic	30	1–8	10 months	Teshima 1981; Yamaguchi <i>et al.</i> 2000
	<i>M. minicanis</i>	Viviparous	placental	22.4– 29.5	2–6 (3.3)		Tagliafico <i>et al.</i> 2017
	<i>M. mustelus</i>	Viviparous	placental	42	2–23 (11.5)	9–11 months	Smale and Compagno 1997
	<i>M. norrisi</i>	Viviparous	placental	29–30	7–14		Heemstra 1997; Tagliafico <i>et al.</i> 2017
	<i>M. palumbes</i>	Viviparous	lecithotrophic	34	3–15		Smale and Compagno 1997
	<i>M. schmitti</i>	Viviparous	lecithotrophic with histotrophy	36	2–13		Heemstra 1997; Galíndez <i>et al.</i> 2010
	<i>M. walkeri</i>	Viviparous	lecithotrophic with histotrophy	27	5–7		Rigby <i>et al.</i> 2016
	<i>Triakis megalopterus</i>	Viviparous	lecithotrophic	42–45	5–15 (9.7)	19–21 months	Smale and Goosen 1999
	<i>T. semifasciata</i>	Viviparous	lecithotrophic	17–20	1–37	10–12 months	Ebert and Ebert 2005

<b>Lamniformes</b>	Alopiidae	<i>Alopias pelagicus</i>	Viviparous	oophagous	158–190	2	Liu <i>et al.</i> 1999; Castro 2009 Chen <i>et al.</i> 1997	
		<i>A. superciliosus</i>	Viviparous	oophagous	135–140	2		
		<i>A. vulpinus</i>	Viviparous	oophagous	100–158	3–7		
	Cetorhinidae	<i>Cetorhinus maximus</i>	Viviparous	probably oophagous	150	6	Gubanov 1972; Moreno <i>et al.</i> 1989 Matthews 1950; Francis and Duffy 2002	
<b>Orectolobiformes</b>	Odontaspidae	<i>Carcharias taurus</i>	Viviparous	oophagous with adelphophagy	95–125	2	9–12 months	Gilmore 1993; Goldman <i>et al.</i> 2006
	Lamnidae	<i>Carcharodon carcharias</i>	Viviparous	oophagous with histotrophy	91–152	8–10	Cortés 2000; Sato <i>et al.</i> 2016	
		<i>Isurus oxyrinchus</i>	Viviparous	oophagous with adelphophagy	~74	4–15	Hsu and Joung 2005; Castro 2013	
		<i>I. paucus</i>	Viviparous	oophagous			Gilmore 1983	
	Pseudocarchariidae	<i>Lamna ditropis</i>	Viviparous	oophagous		4–5	Gallucci <i>et al.</i> 2008	
		<i>L. nasus</i>	Viviparous	oophagous		2–5	8–9 months	Francis and Stevens 2000; Jensen <i>et al.</i> 2002
		<i>Pseudocarcharias kamoharai</i>	Viviparous	oophagous	41.5	4	Oliveira <i>et al.</i> 2010	
	Brachaeluridae	<i>Brachaelurus colcloughi</i>	Viviparous	lecithotrophic	17–19	6–7	Kyne <i>et al.</i> 2011	
	Ginglymostomatidae	<i>Ginglymostoma cirratum</i>	Viviparous	lecithotrophic	28–31	21–50	Castro 2000	
		<i>Nebrius ferrugineus</i>	Viviparous	oophagous			Teshima <i>et al.</i> 1995; Teshima <i>et al.</i> 1999	
<b>Heterodontiformes</b>	Hemiscylliidae	<i>Chiloscyllium griseum</i>	Oviparous	lecithotrophic			Aiyar and Nalini 1938; Jagadis and Ignatius 2003	
		<i>C. plagiosum</i>	Oviparous	lecithotrophic	11.2		Chen and Liu 2006	
		<i>C. punctatum</i>	Oviparous	lecithotrophic			Harahush <i>et al.</i> 2007	
	Orectolobidae	<i>Hemiscyllium ocellatum</i>	Oviparous	lecithotrophic			Heupel <i>et al.</i> 1999	
		<i>Orectolobus halei</i>	Viviparous	lecithotrophic	25–30	17–47 (36)	Huvaneers <i>et al.</i> 2007; Huvaneers <i>et al.</i> 2011	
		<i>O. maculatus</i>	Viviparous	lecithotrophic	20–25	8–31 (21)	Huvaneers <i>et al.</i> 2011	
	Parascylliidae	<i>O. ornatus</i>	Viviparous	lecithotrophic	20	4–18 (9.4)	Huvaneers <i>et al.</i> 2011	
		<i>Cirrhoscyllium expolitum</i>	Oviparous	lecithotrophic			Goto and Nakaya 1996	
		<i>C. japanicum</i>	Oviparous	lecithotrophic			Goto and Nakaya 1996	
	Stegostomatidae	<i>Parascyllium ferrugineum</i>	Oviparous	lecithotrophic	17		Compagno 2001; Last and Stevens 2009	
		<i>Stegostoma fasciatum</i>	Oviparous	lecithotrophic	30		Robinson <i>et al.</i> 2011	
		<i>Rhincodon typus</i>	Viviparous	lecithotrophic	> 64	300	Joung <i>et al.</i> 1996	
<b>Echinorhiniformes</b>	Heterodontidae	<i>Heterodontus portusjacksoni</i>	Oviparous	lecithotrophic	23–24	10–16	Cortés 2000; Powter and Gladstone 2008	
	Echinorhinidae	<i>Echinorhinus brucus</i>	Viviparous	lecithotrophic	42–46	10–36	Akhilesh <i>et al.</i> 2013b	

<b>Pristiophoriformes</b>	Pristiophoridae	<i>Pristiophorus cirratus</i>	Viviparous	lecithotrophic with histotrophy	~36	6–22		Stevens 2002; Last and Stevens 2009
<b>Squatiniformes</b>	Squatinaidae	<i>Squatina aculeata</i>	Viviparous	lecithotrophic	30.3–35.0	8–12	~12 months	Capapé 2005
		<i>S. californica</i>	Viviparous	lecithotrophic	25–36	1–11 (6)	~10 months	Natanson and Cailliet 1986
		<i>S. oculata</i>	Viviparous	lecithotrophic		5–8		Capapé <i>et al.</i> 1990
		<i>S. squatina</i>	Viviparous	lecithotrophic		7–18		Capapé <i>et al.</i> 1990
<b>Squaliformes</b>	Centrophoridae	<i>Centrophorus granulosus</i>	Viviparous	lecithotrophic with histotrophy	37–39	4–7 (5.3)		Cotton <i>et al.</i> 2015
		<i>C. harrissoni</i>	Viviparous	lecithotrophic	35–40	1–2		Graham and Daley 2011
		<i>C. squamosus</i>	Viviparous	lecithotrophic with histotrophy	44			Girard and Du Buit 1999; Figueiredo <i>et al.</i> 2008
		<i>C. moluccensis</i>	Viviparous	lecithotrophic	34–35	1–2		Le Bourg <i>et al.</i> 2014
		<i>C. zeehaani</i>	Viviparous	lecithotrophic	38–45	1–2		Graham and Daley 2011; Pethybridge <i>et al.</i> 2011
		<i>Deania calcea</i>	Viviparous	lecithotrophic with histotrophy	28–33	10 (6)		Irvine <i>et al.</i> 2012; Paiva <i>et al.</i> 2012
	Dalatiidae	<i>Deania quadrispinosa</i>	Viviparous	lecithotrophic	23–25	17		Irvine <i>et al.</i> 2012
		<i>Dalatias licha</i>	Viviparous	lecithotrophic	32–39	6		Ranzi 1932; Capapé <i>et al.</i> 2008
	Etmopteridae	<i>Etmopterus baxteri</i>	Viviparous	lecithotrophic	22–24	6–12		Irvine 2004; Pethybridge <i>et al.</i> 2011
		<i>E. princeps</i>	Viviparous	lecithotrophic with histotrophy	15.7–17.5	7–18 (12)		Cotton <i>et al.</i> 2015
		<i>E. spinax</i>	Viviparous	lecithotrophic	12.6	7–8	> 12 months	Capapé <i>et al.</i> 2001; Porcu <i>et al.</i> 2013
	Oxyodontidae	<i>Oxynotus bruniensis</i>	Viviparous	lecithotrophic	25–27	8		Finucci <i>et al.</i> 2016
		<i>Oxynotus centrina</i>	Viviparous	lecithotrophic	21–24		~12 months	Capapé <i>et al.</i> 1999
	Somniosidae	<i>Centroscelachus crepidater</i>	Viviparous	lecithotrophic				Pethybridge <i>et al.</i> 2011
		<i>C. coelolepis</i>	Viviparous	lecithotrophic	24–31			Moura <i>et al.</i> 2011
	Squalidae	<i>Squalus acanthias</i>	Viviparous	lecithotrophic	18–20		22 months	Hisaw and Albert 1947; Wourms 1993
		<i>S. blainvillei</i>	Viviparous	lecithotrophic	18–21	1–6	> 12 months	Ranzi 1932; Kousteni and Megalofonou 2011
		<i>S. megalops</i>	Viviparous	lecithotrophic	23–27	2–4		Watson and Smale 1998; Pethybridge <i>et al.</i> 2011
		<i>S. mitsukurii</i>	Viviparous	lecithotrophic	21–26	1–6		Wilson and Seki 1995
<b>Hexanchiformes</b>	Chlamydoselachidae	<i>Chlamydoselachus anguineus</i>	Viviparous	lecithotrophic with histotrophy	55	2–10 (6)	~42 months	Tanaka <i>et al.</i> 1990

## References

- Aiyar, R. G., and Nalini, K. (1938). Observations on the reproductive system, egg-case, embryos and breeding habits of *Chiloscyllium griseum* (Mull. and Henle). *Proceedings of the Indian Academy of Sciences – B. Biological Sciences* **7**, 252–269.
- Akhilesh, K., White, W., Bineesh, K., Ganga, U., and Pillai, N. (2013a). Biological observations on the bristly catshark *Bythaelurus hispidus* from deep waters off the south-west coast of India. *Journal of Fish Biology* **82**, 1582–1591. [doi:10.1111/jfb.12087](https://doi.org/10.1111/jfb.12087)
- Akhilesh, K. V., Bineesh, K. K., White, W. T., Shanis, C. P. R., Hashim, M., Ganga, U., and Pillai, N. G. K. (2013b). Catch composition, reproductive biology and diet of the bramble shark *Echinorhinus brucus* (Squaliformes: Echinorhinidae) from the south-eastern Arabian Sea. *Journal of Fish Biology* **83**, 1112–1127. [doi:10.1111/jfb.12201](https://doi.org/10.1111/jfb.12201)
- Appukuttan, K. (1978). Studies on the developmental stages of hammerhead Shark *Sphyrna (eusphyrna) blochii* from The Gulf of Mannar. *Indian Journal of Fisheries* **25**, 41–52.
- Awruch, C., Pankhurst, N., Frusher, S., and Stevens, J. (2009). Reproductive seasonality and embryo development in the draughtboard shark *Cephaloscyllium laticeps*. *Marine and Freshwater Research* **60**, 1265–1272. [doi:10.1071/MF09030](https://doi.org/10.1071/MF09030)
- Balart, E. F., González-García, J., and Villavicencio-Garayzar, C. (2000). Notes on the biology of *Cephalurus cephalus* and *Parmaturus xaniurus* (Chondrichthyes: Scyliorhinidae) from the west coast of Baja California Sur, México. *Fishery Bulletin* **98**, 219–221.
- Baranes, A., and Wendling, J. (1981). The early stages of development in *Carcharhinus plumbeus*. *Journal of Fish Biology* **18**, 159–175. [doi:10.1111/j.1095-8649.1981.tb02811.x](https://doi.org/10.1111/j.1095-8649.1981.tb02811.x)
- Bass, A. J., D'Aubrey, J. D., and Kistnasamy, N. (1973). 'Sharks of the east coast of Southern Africa. I. The genus *Carcharhinus* (Carcharhinidae).' (Oceanographic Research Institute: Durban, South Africa.)
- Bass, A. J., D'Aubrey, J. D., and Kistnasamy, N. (1975). 'Sharks of the east coast of Southern Africa. II. The families Scyliorhinidae and Pseudotriakidae.' (Oceanographic Research Institute: Durban, South Africa.)
- Bigelow, H. B., and Schroeder, W. C. (1948) Sharks. In 'Fishes of the Western North Atlantic. Part one: Lancelets, Cyclostomes, Sharks'. pp. 53–576 (Memoir Sears Foundation for Marine Research, Yale University)
- Branstetter, S. (1981). Biological notes on the sharks of the north central Gulf of Mexico. *Contributions in Marine Science* **24**, 13–34.
- Branstetter, S., and Stiles, R. (1987). Age and growth estimates of the bull shark, *Carcharhinus leucas*, from the northern Gulf of Mexico. *Environmental Biology of Fishes* **20**, 169–181. [doi:10.1007/BF00004952](https://doi.org/10.1007/BF00004952)
- Bustamante, C., Kyne, P., and Bennett, M. (2013). Comparative morphology of the egg cases of *Asymbolus analis*, *Asymbolus rubiginosus* and *Figaro boardmani* (Carcharhiniformes: Scyliorhinidae) from southern Queensland, Australia. *Journal of Fish Biology* **83**, 133–143. [doi:10.1111/jfb.12155](https://doi.org/10.1111/jfb.12155)

- Capapé, C. (2005). Reproduction of the sawback angelshark *Squatina aculeata* (Chondrichthyes: Squatinidae) off Senegal and Tunisia. *Cybium* **29**, 147–157.
- Capapé, C., and Quignard, J.P. (1977) Contribution a la biologie des Triakidae des cotes tunisiennes. I. *Mustelus mediterraneus*, Quignard & Capapé, 1972: Repartition geographique et bathymetrique, migrations et deplacement, reproduction, fecondite. *Bulletin de l'Office National des Peches/Republic Tunisienne* **1**, 103–122.
- Capapé, C., Quignard, J. P., and Mellinger, J. (1990). Reproduction and development of two angel sharks, *Squatina squatina* and *S. oculata* (Pisces: Squatinidae), off Tunisian coasts: semi-delayed vitellogenesis, lack of egg capsules, and lecithotrophy. *Journal of Fish Biology* **37**, 347–356. [doi:10.1111/j.1095-8649.1990.tb05865.x](https://doi.org/10.1111/j.1095-8649.1990.tb05865.x)
- Capapé, C., Seck, A., and Quignard, J. P. (1999). Aspects of the reproductive biology of the angular rough shark, *Oxynotus centrina* (Oxynotidae). *Cybium* **23**, 259–271.
- Capapé, C., Bradaï, M., Seck, A., Diata, Y., Tomasini, J., and Quignard, J. (2001) Aspects of the reproductive biology of the velvet belly, *Etomopterus spinax* (Elasmobranchii: Squalidae). *Bulletin de l'Institut des Sciences et Technologies de la Mer de Salammbô* **28**, 55–64.
- Capapé, C., Hemida, F., Seck, A. A., Diatta, Y., Diatta, C. Y., and Zaouali, J. (2003). Distribution and reproductive biology of the spinner shark, *Carcharhinus brevipinna* (Müller and Henle, 1841) (Chondrichthyes: Carcharhinidae). *Israel Journal of Zoology* **49**, 269–286. [doi:10.1560/DHHM-A68M-VKQH-CY9F](https://doi.org/10.1560/DHHM-A68M-VKQH-CY9F)
- Capapé, C., Seck, A. A., Diatta, Y., Reynaud, C., Hemida, F., and Zaouali, J. (2004). Reproductive biology of the blacktip shark, *Carcharhinus limbatus* (Chondrichthyes: Carcharhinidae) off west and north African coasts. *Cybium* **28**, 275–284.
- Capapé, C., Diatta, Y., Diop, M., Reynaud, C., and Guelorget, O. (2005). New data on the reproductive biology of the Atlantic weasel shark, *Paragaleus pectoralis* (Chondrichthyes: Hemigaleidae) from the coast of Senegal (eastern tropical Atlantic). *Cybium* **29**, 363–371.
- Capapé, C., Diatta, Y., Diop, M., Guelorget, O., Vergne, Y., and Quignard, J. (2006a). Reproduction in the milk shark, *Rhizoprionodon acutus* (Ruppell, 1837) (Chondrichthyes: Carcharhinidae), from the coast of Senegal (eastern tropical Atlantic). *Acta Adriatica* **47**, 111–126.
- Capapé, C., Vergne, Y., Vianet, R., Guélorget, O., and Quignard, J.-P. (2006b). Biological observations on the nursehound, *Scyliorhinus stellaris* (Linnaeus, 1758) (Chondrichthyes: Scyliorhinidae) in captivity. *Acta Adriatica* **47**, 29–36.
- Capapé, C., Hemida, F., Quignard, J.-P., Ben Amor, M. M., and Reynaud, C. (2008). Biological observations on a rare deep-sea shark, *Dalatias licha* (Chondrichthyes: Dalatiidae), off the Maghreb coast (south-western Mediterranean). *Pan-American Journal of Aquatic Sciences* **3**, 355–360.
- Castro, J. I. (1989). The biology of the golden hammerhead, *Sphyrna tudes*, off Trinidad. *Environmental Biology of Fishes* **24**, 3–11. [doi:10.1007/BF00001605](https://doi.org/10.1007/BF00001605)
- Castro, J. I. (1993). The biology of the finetooth shark, *Carcharhinus isodon*. *Environmental Biology of Fishes*

**36**, 219–232. [doi:10.1007/BF00001717](https://doi.org/10.1007/BF00001717)

Castro, J. I. (1996) ‘The Sharks of North American Waters’, 2nd edn. (Texas A. & M. University Press: College Station, TX, USA.)

Castro, J. I. (2000). The biology of the nurse shark, *Ginglymostoma cirratum*, off the Florida east coast and the Bahama Islands. *Environmental Biology of Fishes* **58**, 1–22. [doi:10.1023/A:1007698017645](https://doi.org/10.1023/A:1007698017645)

Castro, J. I. (2009). Observations on the reproductive cycles of some viviparous North American sharks. *Aqua – International Journal of Ichthyology* **15**, 205–222.

Castro, J. I. (2013). A primer on shark reproduction for aquarists. In ‘Reproduction of Marine Life, Birth of New Life! Investigating the Mysteries of Reproduction’. (Ed. K. Sato.) pp. 52–69. (Okinawa Churashima Foundation: Okinawa, Japan.)

Castro, J., and Mejuto, J. (1995). Reproductive parameters of blue shark, *Prionace glauca*, and other sharks in the Gulf of Guinea. *Marine and Freshwater Research* **46**, 967–973. [doi:10.1071/MF9950967](https://doi.org/10.1071/MF9950967)

Castro, J. I., and Wourms, J. P. (1993). Reproduction, placentation, and embryonic development of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*. *Journal of Morphology* **218**, 257–280. [doi:10.1002/jmor.1052180304](https://doi.org/10.1002/jmor.1052180304)

Castro, J. I., Bubucis, P. M., and Overstrom, N. A. (1988). The reproductive biology of the chain dogfish, *Scyliorhinus retifer*. *Copeia* **1988**(3), 740–746. [doi:10.2307/1445396](https://doi.org/10.2307/1445396)

Castro, J. I., Sato, K., and Bodine, A. B. (2016). A novel mode of embryonic nutrition in the tiger shark, *Galeocerdo cuvier*. *Marine Biology Research* **12**, 200–205. [doi:10.1080/17451000.2015.1099677](https://doi.org/10.1080/17451000.2015.1099677)

Chen, W. K., and Liu, K. M. (2006). Reproductive biology of whitespotted bamboo shark *Chiloscyllium plagiosum* in northern waters off Taiwan. *Fisheries Science* **72**, 1215–1224. [doi:10.1111/j.1444-2906.2006.01279.x](https://doi.org/10.1111/j.1444-2906.2006.01279.x)

Chen, C. T., and Mizue, K. (1973). Studies on sharks – VI. Reproduction of *Galeorhinus japonicus*. *Nagasaki Daigaku Suisangakubu Kenkyu Hokoku* **36**, 37–51.

Chen, C. T., Liao, Y. Y., and Joung, S. J. (1996). Reproduction of the blacktip sawtail catshark, *Galeus sauteri*, in the waters off northeastern Taiwan. *Ichthyological Research* **43**, 231–237. [doi:10.1007/BF02347595](https://doi.org/10.1007/BF02347595)

Chen, C. T., Liu, K. M., and Chang, Y. C. (1997). Reproductive biology of the bigeye thresher shark, *Alopias superciliosus* (Lowe, 1839) (Chondrichthyes: Alopiidae), in the northwestern Pacific. *Ichthyological Research* **44**, 227–235. [doi:10.1007/BF02678702](https://doi.org/10.1007/BF02678702)

Chiaramonte, G. E. (1996). Placentación en la ‘bacota’, *Carcharhinus brachyurus* (Chondrichthyes: Carcharhinidae): tipificación, descripción macroscópica y otros aspectos reproductivos. *Revista del Museo Argentino de Ciencias Naturales Nueva Serie* **130**, 1–7.

Clark, E., and Von Schmidt, K. (1965). Sharks of the central Gulf coast of Florida. *Bulletin of Marine Science* **15**, 13–83.

- Compagno, L. J. (1973). *Gogolia Filewoodi*, a new genus and species of shark from New Guinea (Carcharhiniformes; Triakidae), with a redefinition of the family Triakidae and a key to the genera. *Proceedings of the California Academy of Sciences, 4th Series* **39**, 383–410.
- Compagno, L. (1984). ‘FAO Species Catalogue, Vol. 4. Sharks of the World. An Annotated and Illustrated Catalogue of Shark Species Known to Date. Part II – Carcharhiniformes.’ (Food and Agriculture Organisation of the United Nations: Rome, Italy.)
- Compagno, L. J. (1988) ‘Sharks of the order Carcharhiniformes.’ (Princeton University Press: Princeton, NJ, USA.)
- Compagno, L. J. (2001) ‘Sharks of the World: an Annotated and Illustrated Catalogue Of Shark Species Known to Date. Vol. 2. Bullhead, Mackerel and Carpet Sharks (Heterodontiformes, Lamniformes and Orectolobiformes).’ (FAO: Rome, Italy.)
- Compagno, L., Dando, M., and Fowler, S. (2005) ‘Sharks of the World.’ (Princeton University Press: Princeton, NJ, USA.)
- Concha, F., Bustamante, C., Oddone, M., Hernández, S., and Lamilla, J. (2010). Egg capsules of the dusky catshark *Bythaelurus canescens* (Carcharhiniformes, Scyliorhinidae) from the south-eastern Pacific Ocean. *Journal of Fish Biology* **77**, 963–971. [doi:10.1111/j.1095-8649.2010.02736.x](https://doi.org/10.1111/j.1095-8649.2010.02736.x)
- Conrath, C. L., and Musick, J. A. (2002). Reproductive biology of the smooth dogfish, *Mustelus canis*, in the Northwest Atlantic Ocean. *Environmental Biology of Fishes* **64**, 367–377. [doi:10.1023/A:1016117415855](https://doi.org/10.1023/A:1016117415855)
- Cortés, E. (2000). Life history patterns and correlations in sharks. *Reviews in Fisheries Science* **8**, 299–344. [doi:10.1080/10408340308951115](https://doi.org/10.1080/10408340308951115)
- Costa, M., Erzini, K., and Borges, T. (2005). Reproductive biology of the blackmouth catshark, *Galeus melastomus* (Chondrichthyes: Scyliorhinidae) off the south coast of Portugal. Marine Biological Association of the United Kingdom. *Journal of the Marine Biological Association of the United Kingdom* **85**, 1173–1183. [doi:10.1017/S0025315405012270](https://doi.org/10.1017/S0025315405012270)
- Cotton, C. F., Grubbs, R. D., Dyb, J. E., Fossen, I., and Musick, J. A. (2015). Reproduction and embryonic development in two species of squaliform sharks, *Centrophorus granulosus* and *Etmopterus princeps*: Evidence of matrotrophy? *Deep-sea Research – II. Topical Studies in Oceanography* **115**, 41–54. [doi:10.1016/j.dsr2.2014.10.009](https://doi.org/10.1016/j.dsr2.2014.10.009)
- Devadoss, P. (1988). Observations on the breeding and development of some sharks. *Journal of the Marine Biological Association of India* **30**, 121–131.
- Dodd, J., and Dodd, M. (1985) Evolutionary aspects of reproduction in cyclostomes and cartilaginous fishes. In ‘Evolutionary Biology of Primitive Fishes’. (Eds R. E. Foreman, A. Gorbman, J. M. Dodd, and R. Olsson.) pp. 295–319. (Plenum: New York, NY, USA.)
- Driggers, W. B., Oakley, D. A., Ulrich, G., Carlson, J. K., Cullum, B. J., and Dean, J. M. (2004). Reproductive biology of *Carcharhinus acronotus* in the coastal waters of South Carolina. *Journal of Fish Biology* **64**, 1540–1551. [doi:10.1111/j.0022-1112.2004.00408.x](https://doi.org/10.1111/j.0022-1112.2004.00408.x)

- Ebert, D. A., and Clerkin, P. (2015). A new species of deep-sea catshark (Scyliorhinidae: *Bythaelurus*) from the southwestern Indian Ocean. *Journal of the Ocean Science Foundation* **15**, 53–63.
- Ebert, D. A., and Ebert, T. B. (2005). Reproduction, diet and habitat use of leopard sharks, *Triakis semifasciata* (Girard), in Humboldt Bay, California, USA. *Marine and Freshwater Research* **56**, 1089–1098. [doi:10.1071/MF05069](https://doi.org/10.1071/MF05069)
- Ebert, D. A., Compagno, L. J., and Cowley, P. D. (2006). Reproductive biology of catsharks (Chondrichthyes: Scyliorhinidae) off the west coast of southern Africa. *ICES Journal of Marine Science* **63**, 1053–1065.
- Farrell, E., Mariani, S., and Clarke, M. (2010). Reproductive biology of the starry smooth-hound shark *Mustelus asterias*: geographic variation and implications for sustainable exploitation. *Journal of Fish Biology* **77**, 1505–1525. [doi:10.1111/j.1095-8649.2010.02771.x](https://doi.org/10.1111/j.1095-8649.2010.02771.x)
- Figueiredo, I., Moura, T., Neves, A., and Gordo, L. S. (2008). Reproductive strategy of leafscale gulper shark *Centrophorus squamosus* and the Portuguese dogfish *Centroscymnus coelolepis* on the Portuguese continental slope. *Journal of Fish Biology* **73**, 206–225. [doi:10.1111/j.1095-8649.2008.01927.x](https://doi.org/10.1111/j.1095-8649.2008.01927.x)
- Finucci, B., Bustamante, C., Jones, E., and Dunn, M. (2016). Reproductive biology and feeding habits of the prickly dogfish *Oxynotus bruniensis*. *Journal of Fish Biology* **89**, 2326–2344. [doi:10.1111/jfb.13116](https://doi.org/10.1111/jfb.13116)
- Flammang, B. E., Ebert, D. A., and Cailliet, G. M. (2007a). Reproductive biology of deep-sea catsharks (Chondrichthyes: Scyliorhinidae) in the eastern North Pacific. *Environmental Biology of Fishes* **81**, 35–49. [doi:10.1007/s10641-006-9162-9](https://doi.org/10.1007/s10641-006-9162-9)
- Flammang, B. E., Ebert, D. A., and Cailliet, G. M. (2007b). Egg cases of the genus *Apristurus* (Chondrichthyes: Scyliorhinidae): Phylogenetic and ecological implications. *Zoology* **110**, 308–317. [doi:10.1016/j.zool.2007.03.001](https://doi.org/10.1016/j.zool.2007.03.001)
- Fourmanoir, P. (1961). Requins de la côte ouest de Madagascar. *Mémoires de l'Institut Scientifique de Madagascar – F. Océanographie* **4**, 1–18.
- Francis, M. P. (2006). Distribution and Biology of the New Zealand Endemic Catshark, *Haleaelurus dawsoni*. *Environmental Biology of Fishes* **75**, 295–306. [doi:10.1007/s10641-006-0026-0](https://doi.org/10.1007/s10641-006-0026-0)
- Francis, M. P., and Duffy, C. (2002). Distribution, seasonal abundance and bycatch of basking sharks (*Cetorhinus maximus*) in New Zealand, with observations on their winter habitat. *Marine Biology* **140**, 831–842. [doi:10.1007/s00227-001-0744-y](https://doi.org/10.1007/s00227-001-0744-y)
- Francis, M. P., and Mace, J. T. (1980). Reproductive biology of *Mustelus lenticulatus* from Kaikoura and Nelson. *New Zealand Journal of Marine and Freshwater Research* **14**, 303–311. [doi:10.1080/00288330.1980.9515873](https://doi.org/10.1080/00288330.1980.9515873)
- Francis, M., and Stevens, J. (2000). Reproduction, embryonic development, and growth of the porbeagle shark, *Lamna nasus*, in the Southwest Pacific Ocean. *Fishery Bulletin* **98**, 41–63.
- Frías-Espericueta, M., Cardenas-Nava, N., Márquez-Farías, J., Osuna-López, J., Muy-Rangel, M., Rubio-Carrasco, W., and Voltolina, D. (2014). Cadmium, copper, lead and zinc concentrations in female and embryonic pacific sharpnose shark (*Rhizoprionodon longurio*) tissues. *Bulletin of Environmental Contamination and Toxicology* **93**, 532–535. [doi:10.1007/s00128-014-1360-0](https://doi.org/10.1007/s00128-014-1360-0)

- Galíndez, E. J., Díaz Andrade, M. C., Moya, A. C., and Estecondo, S. (2010). Morphological changes in the pregnant uterus of the smooth hound dogfish *Mustelus schmitti* Springer, 1939 (Gatuzo) (Chondrichthyes, Triakidae). Microscopic study and Phylogenetic Reproductive Implications. *International Journal of Morphology* **28**, 1003–1010. [doi:10.4067/S0717-95022010000400004](https://doi.org/10.4067/S0717-95022010000400004)
- Gallucci, V., Foy, R., O' Brien, S., Aires-da-Silva, A., Nesse, H., Langseth, B., Vega, N., Taylor, I., and Goldman, K. (2008). Information from a pregnant salmon shark *Lamna ditropis* in the eastern North Pacific with observations on oophagous reproduction. *Journal of Fish Biology* **73**, 732–739. [doi:10.1111/j.1095-8649.2008.01951.x](https://doi.org/10.1111/j.1095-8649.2008.01951.x)
- Gilbert, P. W. (1984). Biology and behaviour of sharks. *Endeavour* **8**, 179–187. [doi:10.1016/0160-9327\(84\)90082-6](https://doi.org/10.1016/0160-9327(84)90082-6)
- Gilbert, P. W., and Schlerfenzauer, D. A. (1966). The placenta and gravid uterus of *Carcharhinus falciformis*. *Copeia* **1966**, 451–457. [doi:10.2307/1441064](https://doi.org/10.2307/1441064)
- Gilmore, R. G. (1983). Observations on the embryos of the longfin mako, *Isurus paucus*, and the bigeye thresher, *Alopias superciliosus*. *Copeia* **1983**, 375–382. [doi:10.2307/1444380](https://doi.org/10.2307/1444380)
- Gilmore, R. G. (1993). Reproductive biology of lamnid sharks. *Environmental Biology of Fishes* **38**, 95–114. [doi:10.1007/BF00842907](https://doi.org/10.1007/BF00842907)
- Girard, M., and Du Buit, M. H. (1999). Reproductive biology of two deep-water sharks from the British Isles, *Centroscymnus coelolepis* and *Centrophorus squamosus* (Chondrichthyes: Squalidae). *Journal of the Marine Biological Association of the United Kingdom* **79**, 923–931. [doi:10.1017/S002531549800109X](https://doi.org/10.1017/S002531549800109X)
- Goldman, K. J., Branstetter, S., and Musick, J. A. (2006). A re-examination of the age and growth of sand tiger sharks, *Carcharias taurus*, in the western North Atlantic: the importance of ageing protocols and use of multiple back-calculation techniques. *Environmental Biology of Fishes* **77**, 241–252. [doi:10.1007/s10641-006-9128-y](https://doi.org/10.1007/s10641-006-9128-y)
- Goto, T., and Nakaya, K. (1996). Revision of the genus *Cirrhoscyllium*, with the designation of a neotype for *C. japonicum* (Elasmobranchii, Parascylliidae). *Ichthyological Research* **43**, 199–209. [doi:10.1007/BF02347592](https://doi.org/10.1007/BF02347592)
- Graham, K. J., and Daley, R. K. (2011). Distribution, reproduction and population structure of three gulper sharks (Centrophorus, Centrophoridae) in south-east Australian waters. *Marine and Freshwater Research* **62**, 583–595. [doi:10.1071/MF10158](https://doi.org/10.1071/MF10158)
- Gubanov, Y. P. (1972). Biology of the thresher shark, *Alopias vulpinus* (Bonnaterre) in the Northwest Indian Ocean. *Journal of Ichthyology* **12**, 591–600.
- Gutteridge, A. N., Huveneers, C., Marshall, L. J., Tibbetts, I. R., and Bennett, M. B. (2013). Life-history traits of a small-bodied coastal shark. *Marine and Freshwater Research* **64**, 54–65. [doi:10.1071/MF12140](https://doi.org/10.1071/MF12140)
- Hamlett, W. (2005). Ultrastructure of the maternal–fetal interface of the yolk sac placenta in sharks. *Italian Journal of Anatomy and Embryology* **110**, 175–181.
- Hamlett, W. C., and Wourms, J. P. (1984). Ultrastructure of the pre-implantation shark yolk sac placenta. *Tissue & Cell* **16**, 613–625. [doi:10.1016/0040-8166\(84\)90035-1](https://doi.org/10.1016/0040-8166(84)90035-1)

- Hamlett, W. C., Wourms, J. P., and Hudson, J. S. (1985). Ultrastructure of the full-term shark yolk-sac placenta. I. Morphology and cellular-transport at the fetal attachment site. *Journal of Ultrastructure Research* **91**, 192–206. [doi:10.1016/S0022-5320\(85\)80013-7](https://doi.org/10.1016/S0022-5320(85)80013-7)
- Hamlett, W. C., Schwartz, F. J., and Di Dio, L. J. (1987). Subcellular organization of the yolk syncytial-endoderm complex in the preimplantation yolk sac of the shark, *Rhizoprionodon terraenovae*. *Cell and Tissue Research* **247**, 275–285. [doi:10.1007/BF00218309](https://doi.org/10.1007/BF00218309)
- Harahush, B., Fischer, A., and Collin, S. (2007). Captive breeding and embryonic development of *Chiloscyllium punctatum* Muller & Henle, 1838 (Elasmobranchii: Hemiscyllidae). *Journal of Fish Biology* **71**, 1007–1022. [doi:10.1111/j.1095-8649.2007.01569.x](https://doi.org/10.1111/j.1095-8649.2007.01569.x)
- Hazin, F. H., Lucena, F. M., Souza, T. S., Boeckman, C. E., Broadhurst, M. K., and Menni, R. C. (2000). Maturation of the night shark, *Carcharhinus signatus*, in the southwestern equatorial Atlantic Ocean. *Bulletin of Marine Science* **66**, 173–185.
- Heemstra, P. C. (1997). A review of the smooth-hound sharks (genus *Mustelus*, family Triakidae) of the western Atlantic Ocean, with descriptions of two new species and a new subspecies. *Bulletin of Marine Science* **60**, 894–928.
- Henderson, A. C., and Casey, A. (2001). Reproduction and growth in the lesser-spotted dogfish *Scyliorhinus canicula* (Elasmobranchii; Scyliorhinidae), from the west coast of Ireland. *Cahiers de Biologie Marine* **42**, 397–405.
- Henderson, A. C., McIlwain, J. L., Al-Oufi, H. S., and Ambu-Ali, A. (2006). Reproductive biology of the milk shark *Rhizoprionodon acutus* and the bigeye houndshark *Iago omanensis* in the coastal waters of Oman. *Journal of Fish Biology* **68**, 1662–1678. [doi:10.1111/j.0022-1112.2006.01011.x](https://doi.org/10.1111/j.0022-1112.2006.01011.x)
- Heupel, M., Whittier, J., and Bennett, M. (1999). Plasma steroid hormone profiles and reproductive biology of the epaulette shark, *Hemiscyllium ocellatum*. *The Journal of Experimental Zoology* **284**, 586–594. [doi:10.1002/\(SICI\)1097-010X\(19991001\)284:5<586::AID-JEZ14>3.0.CO;2-B](https://doi.org/10.1002/(SICI)1097-010X(19991001)284:5<586::AID-JEZ14>3.0.CO;2-B)
- Hisaw, F. L., and Albert, A. (1947). Observations on the reproduction of the spiny dogfish, *Squalus acanthias*. *The Biological Bulletin* **92**, 187–199. [doi:10.2307/1538305](https://doi.org/10.2307/1538305)
- Horie, T., and Tanaka, S. (2000). Reproduction and food habits of two species of sawtail catsharks, *Galeus eastmani* and *G. nipponensis*, in Suruga Bay, Japan. *Fisheries Science* **66**, 812–825. [doi:10.1046/j.1444-2906.2000.00133.x](https://doi.org/10.1046/j.1444-2906.2000.00133.x)
- Horie, T., and Tanaka, S. (2002). Geographic variation of maturity size of the cloudy catshark, *Scyliorhinus torazame*, in Japan. *Journal of the Faculty of Marine Science and Technology – Tokai University* **53**, 111–124.
- Hsu, H. H., and Joung, S. J. (2005). Reproduction and embryonic development of the shortfin mako, *Isurus oxyrinchus* Rafinesque, 1810, in the northwestern Pacific. *Zoological Studies* **44**, 487–496.
- Huvanees, C., Walker, T. I., Otway, N. M., and Harcourt, R. G. (2007). Reproductive synchrony of three sympatric species of wobbegong shark (genus *Orectolobus*) in New South Wales, Australia: reproductive parameter estimates necessary for population modelling. *Marine and Freshwater Research* **58**, 765–777.

[doi:10.1071/MF06187](https://doi.org/10.1071/MF06187)

- Huvaneers, C., Otway, N. M., Harcourt, R., and Ellis, M. (2011). Quantification of the maternal–embryonal nutritional relationship of elasmobranchs: case study of wobbegong sharks (genus *Orectolobus*). *Journal of Fish Biology* **78**, 1375–1389. [doi:10.1111/j.1095-8649.2011.02938.x](https://doi.org/10.1111/j.1095-8649.2011.02938.x)
- Iglésias, S. P., Du Buit, M., and Nakaya, K. (2002). Egg capsules of deep-sea catsharks from eastern North Atlantic, with first descriptions of the capsule of *Galeus murinus* and *Apristurus aphyodes* (Chondrichthyes: Scyliorhinidae). *Cybium* **26**, 59–63.
- Iglésias, S., Nakaya, K., and Stehmann, M. (2004). *Apristurus melanoasper*, a new species of deep-water catshark from the North Atlantic (Chondrichthyes: Carcharhiniformes: Scyliorhinidae). *Cybium* **28**, 345–356.
- Irvine, S. B. (2004) Age, growth and reproduction of deepwater dogfishes from southeastern Australia. Ph.D. Thesis, Deakin University, Warrnambool, Vic., Australia.
- Irvine, S. B., Daley, R. K., Graham, K. J., and Stevens, J. D. (2012). Biological vulnerability of two exploited sharks of the genus *Deania* (Centrophoridae). *Journal of Fish Biology* **80**, 1181–1206. [doi:10.1111/j.1095-8649.2012.03262.x](https://doi.org/10.1111/j.1095-8649.2012.03262.x)
- Jagadis, I., and Ignatius, B. (2003). Captive breeding and rearing of grey bamboo shark, *Chiloscyllium griseum* (Muller & Henle, 1839). *Indian Journal of Fisheries* **50**, 539–542.
- Jensen, C. F., Natanson, L. J. Jr, Pratt, H. L., Kohler, N., and Campana, S. E. (2002) The reproductive biology of the porbeagle shark (*Lamna nasus*) in the western North Atlantic Ocean. *Fishery Bulletin – National Oceanic and Atmospheric Administration* **100**, 727–738.
- Jones, C. J. P., and Hamlett, W. C. (2004). Structure and glycosylation of the term yolk sac placenta and uterine attachment site in the viviparous shark *Mustelus canis*. *Placenta* **25**, 820–828. [doi:10.1016/j.placenta.2004.03.011](https://doi.org/10.1016/j.placenta.2004.03.011)
- Joung, S. J., Chen, C. T., Clark, E., Uchida, S., and Huang, W. Y. P. (1996). The whale shark, *Rhincodon typus*, is a livebearer: 300 embryos found in one ‘megamamma’ supreme. *Environmental Biology of Fishes* **46**, 219–223. [doi:10.1007/BF00004997](https://doi.org/10.1007/BF00004997)
- Konstantinou, H., McEachran, J. D., and Woolley, J. B. (2000). The systematics and reproductive biology of the *Galeus atrae* subspecific complex (Chondrichthyes: Scyliorhinidae). *Environmental Biology of Fishes* **57**, 117–129. [doi:10.1023/A:1007600228078](https://doi.org/10.1023/A:1007600228078)
- Kousteni, V., and Megalofonou, P. (2011). Reproductive biology and embryonic development of *Squalus blainvillei* in the eastern Mediterranean Sea. *Scientia Marina* **75**, 237–249. [doi:10.3989/scimar.2011.75n2237](https://doi.org/10.3989/scimar.2011.75n2237)
- Kyne, P. M., Compagno, L. J., Stead, J., Jackson, M. V., and Bennett, M. B. (2011). Distribution, habitat and biology of a rare and threatened eastern Australian endemic shark: Colclough’s shark, *Brachaelurus colcloughi* Ogilby, 1908. *Marine and Freshwater Research* **62**, 540–547. [doi:10.1071/MF10160](https://doi.org/10.1071/MF10160)
- Last, P. R., and Stevens, J. D. (2009) ‘Sharks and Rays of Australia.’ (CSIRO Publishing: Melbourne, Vic., Australia)

- Le Bourg, B., Kiszka, J., and Bustamante, P. (2014). Mother–embryo isotope ( $\delta^{15}\text{N}$ ,  $\delta^{13}\text{C}$ ) fractionation and mercury (Hg) transfer in aplacental deep-sea sharks. *Journal of Fish Biology* **84**, 1574–1581. [doi:10.1111/jfb.12357](https://doi.org/10.1111/jfb.12357)
- Lessa, R., Batista, V., and Almeida, Z. (1999a). Occurrence and biology of the daggernose shark *Isogomphodon oxyrhynchus* (Chondrichthyes: Carcharhinidae) off the Maranhao coast (Brazil). *Bulletin of Marine Science* **64**, 115–128.
- Lessa, R., Santana, F. M., and Paglerani, R. (1999b). Age, growth and stock structure of the oceanic whitetip shark, *Carcharhinus longimanus*, from the southwestern equatorial Atlantic. *Fisheries Research* **42**, 21–30. [doi:10.1016/S0165-7836\(99\)00045-4](https://doi.org/10.1016/S0165-7836(99)00045-4)
- Liu, K. M., Chen, C. T., Liao, T. H., and Joung, S. J. (1999). Age, growth, and reproduction of the pelagic thresher shark, *Alopias pelagicus* in the Northwestern Pacific. *Copeia* **1999**, 68–74. [doi:10.2307/1447386](https://doi.org/10.2307/1447386)
- Lucifora, L., Menni, R., and Escalante, A. (2004). Reproductive biology of the school shark, *Galeorhinus galeus*, off Argentina: support for a single south western Atlantic population with synchronized migratory movements. *Environmental Biology of Fishes* **71**, 199–209. [doi:10.1007/s10641-004-0305-6](https://doi.org/10.1007/s10641-004-0305-6)
- Lyle, J. (1987). Observations on the biology of *Carcharhinus cautus* (Whitley), *C. melanopterus* (Quoy & Gaimard) and *C. fitzroyensis* (Whitley) from northern Australia. *Marine and Freshwater Research* **38**, 701–710. [doi:10.1071/MF9870701](https://doi.org/10.1071/MF9870701)
- Lyons, K., and Adams, D. H. (2015). Maternal offloading of organochlorine contaminants in the yolk-sac placental scalloped hammerhead shark (*Sphyraena lewini*). *Ecotoxicology* **24**, 553–562. [doi:10.1007/s10646-014-1403-7](https://doi.org/10.1007/s10646-014-1403-7)
- Mahadevan, G. (1940) Preliminary observations on the structure of the uterus and the placenta of a few Indian elasmobranchs. *Proceedings of the Indian Academy of Sciences – B* **11**, 2–47.
- Manire, C. A., Rasmussen, L., Hess, D. L., and Hueter, R. E. (1995). Serum steroid hormones and the reproductive cycle of the female bonnethead shark, *Sphyraena tiburo*. *General and Comparative Endocrinology* **97**, 366–376. [doi:10.1006/gcen.1995.1036](https://doi.org/10.1006/gcen.1995.1036)
- Mathews, C. P. (1975). Some observations on ecology of *Galeus piperatus* Springer and Wagner, a little known shark endemic to Northern Gulf of California. *Journal of Fish Biology* **7**, 77–82. [doi:10.1111/j.1095-8649.1975.tb04577.x](https://doi.org/10.1111/j.1095-8649.1975.tb04577.x)
- Matthews, L. H. (1950). Reproduction in the Basking Shark, *Cetorhinus maximus* (Gunner). *Philosophical Transactions of the Royal Society of London – B. Biological Sciences* **234**, 247–316. [doi:10.1098/rstb.1950.0003](https://doi.org/10.1098/rstb.1950.0003)
- Mattos, S. M., Broadhurst, M., Hazin, F. H., and Jonnes, D. M. (2001). Reproductive biology of the Caribbean sharpnose shark, *Rhizoprionodon porosus*, from northern Brazil. *Marine and Freshwater Research* **52**, 745–752. [doi:10.1071/MF00113](https://doi.org/10.1071/MF00113)

- McAuley, R. B., Simpfendorfer, C. A., Hyndes, G. A., and Lenanton, R. C. J. (2007). Distribution and reproductive biology of the sandbar shark, *Carcharhinus plumbeus* (Nardo), in Western Australian waters. *Marine and Freshwater Research* **58**, 116–126. [doi:10.1071/MF05234](https://doi.org/10.1071/MF05234)
- Moore, A. B., Almojil, D., Harris, M., Jabado, R. W., and White, W. T. (2014). New biological data on the rare, threatened shark *Carcharhinus leiodon* (Carcharhinidae) from the Persian Gulf and Arabian Sea. *Marine and Freshwater Research* **65**, 327–332. [doi:10.1071/MF13160](https://doi.org/10.1071/MF13160)
- Moreno, J. A., Parajua, J. I., and Moron, J. (1989). Breeding biology and phenology of *Alopias vulpinus* (Bonnaterre 1788) (Squaliformes Alopiidae) in the Northern Eastern Atlantic and Western Mediterranean. *Scientia Marina* **53**, 37–46.
- Motta, F. S., Namora, R. C., Gadig, O. B., and Braga, F. (2007). Reproductive biology of the Brazilian sharpnose shark (*Rhizoprionodon lalandii*) from southeastern Brazil. *ICES Journal of Marine Science* **64**, 1829–1835. [doi:10.1093/icesjms/fsm159](https://doi.org/10.1093/icesjms/fsm159)
- Moura, T., Nunes, C., Bandarra, N., Gordo, L. S., and Figueiredo, I. (2011). Embryonic development and maternal–embryo relationships of the Portuguese dogfish *Centroscymnus coelolepis*. *Marine Biology* **158**, 401–412. [doi:10.1007/s00227-010-1568-4](https://doi.org/10.1007/s00227-010-1568-4)
- Munoz-Chapuli, R., and Perez Ortega, A. (1985). Resurrection of *Galeus atlanticus* (Vaillant, 1888), as a valid species from the NE-Atlantic Ocean and the Mediterranean Sea. *Bulletin du Muséum National d'Histoire Naturelle – A. Zoologie, Biologie, et Écologie Animales* **7**, 219–233.
- Nair, R., and Appukuttan, K. (1974). Observations on the developmental stages of the smooth dogfish, *Eridacnis radcliffei* Smith from Gulf of Mannar. *Indian Journal of Fisheries* **21**, 141–151.
- Nakaya, K. (1975). Taxonomy, comparative anatomy and phylogeny of Japanese catsharks, Scyliorhinidae. *Memoirs of the Faculty of Fisheries, Hokkaido University* **23**, 1–94.
- Nakaya, K., and Sato, K. (1998). Taxonomic review of *Apristurus laurussoni* (Saemundsson, 1922) from the eastern North Atlantic (Elasmobranchii: Scyliorhinidae). *Cybium* **22**, 149–157.
- Natanson, L., and Cailliet, G. (1986). Reproduction and Development of the Pacific Angel Shark, *Squatina californica*, off Santa Barbara, California. *Copeia* **1986**(4), 987–994. [doi:10.2307/1445296](https://doi.org/10.2307/1445296)
- Oliveira, P., Hazin, F., Carvalho, F., Rego, M., Coelho, R., Piercy, A., and Burgess, G. (2010). Reproductive biology of the crocodile shark *Pseudocarcharias kamoharai*. *Journal of Fish Biology* **76**, 1655–1670. [doi:10.1111/j.1095-8649.2010.02606.x](https://doi.org/10.1111/j.1095-8649.2010.02606.x)
- Otake, T., and Mizue, K. (1985). The fine structure of the placenta of the blue shark, *Prionace glauca*. *Japanese Journal of Ichthyology* **32**, 52–59.
- Paiva, R. B., Neves, A., Sequeira, V., Nunes, M. L., Gordo, L. S., and Bandarra, N. (2012). Reproductive strategy of the female deep-water shark birdbeak dogfish, *Deania calcea*: lecithotrophy or matrotrophy? *Journal of the Marine Biological Association of the United Kingdom* **92**, 387–394. [doi:10.1017/S0025315411001743](https://doi.org/10.1017/S0025315411001743)
- Parsons, G. R. (1993). Geographic variation in reproduction between two populations of the bonnethead Shark, *Sphyrna tiburo*. *Environmental Biology of Fishes* **38**, 25–35. [doi:10.1007/BF00842901](https://doi.org/10.1007/BF00842901)

- Pérez-Jiménez, J. C., and Sosa-Nishizaki, O. (2008). Reproductive biology of the brown smoothhound shark *Mustelus henlei*, in the northern Gulf of California, Mexico. *Journal of Fish Biology* **73**, 782–792. [doi:10.1111/j.1095-8649.2008.01939.x](https://doi.org/10.1111/j.1095-8649.2008.01939.x)
- Pérez-Jiménez, J. C., and Sosa-Nishizaki, O. (2010). Determining reproductive parameters for population assessments of two smoothhounds (*Mustelus californicus* and *Mustelus lunulatus*) from the northern Gulf of California, Mexico. *Bulletin of Marine Science* **86**, 3–13.
- Pérez Jiménez, J. C., Sosa Nishizaki, O., Castillo Geniz, J. L., and Buth, D. (2005). A New Eastern North Pacific Smoothhound Shark (Genus *Mustelus*, Family Triakidae) from the Gulf of California. *Copeia* **2005**(4), 834–845. [doi:10.1643/0045-8511\(2005\)005\[0834:ANENPS\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2005)005[0834:ANENPS]2.0.CO;2)
- Pethybridge, H., Daley, R., Virtue, P., and Nichols, P. D. (2011). Lipid (energy) reserves, utilisation and provisioning during oocyte maturation and early embryonic development of deepwater chondrichthyans. *Marine Biology* **158**, 2741–2754. [doi:10.1007/s00227-011-1773-9](https://doi.org/10.1007/s00227-011-1773-9)
- Piercy, A. N., Murie, D. J., and Gelsleichter, J. J. (2016). Histological and morphological aspects of reproduction in the sandbar shark *Carcharhinus plumbeus* in the US south-eastern Atlantic Ocean and Gulf of Mexico. *Journal of Fish Biology* **88**, 1708–1730. [doi:10.1111/jfb.12945](https://doi.org/10.1111/jfb.12945)
- Porcu, C., Marongiu, M. F., Follesa, M. C., Bellodi, A., Mulas, A., Pesci, P., and Cau, A. (2013). Reproductive aspects of the velvet belly lantern shark *Etmopterus spinax* (Condichthyes: Etmopteridae), from the central western Mediterranean sea. Notes on gametogenesis and oviducal gland microstructure. *Mediterranean Marine Science* **15**, 313–326. [doi:10.12681/mms.559](https://doi.org/10.12681/mms.559)
- Powter, D., and Gladstone, W. (2008). The reproductive biology and ecology of the Port Jackson shark *Heterodontus portusjacksoni* in the coastal waters of eastern Australia. *Journal of Fish Biology* **72**, 2615–2633. [doi:10.1111/j.1095-8649.2008.01878.x](https://doi.org/10.1111/j.1095-8649.2008.01878.x)
- Pretorius, C., and Griffiths, C. L. (2013). Patterns of egg deposition and egg development in the catsharks *Poroderma pantherinum* and *Haploblepharus pictus*. *African Zoology* **48**, 115–124. [doi:10.1080/15627020.2013.11407574](https://doi.org/10.1080/15627020.2013.11407574)
- Randall, J. E. (1977). Contribution to the biology of the whitetip reef shark (*Triaenodon obesus*). *Pacific Science* **31**, 143–164.
- Ranzi, S. (1932). Le basi fisio-morfologiche dello sviluppo embrionale dei Selaci. Parte I. *Pubblicazioni della Stazione Zoologica di Napoli* **13**, 209–290.
- Richardson, A., Maharaj, G., Compagno, L., Leslie, R., Ebert, D., and Gibbons, M. (2000). Abundance, distribution, morphometrics, reproduction and diet of the Izak catshark. *Journal of Fish Biology* **56**, 552–576. [doi:10.1111/j.1095-8649.2000.tb00755.x](https://doi.org/10.1111/j.1095-8649.2000.tb00755.x)
- Rigby, C. L., White, W. T., Smart, J. J., and Simpfendorfer, C. A. (2016). Life histories of two deep-water Australian endemic elasmobranchs: Argus skate *Dipturus polyommata* and eastern spotted gummy shark *Mustelus walkeri*. *Journal of Fish Biology* **88**, 1149–1174. [doi:10.1111/jfb.12891](https://doi.org/10.1111/jfb.12891)

- Robinson, D., Baverstock, W., Al-Jaru, A., Hyland, K., and Khazanehdari, K. (2011). Annually recurring parthenogenesis in a zebra shark *Stegostoma fasciatum*. *Journal of Fish Biology* **79**, 1376–1382. [doi:10.1111/j.1095-8649.2011.03110.x](https://doi.org/10.1111/j.1095-8649.2011.03110.x)
- Sato, K., Nakaya, K., and Stewart, A. L. (1999). A new species of the deep-water catshark genus *Apristurus* from New Zealand waters (Chondrichthyes: Scyliorhinidae). *Journal of the Royal Society of New Zealand* **29**, 325–335. [doi:10.1080/03014223.1999.9517601](https://doi.org/10.1080/03014223.1999.9517601)
- Sato, K., Nakamura, M., Tomita, T., Toda, M., Miyamoto, K., and Nozu, R. (2016). How great white sharks nourish their embryos to a large size: evidence of lipid histotrophy in lamnid shark reproduction. *Biology Open* **5**, 1211–1215. [doi:10.1242/bio.017939](https://doi.org/10.1242/bio.017939)
- Schaaf-Da Silva, J. A., and Ebert, D. A. (2008). A re-description of the eastern Pacific swellshark, *Cephaloscyllium ventriosum* (Garman 1880) (Chondrichthyes: Carcharhiniformes: Scyliorhinidae), with comments on the status of *C. uter* (Jordan & Gilbert 1896). *Zootaxa* **1872**, 59–68.
- Seret, B. (1987). *Halaelurus clevai*, sp. n. a new species of catshark (scyliorhinidae) from off Madagascar, with remarks on the taxonomic status of the genera *Halaelurus* Gill and *Galeus rafinesque*. *J. L. B. Smith Institute of Ichthyology Special Publication* **44**, 1–27.
- Setna, S. B., and Sarangdhar, P. N. (1949). Breeding habits of Bombay elasmobranchs. *Records of the Indian Museum* **47**, 107–124.
- Simpfendorfer, C. (1992). Reproductive strategy of the Australian Sharpnose Shark, *Rhizoprionodon taylori* (Elasmobranchii: Carcharhinidae), from Cleveland Bay, Northern Queensland. *Marine and Freshwater Research* **43**, 67–75. [doi:10.1071/MF9920067](https://doi.org/10.1071/MF9920067)
- Simpfendorfer, C. A. (1993). The biology of sharks of the family Carcharhinidae from the nearshore waters of Cleveland Bay, with particular reference to *Rhizoprionodon taylori*. Ph.D. Thesis, James Cook University, Douglas, Qld, Australia.
- Simpfendorfer, C. A., and Unsworth, P. (1998). Reproductive biology of the whiskery shark, *Furgaleus macki*, off south-western Australia. *Marine and Freshwater Research* **49**, 687–693. [doi:10.1071/MF97052](https://doi.org/10.1071/MF97052)
- Simpfendorfer, C. A., Kitchingman, A. M., and McAuley, R. B. (2002). Distribution, biology and fisheries importance of the pencil shark, *Hypogaleus hyugaensis* (Elasmobranchii: Triakidae), in the waters off south-western Australia. *Marine and Freshwater Research* **53**, 781–789. [doi:10.1071/MF01215](https://doi.org/10.1071/MF01215)
- Skomal, G. B., and Natanson, L. J. (2003). Age and growth of the blue shark (*Prionace glauca*) in the North Atlantic Ocean. *Fishery Bulletin* **101**, 627–639.
- Smale, M., and Compagno, L. (1997). Life history and diet of two southern African smoothhound sharks, *Mustelus mustelus* (Linnaeus, 1758) and *Mustelus palumbes* (Smith, 1957) (Pisces: Triakidae). *South African Journal of Marine Science* **18**, 229–248. [doi:10.2989/025776197784160992](https://doi.org/10.2989/025776197784160992)
- Smale, M. J., and Goosen, A. J. J. (1999). Reproduction and feeding of spotted gully shark, *Triakis megalopterus*, off the Eastern Cape, South Africa. *Fishery Bulletin* **97**, 987–998.
- Springer, S. (1979) A revision of the catsharks, family Scyliorhinidae. NOAA Technical Report, NMFS Circular

- 422, US Department of Commerce, Seattle, WA, USA.
- Springer, S., and D'Aubrey, J. D. (1972). Two new scyliorhinid sharks from the east coast of Africa with notes on related species. (Oceanographic Research Institute: Durban, South Africa.)
- Stevens, J. D. (1984a). Life-history and ecology of sharks at Aldabra Atoll, Indian Ocean. *Proceedings of the Royal Society of London – B. Biological Sciences* **222**, 79–106. [doi:10.1098/rspb.1984.0050](https://doi.org/10.1098/rspb.1984.0050)
- Stevens, J. D. (1984b). Biological observations on sharks caught by sport fisherman off New South Wales. *Australian Journal of Marine and Freshwater Research* **35**, 573–590. [doi:10.1071/MF9840573](https://doi.org/10.1071/MF9840573)
- Stevens, B. (2002) Uterine and oviducal mechanisms for gestation in the common sawshark, *Pristiophorus cirratus*. B.Sc.(Hons) Thesis, University of Melbourne, Melbourne, Vic., Australia.
- Stevens, J. D., and Cuthbert, G. J. (1983). Observations on the identification and biology of Hemigaleus (Selachii: Carcharhinidae) from Australian waters. *Copeia* **1983**(2), 487–497. [doi:10.2307/1444394](https://doi.org/10.2307/1444394)
- Stevens, J. D., and Lyle, J. M. (1989). Biology of three Hammerhead Sharks (*Eusphyra blochii*, *Sphyra mokarran* and *Sphyra lewini*) from Northern Australia. *Australian Journal of Marine and Freshwater Research* **40**, 129–146. [doi:10.1071/MF9890129](https://doi.org/10.1071/MF9890129)
- Stevens, J. D., and McLoughlin, K. J. (1991). Distribution, size and sex composition, reproductive-biology and diet of sharks from Northern Australia. *Australian Journal of Marine and Freshwater Research* **42**, 151–199. [doi:10.1071/MF9910151](https://doi.org/10.1071/MF9910151)
- Stevens, J., and Wiley, P. (1986). Biology of two commercially important carcharhinid sharks from northern Australia. *Marine and Freshwater Research* **37**, 671–688. [doi:10.1071/MF9860671](https://doi.org/10.1071/MF9860671)
- Storrie, M. T., Walker, T. I., Laurenson, L. J., and Hamlett, W. C. (2009). Gestational morphogenesis of the uterine epithelium of the gummy shark (*Mustelus antarcticus*). *Journal of Morphology* **270**, 319–336. [doi:10.1002/jmor.10693](https://doi.org/10.1002/jmor.10693)
- Tagliafico, A., Rago, N., Rangel, S., and Broadhurst, M. K. (2017). Aspects of the reproductive biology of the data-deficient *Mustelus minicanis* and *M norrisi* (Chondrichthyes: Triakidae) in the southern Caribbean Sea. *Environmental Biology of Fishes* **100**, 785–795. [doi:10.1007/s10641-017-0606-1](https://doi.org/10.1007/s10641-017-0606-1)
- Tanaka, S., Chen, C. T., and Mizue, K. (1978). Studies on sharks. 16. Age and growth of Eiraku shark *Galeorhinus japonicus* (Mueller et Henle). *Nagasaki Daigaku Suisangakubu Kenkyu Hokoku* **45**, 19–28.
- Tanaka, S., Shiobara, Y., Hioki, S., Abe, H., Nishi, G., Yano, K., and Suzuki, K. (1990). The reproductive biology of the frilled shark, *Chlamydoselachus anguineus*, from Suruga Bay, Japan. *Japanese Journal of Ichthyology* **37**, 273–291.
- Taniuchi, T. (1988). Aspects of reproduction and food habits of the Japanese swellshark *Cephaloscyllium umbratile* from Choshi, Japan. *Nippon Suisan Gakkaishi* **54**, 627–633. [doi:10.2331/suisan.54.627](https://doi.org/10.2331/suisan.54.627)
- Teshima, K. (1981). Studies on the reproduction of Japanese smooth dogfishes, *Mustelus manazo* and *M. griseus*. *Suisan Daigakko Kenkyu Hokoku* **29**, 113–199.

- Teshima, K., and Mizue, K. (1972). Studies on sharks. I. Reproduction in the female sumitsuki shark *Carcharhinus dussumieri*. *Marine Biology* **14**, 222–231.
- Teshima, K., Mizue, K., and Koga, S. (1974). Studies on sharks – VII. Reproduction in female *Mustelus griseus*. *Suisan Daigakko Kenkyu Hokoku* **22**, 199–206.
- Teshima, K., Kamei, Y., Toda, M., and Uchida, S. (1995). Reproductive mode of the tawny nurse shark taken from the Yaeyama Islands, Okinawa, Japan with comments on individuals lacking the second dorsal fin. *Bulletin of Seikai National Fisheries Research Institute* **73**, 1–12.
- Teshima, K., Toda, M., Kamei, Y., Uchida, S., and Tamkai, M. (1999) Reproductive mode of the tawny nurse shark, *Nebrius ferrugineus* (Elasmobranchii: Ginglymostomatidae) in Okinawa waters, with comments on individuals lacking the second dorsal fin. In ‘Indo-Pacific Fish Biology: Proceedings of the 5th Indo-Pacific Fisheries Conference’, 1997, Nouméa, New Caledonia. (Eds B. Seret and J. Y. Sire.) pp. 329–333 (Ichthyological Society of France: Paris, France.)
- Walker, T. I. (2011) Reproduction in fisheries science. In ‘Reproductive Biology and Phylogeny of Chondrichthyes’. (Ed. W. C. Hamlett.) pp. 91–98. (CRC Press.)
- Watson, G., and Smale, M. (1998). Reproductive biology of shortnose spiny dogfish, *Squalus megalops*, from the Agulhas Bank, South Africa. *Marine and Freshwater Research* **49**, 695–703. [doi:10.1071/MF97255](https://doi.org/10.1071/MF97255)
- Wheeler, J. F. G. (1962). Notes on the three common species of sharks in the Mauritius-Seychelles area. *Proceedings of the Royal Society of Arts and Sciences of Mauritius* **2**, 146–160.
- White, W. T. (2007). Aspects of the biology of carcharhiniform sharks in Indonesian waters. *Journal of the Marine Biological Association of the United Kingdom* **87**, 1269–1276. [doi:10.1017/S0025315407058572](https://doi.org/10.1017/S0025315407058572)
- White, W., Hall, N., and Potter, I. (2002). Size and age compositions and reproductive biology of the nervous shark *Carcharhinus caudus* in a large subtropical embayment, including an analysis of growth during pre-and postnatal life. *Marine Biology* **141**, 1153–1164. [doi:10.1007/s00227-002-0914-6](https://doi.org/10.1007/s00227-002-0914-6)
- White, W. T., Bartron, C., and Potter, I. C. (2008). Catch composition and reproductive biology of *Sphyraena lewini* (Griffith & Smith) (Carcharhiniformes, Sphyrnidae) in Indonesian waters. *Journal of Fish Biology* **72**, 1675–1689. [doi:10.1111/j.1095-8649.2008.01843.x](https://doi.org/10.1111/j.1095-8649.2008.01843.x)
- Whitney, N. M., and Crow, G. L. (2007). Reproductive biology of the tiger shark (*Galeocerdo cuvier*) in Hawaii. *Marine Biology* **151**, 63–70. [doi:10.1007/s00227-006-0476-0](https://doi.org/10.1007/s00227-006-0476-0)
- Wilson, C., and Seki, M. (1995). Biology and population characteristics of *Squalus mitsukurii* from a seamount in the central North Pacific Ocean. *Fishery Bulletin* **92**, 851–864.
- Wourms, J. P. (1993). Maximization of evolutionary trends for placental viviparity in the spadenose shark, *Scoliodon laticaudus*. *Environmental Biology of Fishes* **38**, 269–294. [doi:10.1007/BF00842922](https://doi.org/10.1007/BF00842922)
- Yamaguchi, A., Taniuchi, T., and Shimizu, M. (2000). Geographic variations in reproductive parameters of the starspotted dogfish, *Mustelus manazo*, from five localities in Japan and in Taiwan. *Environmental Biology of Fishes* **57**(2), 221–233. [doi:10.1023/A:1007558324902](https://doi.org/10.1023/A:1007558324902)

- Yano, K. (1992). Comments on the reproductive mode of the false cat shark *Pseudotriakis microdon*. *Copeia* **1992**(2), 460–468. [doi:10.2307/1446205](https://doi.org/10.2307/1446205)
- Yano, K. (1993). Reproductive biology of the slender smoothhound, *Gollum attenuatus*, collected from New Zealand waters. *Environmental Biology of Fishes* **38**, 59–71. [doi:10.1007/BF00842904](https://doi.org/10.1007/BF00842904)
- Yudin, K. G., and Cailliet, G. M. (1990). Age and growth of the gray smoothhound, *Mustelus californicus*, and the brown smoothhound, *M. henlei*, sharks from central California. *Copeia* **1990**(1), 191–204. [doi:10.2307/1445835](https://doi.org/10.2307/1445835)