

---

CSIRO PUBLISHING

---

# Marine & Freshwater Research

Volume 51, 2000

© CSIRO 2000

A journal for the publication of original contributions  
in physical oceanography, marine chemistry,  
marine and estuarine biology and limnology

**[www.publish.csiro.au/journals/mfr](http://www.publish.csiro.au/journals/mfr)**

All enquiries and manuscripts should be directed to

*Marine and Freshwater Research*

**CSIRO PUBLISHING**

PO Box 1139 (150 Oxford St)

Collingwood

Vic. 3066

Australia

Telephone: 61 3 9662 7618

Facsimile: 61 3 9662 7611

Email: [ann.grant@publish.csiro.au](mailto:ann.grant@publish.csiro.au)



Published by **CSIRO PUBLISHING**  
for CSIRO and  
the Australian Academy of Science



## Index to Volume 51 (2000)

### Authors and Titles

- Acharya K  
See Asaeda T *et al.* 275
- Adams M  
See Bertozzi T *et al.* 805
- Allen G R  
See McGuigan K *et al.* 713
- Almeida Z  
See Lessa R *et al.* 339
- Almirón A E, García M L, Menni R C,  
Protogino L C, Solari L C  
Fish ecology of a seasonal lowland stream  
in temperate South America. 265
- Andrew N L, O'Neill A L  
Large-scale patterns in habitat structure  
on subtidal rocky reefs in New South  
Wales. 255
- Annala J H  
See Gilbert D J *et al.* 451
- Asaeda T, Acharya K  
Numerical simulations using a population  
model of three cladoceran species, *Daphnia*  
*magna*, *D. galeata* and *Bosmina*  
*longirostris*, in a single-species and a  
competition environment. 275
- Babcock R C, Franke E, Barr N  
Does spawning depth affect fertilization  
rates? Experimental data from the sea star  
*Coscinasterias calamaria*. 55
- Babcock R C  
See also Willis T J *et al.* 755
- Badcock K A  
See Cresswell G R *et al.* 641
- Baker J L  
See McGlennon D *et al.* 669
- Barr N  
See Babcock R C *et al.* 55
- Batista V  
See Lessa R *et al.* 339
- Beckley L E, Leis J M  
Occurrence of tuna and mackerel larvae  
(Family: Scombridae) off the east coast  
of South Africa. 777
- Benning R J  
See Stauber J L *et al.* 1
- Bertozzi T, Adams M, Walker K F  
Species boundaries in carp gudgeons  
(Eleotrididae: *Hypseleotris*) from the River  
Murray, South Australia: evidence for  
multiple species and extensive  
hybridization. 805
- Birch G F  
See Matthai C *et al.* 565
- Blight S J  
See Gaughan D J *et al.* 601
- Bond N R, Downes B J  
Flow-related disturbance in streams: an  
experimental test of the role of rock  
movement in reducing macroinvertebrate  
population densities. 333
- Banzon A A  
See Pollnac R B *et al.* 529
- Bonzon A E  
The development of economic and social  
indicators for the management of  
Mediterranean fisheries. 493
- Branch G M  
See Loewenthal D *et al.* 613
- Bravington M V, Stokes T K, O'Brien C M  
Sustainable recruitment: the bottom line. 465
- Brookes J D, Geary S M, Ganf G G, Burch M D  
Use of FDA and flow cytometry to assess  
metabolic activity as indicator of nutrient  
status in phytoplankton. 817
- Brunskill G J  
See Doherty G B *et al.* 739
- Bunce A, Norman F I  
Changes in the diet of the Australasian  
gannet (*Morus serrator*) in response to the  
1998 mortality of pilchards (*Sardinops*  
*sagax*). 349
- Burch M D  
See Brookes J D *et al.* 817
- Byrne M, Vesk P A  
Elemental composition of mantle tissue  
granules in *Hyridella depressa* (Unionida)  
from the Hawkesbury–Nepean River  
system, Australia: inferences from  
catchment chemistry. 183
- Caddy J F  
See Seijo J C *et al.* 477
- Camacho A  
See Roca J R *et al.* 311
- Chiaradia A  
See Dann P *et al.* 355
- Chong K-C  
Using sustainability indicators to manage  
fisheries: experiences in the Bay of Bengal.  
523
- Christensen V  
Indicators for marine ecosystems affected  
by fisheries. 447
- Cohen B F, Currie D R, McArthur M A  
Epibenthic community structure in Port  
Phillip Bay, Victoria, Australia. 689
- Coomas D  
See Doherty G B *et al.* 739
- Coutures E  
Distribution of phyllosoma larvae of  
Scyllaridae and Palinuridae (Decapoda :  
Palinuridea) in the south-western lagoon of  
New Caledonia. 363
- Cresswell G R  
Coastal currents of northern Papua New  
Guinea, and the Sepik River outflow. 553
- Cresswell G R, Badcock K A  
Tidal mixing near the Kimberley coast of  
NW Australia. 641
- Croot P L, Hunter K A  
Labile forms of iron in coastal seawater:  
Otago Harbour, New Zealand. 193
- Cullen J M  
See Dann P *et al.* 355
- Currie D R  
See Cohen B F *et al.* 689
- Dahl A L  
Using indicators to measure sustainability:  
recent methodological and conceptual  
developments. 427
- Dann P, Norman F I, Cullen J M, Neira F J,  
Chiaradia A  
Mortality and breeding failure of little  
penguins, *Eudyptula minor*, in Victoria,  
1995–96, following a widespread mortality  
of pilchard, *Sardinops sagax*. 355
- Das P, Marchesiello P, Middleton J H  
Numerical modelling of tide-induced  
residual circulation in Sydney Harbour. 97
- Davis J A  
See Lund M A 321
- de Jong N H  
Woody plant restoration and natural  
regeneration in wet meadow at  
Coomonderry Swamp on the south coast  
of New South Wales. 81
- del Rosario A E  
See Pollnac R B *et al.* 529
- Denissenko P V  
See Vladimirov V A *et al.* 589
- Dennison W C  
See O'Donohue M J *et al.* 703
- Dimmlich W F  
See Fairclough D V *et al.* 619  
and Fairclough D V *et al.* 631
- Doherty G B, Coomas D, Brunskill G J  
Modelling natural and enhanced trace metal  
concentrations in sediments of Cleveland  
Bay, Australia. 739
- Downes B J  
See Bond N R *et al.* 333
- Dudley B, Tolimieri N, Montgomery J C  
Swimming ability of the larvae of some reef  
fishes from New Zealand waters. 783
- Dudley S F J  
See Wintner S P *et al.* 43
- Elliott N G  
See van den Enden T *et al.* 23
- Eriksen R S  
See Stauber J L *et al.* 1
- Fairclough D V, Dimmlich W F, Potter I C  
Length and age compositions and growth  
rates of the Australian herring *Arripis*  
*georgiana* in different regions. 631  
Reproductive biology of the Australian  
herring *Arripis georgiana*. 619
- Fowler A J, McLeay L, Short D A  
Spatial variation in size and age structures  
and reproductive characteristics of the King  
George whiting (*Percoidei*: Sillaginidae) in  
South Australian waters. 11
- Francis M P, Ó Maolagáin C  
Age, growth and maturity of a New Zealand  
endemic shark (*Mustelus lenticulatus*)  
estimated from vertebral bands. 35
- Franke E  
See Babcock R C *et al.* 55

- Ganf G G  
See Siebentritt M A *et al.* 73  
and Nicol J M *et al.* 305  
and Brookes J D *et al.* 817
- Garcia M L  
See Almirón A E *et al.* 265
- Garcia S M  
The FAO definition of sustainable development and the Code of Conduct for Responsible Fisheries: an analysis of the related principles, criteria and indicators. 535
- Garcia S M, Staples D J  
Sustainability reference systems and indicators for responsible marine capture fisheries: a review of concepts and elements for a set of guidelines. 385
- Gaughan D J, Mitchell R W, Blight S J  
Impact of mortality, possibly due to herpesvirus, on pilchard *Sardinops sagax* stocks along the south coast of Western Australia in 1998–99. 601
- Geary S M  
See Brookes J D *et al.* 817
- Gehrke P C, Harris J H  
Large-scale patterns in species richness and composition of temperate riverine fish communities, south-eastern Australia. 165
- Gibbs M T  
Elevated chlorophyll *a* concentrations associated with a transient shelfbreak front in a western boundary current at Sydney, south-eastern Australia. 733
- Gibbs M T  
See also Marchesiello P *et al.* 577
- Gilbert D J, Annala J H, Johnston K  
Technical background to fish stock indicators for state-of-environment reporting in New Zealand. 451
- Gilbert P M  
See O'Donohue M J *et al.* 703
- Gorospe M L G  
See Pollnac R B *et al.* 529
- Gray C A  
See Kennelly S J *et al.* 749
- Griffin S L  
Influence of food type on the production and settling rate of faecal pellets produced by an estuarine copepod. 371
- Hales L T  
See Stauber J L *et al.* 1
- Hancock B  
Genetic subdivision of Roe's abalone, *Haliotis roei* Grey (Mollusca : Gastropoda), in south-western Australia. 679
- Hancock G J  
Identification of resuspended sediment in an estuary using the  $^{228}\text{Th}/^{232}\text{Th}$  activity ratio: the fate of lagoon sediment in the Bega River estuary, Australia. 659
- Harris J H  
See Gehrke P C *et al.* 165
- Hearn W S  
See Leigh G M *et al.* 143
- Hehir G  
See Marchant R *et al.* 825
- Hindell J S, Quinn G P  
Effects of sewage effluent on the population structure of *Brachidontes rostratus* (Mytilidae) on a temperate intertidal rocky shore. 543
- Hindell M A  
See Reid T A *et al.* 789
- Hoegh-Guldberg O  
See Jones R J *et al.* 63
- Hundloe T J  
Economic performance indicators for fisheries. 485
- Hunter K A  
See Croot P L *et al.* 193
- Jackson W B  
See McGlennon D *et al.* 669
- Johnston K  
See Gilbert D J *et al.* 451
- Jones G K  
See McGlennon D *et al.* 669
- Jones R J, Ward S, Yang Amri A, Hoegh-Guldberg O  
Changes in quantum efficiency of Photosystem II of symbiotic dinoflagellates of corals after heat stress, and of bleached corals sampled after the 1998 Great Barrier Reef mass bleaching event. 63
- Kawahata H, Ohta H  
Sinking and suspended particles in the South-west Pacific. 113
- Kennelly S J, Gray C A  
Reducing the mortality of discarded undersize sand whiting *Sillago ciliata* in an estuarine seine fishery. 749
- Kettle A J  
Comparison of different dynamic models to predict the concentration of a photochemical tracer in the upper ocean as a function of depth and time. 289
- Kinloch M A  
See McGlennon D *et al.* 669
- Leigh G M, Hearn W S  
Changes in growth of juvenile southern bluefin tuna (*Thunnus maccoyii*): an analysis of length–frequency data from the Australian fishery. 143
- Leis J M  
See Beckley L E *et al.* 777
- Lessa R, Santana F M, Batista V, Almeida Z  
Age and growth of the daggernose shark, *Isogomphodon oxyrinchus*, from northern Brazil. 339
- Lintermans M  
Recolonization by the mountain galaxias *Galaxias olidus* of a montane stream after the eradication of rainbow trout *Oncorhynchus mykiss*. 799
- Loewenthal D, Mayfield S, Branch G M  
Improving the catch efficiency of the West Coast rock lobster, *Jasus lalandii*. 613
- Lund M A, Davis J A  
Seasonal dynamics of plankton communities and water chemistry in a eutrophic wetland (Lake Monger, Western Australia): implications for biomanipulation. 321
- Marchant R, Hehir G  
How efficient is extraction of stream insect larvae from quantitative benthic samples? 825
- Marchesiello P, Gibbs M T, Middleton J H  
Simulations of coastal upwelling on the Sydney continental shelf. 577
- Marchesiello P  
See also Das P *et al.* 97
- Matthai C, Birch G F  
Effect of coastal cities on surficial sediments mantling an adjacent high-energy continental margin – central New South Wales, Australia. 565
- Mayfield S  
See Loewenthal D *et al.* 613
- McArthur M A  
See Cohen B F *et al.* 689
- McGlennon D, Jones G K, Baker J, Jackson W B, Kinloch M A  
Ageing, catch-at-age and relative year-class strength for snapper (*Pagrus auratus*) in northern Spencer Gulf, South Australia. 669
- McGuigan K, Zhu D, Allen G R, Moritz C  
Phylogenetic relationships and historical biogeography of melanotaeniid fishes in Australia and New Guinea. 713
- McLeay L  
See Fowler A J *et al.* 11
- McLoughlin K J  
See Stevens J D *et al.* 127
- McManus J W  
See Pollnac R B *et al.* 529
- Menni R C  
See Almirón A E *et al.* 265
- Mezquita F  
See Roca J R *et al.* 311
- Middleton J H  
See Das P *et al.* 97  
and Marchesiello P *et al.* 577
- Miracle M R  
See Roca J R *et al.* 311
- Mitchell R W  
See Gaughan D J *et al.* 601
- Molony B W  
See Omundsen S L *et al.* 249
- Montgomery J C  
See Dudley B *et al.* 783
- Moritz C  
See McGuigan K *et al.* 713
- Moskalev I S  
See Vladimirov V A *et al.* 589
- Moss G A  
See Tong L J *et al.* 235  
and Tong L J *et al.* 243

- Neira F J  
See Dann P *et al.* 355
- Nicol J M, Ganf G G  
Water regimes, seedling recruitment and establishment in three wetland plant species. 305
- Norman F I  
See Bunce A *et al.* 349
- Nowak B F  
See Stauber J L *et al.* 1  
and Dann P *et al.* 355
- Ó Maolagáin C  
See Francis M P *et al.* 35
- O'Brien C M  
See Bravington M V *et al.* 465
- O'Donohue M J, Glibert P M, Dennison W C  
Utilization of nitrogen and carbon by phytoplankton in Moreton Bay, Australia. 703
- O'Neill A L  
See Andrew N L *et al.* 255
- Ohta H  
See Kawahata H *et al.* 113
- Omundsen S L, Sheaves M J, Molony B W  
Temporal population dynamics of the swarming shrimp, *Acetes sibogae australis*, in a tropical near-shore system. 249
- Paewai M M  
See Tong L J *et al.* 235  
and Tong L J *et al.* 243
- Peck G A, Smith J D  
Distribution of dissolved and particulate  $^{226}\text{Ra}$ ,  $^{210}\text{Pb}$  and  $^{210}\text{Po}$  in the Bismarck Sea and western equatorial Pacific Ocean. 647
- Pedley T J  
See Vladimirov V A *et al.* 589
- Perrings C  
Sustainability indicators for fisheries in integrated coastal area management. 513
- Pickering T D  
See Tong L J *et al.* 235  
and Tong L J *et al.* 243
- Pollnac R B, McManus J W, del Rosario A E, Banzon A A, Vergara S G, Gorospe M L G  
Unexpected relationships between coral reef health and socio-economic pressures in the Philippines: reefbase/RAMP applied. 529
- Potter I C  
See Fairclough D V *et al.* 619  
and Fairclough D V *et al.* 631
- Pribac F  
See Punt A E *et al.* 205
- Prince J D  
See Punt A E *et al.* 205
- Protagino L C  
See Almirón A E *et al.* 265
- Punt A E, Pribac F, Walker T I, Taylor B L, Prince J D  
Stock assessment of school shark, *Galeorhinus galeus*, based on a spatially explicit population dynamics model. 205
- Quinn G P  
See Hindell J S *et al.* 543
- Reid T A, Hindell M A  
Coarse-scale relationships between seabirds and zooplankton off south-eastern Tasmania. 789
- Robson B J  
Role of residual biofilm in the recolonization of rocky intermittent streams by benthic algae. 725
- Roca J R, Mezquita F, Rueda J, Camacho A, Miracle M R  
Endorheic *versus* karstic lakes: patterns of ostracod distributions and lake typology in a Mediterranean landscape (Castilla – La Mancha, Spain). 311
- Rueda J  
See Roca J R *et al.* 311
- Russ G R  
See Zeller D C *et al.* 221
- Santana F M  
See Lessa R *et al.* 339
- Seijo J C, Caddy J F  
Uncertainty in bio-economic reference points and indicators of marine fisheries. 477
- Sheaves M J  
See Omundsen S L *et al.* 249
- Short D A  
See Fowler A J *et al.* 11
- Siebertritt M A, Ganf G G  
Influence of abiotic and biotic factors on two co-occurring species of *Bolboschoenus*. 73
- Smith J D  
See Peck G A *et al.* 647
- Smith K A  
Active and passive dispersal of *Centroberyx affinis* (Berycidae) and *Gonorynchus greyi* (Gonorynchidae) larvae on the Sydney shelf. 229
- Smith K A, Suthers I M  
Consistent timing of juvenile fish recruitment to seagrass beds within two Sydney estuaries. 765
- Solari L C  
See Almirón A E *et al.* 265
- Staples D J  
See Garcia S M *et al.* 385
- Stauber J L, Benning R J, Hales L T, Eriksen R, Nowak B  
Copper bioavailability and amelioration of toxicity in Macquarie Harbour, Tasmania, Australia. 1
- Stevens J D, West G J, McLoughlin K J  
Movements, recapture patterns, and factors affecting the return rate of carcharhinid and other sharks tagged off northern Australia. 127
- Stokes T K  
See Bravington M V *et al.* 465
- Suthers I M  
See Smith K A *et al.* 765
- Taylor B L  
See Punt A E *et al.* 205
- Tolimieri N  
See Dudley B *et al.* 783
- Tong L J, Moss G A, Paewai M M, Pickering T D  
Effect of temperature and feeding rate on the growth and survival of early and mid-stage phyllosomas of the spiny lobster *Jasus edwardsii*. 235
- Tong L J, Moss G A, Pickering T D, Paewai M M  
Temperature effects on embryo and early larval development of the spiny lobster *Jasus edwardsii*, and a description of a method to predict larval hatch times. 243
- Townsend S A  
Seasonal pattern and inferred phosphorus limitation of phytoplankton biomass in two tropical reservoirs in northern Australia. 91
- van den Enden T, White R W G, Elliott N G  
Genetic variation in the greenback flounder *Rhombosolea tapirina* Günther (Teleostei, Pleuronectidae) and the implications for aquaculture. 23
- Vergara S G  
See Pollnac R B *et al.* 529
- Vesk P A  
See Byrne M *et al.* 183
- Vladimirov V A, Denissenko P V, Pedley T J, Wu M, Moskalov I S  
Algal motility measured by a laser-based tracking method. 589
- Walker K F  
See Bertozzi T *et al.* 805
- Walker T I  
See Punt A E *et al.* 205
- Ward S  
See Jones R J *et al.* 63
- Ward T J  
Indicators for assessing the sustainability of Australia's marine ecosystems. 435
- Ward T M  
Factors affecting the catch rates and relative abundance of sea snakes in the by-catch of trawlers targeting tiger and endeavour prawns on the northern Australian continental shelf. 155
- West G J  
See Stevens J D *et al.* 127
- White R W G  
See van den Enden T *et al.* 23
- Willis T J, Babcock R C  
A baited underwater video system for the determination of relative density of carnivorous reef fish. 755
- Willmann R  
Integration of sustainability indicators: the contribution of integrated economic and environmental accounting. 501
- Wintner S P, Dudley S F J  
Age and growth estimates for the tiger shark, *Galeocerdo cuvier*, from the east coast of South Africa. 43

Wu M

*See* Vladimirov V A *et al.* 589

Yang Amri A

*See* Jones R J *et al.* 63

Zeller D C, Russ G R

Population estimates and size structure of  
*Plectropomus leopardus* (Pisces : Serranidae)  
in relation to no-fishing zones:  
mark-release-resighting and underwater  
visual census. 221

Zhu D

*See* McGuigan K *et al.* 713