

Supplementary material: *Emu*, 2014, 114(4), 295–303

New Guinean passerines have globally small clutch-sizes

Benjamin G. Freeman^{A,B,C} and *Nicholas A. Mason*^{A,B}

^ADepartment of Ecology and Evolutionary Biology, Cornell University, Corson Hall,
Ithaca, NY 14850, USA.

^BCornell Laboratory of Ornithology, 159 Sapsucker Woods Road, Ithaca, NY 14850, USA.

^CCorresponding author. Email: bgf27@cornell.edu

Table S1. Clutch-size data for 102 species of passerines that occur in New Guinea

Data from the *Handbook of the Birds of the World*: Alström *et al.* (2006), Boles (2006, 2007a, 2007b, 2007c), Cheke and Mann (2008), Coates (2008), Coates *et al.* (2006), Collar (2005), Frith and Frith (2009a, 2009b), Gregory (2007, 2008), Higgins *et al.* (2008), Rowley and Russell (2007, 2009), Taylor (2005), Van Balen (2008), Walther and Jones (2008)

Scientific name	Family	Clutch-size
<i>Ailuroedus buccoides</i>	Ptilinorhynchidae	1
<i>Ailuroedus melanotis</i>	Ptilonorhynchidae	1.5
<i>Amblyornis macgregoriae</i>	Ptilonorhynchidae	1
<i>Amblyornis inornata</i>	Ptilonorhynchidae	1
<i>Archboldia papuensis</i>	Ptilonorhynchidae	1
<i>Sericulus aureus</i>	Ptilonorhynchidae	1
<i>Sipodotus wallacii</i>	Maluridae	2
<i>Chenorhamphus grayi</i>	Maluridae	2
<i>Xanthotis flaviventer</i>	Meliphagidae	2
<i>Lichenostomus obscurus</i>	Meliphagidae	2
<i>Meliphaga mimikae</i>	Meliphagidae	2
<i>Meliphaga orientalis</i>	Meliphagidae	2
<i>Meliphaga albonotata</i>	Meliphagidae	1.5
<i>Meliphaga cinereifrons</i>	Meliphagidae	2
<i>Meliphaga aruensis</i>	Meliphagidae	1.5
<i>Philemon meyeri</i>	Meliphagidae	2
<i>Macgregoria pulchra</i>	Meliphagidae	1
<i>Melidectes fuscus</i>	Meliphagidae	1
<i>Melidectes nouhuysi</i>	Meliphagidae	1
<i>Ptiloprora perstriata</i>	Meliphagidae	1
<i>Ptiloprora guisei</i>	Meliphagidae	1
<i>Melilestes megarhynchus</i>	Meliphagidae	2
<i>Crateroscelis murina</i>	Acanthizidae	2
<i>Crateroscelis nigrorufa</i>	Acanthizidae	2
<i>Sericornis papuensis</i>	Acanthizidae	1
<i>Sericornis nouhuysi</i>	Acanthizidae	2
<i>Gerygone chrysogaster</i>	Acanthizidae	3
<i>Acanthiza murina</i>	Acanthizidae	2
<i>Pachycare flavogriseum</i>	Acanthizidae	2
<i>Cnemophilus lorae</i>	Cnemophiliidae	1
<i>Cnemophilus macgregorii</i>	Cnemophiliidae	1
<i>Loboparadisea sericea</i>	Cnemophiliidae	1
<i>Melanocharis nigra</i>	Melanocharitidae	1.5
<i>Melanocharis versteri</i>	Melanocharitidae	1
<i>Melanocharis striativentris</i>	Melanocharitidae	2
<i>Oedistoma iliolophus</i>	Melanocharitidae	1
<i>Toxorhamphus poliopterus</i>	Melanocharitidae	1
<i>Paramythia montium</i>	Paramythiidae	1
<i>Orthonyx novaeguineae</i>	Orthonychidae	1
<i>Ptilorrhoa leucosticta</i>	Eupetidae	2
<i>Ptilorrhoa caerulescens</i>	Eupetidae	2

Scientific name	Family	Clutch-size
<i>Ptilorrhoa castanonotus</i>	Eupetidae	1.5
<i>Melampitta lugubris</i>	Eupetidae	1
<i>Ifrita kowaldi</i>	Eupetidae	1
<i>Cracticus quoyi</i>	Cracticidae	2
<i>Cracticus cassicus</i>	Cracticidae	2.5
<i>Peltops blainvillii</i>	Cracticidae	1
<i>Coracina longicauda</i>	Campephagidae	1
<i>Coracina caeruleogrisea</i>	Campephagidae	1
<i>Pachycephala hyperythra</i>	Pachycephalidae	2
<i>Pachycephala soror</i>	Pachycephalidae	1.5
<i>Pachycephala schlegelii</i>	Pachycephalidae	2
<i>Colluricincla megarhyncha</i>	Pachycephalidae	2
<i>Pitohui dichrous</i>	Pachycephalidae	1.5
<i>Pitohui ferrugineus</i>	Pachycephalidae	1
<i>Pitohui nigrescens</i>	Pachycephalidae	1.5
<i>Aleadryas rufinucha</i>	Pachycephalidae	1.5
<i>Oriolus szalayi</i>	Oriolidae	1.5
<i>Rhipidura leucothorax</i>	Rhipiduridae	2
<i>Rhipidura atra</i>	Rhipiduridae	1
<i>Rhipidura hyperythra</i>	Rhipiduridae	2
<i>Rhipidura rufidorsa</i>	Rhipiduridae	2
<i>Symposiachrus axillaris</i>	Monarchidae	1.5
<i>Symposiachrus guttula</i>	Monarchidae	2
<i>Symposiachrus manadensis</i>	Monarchidae	2
<i>Arses telescopthalmus</i>	Monarchidae	2
<i>Machaerirhynchus nigripectus</i>	Monarchidae	2
<i>Manucodia chalybatus</i>	Paradisaeidae	1.5
<i>Manucodia ater</i>	Paradisaeidae	2
<i>Manucodia jobiensis</i>	Paradisaeidae	2
<i>Phonygammus keraudrenii</i>	Paradisaeidae	1.5
<i>Paradigalla brevicauda</i>	Paradisaeidae	1
<i>Astrapia stephaniae</i>	Paradisaeidae	1
<i>Astrapia mayeri</i>	Paradisaeidae	1
<i>Astrapia rothschildi</i>	Paradisaeidae	1
<i>Parotia lawesii</i>	Paradisaeidae	1
<i>Parotia wahnesi</i>	Paradisaeidae	2
<i>Pteridophora alberti</i>	Paradisaeidae	1
<i>Lophorina superba</i>	Paradisaeidae	1.5
<i>Ptiloris magnificus</i>	Paradisaeidae	1.5
<i>Epimachus meyeri</i>	Paradisaeidae	1
<i>Drepanornis albertisi</i>	Paradisaeidae	1.5
<i>Diphylloides magnificus</i>	Paradisaeidae	1.5
<i>Cicinnurus regius</i>	Paradisaeidae	1.5
<i>Seleucidis melanoleucus</i>	Paradisaeidae	1
<i>Paradisaea raggiana</i>	Paradisaeidae	1.5
<i>Paradisaea minor</i>	Paradisaeidae	1.5
<i>Paradisaea apoda</i>	Paradisaeidae	1
<i>Paradisaea rubra</i>	Paradisaeidae	1.5
<i>Paradisaea gulielmi</i>	Paradisaeidae	1.5
<i>Paradisaea rudolphi</i>	Paradisaeidae	1

Scientific name	Family	Clutch-size
<i>Heteromyias albispecularis</i>	Petroicidae	1
<i>Peneothello sigillatus</i>	Petroicidae	1.5
<i>Peneothello cyanus</i>	Petroicidae	1.5
<i>Pachycephalopsis poliosoma</i>	Petroicidae	1
<i>Monachella muelleriana</i>	Petroicidae	2
<i>Microeca griseiceps</i>	Petroicidae	2
<i>Microeca flavovirescens</i>	Petroicidae	2
<i>Amalocichla incerta</i>	Petroicidae	1
<i>Zosterops novaeguineae</i>	Zosteropidae	2
<i>Phylloscopus poliocephalus</i>	Sylviidae	2
<i>Zoothera heinei</i>	Turdidae	2
<i>Dicaeum geelvinkianum</i>	Dicaeidae	2.5

Table S2. Clutch-size data for eight genera that include species in New Guinea and South-East Asia

Data from either Jetz *et al.* (2008) or volumes of the *Handbook of Birds of the World*: Alström *et al.* (2006), Boles (2006), Cheke and Mann (2008), Collar (2005), Taylor (2005), Van Balen (2008)

Species	Clutch-size	Region	Citation
Campephagidae			
<i>Coracina javensis</i>	2	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Coracina caeruleogrisea</i>	1	New Guinea	Jetz <i>et al.</i> (2008)
<i>Coracina striata</i>	2	South-East Asia	HBW
<i>Coracina bicolor</i>	2	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Coracina boyeri</i>	1	New Guinea	Jetz <i>et al.</i> (2008)
<i>Coracina longicauda</i>	1	New Guinea	Jetz <i>et al.</i> (2008)
<i>Coracina polioptera</i>	2.4	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Coracina fimbriata</i>	2	South-East Asia	HBW
Pachycephalidae			
<i>Pachycephala hyperythra</i>	2	New Guinea	Jetz <i>et al.</i> (2008)
<i>Pachycephala soror</i>	1.4	New Guinea	Jetz <i>et al.</i> (2008)
<i>Pachycephala schlegelii</i>	2	New Guinea	Jetz <i>et al.</i> (2008)
<i>Pachycephala grisola</i>	2	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Oriolus szalayi</i>	1.4	New Guinea	Jetz <i>et al.</i> (2008)
<i>Oriolus xanthonotus</i>	2	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Zosterops novaeguineae</i>	2	New Guinea	Jetz <i>et al.</i> (2008)
<i>Zosterops everetti</i>	2	South-East Asia	HBW
<i>Zosterops palpebrosus</i>	2	South-East Asia	HBW
<i>Zosterops montanus</i>	2.5	South-East Asia	HBW
<i>Dicaeum geelvinkianum</i>	2.4	New Guinea	Jetz <i>et al.</i> (2008)
<i>Dicaeum agile</i>	2.8	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Dicaeum chrysorrheum</i>	2.4	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Dicaeum trigonostigma</i>	2.4	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Dicaeum concolor</i>	2.4	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Dicaeum monticulum</i>	3	South-East Asia	HBW
<i>Dicaeum celebicum</i>	3	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Dicaeum cruentatum</i>	2.8	South-East Asia	Jetz <i>et al.</i> (2008)

Species	Clutch-size	Region	Citation
<i>Zoothera interpres</i>	2.4	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Zoothera heinei</i>	2	New Guinea	HBW
<i>Rhipidura hyperythra</i>	2	New Guinea	Jetz <i>et al.</i> (2008)
<i>Rhipidura rufidorsa</i>	2	New Guinea	Jetz <i>et al.</i> (2008)
<i>Rhipidura atra</i>	1	New Guinea	Jetz <i>et al.</i> (2008)
<i>Rhipidura phoenicura</i>	2	South-East Asia	HBW
<i>Rhipidura perlata</i>	2	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Rhipidura euryura</i>	2	South-East Asia	HBW
<i>Rhipidura javanica</i>	2	South-East Asia	Jetz <i>et al.</i> (2008)
<i>Rhipidura leucothorax</i>	2	New Guinea	Jetz <i>et al.</i> (2008)
<i>Phylloscopus trivirgatus</i>	2.5	South-East Asia	HBW
<i>Phylloscopus poliocephalus</i>	2	New Guinea	HBW

References

- Alström, P., Aymí, R., Clement, P., Dyrce, A., Gargallo, G., Hawkins, A. F. A., Madge, S. C., Pearson, D. J., and Svensson, L. (2006). Family Sylviidae (Old World Warblers). In 'Handbook of the Birds of the World. Vol. 11: Old World Flycatchers to Old World Warblers'. (Eds J. del Hoyo, A. Elliot and D. A. Christie.) pp. 492–709. (Lynx Edicions: Barcelona.)
- Boles, W. (2006). Family Rhipiduridae (Fantails). In 'Handbook of the Birds of the World. Vol. 11: Old World Flycatchers to Old World Warblers'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 200–242. (Lynx Edicions: Barcelona.)
- Boles, W. E. (2007a). Family Eupetidae (Jewel-babblers and allies). In 'Handbook of the Birds of the World. Vol. 12: Picathartes to Tits and Chickadees'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 348–373. (Lynx Edicions: Barcelona.)
- Boles, W. E. (2007b). Family Pachycephalidae (Whistlers). In 'Handbook of the Birds of the World. Vol. 12: Picathartes to Tits and Chickadees'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 374–437. (Lynx Edicions: Barcelona.)
- Boles, W. E. (2007c). Family Petroicidae (Australasian Robins). In 'Handbook of the Birds of the World. Vol. 12: Picathartes to Tits and Chickadees'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 438–489. (Lynx Edicions: Barcelona.)
- Cheke, R. A., and Mann, C. (2008). Family Dicaeidae (Flowerpeckers). In 'Handbook of the Birds of the World. Vol. 13: Penduline-tits to Shrikes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 350–367. (Lynx Edicions: Barcelona.)
- Coates, B. J. (2008). Family Paramythiidae (Painted Berrypeckers). In 'Handbook of the Birds of the World. Vol. 13: Penduline-tits to Shrikes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 341–349. (Lynx Edicions: Barcelona.)

- Coates, B. J., Dutton, G. C. L., Filardi, C. E., Clement, P., Gregory, P., and Moeliker, C. W. (2006). Family Monarchidae (Monarch-flycatchers). In 'Handbook of the Birds of the World. Vol. 11: Old World Flycatchers to Old World Warblers'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 244–329. (Lynx Edicions: Barcelona.)
- Collar, N. J. (2005). Family Turdidae (Thrushes). In 'Handbook of the Birds of the World. Vol. 10: Cuckoo-shrikes to Thrushes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 514–807. (Lynx Edicions: Barcelona.)
- Frith, C. B., and Frith, D. W. (2009a). Family Paradisaeidae (Birds of Paradise). In 'Handbook of the Birds of the World. Vol. 14: Bush-shrikes to Old World Sparrows'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 404–493. (Lynx Edicions: Barcelona.)
- Frith, C. B., and Frith, D. W. (2009b). Family Ptilonorhynchidae (Bowerbirds). In 'Handbook of the Birds of the World. Vol. 14: Bush-shrikes to Old World Sparrows'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 371–403. (Lynx Edicions: Barcelona.)
- Gregory, P. (2007). Family Acanthizidae (Thornbills). In 'Handbook of the Birds of the World. Vol. 12: Picathartes to Tits and Chickadees'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 544–611. (Lynx Edicions: Barcelona.)
- Gregory, P. (2008). Family Melanocharitidae (Berrypeckers and Longbills). In 'Handbook of the Birds of the World. Vol. 13: Penduline-tits to Shrikes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 322–340. (Lynx Edicions: Barcelona.)
- Higgins, P. J., Christidis, L., and Ford, H. A. (2008). Family Meliphagidae (Honeyeaters). In 'Handbook of the Birds of the World. Vol. 13: Penduline-tits to Shrikes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 498–691. (Lynx Edicions: Barcelona.)
- Jetz, W., Sekercioglu, C. H., and Bohning-Gaese, K. (2008). The worldwide variation in avian clutch size across species and space. *PLoS Biology* 6(12), e303. [doi:10.1371/journal.pbio.0060303](https://doi.org/10.1371/journal.pbio.0060303)
- Rowley, I., and Russell, E. (2007). Family Maluridae (Fairy-wrens). In 'Handbook of the Birds of the World. Vol. 12: Picathartes to Tits and Chickadees'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 490–531. (Lynx Edicions: Barcelona.)
- Russell, E., and Rowley, I. (2009). Family Cracticidae (Butcherbirds). In 'Handbook of the Birds of the World. Vol. 14: Bush-shrikes to Old World Sparrows'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 308–335. (Lynx Edicions: Barcelona.)
- Taylor, P. B. (2005). Family Campephagidae (Cuckoo-shrikes). In 'Handbook of the Birds of the World. Vol. 10: Cuckoo-shrikes to Thrushes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 40–123. (Lynx Edicions: Barcelona.)
- Van Balen, S. (2008). Family Zosteropidae (White-eyes). In 'Handbook of the Birds of the World. Vol. 13: Penduline-tits to Shrikes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 402–485. (Lynx Edicions: Barcelona.)

Walther, B., and Jones, P. (2008). Family Oriolidae (Orioles). In 'Handbook of the Birds of the World. Vol. 13: Penduline-tits to Shrikes'. (Eds J. del Hoyo, A. Elliott and D. A. Christie.) pp. 692–731. (Lynx Edicions: Barcelona.)