

CSIRO Publishing

Emu



Volume 99, 1999
© Birds Australia 1999

All enquiries and manuscripts should be directed to



CSIRO
PUBLISHING

Emu
CSIRO Publishing
PO Box 1139 (150 Oxford St)
Collingwood, Vic. 3066, Australia

Telephone: 61 3 9662 7622
Fax: 61 3 9662 7611
Email: emu@publish.csiro.au



Birds Australia

Published by CSIRO Publishing
for the Royal Australasian Ornithologists Union

www.publish.csiro.au/journals/emu

Index of Authors, Subjects and Scientific Names

Volume 99

Compiled by Eleanor Russell

- Acanthagenys rufogularis* 157-169
Acanthiza apicalis 157-169, *A. chrysorrhoa* 157-169,
A. uropygialis 157-169
Accipiter fasciatus 108-119, *A. novaehollandiae* 108-119
 Adelie Penguin 144, 176-190
Aegotheles cristatus 253-261
Ailuroedus melanotis 108-119
Alcedo azurea 108-119
Alectura lathamii 108-119
Alisterus scapularis 69-72
Anas superciliosa 108-119
 Anatomy and morphology of *Menura novaehollandiae* 46-59
 Anatomy and morphology, tail plumage development 46-59
 ANDREW, P. (Review by) 154-156
Anous stolidus 36-39
Anseranas semipalmata 121-134
 Antarctic Fulmar 144
 Antarctic Petrel 176-190
 Antarctic Tern 144
 Antarctica 40-45, 176-190
Anthochaera carunculata 91-99, 157-169
Anthus novaehollandiae 157-169
Aphelocephala leucopsis 157-169
Aplonis metallica 108-119
Aprosmictus erythropterus 15-28, 108-119, 135-141
Aptenodytes forsteri 40-45, 142-145
Ardea alba 108-119, *A. intermedia* 108-119, *A. pacifica*
 108-119
Arses kaupi 108-119
Artamus cinereus 135-141, *A. leucorhynchus* 135-141,
A. minor 135-141
 Auckland Islands 239-247
 Audubon's Shearwater 100-107
 Australian Brush Turkey 108-119
 Australian King Parrot 69-72
 Australian Magpie 85-90, 157-169
 Australian Owlet-nightjar 253-261
 Australian Raven 157-169
 Australian Ringneck 157-169
 Australian White Ibis 108-119
Aviceda subcristata 108-119
 Azure Kingfisher 108-119
 Band recovery of *Diomedea chrysostoma* 29-35,
D. melanophrys 29-35
 Banded Honeyeater 108-119
 Bar-shouldered Dove 108-119
Barnardius zonarius 157-169
 BASS, D. see McGRATH, R.J.
 Behaviour of *Aegotheles cristatus* 253-261, *Alisterus*
scapularis 69-72, *Anseranas semipalmata* 121-134,
Aptenodytes forsteri 40-45, *Cacatua galerita* 69-72,
Calidris ferruginea 218-222, *C. ruficollis* 218-222,
Calyptrorhynchus lathamii 262-279, *Catharacta*
maccormicki 176-190, *Chionis minor* 292-295, *Corcorax*
melanorhamphos 1-8, *Cormobates leucophaeus* 69-72,
Corvus mellori 1-8, *Diomedea chrysostoma* 29-35,
D. melanophrys 29-35, *D. exulans* 60-68, *Gymnorhina*
tibicen 85-90, *Lichenostomus chrysops* 69-72, *L. frenatus*
 69-72, *Meliphaga lewinii* 69-72, *Melithreptus lunatus*
 69-72, *Orthonyx spaldingii* 280-290, *Phylidonyris nigra*
 69-72, *Platycercus elegans* 69-72, *Podargus strigoides*
 212-217, *Ptilonorhynchus violaceus* 69-72, *Ptiloris*
victoriae 69-72, *Rhipidura rufifrons* 69-72, *Smicrornis*
brevirostris 295-297, *Strepera graculina* 69-72,
Trichoglossus chlorolepidotus 69-72, *T. haemotodus*
 69-72
 Behaviour towards humans, *Gymnorhina tibicen* 85-90
 Behaviour, agonistic 85-90, 121-134, breeding 121-134,
 262-279, displays 121-134, female-female pairing
 292-295, foraging 69-72, 218-222, 253-261, groups
 121-134, huddling 40-45, hunting 182-183, lek 233,
 movements in home range 60-68, 280-290, nesting
 212-217, 262-279, nest attendance 121-134, nest defence
 121-134, nest site tenacity 243, nocturnal activity
 253-261, parental care 121-134, 176-190, 212-217,
 262-279, post-hatch dispersal 121-134, social groups
 280-290, territorial 280-290, thermoregulatory 40-45,
 vocal 280-290, 295-297
 Biodiversity, tropical rainforest 108-119
 Biogeography, island 100-107
 Birds and fisheries 29-35, 60-68, 200-211
 BISHOP, K.D. (Review by) 153-154, see COATES, B.
 Black Butcherbird 108-119
 Black Kite 108-119
 Black Noddy 100-107
 Black-browed Albatross 29-35
 Black-faced Cuckoo-shrike 157-169
 Black-faced Monarch 108-119
 Black-faced Sheathbill 292-295
 Black-necked Stork 145-147
 Blue Noddy 100-107
 Blue-faced Honeyeater 15-28, 108-119
 Blue-winged Kookaburra 108-119
 Bower's Shrike-thrush 108-119

- BOYDEN, J. see TIDEMANN, S.C.
 BRADFORD, M.G. see CHAPMAN, A.
 Breeding of *Anous minutus* 100-107, *A. stolidus* 36-39, 100-107, *Anthochaera carunculata* 91-99, *Aptenodytes forsteri* 142-145, *Calyptorhynchus lathami* 262-279, *Chionis minor* 292-295, *Gygis alba* 100-107, *Nesofregatta fuliginosa* 100-107, *Phaethon lepturus* 100-107, *P. rubricauda* 100-107, *Philemon corniculatus* 91-99, *Procelsterna cerulea* 100-107, *Pseudobulweria rostrata* 100-107, *Pterodroma arminjoniana* 100-107, *P. ultima* 100-107, *Puffinus lherminieri* 100-107, *P. nativitatis* 100-107, *P. pacificus* 100-107, *Sula leucogaster* 100-107
 Breeding season of *Anous stolidus* 36-39, *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190, *Diomedea exulans* 243, *Erythrura gouldiae* 191-199
 Breeding success of *Anthochaera carunculata* 91-99, *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190, *Diomedea exulans* 243, *Erythrura gouldiae* 191-199, *Fulmarus glacialis* 181, *Philemon corniculatus* 91-99, *Podargus strigioides* 212-217, *Pygoscelis adeliae* 181, *Thalassoica antarctica* 181
 Breeding, colonial 36-39, 142-145, nest predation 148-152, 170-175, 262-279
 BRETAGNOLLE, V. see THIBAUT, J.-C.
 Bridled Honeyeater 69-72, 108-119
 BRIED, J., DURIEZ, O. & JUIN, G. A first case of female-female pairing in the Black-faced Sheathbill *Chionis minor* 292-295
 BRIGHAM, R. M., GUTSELL, R.C.A., WIACEK, R.S. & GEISER, F. Foraging behaviour in relation to the lunar cycle by Australian Owllet-nightjars *Aegotheles cristatus* 253-261
 Brown Booby 100-107
 Brown Cuckoo-Dove 108-119
 Brown Goshawk 108-119
 Brown Honeyeater 15-28
 Brown Noddy 36-39, 100-107
 Brown Treecreeper 157-169
 Brown-backed Honeyeater 108-119, 157-169
Cacatua galerita 69-72, 108-119, *C. roseicapilla* 157-169, *C. sanguinea* 135-141
Calidris ferruginea 218-222, *C. ruficollis* 218-222
 Calls (see Vocalisations)
Calyptorhynchus lathami 262-279
 Cape Petrel 177
 Cape Pigeon 144
Catharacta maccormicki 144, 176-190
Certhionyx pectoralis 108-119
Chalcophaps indica 108-119
 CHAPMAN, A., BRADFORD, M.G. & HOSKIN, C.J. Sap suckers: a novel bird 'guild' in wet sclerophyll forests of tropical north Queensland 69-72
 Chestnut Quail-thrush 157-169
 Chestnut-breasted Mannakin 108-119
 Chestnut-rumped Thornbill 157-169
Chionis minor 292-295
Chlamydera nuchalis 15-28, 135-141
 Chowchilla 280-290
 Christmas Shearwater 100-107
Chrysococcyx minutillus 108-119
 CILENTO, N.L. & JONES, D.N. Aggression by Australian Magpies *Gymnorhina tibicen* toward human intruders 85-90
Cinclosoma castanotus 157-169
Circus assimilis 108-119
Climacteris picumnus 157-169
 Clutch size of *Calyptorhynchus lathami* 262-279, *Erythrura gouldiae* 191-199, *Podargus strigioides* 212-217
 COATES, B. & BISHOP, K.D. A Guide to the Birds of Wallacea (Review) 154-156
Collocalia spodiopygius 108-119
Colluricincla boweri 108-119, *C. harmonica* 108-119, 157-169, *C. megarhyncha* 108-119
 Common Bronzewing 157-169
 Common Diving Petrel 72-74
 Common Koel 108-119
Conopophila albogularis 15-28
 Conservation and management 148-152
 Conservation and management of *Calyptorhynchus lathami* 262-279, *Dasyornis broadbenti* 9-14, *Diomedea exulans* 239-247, *Gymnorhina tibicen* 85-90, *Erythrura gouldiae* 191-199, *Lycocorax pyrrhopterus* 229-238, *Petroica australis* 222-226, *Semioptera wallacii* 229-238
 COOKE, R. see WEBSTER, A.
 Cooperative breeding of *Anseranas semipalmata* 121-134
Coracina novaehollandiae 157-169, *C. papuensis* 108-119, 135-141
Corcorax melanorhamphos 1-8, 157-169
Cormobates leucophaeus 69-72
Corvus coronoides 157-169, *C. mellori* 1-8, 157-169, *C. orru* 135-141
 COSSEE, R.O. see WAUGH, S.M.
 COURTNEY, John Edgar, Citation for John Hobbs Medal, 228
Cracticus nigrogularis 135-141, *C. quoyi* 108-119, *C. torquatus* 15-28, 135-141, 157-169
 Crested Bellbird 157-169
 Crimson Rosella 69-72
 CROWLEY, G.M. see GARNETT, S.T.
 CROXALL, J.P. see TUCK, G.N.
 Crozet Island 60-68
 CUNNINGHAM, R.B. see LINDENMAYER, D.B.
 Curlew Sandpiper 218-222
Cyclopsitta diophthalma 108-119
Dacelo leachii 108-119, *D. novaeguineae* 108-119
 DANN, P. Feeding periods and supratidal feeding of Red-necked Stints and Curlew Sandpipers in Western Port, Victoria 218-222
Daphoenositta chrysoptera 157-169

- Daption capense* 144, 177
Dasyornis broadbenti 9-14
 DAVIS, L.S. see RENNER, M.
 DAVIS, W.J. (review by) 84
Dicaeum hirundinaceum 108-119, 135-141
Dicrurus bracteatus 15-28, 108-119, 135-141
 Diet (see Food and feeding habits)
Diomedea epomophora 200-211, *D. exulans* 60-68, 239-247, *D. chrysostoma* 29-35, *D. melanophrys* 29-35
 Diseases and parasites of *Falco cenchroides* 291-292, *Falco peregrinus* 291-292
 Distribution of *Anous minutus* 100-107, *A. stolidus* 100-107, *Dasyornis broadbenti* 9-14, *Diomedea chrysostoma* 29-35, *D. epomophora* 200-211, *D. melanophrys* 29-35, *Gygis alba* 100-107, *Lycorax pyrrhopterus* 229-238, *Nesofregatta fuliginosa* 100-107, *Petroica australis* 222-226, *Phaethon lepturus* 100-107, *P. rubricauda* 100-107, *Procelsterna cerulea* 100-107, *Pseudobulweria rostrata* 100-107, *Pterodroma arminjoniana* 100-107, *P. ultima* 100-107, *Puffinus lherminieri* 100-107, *P. nativitatis* 100-107, *P. pacificus* 100-107, *Semioptera wallacii* 229-238, *Sula leucogaster* 100-107
 Double-eyed Fig-parrot 108-119
Dromaius novaehollandiae 248-252
Drymodes brunniopygia 157-169
Ducula bicolor 108-119
 DUNCAN, P., WEBB, P.I. & PALMEIRIM, J.M.
 Distribution of New Zealand Robins within a forest mosaic 222-226
 DUNLOP, J. N. & GOLDBERG, J.A. The establishment of a new Brown Noddy *Anous stolidus* breeding colony off south-western Australia 36-39
 DURIEZ, O. see BRIED, J.
 Dusky Honeyeater 15-28, 108-119
 Eastern Bristlebird 9-14
 Eastern Whipbird 108-119
 Ecology of *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190, *Diomedea epomophora* 200-211, *Dromaius novaehollandiae* 248-252, *Erythrura gouldiae* 191-199, *Orthonyx spaldingii* 280-290
 Ecology, biodiversity 248-252, bird species diversity 108-119, 157-169, bird species richness 108-119, competition 262-279, demography 262-279, edge effects 148-152, 157-169, 170-175, feeding, 69-72, 200-211, 248-252, habitat fragmentation 148-152, 157-169, 170-175, 222-226, nectarivore community 15-28, nectar resources 15-28, opportunistic nectarivory 135-141, sap-sucking guild 69-72, seed dispersal by *Dromaius novaehollandiae* 248-252, territoriality 280-290
 Edge effects 148-152, 157-169, 170-175
 Edge effects on *Acanthagenys rufogularis* 157-169, *Acanthiza apicalis* 157-169, *A. chrysorrhoa* 157-169, *A. uropygialis* 157-169, *Anthochaera carunculata* 157-169, *Anthus novaehollandiae* 157-169, *Aphelocephala leucopsis* 157-169, *Barnardius zonarius* 157-169, *Cacatua roseicapilla* 157-169, *Cinclosoma castanotus* 157-169, *Climacteris picumnus* 157-169, *Colluricincla harmonica* 157-169, *Coracina novaehollandiae* 157-169, *Corcorax melanorhamphos* 157-169, *Corvus coronoides* 157-169, *C. mellori* 157-169, *Cracticus torquatus* 157-169, *Daphoenositta chrysoptera* 157-169, *Drymodes brunniopygia* 157-169, *Glossopsitta porphyrocephala* 157-169, *Gymnorhina tibicen* 157-169, *Hirundo nigricans* 157-169, *Hylacola cauta* 157-169, *Lichenostomus chrysops* 157-169, *L. cratitius* 157-169, *L. leucotis* 157-169, *L. ornatus* 157-169, *L. penicillatus* 157-169, *L. virescens* 157-169, *Malurus lamberti* 157-169, *M. splendens* 157-169, *Manorina flavigula* 157-169, *Melanodryas cucullata* 157-169, *Melithreptus brevirostris* 157-169, *Microeca fascians* 157-169, *Myiagra inquieta* 157-169, *Oreocica gutturalis* 157-169, *Pachycephala inornata* 157-169, *P. pectoralis* 157-169, *P. rufiventris* 157-169, *Pardalotus punctatus* 157-169, *P. striatus* 157-169, *Petroica goodenovii* 157-169, *Phaps chalcoptera* 157-169, *Phylidonyris albifrons* 157-169, *Plectorhyncha lanceolata* 157-169, *Pomatostomus superciliosus* 157-169, *Psephotus varius* 157-169, *Rhipidura fuliginosa* 157-169, *R. leucophrys* 157-169, *Smicrornis brevirostris* 157-169, *Strepera versicolor* 157-169, *Zosterops lateralis* 157-169
 Eggs, description and measurement of, *Anous stolidus* 36-39, *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190
 Eggs, hatching synchrony 121-134, laying 121-134
Egretta garzetta 108-119
 ELLIOTT, G. see WALKER, K.
 ELVISH, J. see TIDEMANN, S.C.
 ELVISH, R. see TIDEMANN, S.C.
 Emerald Dove 108-119
 Emperor Penguin 40-45, 142-145
 Emu 248-252
 Endangered species, *Calyptorhynchus lathami* 262-279, *Erythrura gouldiae* 191-199
 ENDE, J. see RAIDAL, S.
 Energy expenditure of *Aptenodytes forsteri* 40-45
Entomyzon cyanotis 15-28, 108-119
 Environment, influence of, on *Anous stolidus* 36-39, *Aptenodytes forsteri* 40-45, breeding 191-199, energy expenditure 40-45, *Erythrura gouldiae* 191-199, nocturnal activity 253-261
Ephippiorhynchus asiaticus 145-147
 ERRITZOE, J. & ERRITZOE, H.B. Pittas of the World: a Monograph on the Pitta Family (Review) 299-300
Erythrura gouldiae 191-199
Eudynamis scolopacea 108-119
Eudiptula minor 74-80
 Fairy Gerygone 108-119
Falco cenchroides 291-292, *F. peregrinus* 291-292
 Fertility of *Calyptorhynchus lathami* 262-279
 Figbird 15-28, 108-119

Fisheries and birds 200-211

Food and feeding habits of *Aegotheles cristatus* 253-261,

Alisterus scapularis 69-72, *Aprosmictus erythropterus* 15-28, 135-141, *Artamus cinereus* 135-141, *A. leucorhynchus* 135-141, *A. minor* 135-141, *Cacatua galerita* 69-72, *C. sanguinea* 135-141, *Calidris ferruginea* 218-222, *C. ruficollis* 218-222, *Catharacta maccormicki* 176-190, *Chlamydera nuchalis* 15-28, 135-141, *Conopophila albogularis* 15-28, *Coracina papuensis* 135-141, *Cormobates leucophaeus* 69-72, *Corvus orru* 135-141, *Cracticus nigrogularis* 135-141, *C. torquatus* 15-28, 135-141, *Dicaeum hirundinaceum* 135-141, *Dicrurus bracteatus* 15-28, 135-141, *Diomedea epomophora* 200-211, *Dromaius novaehollandiae* 248-252, *Entomyzon cyanotis* 15-28, *Ephippiorhynchus asiaticus* 145-147, *Lichenostomus albobularis* 15-28, *L. chrysops* 69-72, *L. frenatus* 69-72, *L. indistincta* 15-28, *L. unicolor* 15-28, *Lalage sueurii* 15-28, 135-141, *Manorina flavigula* 15-28, *Meliphaga lewinii* 69-72, *Melithreptus lunatus* 69-72, *Myzomela erythrocephala* 15-28, *M. obscura* 15-28, *Oriolus flavicinctus* 15-28, 135-141, *O. sagittatus* 15-28, 135-141, *Pachycephala rufiventris* 135-141, *Pardalotus striatus* 135-141, *Philemon argenticeps* 15-28, *P. citreogularis* 15-28, *Phylidonyris nigra* 69-72, *Platycercus elegans* 69-72, *P. venustus* 135-141, *Pomatostomus temporalis* 135-141, *Ptilonorhynchus violaceus* 69-72, *Ptiloris victoriae* 69-72, *Rhipidura rufifrons* 69-72, *Sphecotheres viridis* 15-28, 135-141, *Strepera graculina* 69-72, *Taeniopygia bichenovii* 135-141, *Trichoglossus chlorolepidotus* 69-72, *T. haemotodus* 15-28, 69-72

Food and feeding habits, method of measurement 253-261

Food and feeding habits, nectar 15-28

Foraging (see Food and feeding habits)

FORD, H.A. Nest site selection and breeding success in large Australian honeyeaters: are there benefits in being different? 91-99

Forest Kingfisher 108-119

FORSHAW, J. Encyclopedia of birds: a comprehensive illustrated guide by international experts (Review) 84

Fragmentation, edge effects 148-152

FRANKLIN, D.C. & NOSKE, R.A. Birds and nectar in a monsoonal woodland: correlations at three spatio-temporal scales 15-28

FRANKLIN, D.C. Opportunistic nectarivory: an unusual dry season pattern among birds in monsoonal northern Australia 135-141

FRITH, C.B. & POULSEN, M.K. Distribution and status of the Paradise Crow *Lycocorax pyrrhopterus* and Standardwing Bird of Paradise *Semioptera wallacii*, with notes on biology and nidification 229-238

FRITH, C.B. (Review by) 299-300

Fulmarus glacialis 144, 176-190

Galah 157-169

Gambier Island, eastern Polynesia 100-107

GARNETT, S.T., PEDLER, L.P. & CROWLEY, G.M. The breeding biology of the Glossy Black-Cockatoo *Calyptorhynchus lathami* on Kangaroo Island, South Australia 262-279

GAVRILO, M. see TODD, F.S.

GEISER, F. see BRIGHAM, R. M., KORTNER, G.

Geopelia humeralis 108-119

Gerygone magnirostris 108-119, *G. palpebrosa* 108-119

Gilbert's Whistler 157-169

Glossopsitta porphyrocephala 157-169, *G. pusilla* 108-119

Glossy Black-Cockatoo 262-279

GOLDBERG, J.A. see DUNLOP, J. N.

Golden Whistler 108-119, 157-169

Gouldian Finch 191-199

Graceful Honeyeater 108-119

Great Bowerbird 15-28

Great Egret 108-119

Grey Butcherbird 15-28, 157-169

Grey Currawong 157-169

Grey Fantail 108-119, 157-169

Grey Goshawk 108-119

Grey Shrike-thrush 108-119, 157-169

Grey-headed Albatross 29-35

GRIMMETT, R., INSKIPP, C. & INSKIPP, T. Birds of the Indian Subcontinent (Review) 153-154

Growth and development of *Calyptorhynchus lathami*

262-279, *Corcorax melanorhamphos* 1-8, *Corvus mellori* 1-8, *Podargus strigioides* 212-217

GUINEA, M.L. see WHITING, S.D.

GUTSELL, R.C.A. see BRIGHAM, R. M.

Gymnorhina tibicen 85-90, 157-169

Habitat fragmentation 157-169, 170-175, 222-226, 248-252

Habitat of *Accipiter novaehollandiae* 108-119, *Ailuroedus*

melanotis 108-119, *Alcedo azurea* 108-119, *Alectura*

lathami 108-119, *Anas superciliosa* 108-119, *Aplonis*

metallica 108-119, *Aprosmictus erythropterus* 108-119,

Ardea alba 108-119, *A. intermedia* 108-119, *A. pacifica*

108-119, *Arses kaupi* 108-119, *Aviceda subcristata*

108-119, *Cacatua galerita* 108-119, *Certhionyx*

pectoralis 108-119, *Chalcophaps indica* 108-119,

Chrysococcyx minutillus 108-119, *Circus assimilis*

108-119, *Collocalia spodiopygius* 108-119, *Colluricincla*

boweri 108-119, *C. harmonica* 108-119, *C. megarhyncha*

108-119, *Coracina papuensis* 108-119, *Cracticus quoyi*

108-119, *Cyclopsitta diophthalma* 108-119, *Dacelo*

leachii 108-119, *D. novaeguineae* 108-119, *Dasyornis*

broadbenti 9-14, *Dicaeum hirundinaceum* 108-119,

Dicrurus bracteatus 108-119, *Ducula bicolor* 108-119,

Egretta garzetta 108-119, *Entomyzon cyanotis* 108-119,

Eudynamis scolopacea 108-119, *Geopelia humeralis*

108-119, *Gerygone magnirostris* 108-119, *G. palpebrosa*

108-119, *Glossopsitta pusilla* 108-119, *Haliastur*

sphenurus 108-119, *Lalage leucomela* 108-119, *L. sueurii*

108-119, *Lichenostomus flavicollis* 108-119, *L. flavus*

108-119, *L. frenatus* 108-119, *Lonchura castaneothorax*

- 108-119, *L. punctulata* 108-119, *Lopholaimus antarcticus* 108-119, *Lycocorax pyrrhopterus* 229-238, *Machaerirhynchus flaviventer* 108-119, *Macropygia amboinensis* 108-119, *Malurus amabilis* 108-119, *Manorina melanocephala* 108-119, *Megapodius reinwardt* 108-119, *Meliphaga lewinii* 108-119, *M. notata* 108-119, *M. gracilis* 108-119, *Merops ornatus* 108-119, *Microeca flavigaster* 108-119, *Milvus migrans* 108-119, *Monarcha leucotis* 108-119, *M. melanopsis* 108-119, *M. trivirgatus* 108-119, *Myiagra alecto* 108-119, *M. cyanoleuca* 108-119, *M. rubecula* 108-119, *Myzomela obscura* 108-119, *M. sanguinolenta* 108-119, *Nectarinia jugularis* 108-119, *Neochmia modesta* 108-119, *Oriolus flavocinctus* 108-119, *O. sagittatus* 108-119, *Pachycephala pectoralis* 108-119, *P. rufiventris* 108-119, *Petroica australis* 222-226, *Philemon argenticeps* 108-119, *P. buceroides* 108-119, *Pitta versicolor* 108-119, *Psophodes olivaceus* 108-119, *Ptilinopus magnificus* 108-119, *P. regina* 108-119, *P. superbus* 108-119, *Ptiloris victoriae* 108-119, *Ramsayornis modestus* 108-119, *Rhipidura fuliginosa* 108-119, *R. rufifrons* 108-119, *R. rufiventris* 108-119, *Semioptera wallacii* 229-238, *Sphecotheres viridis* 108-119, *Threskiornis molucca* 108-119, *T. spinicollis* 108-119, *Todiramphus macleayi* 108-119, *Tregellasia capito* 108-119, *Trichoglossus haemotodus* 108-119, *T. chlorolepidotus* 108-119, *Xanthotis macleayana* 108-119, *Zosterops lateralis* 108-119
- Haliastur sphenurus* 108-119
- Hatching synchrony 121-134
- Helmeted Friarbird 108-119
- Herald Petrel 100-107
- Hirundo nigricans* 157-169
- HOBBS MEDAL, Citation of John Edgar Courtney for, 228
- Hooded Robin 157-169
- HOSKIN, C.J. see CHAPMAN, A.
- IMBER, M. Diet and feeding ecology of the Royal Albatross *Diomedea epomophora* – king of the shelf break 200-211
- Incubation and incubation period of *Anseranas semipalmata* 121-134, *Calyptorhynchus lathami* 262-279, *Podargus strigioides* 212-217
- Inland Thornbill 157-169
- INSKIPP, C. see GRIMMETT, R.
- INSKIPP, T. see GRIMMETT, R.
- Interaction with humans, *Gymnorhina tibicen* 85-90
- Intermediate Egret 108-119
- Introduced predators 105
- Jacky Winter 157-169
- JAENSCH, S.M. see RAIDAL, S.
- JAMESON, G. see WEBSTER, A.
- JANSEN, A. Home ranges and group-territoriality in Chowchillas *Orthonyx spaldingii* 280-290
- JOHNSON, D.D.P. & MIGHELL, J.S. Dry-season bird diversity in tropical rainforest and surrounding habitats in north-east Australia 108-120
- JONES, D.N. see CILENTO, N.L.
- JUIN, G. see BRIED, J.
- JURISEVIC, M.A. Structural change of begging vocalisations and vocal repertoires in two hand-raised Australian passerines, the Little Raven *Corvus mellori* and White-winged Chough *Corcorax melanorhamphos* 1-8
- KIKKAWA, JIRO Citation for D.L. Serventy Medal, 227
- KIRKWOOD, R. & ROBERTSON, G. The occurrence and purpose of huddling by Emperor Penguins during foraging trips 40-45
- KORTNER, G. & GEISER, F. Nesting behaviour and juvenile development of the Tawny Frogmouth *Podargus strigioides* 212-217
- Lalage leucomela* 108-119, *L. sueurii* 15-28, 108-119, 135-141
- Large-billed Gerygone 108-119
- Laughing Kookaburra 108-119
- LAWSON, C. see TIDEMANN, S.C.
- Leaden Flycatcher 108-119
- LEDINGHAM, R. see TODD, F.S.
- Lek of *Semioptera wallacii* 233
- Lemon-bellied Flycatcher 108-119
- Lewin's Honeyeater 69-72, 108-119
- Lichenostomus albogularis* 15-28, *L. chrysops* 69-72, 157-169, *L. cratitius* 157-169, *L. flavicollis* 108-119, *L. flavus* 108-119, *L. frenatus* 69-72, 108-119, *L. indistincta* 15-28, *L. leucotis* 157-169, *L. ornatus* 157-169, *L. penicillatus* 157-169, *L. unicolor* 15-28, *L. virescens* 157-169
- LINDENMAYER, D.B., POPE, M.L. & CUNNINGHAM, R.B. Roads and nest predation: an experimental study in a modified forest system 148-152
- Little Bronze-Cuckoo 108-119
- Little Egret 108-119
- Little Friarbird 15-28
- Little Lorikeet 108-119
- Little Penguin 74-80
- Little Raven 1-8, 157-169
- Little Shrike-thrush 108-119
- Lonchura castaneothorax* 108-119, *L. punctulata* 108-119
- Lopholaimus antarcticus* 108-119
- Lovely Fairy-wren 108-119
- LUCK, G.W., POSSINGHAM, H.P. & PATON, D.C. Bird responses at inherent and induced edges in the Murray mallee, South Australia 1. Differences in abundance and diversity 157-169
- LUCK, G.W., POSSINGHAM, H.P. & PATON, D.C. Bird responses at inherent and induced edges in the Murray mallee, South Australia 2. Nest predation as an edge effect 170-175
- Lycocorax pyrrhopterus* 229-238
- Machaerirhynchus flaviventer* 108-119
- Macleay's Honeyeater 69-72, 108-119
- Macronectes giganteus* 144
- Macropygia amboinensis* 108-119

- Magpie Goose 121-134
Malurus amabilis 108-119, *M. lamberti* 157-169,
M. splendens 157-169
Manorina flavigula 157-169, *M. melanocephala* 108-119
Mating system of *Anseranas semipalmata* 121-134
McGRATH, R.J. & BASS, D. Seed dispersal by Emus on the
New South Wales north-east coast 248-252
Megapodius reinwardt 108-119
Melanodryas cucullata 157-169
Meliphaga gracilis 108-119, *M. lewinii* 69-72, 108-119,
M. notata 108-119
Melithreptus brevirostris 157-169, *M. lunatus* 69-72
Menura novaehollandiae 46-59
Merops ornatus 108-119
Metallic Starling 108-119
Microeca fascians 157-169, *M. flavigaster* 108-119
MIGHELL, J.S. see JOHNSON, D.D.P.
Migration, post-fledging, of *Diomedea chrysostoma* 29-35,
D. melanophrys 29-35
Milvus migrans 108-119
Mistletoebird 108-119
Monarcha leucotis 108-119, *M. melanopsis* 108-119,
M. trivirgatus 108-119
Mortality and survival of *Diomedea exulans* 242
Moult and plumages of *Menura novaehollandiae* 46-59
Movements of *Diomedea chrysostoma* 29-35, *D. exulans* 60-
68, *D. melanophrys* 29-35
MULDER, R. (review by) 298-299
Mulga Parrot 157-169
Murphy's Petrel 100-107
Myiagra alecto 108-119, *M. cyanoleuca* 108-119, *M. inquieta*
157-169, *M. rubecula* 108-119
Myzomela erythrocephala 15-28, *M. obscura* 15-28, 108-119,
M. sanguinolenta 108-119
Nankeen Kestrel 291-292
Nectar feeding 15-28
Nectar feeding by *Aprosmictus erythropterus* 135-141,
Artamus cinereus 135-141, *A. leucorhynchus* 135-141,
A. minor 135-141, *Cacatua sanguinea* 135-141,
Chlamydera nuchalis 135-141, *Coracina papuensis*
135-141, *Corvus orru* 135-141, *Cracticus nigrogularis*
135-141, *C. torquatus* 135-141, *Dicaeum hirundinaceum*
135-141, *Dicrurus bracteatus* 135-141, *Lalage sueurii*
135-141, *Oriolus flavicinctus* 135-141, *O. sagittatus*
135-141, *Pachycephala rufiventris* 135-141, *Pardalotus*
striatus 135-141, *Platycercus venustus* 135-141,
Pomatostomus temporalis 135-141, *Sphecothebes viridis*
135-141, *Taeniopygia bichenovii* 135-141
Nectarinia jugularis 108-119
NEL, D.C. see RYAN, P.G.
Neochmia modesta 108-119
Nest and nest site of *Anthochaera carunculata* 91-99,
Diomedea exulans 243, *Erythrura gouldiae* 191-199,
Philemon corniculatus 91-99
Nest attendance pattern, *Anseranas semipalmata* 121-134
Nest hollows 262-279
Nest predation 148-152, 262-279
Nest predation, edge effects on 170-175
Nest and nest site of *Calyptorhynchus lathamii* 262-279
New Zealand Robin 222-226
Ninox strenua 80-83
Nocturnal activity of *Aegotheles cristatus* 253-261
Noisy Miner 108-119
Noisy Pitta 108-119
NORMAN, F.I. & WARD, S.J. Aspects of the ecology of
South Polar Skuas *Catharacta maccormicki* at Hop
Island, Rauer Group, East Antarctica 176-190
Northern Fantail 108-119
NOSKE, R.A. see FRANKLIN, D.C.
Nutmeg Mannakin 108-119
Oceanites oceanicus 144, 177
Olive-backed Oriole 15-28, 108-119
Orange-footed Scrubfowl 108-119
Oreocia gutturalis 157-169
Oriolus flavicinctus 15-28, 108-119, 135-141, *O. sagittatus*
15-28, 108-119, 135-141
Orthonyx spaldingii 280-290
Pachycephala inornata 157-169, *P. pectoralis* 108-119,
157-169, *P. rufiventris* 108-119, 135-141, 157-169
Pacific Baza 108-119
Pacific Black Duck 108-119
Pagodroma nivea 144, 177
Pale-yellow Robin 108-119
PALMEIRIM, J.M. see DUNCAN, P.
Paradise Crow 229-238
Pardalotus punctatus 157-169, *P. striatus* 135-141, 157-169
Parental investment 121-134
PATON, D.C. see LUCK, G.W.
PEDLER, L.P. see GARNETT, S.T.
Pelecanoides georgicus 72-74, *P. urinatrix* 72-74
Peregrine Falcon 291-292
PETER, J.M. The Eastern Bristlebird *Dasyornis broadbenti*
at the eastern edge of its range: selected aspects of
distribution, habitat and ecology 9-14
Petroica australis 222-226, *P. goodenovii* 157-169
Phaps chalcoptera 157-169
Philemon argenticeps 15-28, 108-119, *P. buceroides* 108-119,
P. citreogularis 15-28, *P. corniculatus* 91-99
Phylidonyris albifrons 157-169, *P. nigra* 69-72
Physiology of *Aptenodytes forsteri* 40-45
Physiology, huddling 40-45
Pied Currawong 69-72
Pied Imperial-Pigeon 108-119
Pied Monarch 108-119
Pitta versicolor 108-119
Platycercus elegans 69-72, *P. venustus* 135-141
Plectorhyncha lanceolata 157-169
Plum-headed Finch 108-119
Podargus strigoides 212-217
POLACHECK, T. see TUCK, G.N.

- Polynesia 100-107
Pomatostomus superciliosus 157-169, *P. temporalis* 135-141
 POPE, M.L. see LINDENMAYER, D.B.
 Population size of *Anous minutus* 100-107, *A. stolidus* 100-107, *Aptenodytes forsteri* 142-145, *Diomedea exulans* 239-247, *Gygis alba* 100-107, *Lycocorax pyrrhopterus* 229-238, *Nesofregatta fuliginosa* 100-107, *Phaethon lepturus* 100-107, *P. rubricauda* 100-107, *Procelsterna cerulea* 100-107, *Pseudobulweria rostrata* 100-107, *Pterodroma arminjoniana* 100-107, *P. ultima* 100-107, *Puffinus lherminieri* 100-107, *P. nativitatis* 100-107, *P. pacificus* 100-107, *Semioptera wallacii* 229-238, *Sula leucogaster* 100-107
 POSSINGHAM, H.P. see LUCK, G.W.
 POULSEN, M.K. see FRITH, C.B.
 Powerful Owl 80-83
 POWYS, V. Weebill vocalisations – an undescribed trill 295-297
 Predation by *Ephippiorhynchus asiaticus* 145-147, *Trichosurus vulpecula* 262-279
 Predation of artificial nests 148-152, *Calyptorhynchus lathami* 262-279
 PRINCE, P.A. see TUCK, G.N.
 Productivity of *Calyptorhynchus lathami* 262-279, *Diomedea exulans* 243
 Productivity, see Ecology, demography
Psephotus varius 157-169
Psittaculodes versicolor 15-28
Psophodes olivaceus 108-119
Ptilinopus magnificus 108-119, *P. regina* 108-119, *P. superbus* 108-119
Ptilonorhynchus violaceus 69-72
Ptiloris victoriae 69-72, 108-119
 Purple-crowned Lorikeet 157-169
 Purple-gaped Honeyeater 157-169
Pygoscelis adeliae 144, 176-190
 RAIDAL, S., JAENSCH, S.M. & ENDE, J. Preliminary report of a parasitic infection of the brain and eyes of a Peregrine Falcon *Falco peregrinus* and Nankeen Kestrels *Falco cenchroides* in Western Australia 291-292
 Rainbow Bee-eater 108-119
 Rainbow Lorikeet 15-28, 69-72, 108-119
Ramsayornis modestus 108-119
 Red Wattlebird 157-169
 Red-capped Robin 157-169
 Red-headed Honeyeater 15-28
 Red-necked Stint 218-222
 Red-tailed Tropicbird 100-107
 Red-winged Parrot 15-28, 108-119
 RENNER, M. & DAVIS, L.S. Sexing Little Penguins *Eudyptula minor* from Cook Strait, New Zealand, using discriminant function analysis 74-80
 Restless Flycatcher 157-169
Rhipidura fuliginosa 108-119, 157-169, *R. leucophrys* 157-169, *R. rufifrons* 69-72, 108-119, *R. rufiventris* 108-119
 Richard's Pipit 157-169
 ROBERTSON, G. see KIRKWOOD, R.
 Rose-crowned Fruit-Dove 108-119
 ROWLEY, I. & RUSSELL, E. Fairy-wrens and Grasswrens (Review) 298-299
 Royal Albatross 200-211
 Rufous Fantail 69-72, 108-119
 Rufous Whistler 108-119, 157-169
 Rufous-banded Honeyeater 15-28
 RYAN, P.G. & NEL, D.C. Foraging behaviour of diving petrels *Pelecanoides* 72-74
 SAGAR, P.M. see WAUGH, S.M.
 Sap, as food resource 69-72
 Satin Bowerbird 69-72
 Satin Flycatcher 108-119
 Scaly-breasted Lorikeet 69-72, 108-119
 Scarlet Honeyeater 108-119
Semioptera wallacii 229-238
 SERVENTY MEDAL, Citation of Jiro Kikkawa for, 227
 Sex ratio of *Calyptorhynchus lathami* 262-279
 Sex determination of *Diomedea exulans* 239-247
 Shining Flycatcher 108-119
 Shy Heathwren 157-169
 Silver-crowned Friarbird 15-28, 108-119
 Silvereye 108-119, 157-169
 Singing Honeyeater 157-169
Smicrornis brevirostris 157-169, 295-297
 SMITH, L.H. Structural changes in the main rectrices of the Superb Lyrebird *Menura novaehollandiae* in the development of the filamentary feathers 46-59
 Snow Petrel 144, 177
 Social organisation of *Orthonyx spaldingii* 280-290
 Sonagrams of *Corcorax melanorhamphos* 1-8, *Corvus mellori* 1-8, *Smicrornis brevirostris* 295-297
 South Georgia 60-68
 South Georgian Diving Petrel 72-74
 South Polar Skua 144
 Southern Fulmar 176-190
 Southern Giant Petrel 144
 Southern Scrub-robin 157-169
 Southern Whiteface 157-169
 Spangled Drongo 15-28, 108-119
 Spectacled Monarch 108-119
Sphecotheres viridis 15-28, 108-119, 135-141
 Spiny-cheeked Honeyeater 157-169
 Splendid Fairy-wren 157-169
 SPLETTSTOESSER, J.S. see TODD, F.S.
 Spotted Catbird 108-119
 Spotted Harrier 108-119
 Spotted Pardalote 157-169
 Standardwing Bird of Paradise 229-238
Sterna vittata 144

- Straw-necked Ibis 108-119
Strepera graculina 69-72, *S. versicolor* 157-169
 Striated Pardalote 157-169
 Striped Honeyeater 157-169
 Sulphur-crested Cockatoo 69-72, 108-119
 Superb Fruit-Dove 108-119
 Superb Lyrebird 46-59
Taeniopygia bichenovii 135-141
 Tahiti Petrel 100-107
 Tawny Frogmouth 212-217
 Techniques, archival tags 60-68, measurement of nocturnal activity 253-261
 Territory and home range of *Orthonyx spaldingii* 280-290
Thalassoica antarctica 176-190
 THIBAULT, J.-C. & BRETAGNOLLE, V. Breeding seabirds of Gambier Island, eastern Polynesia: numbers and changes during the 20th century 100-107
Threskiornis molucca 108-119, *T. spinicollis* 108-119
 TIDEMANN, S.C., LAWSON, C., ELVISH, R., BOYDEN, J. & ELVISH, J. Breeding biology of the Gouldian Finch *Erythrura gouldiae*, an endangered finch of northern Australia 191-199
 TODD, F.S., SPLETTSTOESSER, J.S., LEDINGHAM, R. & GAVRILO, M. Observations in some Emperor Penguin *Aptenodytes forsteri* colonies in east Antarctica 142-145
Todiramphus macleayii 108-119
 Topknot Pigeon 108-119
 Tree Martin 157-169
Tregellasia capito 108-119
Trichoglossus chlorolepidotus 69-72, 108-119, *T. haemotodus* 15-28, 69-72, 108-119
 TUCK, G.N., POLACHECK, T., CROXALL, J.P., WEIMERSKIRCH, H., PRINCE, P.A. & WOTHERSPOON, S. The potential of archival tags to provide long-term movement and behaviour data for seabirds: first results from Wandering Albatross *Diomedea exulans* of South Georgia and the Crozet Islands 60-68
 Varied Lorikeet 15-28
 Varied Sitella 157-169
 Varied Triller 108-119
 Variegated Fairy-wren 157-169
 Victoria's Riflebird 69-72, 108-119
 Vocalisations of *Corcorax melanorhamphos* 1-8, *Corvus mellori* 1-8, *Smicrornis brevirostris* 295-297
 Vocalisations, begging 1-8, development 1-8, vocal repertoire 1-8
 WALKER, K. & ELLIOTT, G. Population changes and biology of the Wandering Albatross *Diomedea exulans gibsoni* at the Aucklands Islands 239-247
 WALLIS, R. see WEBSTER, A.
 Wandering Albatross 60-68, 239-247
 WARD, S.J. see NORMAN, F.I.
 WAUGH, S.M., SAGAR, P.M. & COSSEE, R.O. New Zealand Black-browed Albatross *Diomedea melanophrys impavida* and Grey-headed Albatross *D. chrysostoma* banded at Campbell Island: recoveries from the South Pacific region 29-35
 WEBB, P.I. see DUNCAN, P.
 WEBSTER, A., COOKE, R., JAMESON, G. & WALLIS, R. Diet, roosts and breeding of Powerful Owls *Ninox strenua* in a disturbed urban environment: a case for cannibalism? or a case for infanticide? 80-83
 Wedge-tailed Shearwater 100-107
 Weebill 157-169, 295-297
 Weights and measurements of *Diomedea exulans* 242
 WEIMERSKIRCH, H. see TUCK, G.N.
 Whistling Kite 108-119
 White Tern 100-107
 White-bellied Cuckoo-shrike 108-119
 White-browed Babbler 157-169
 White-cheeked Honeyeater 69-72
 White-eared Honeyeater 157-169
 White-eared Monarch 108-119
 White-fronted Honeyeater 157-169
 White-gaped Honeyeater 15-28
 White-naped Honeyeater 69-72
 White-necked Heron 108-119
 White-plumed Honeyeater 157-169
 White-rumped Swiftlet 108-119
 White-tailed Tropicbird 100-107
 White-throated Honeyeater 108-119
 White-throated Storm-Petrel 100-107
 White-throated Treecreeper 69-72
 White-winged Chough 1-8, 157-169
 White-winged Triller 15-28, 108-119
 WHITEHEAD, P.J. Aspects of the nesting biology of the Magpie Goose *Anseranas semipalmata*: incubation period, hatching synchrony and patterns of nest attendance and defence 121-134
 WHITING, S.D. & GUINEA, M.L. Nocturnal foraging by the Black-necked Stork *Ephippiorhynchus asiaticus* on sea turtle hatchlings 145-147
 WIACEK, R.S. see BRIGHAM, R.M.
 Willie Wagtail 157-169
 Wilson's Storm-petrel 144, 176
 Wompoo Fruit-Dove 108-119
 WOTHERSPOON, S. see TUCK, G.N.
Xanthotis macleayana 69-72, 108-119
 Yellow Honeyeater 108-119
 Yellow Oriole 15-28, 108-119
 Yellow-bellied Sunbird 108-119
 Yellow-breasted Boatbill 108-119
 Yellow-faced Honeyeater 69-72, 157-169
 Yellow-plumed Honeyeater 157-169
 Yellow-rumped Thornbill 157-169
 Yellow-spotted Honeyeater 108-119
 Yellow-throated Miner 15-28, 157-169
Zosterops lateralis 108-119, 157-169