

CSIRO Publishing

# Emu



Volume 97, 1997  
© Birds Australia 1997

All enquiries and manuscripts should be directed to



*Emu*  
CSIRO Publishing  
PO Box 1139 (150 Oxford St)  
Collingwood, Vic. 3066, Australia

Telephone: 61 3 9662 7622  
Fax: 61 3 9662 7611  
Email: [emu@publish.csiro.au](mailto:emu@publish.csiro.au)



Published by CSIRO Publishing  
for the Royal Australasian Ornithologists Union

[www.publish.csiro.au/journals/emu](http://www.publish.csiro.au/journals/emu)

# Index of Authors, Subjects and Scientific Names

Volume 97

Compiled by Eleanor Russell

- Acanthagenys rufogularis* 86
- Acanthisitta* 15
- Acanthiza chrysorrhoa* 229, *A. lineata* 15, *A. pusilla* 15, 228
- Acanthochaera carunculata* 85
- Acanthorhynchus tenuirostris* 86, 230
- Accipiter cirrocephalus* 230, *A. fasciatus* 230
- Acridotheres tristis* 141-149
- Acrocephalus stentoreus* 332-334
- Activity budget of *Lichenostomus melanops* 207-219
- Adelie Penguin 258, 259
- Aegotheles cristatus* 316-321
- Ailuroedus crassirostris* 121-125, *A. melanotis* 27
- Alauda arvensis* 230
- Alcedo azurea* 254
- Alisterus scapularis* 85, 254
- AMEY, J.M. see MOORE, P.J.
- Anas castanea* 31-42, 55, *A. gracilis* 31-42, 55, *A. platyrhynchos* 85, *A. rhynchos* 55, *A. superciliosa* 31-42, 55, 85, 254
- Anatomy and morphology of *Acrocephalus stentoreus* 332-334, *Eudytptula minor* 258-261, fossil Passeriformes 43-50, *Gerygone albofrontata* 1-17, *G. chloronota* 1-17, *G. fusca* 1-17, *G. igata* 1-17, *G. magnirostris* 1-17, *G. mouki* 1-17, *G. olivacea* 1-17, *G. palpebrosa* 1-17, *G. ruficollis* 1-17, *G. sulphurea* 1-17
- Anatomy and morphology, body morphology 1-17, heart 258-261
- Anhinga melanogaster* 31-42
- Antarctic Prion 126-132
- Anthochaera chrysoptera* 86, *A. paradoxa* 228
- Anthus novaeseelandiae* 229
- Aprosmictus erythropterus* 85
- Aptenodytes forsteri* 258, 259
- Apteryx australis* 104
- Aquila audax* 230, 286
- Archbold's Bowerbird 185
- Archboldia papuensis* 185
- Arctic Skua 110
- Ardea alba* 56, *A. novaehollandiae* 31-42, *A. pacifica* 31-42, 56
- ARNETT, A.E. & PEPPER, J.W. Evidence for mate-guarding in the Glossy Black-Cockatoo *Calyptorhynchus lathami* 177-180
- Artamus cyanopterus* 228
- Astrapia* 139
- Australasian Grebe 56
- Australian Fishing Zone 156-157
- Australian Hobby 85
- Australian King-Parrot 85, 254
- Australian Magpie 86, 255
- Australian Raven 87, 255
- Australian Ringneck 85, 95
- Australian Shelduck 31-42, 55, 85
- Australian Shoveler 55
- Australian Spotted Crake 56
- Australian White Ibis 31-42
- Australian Wood Duck 55, 85
- Aythya australis* 56
- Azure Kingfisher 254
- Bali 1-17
- Banded Stilt 56
- Bar-tailed Godwit 108-120
- Barnardius zonarius* 85, 95
- Bassian Thrush 230, 255
- BATTLEY, P., JONES, D., ROGERS, D. & VENABLES, I. (review by) 335-336
- BATTLEY, P.F. The northward migration of Arctic waders in New Zealand: departure behaviour, timing and possible migration routes of Red Knots and Bar-tailed Godwits from Farewell Spit, northwest Nelson 108-120
- Beautiful Firetail 230
- BEEHLER, B.P. see FRITH, C.B.
- Behaviour of *Acrocephalus stentoreus* 332-334, *Aegotheles cristatus* 316-321, *Calyptorhynchus lathami* 177-180, *Diomedea cauta* 231-239, *D. epomophora* 194-199, *D. exulans* 240-244, *D. melanophris* 322-324, *Gerygone albofrontata* 1-17, *G. chloronota* 1-17, *G. fusca* 1-17, *G. igata* 1-17, *G. magnirostris* 1-17, *G. mouki* 1-17, *G. olivacea* 1-17, *G. palpebrosa* 1-17, *G. ruficollis* 1-17, *G. sulphurea* 1-17, *Manorina melanocephala* 87-90, *Orthonyx spaldingii* 18-30, *Pachyptila desolata* 129, *Phalacrocorax nivalis* 60-66, 76-83, *Phylidonyris albifrons* 174-176, *Podargus ocellatus* 290-295, 296-304, *Pterodiphora alberti* 185-193, *Ptilonorhynchus violaceus* 200-206, *Rhynochetus jubatus* 97-107, *Seleucidis melanoleuca* 133-140, *Zosterops lateralis* 91-93
- Behaviour, agonistic 101-102, allofeeding 87-90, allopreening 65, bower decoration 200-206, bower destruction 200-206, breeding 18-30, 60-66, 99-104, 194-199, 283-289, competition 200-206, copulation 65, 68, 133-140, 185-193, courtship 133-140, 185-193, daily routine 62, displays 62-65, 101-102, 133-140, 185-193, 200-206, diving 76-83, feeding 76-83, 129, 147, foraging 1-17, 174-176, 215, foraging flights 240-244, mate guarding 177-180, mate retention 196, 198, mating preference 322-324, mating success 200-206, migratory 91-93, 108-120, 249-253, movements in home range 231-239, 240-244, nest building 61-62, 248-249, nesting 18-30, pair 177-180, parental 87-90, parental care 18-30, 71, 100, 104-105, 316-321, predatory 326-329, roosting 145-146, site fidelity 332-334, spatial organisation 99, 101-102, 104-105, territorial 99, 101-102, 104-105, 148, 210-211, use of anti-malarial leaves 248-249, vocal 65, 121-125, 290-295, 296-304
- Bell Miner 87-90, 254, 283
- BENOIT, M.P. see BRETAGNOLLE, V.
- Biogeography of Australian bird studies 283-289, Passeriformes 47-48
- BISHOP, D.P. review by 263
- Biziura lobata* 55
- Black Currawong 228

- Black Sicklebill 191  
 Black Swan 31-42, 55, 85  
 Black-browed Albatross 129, 130, 150-167, 198, 235, 237, 322-324  
 Black-faced Cuckoo-shrike 229, 254  
 Black-fronted Dotterel 57  
 Black-headed Honeyeater 228  
 Black-tailed Godwit 56  
 Black-tailed Native-hen 56  
 Black-winged Stilt 56  
 Blue-billed Duck 55  
 Blue-winged Parrot 229, 254  
 BOLES, W.E. Fossil songbirds (Passeriformes) from the Early Eocene of Australia 43-50  
 Bowers, decoration 200-206, destruction 200-206  
 BRADSHAW, F.J. see STONEMAN, G.L.  
 Breeding 18-30, 305-309, 310-315  
 Breeding Biology, Australian birds 283-289  
 Breeding of *Aegotheles cristatus* 316-321, *Anas castanea* 31-42, 51-59,  
*A. gracilis* 31-42, 51-59, *A. rhynchosoma* 51-59, *A. superciliosa* 31-42, 51-59,  
*Anhinga melanogaster* 31-42, *Ardea alba* 51-59,  
*A. novaehollandiae* 31-42, *A. pacifica* 31-42, 51-59, *Aythya australis* 51-59, *Biziura lobata* 51-59, *Calidris tenuirostris* 265-282, *Charadrius ruficollis* 51-59, *Chenonetta jubata* 31-42, 51-59, *Chlidonias hybridus* 51-59, *Cladorhynchus leucocephalus* 51-59, *Cygnus atratus* 31-42, 51-59, *Diomedea epomophora* 194-199, *D. melanophris* 322-324, *Egretta alba* 31-42, *E. intermedia* 31-42, *E. novaehollandiae* 51-59, *Erythrogomphus cinctus* 51-59, *Fulica atra* 31-42, 51-59, *Gallinula tenebrosa* 31-42, *G. ventralis* 51-59, *Himantopus himantopus* 51-59, *Limosa limosa* 51-59, *Malacorhynchus membranaceus* 51-59, *Nycticorax caledonicus* 31-42, *Orthonyx spaldingii* 18-30, *Oxyura australis* 51-59, *Phalacrocorax carbo* 31-42, *P. melanoleucos* 31-42, 51-59, *P. nivalis* 60-66, 67-75, *P. sulcirostris* 31-42, 51-59, *Plateleia flavigula* 31-42, 51-59, *P. regia* 31-42, *Podiceps cristatus* 31-42, *Poliocephalus poliocephalus* 51-59, *Porphyrio porphyrio* 31-42, *Porzana fluminea* 51-59, *Recurvirostra novaehollandiae* 51-59, *Rhynochetus jubatus* 99-104, *Sterna anaethetus* 310-315, *S. nilotica* 51-59, *Stictonetta naevosa* 51-59, *Tachybaptus novaehollandiae* 51-59, *Tadorna tadornoides* 31-42, 51-59, *Thinornis rubicollis* 51-59, *Threskiornis aethiopica* 31-42, *T. spinicollis* 51-59, *Tringa nebularia* 51-59  
 Breeding season of *Aegotheles cristatus* 316-321, *Calidris tenuirostris* 265-282, *Diomedea epomophora* 194-199, *D. melanophris* 323, *Orthonyx spaldingii* 18-30, *Phalacrocorax nivalis* 69, 71-72, *Puffinus pacificus* 305-309, *Rhynochetus jubatus* 102-103, *Sterna anaethetus* 312  
 Breeding, and flooding, 31-42, and inland rainfall 51-59, and wetland hydrology 31-42, 51-59  
 Breeding, colonial 60-66, 67-75, 310-315, courtship displays 60-66, distribution 265-282, synchrony 305-309  
 BRETAGNOLLE, V. & BENOIT, M.P. Distribution, status and notes on the breeding biology of the Bridled Tern *Sterna anaethetus* in New Caledonia 310-315  
 Bridled Tern 310-315  
 BRIGGS, S.V., THORNTON, S.A. & LAWLER, W.G. Relationships between hydrological control of River Red Gum wetlands and waterbird breeding 31-42  
 BRIGHAM, R.M. & GEISER, F. Breeding biology of Australian Owlet-nightjars *Aegotheles cristatus* in eucalypt woodland 316-321  
 Broad-billed Prion 131  
 BROTHERS, N.P., REID, T.A. & GALES, R.P. At-sea distribution of Shy Albatrosses *Diomedea cauta cauta* derived from records of band recoveries and colour-marked birds 231-239  
 Brown Falcon 229  
 Brown Gerygone 1-17  
 Brown Goshawk 230  
 Brown Honeyeater 86  
 Brown Kiwi 104  
 Brown Quail 229  
 Brown Thornbill 228, 254  
 Brown-breasted Gerygone 1-17  
 Brown-headed Honeyeater 86, 254  
 Brush Cuckoo 254  
 Budgerigar 73  
 Buff-tailed Sicklebill 192  
 Buller's Albatross 235  
 Buller's Shearwater 158  
 BUTCHER, E. see NICHOLLS, D.G.  
*Cacatua galerita* 85, 254, *C. leadbeateri* 85, *C. pastinator* 85, 95, *C. roseicapilla* 85, 182, 254, *C. sanguinea* 85  
*Cacomantis flabelliformis* 230, 254, *C. variolosus* 254  
*Calamanthus fuliginosus* 229  
*Calidris canutus* 108-120, *C. pusilla* 115, 268, *C. tenuirostris* 265-282  
*Callocephalon fimbriatum* 85, 254  
 Calls see Vocalisations  
 CALVER, M.C. Hollow arguments? 183-184  
 CALVER, M.C. see SAFFER, V.  
*Calyptorhynchus funereus* 230, 254, *C. lathami* 177-180  
 Campbell Island 194-199  
*Carduelis carduelis* 87, 230  
 CARLILE, N. see PRIDDEL, D.  
 CARTER, J.L. see DYER, P.K.  
*Catharacta lönbergi* 64, 72, 130, *C. skua* 158, 197  
 Census methods 250, 253, 296-304  
 CHAN, K. & KIKKAWA, J. A Silvereye dilemma: to migrate or not to migrate? 91-93  
 CHAPMAN, A. & LANE, J.A.K. Waterfowl usage of wetlands in the south-east arid interior of Western Australia 1992-93 51-59  
*Charadrius ruficollis* 57  
*Chenonetta jubata* 31-42, 55, 85  
 Chestnut Teal 31-42, 55  
 Chinstrap Penguin 258, 259  
*Chionis minor* 64  
*Chlamydera maculata* 202, 205  
*Chlidonias hybridus* 57  
 Chowchilla 18-30  
*Chrysococcyx basalis* 230, *C. lucidus* 230, 254  
*Cicinnurus* 139, 192, *C. regius* 191  
*Cinclosoma punctatum* 230  
*Cisticola exilis* 87  
*Cladorhynchus leucocephalus* 56  
 Clamorous Reed-Warbler 332-334  
 CLARKE, M.F. A review of studies of the breeding biology of Australian birds from 1986-95: biases and consequences 283-289  
*Climacteris erythrops* 254  
 Clutch size 21-22  
 Clutch size of *Acridotheres tristis* 145, *Aegotheles cristatus* 318, 319,

- Orthonyx spaldingii* 21-22, *Phalacrocorax nivalis* 68, *Sterna anaethetus* 313  
 Collared Sparrowhawk 230  
*Colluricincla harmonica* 115, 229  
 Common Blackbird 87  
 Common Bronzewing 230, 254  
 Common Greenshank 56  
 Common Myna 141-149  
 Common Starling 87, 229  
*Conopophila albogularis* 86, *C. rufogularis* 86  
 Conservation and management of, Australian birds 285, 287, Buloke woodlands 176,  
 Conservation and management of *Calidris tenuirostris* 275, *Diomedea cauta* 150-151, 158-164, 231-239, *D. chlororhynchos* 150-151, 158-164, *D. chrysostoma* 150-151, 158-164, *D. exulans* 150-151, 158-164, *D. melanophrys* 150-151, 158-164, inland arid lakes 58, parrots 94-96, 181-182, 183-184, *Pholidonyris albifrons* 174-17, *Podargus ocellatus* 296, *Pterodroma leucoptera* 245-248, *Rhynochetus jubatus* 97-107, *Tringa guttifer* 275, waterbirds 31-42, wetlands 31-42  
 Conservation and management, birds and forest regeneration 220-230, birds in forests 220-230, effects of fire 224, effects of logging 220-230, fishery by-catch 150-167, longline fisheries 150-167, 237-238, seabirds 150-167, seabirds and drift-net fishing 168-173  
 Cooperative breeding 28, 284, 285, 286  
 Cooperative breeding of *Manorina melanocephala* 87-90, *Orthonyx spaldingii* 28  
 Coot 85  
*Coracina novaehollandiae* 229, 255  
*Cormobates leucophaeus* 254, 324-325  
*Corvus bennetti* 87, *C. coronoides* 87, 255, *C. mellori* 255, *C. tasmanicus* 229  
*Coturnix ypsiloniphora* 229  
*Cracticus torquatus* 230, Crescent Honeyeater 229, 254, 283  
 Crested Shrike-tit 254  
 Crimson Rosella 85, 254  
 CROXALL, J.P. see REID, K.  
*Cuculus flabelliformis* 230, *C. pallidus* 229  
*Cygnus atratus* 31-42, 55, 85  
*Dacelo novaeguineae* 85, 228, 254, 327  
 Darter 31-42  
*Dicaeum hirundinaceum* 87  
*Diomedea bulleri* 235,  
*Diomedea cauta* 150-167, 231-239, *D. chlororhynchos* 150-167, 235, 237, *D. chrysostoma* 129, 150-167, 198, *D. epomophora* 156, 194-199, *D. exulans* 150-167, 194, 196, 197, 198, 235, 237, 240-244, *D. melanophrys* 129, 130, 150-167, 198, 235, 237, 322-324  
 Displays of *Pteridophora alberti* 185-193, *Seleucidis melanoleuca* 133-140  
 Distribution of *Diomedea cauta* 231-239, *D. melanophrys* 322-324, *Pholidonyris albifrons* 174-176, *Pterodroma leucoptera* 245-248, *Sterna anaethetus* 310-315  
 Diving of *Aptenodytes forsteri* 259, *Phalacrocorax nivalis* 76-83, *Pygoscelis adeliae* 259, *P. antarctica* 259  
 DRABEK, C.M. Heart and ventricle weights of the Little Penguin *Eudyptula minor* 258-261  
*Dromaius novaehollandiae* 84  
 DUCKWORTH, P. see TAYLOR, R.  
 Dusty Honeyeater 86  
 Dusty Moorhen 31-42, 85  
 Dusty Robin 228  
 Dusty Woodswallow 228  
 DWYER, P.D. see HUNTER, C.P.  
 DYER, P.K. & CARTER, J.L. Synchronous breeding: Wedge-tailed Shearwaters *Puffinus pacificus* in Eastern Australia 305-309  
 Eastern Rosella 85, 254, 317  
 Eastern Spinebill 86, 230, 254  
 Eastern Whipbird 121-125, 254  
 Eastern Yellow Robin 254  
 Ecology of *Acanthiza chrysorrhoa* 229, *A. pusilla* 228, *Acanthorhynchus tenuirostris* 230, *Accipiter cirrocephalus* 230, *A. fasciatus* 230, *Acridotheres tristis* 141-149, *Alauda arvensis* 230, *Anas castanea* 31-42, *A. gracilis* 31-42, *A. superciliosa* 31-42, *Anhinga melanogaster* 31-42, *Anthochaera paradoxa* 228, *Anthus novaeseelandiae* 229, *Aquila audax* 230, *Ardea novaehollandiae* 31-42, *A. pacifica* 31-42, *Artamus cyanopterus* 228, *Cacomantis flabelliformis* 230, *Calamanthus fuliginosus* 229, *Calidris tenuirostris* 265-282, *Calyptorhynchus funereus* 230, *Carduelis carduelis* 230, *Chenonetta jubata* 31-42, *Chrysococcyx basalis* 230, *C. lucidus* 230, *Cinclosoma punctatum* 230, *Colluricincla harmonica* 229, *Coracina novaehollandiae* 229, *Corvus tasmanicus* 229, *Coturnix ypsiloniphora* 229, *Cracticus torquatus* 230, *Cuculus flabelliformis* 230, *C. pallidus* 229, *Cygnus atratus* 31-42, *Dacelo novaeguineae* 228, *Egretta alba* 31-42, *E. intermedia* 31-42, *Epthianura albifrons* 230, *Falco berigora* 229, *Fulica atra* 31-42, *Gallinula tenebrosa* 31-42, *Gerygone albofrontata* 1-17, *G. chloronota* 1-17, *G. fusca* 1-17, *G. igata* 1-17, *G. magnirostris* 1-17, *G. mouki* 1-17, *G. olivacea* 1-17, *G. palpebrosa* 1-17, *G. ruficollis* 1-17, *G. sulphurea* 1-17, *Glossopsitta concinna* 230, *Hirundapus caudacutus* 230, *Hirundo neoxena* 229, *H. nigricans* 229, *Lathamus discolor* 229, *Lichenostomus flavicollis* 229, *L. melanops* 207-219, *Malurus cyaneus* 229, *Manorina melanocephala* 230, *Melanodryas vittata* 228, *Melithreptus affinis* 228, *M. validirostris* 228, *Myiagra cyanoleuca* 230, *Neophema chrysostoma* 229, *Nycticorax caledonicus* 31-42, *Pachycephala pectoralis* 228, *P. rufiventris* 249-253, *Pachyptila desolata* 126-132, *Pardalotus punctatus* 229, *P. striatus* 228, *Petroica multicolor* 228, *P. phoenicea* 229, *P. rosea* 249-253, *Phalacrocorax melanoleucus* 31-42, *P. nivalis* 67-75, *P. sulcirostris* 31-42, *Phaps chalcoptera* 230, *Pholidonyris novaehollandiae* 230, *P. pyrrhoptera* 229, *Platelea flavipes* 31-42, *P. regia* 31-42, *Platycercus caledonicus* 229, *Podiceps cristatus* 31-42, *Porphyrio porphyrio* 31-42, *Rhipidura rufifrons* 249-253, *Rhynochetus jubatus* 97-107, *Sericornis frontalis* 230, *Stagonopleura bella* 230, *Strepera fuliginosa* 228, *S. versicolor* 229, *Sturnus vulgaris* 229, *Tadorna tadornoides* 31-42, *Threskiornis aethiopica* 31-42, *Zosterops lunulata* 230, *Zosterops lateralis* 229  
 Ecology, Adaptive zones 1-17, breeding 67-75, community structure 256, demography 67-75, effects of fire 224, feeding 76-83, 126-132, foraging 1-17, Life History studies 283-289, migration 265-282, population density 144-145, 226, 228-230, 253-257, population monitoring 257, prey selection 326-329, 329-332, resource partitioning 207-219, succession of birds after logging 220-230  
 EDWARDS, T.M. see REID, K.  
 Eggs of *Phalacrocorax nivalis* 68-69, *Sterna anaethetus* 313

- Eggs, description and measurement of, *Orthonyx spaldingii* 21-22  
 Eggs, volume 68-69  
*Egretta alba* 31-42, *E. intermedia* 31-42, *E. novaehollandiae* 56  
 Emperor Penguin 258, 259  
 Emu 84  
 Energy expenditure of *Cormobates leucophaeus* 324-325, *Malurus cyaneus* 324-325  
 Environment, influence of, on, breeding success 72-74, distribution 240-244, migration 91-93, 113-114, migration 265-282  
*Epimachus* 139, *E. albertisi* 192, *E. fastuosus* 191  
*Epthianura albifrons* 230  
*Erythrogenys cinctus* 57  
*Eudyptes chrysophalus* 130, *E. minor* 258-261  
 Eurasian Coot 31-42, 56  
 European Goldfinch 87, 230  
*Eurynorhynchus pygmaeus* 274  
 Evolution of Birds of Paradise displays 138-139, Passeriformes 47-48  
 Evolution, Adaptive zones 1-17  
 Fairy Gerygone 1-17  
*Falco berigora* 229  
*Falco longipennis* 85  
 Fan-tailed Cuckoo 230, 254  
 Fernwren 27  
 Flame Robin 229  
 Fledging success see Breeding success  
 Flesh-footed Shearwater 158, 168-173  
 Flooding and waterbird breeding 31-42, 51-59  
 Food and feeding habits of *Acanthagenys rufogularis* 86,  
   *Acanthorhynchus tenuirostris* 86, *Acridotheres tristis* 145, 147,  
   *Alisterus scapularis* 85, *A. superciliosa* 85, *Anthochaera carunculata* 85, *A. chrysoptera* 86, *Aprosmictus erythropterus* 85,  
   *Barnardius zonarius* 85, *Cacatua galerita* 85, *C. leadbeateri* 85,  
   *C. pastinator* 85, *C. roseicapilla* 85, *C. sanguinea* 85, *Callocephalon fimbriatum* 85, *Carduelis carduelis* 87, *Chenonetta jubata* 85, *Cisticola exilis* 87, *Conopophila albogularis* 86, *C. rufogularis* 86, *Corvus bennetti* 87, *C. coronoides* 87, *Cygnus atratus* 85,  
   *Dacelo novaeguineae* 85, *Dicaeum hirundinaceum* 87, *Dromaius novaehollandiae* 84, *Falco longipennis* 85, *Fulica atra* 85,  
   *Gallinula tenebrosa* 85, *Gerygone albofrontata* 1-17, *G. chloronota* 1-17, *G. fusca* 1-17, *G. igata* 1-17, *G. magnirostris* 1-17, *G. mouki* 1-17, *G. olivacea* 1-17, *G. palpebrosa* 1-17, *G. ruficollis* 1-17, *G. sulphurea* 1-17,  
   *Glossopsitta concinna* 85, 230, *G. porphyrocephala* 85, *G. pusilla* 85  
 Glossy Black-Cockatoo 177-180  
 Golden Whistler 216, 228, 254  
 Golden-headed Cisticola 87  
 Gould's Petrel 245-248  
 GOULD, P., OSTROM, P. & WALKER, W. Food of Flesh-footed Shearwaters *Puffinus carneipes* associated with high-seas driftnets in the central North Pacific Ocean 168-173  
 Great Cormorant 31-42  
 Great Crested Grebe 31-42  
 Great Egret 31-42, 56  
 Great Knot 265-283  
 Great Skua 158  
 Green Catbird 121-125  
 Green Rosella 229  
 GREEN, K. Biology of the Heard Island Shag *Phalacrocorax nivalis*.  
   1. Breeding Behaviour 60-66  
 GREEN, K. Biology of the Heard Island Shag *Phalacrocorax nivalis*.  
   2. Breeding 67-75  
 GREEN, K. Biology of the Heard Island Shag *Phalacrocorax nivalis*.  
   3. Foraging, diet and diving behaviour 76-84  
 Green-backed Gerygone 1-17  
 Greenshank 275  
 Grey Butcherbird 230, 255  
 Grey Currawong 229, 255  
 Grey Fantail 228, 254  
 Grey Gerygone 1-17  
 Grey Petrel 158  
 Grey Shrike-thrush 229, 254  
 Grey Teal 31-42, 55  
 Grey-backed Tern 310  
 Grey-headed Albatross 129, 150-167, 198  
 Grey-headed Robin 27  
 Grey Shrike-thrush 115  
 Food and feeding habits, methods of measurement 76-83

- Growth and development of *Aegotheles cristatus* 318-319, *Orthonyx spaldingii* 24-25, *Phalacrocorax nivalis* 69-71
- Gull-billed Tern 57  
*Gymnorhina tibicen* 86, 255
- Habitat of *Calidris tenuirostris* 267-268, *Rhynochetus jubatus* 100-101, *Sterna anaethetus* 312
- Halcyon sancta* 254, 302
- Hardhead 56
- Hatching success (see Breeding success)
- Heard Island 60-83
- Heard Island Shag 60-66, 67-75, 76-83
- Helmeted Honeyeater 207-219
- Heteromyias albispercularis* 27
- Himantopus himantopus* 56
- Hirundapus caudacutus* 230
- Hirundo neoxena* 229, 334, *H. nigricans* 229
- Hoary-headed Grebe 56
- Hooded Plover 57
- Horsfield's Bronze-Cuckoo 230
- House Sparrow 87, 248-249
- HUNTER, C.P. & DWYER, P.D. The value of objects to Satin Bowerbirds *Ptilonorhynchus violaceus* 200-206
- Hybridisation 322-324
- Hybrids of *Diomedea melanophris* 322-324
- Incubation and incubation period of *Aegotheles cristatus* 316-321, *Diomedea epomophora* 194-199, *Orthonyx spaldingii* 23, *Phalacrocorax nivalis* 69, *Rhynochetus jubatus* 104
- Indonesia 1-17
- Intermediate Egret 31-42
- JANSEN, A. see FRITH, C.B.
- JEPSON, P. & OUNSTED, R. Birding Indonesia (review) 263
- JOHNS, T. see TAYLOR, R.
- JONES, D. see BATTLEY, P.
- JONES, D.N. see SMITH, G.C.
- JONES, D.N. & SMITH, G.C. Vocalisations of the Marbled Frogmouth II: an assessment of vocal individuality as a potential census technique 296-304
- Kagu 97-107
- KEAST, A. & RECHER, H.F. The adaptive zone of the genus *Gerygone* (Acanthizidae) as shown by morphology and feeding habits 1-17
- Kelp Gulls 64
- KIKKAWA, J. see CHAN, K.
- King Bird of Paradise 191
- King of Saxony Bird of Paradise 185-193
- KLAER, N. & POLACHECK, T. By-catch of albatrosses and other seabirds by Japanese longline fishing vessels in the Australian Fishing Zone from April 1992 to March 1995 150-167
- KNIGHT, F. see PIZZEY, G.
- LANE, J.A.K. see CHAPMAN, A.
- Large-billed Gerygone 1-17  
*Larus dominicanus* 64  
*Lathamus discolor* 229
- Laughing Kookaburra 85, 228, 254, 327
- Laughing Turtle-Dove 85
- LAWLER, W.G. see BRIGGS, S.V.
- Leaden Flycatcher 249-253, 254
- LEPSCHI, B.J. Food of some birds on southern Australia: additions to Barker and Vestjens, Part 2. 84-87
- Lesser Sheathbills 64
- LETOCART, Y. & SALAS, M. Spatial organisation and breeding of Kagu *Rhynocetos jubatus* in Riviere Bleue Park, New Caledonia 97-107
- Leucosarcia melanoleuca* 85
- Lewin's Honeyeater 86
- Lichenostomus* spp. 15, *L. chrysops* 86, *L. flavescens* 86, *L. flavigollis* 229, *L. fuscus* 216, *L. leucotis* 86, *L. melanops* 86, 207-219, *L. melanops cassidix* 207-219, *L. melanops meltoni* 216, *L. ornatus* 86, *L. penicillatus* 86, *L. unicolor* 86, *L. virescens* 86
- Lichmera indistincta* 86
- Light-mantled Sooty Albatross 130, 158, 235, 237
- Limosa lapponica* 108-120, *L. limosa* 56
- Little Black Cormorant 31-42, 56
- Little Corella 85
- Little Crow 87
- Little Lorikeet 85
- Little Penguin 258-261
- Little Pied Cormorant 31-42, 56
- Little Raven 255
- Little Wattlebird 86
- LONG, J.L. see MAWSON, P.R.
- Long-billed Corella 95
- Longline fishery, seabird by-catch 150-167
- Lophorina* 139, *L. superba* 192
- MAC NALLY, R. Population densities in a bird community of a wet sclerophyllous Victorian forest 253-258
- MAC NALLY, R. Residency of some warm-season migrants in a Victorian forest 249-253
- Macaroni Penguin 130
- Macronectes giganteus* 64, 72, 158, *M. halli* 158
- Major Mitchell's Cockatoo 85
- Malacorhynchus membranaceus* 56
- Mallard 85
- Malurus cyaneus* 85, 229, 254, 324-325, *M. leucopterus* 87
- Maned Duck 31-42
- Manorina melancephala* 86, 216, 230, *M. melanophris* 87-90, 283
- Marbled Frogmouth 290-295, 296-304
- Mass and measurements see Weights and measurements
- MAWSON, P.R. & LONG, J.L. Size and age of nest trees: A reply to Stoneman, Rayner and Bradshaw (1997) 181-182
- Measurements see Weights and measurements
- Melanodryas vittata* 228
- Meliphaga lewinii* 86
- Melithreptus* spp. 15, *M. affinis* 228, *M. brevirostris* 86, *M. validirostris* 228
- Melopsittacus undulatus* 73
- Menura* spp. 26, *M. novaehollandiae* 254
- Merops ornatus* 329-332
- Migration and orientation 108-120, 284, 286, 287,
- Migration and orientation of *Acrocephalus stentoreus* 332-334, *Calidris canutus* 108-120, *C. tenuirostris* 265-282, *Limosa lapponica* 108-120, *Myiagra rubecula* 249-253, *Pachycephala rufiventris* 249-253, *Petroica rosea* 249-253, *Puffinus pacificus* 305-309, *Rhipidura rufifrons* 249-253, *Zosterops lateralis* 91-93

- Migration, departures 108-120, flight ranges 117-118, routes 108-120, 265-282, timing 115-116
- Mistletoebird 87
- MOORE, P.J., TAYLOR, G.A. & AMEY, J.M. Interbreeding of Black-browed Albatross *Diomedea m. melanophris* and New Zealand Black-browed Albatross *D. m. impavida* on Campbell Island 322-324
- MOORS, P. see NICHOLLS, D.G.
- Mortality and survival of Australian birds 287, *Phalacrocorax nivalis* 71, 73-74
- Movements of *Diomedea cauta* 231-239, *D. exulans* 240-244, *Pholidonyris albifrons* 174-176
- MOYSEY, E.D. A study of resource partitioning within Helmeted Honeyeater *Lichenostomus melanops cassidix* during the non-breeding season 207-219
- Mulga Parrot 85
- MURRAY, M.D. see NICHOLLS, D.G.
- Musk Duck 55
- Musk Lorikeet 85, 230
- Myiagra cyanoleuca* 230, *M. rubecula* 249-253
- Myzomela obscura* 86, *M. sanguinolenta* 86
- Nankeen Night Heron 104
- Nectar feeding, Mistletoe 174-176
- Neochmia ruficauda* 87, *N. temporalis* 255
- Neophema chrysostoma* 229, *N. chrysostoma* 254
- Nest and nest site of *Aegotheles cristatus* 316-321, *Calidris tenuirostris* 265-282, *Orthonyx spaldingii* 20-21, *Passer domesticus* 248-249, *Phalacrocorax nivalis* 61-62, 68, *Rhynochetus jubatus* 104, *Sterna anaethetus* 312
- Nest hollows 94-96, 143, 181-182, 183-184, 316-321
- Nestling of *Orthonyx spaldingi* 24
- New Caledonia 97-107
- New Guinea 1-17, 185-193
- New Holland Honeyeater 86, 230
- New Zealand 1-17, 108-120
- NICHOLLS, D.G., MURRAY, M.D., BUTCHER, E. & MOORS, P. Weather systems determine the non-breeding distribution of Wandering Albatrosses over Southern Oceans 240-244
- Ninox* spp. 294, *N. strenua* 326-329
- Noisy Friarbird 86
- Noisy Miner 86, 230
- Noisy Pitta 121-125
- Nomadism 284, 285, 286
- Nordmann's Greenshank 275
- Norfolk Island 1-17
- Northern Giant Petrel 158
- Nycticorax caledonicus* 31-42, 104
- Olive Whistler 254
- Olive-backed Oriole 255
- Oreoscoptes gutturalis* 27
- Oriolus sagittatus* 255
- Orthonyx spaldingii* 18-30, *O. temminckii* 18
- OSTROM, P. see GOULD, P.
- Owlet Nightjar 316-321
- Oxyura australis* 55
- Pachycephala pectoralis* 216, 228
- Pachycephala rufiventris* 115, 249-253
- Pachyptila desolata* 126-132, *P. vittata* 131
- Pacific Black Duck 31-42, 55, 85, 254
- Pacific Heron 31-42
- Pallid Cuckoo 229
- Paradisaea* spp. 138, 139, *P. apoda* 139, *P. raggiana* 139
- Pardalotus* spp. 15, *P. punctatus* 229, 254, *P. striatus* 96, 228, 254
- Parotia* spp. 139, 192, *P. carolae* 192
- Passer domesticus* 87, 248-249
- Passeriformes, fossil 43-50
- PATON, D.C. see WEATHERS, W.W.
- PAULL, D. see WAUGH, S.M.
- PELL, A.S. & TIDEMANN, C.R. The ecology of the Common Myna in urban nature reserves in the Australian Capital Territory 141-149
- PENELOPE DIANE OLSEN, Citation for Serventy Medal 262
- PEPPER, J.W. see ARNETT, A.E.
- Petroica multicolor* 228, *P. phoenicea* 229, *P. rosea* 249-253
- Phalacrocorax albiventer* 60, *P. atriceps* 60, *P. bransfieldensis* 60, 62, 63, 66, 81, 82, *P. carbo* 31-42, *P. georgianus* 60, 72, 73, 74, 81, 82, *P. melanogenys* 60, 72, 73, 81, *P. melanoleucus* 31-42, 56, *P. nivalis* 60-66, 67-75, 76-83, *P. purpurascens* 60, 63, 73, *P. sulcirostris* 31-42, 56, *P. verrucosus* 60
- Phaps chalcoptera* 230, 254
- Philemon corniculatus* 86
- Phoebetria fusca* 158, 237, *P. palpebrata* 130, 158, 235, 237
- Pholidonyris albifrons* 174-177, *P. melanops* 86, *P. nigra* 86, *P. novaehollandiae* 86, 230, *P. pyrrhoptera* 229, 283
- Phylogeny of Birds of Paradise 138-139, *Seleucidis melanoleuca* 133-140
- Physiology of *Cormobates leucophaeus* 324-325, *Malurus cyaneus* 324-325
- Physiology, energy cost of activities 324-325, Field Metabolic Rate 324-325, water intake 324-325
- Pied Currawong 86, 255, 327
- Pink Robin 254
- Pink-eared Duck 56
- Pitta versicolor* 121-125
- PIZZEY, G. & KNIGHT, F. The Field Guide to the Birds of Australia (review of) 335-336
- Platelea flavipes* 31-42, 56, *P. regia* 31-42
- Platycercus caledonicus* 229, *P. elegans* 85, 254, *P. eximius* 85, 254, 317, *P. icterotis* 95
- Podargus ocellatus* 290-295, 296-304, *P. strigoides* 294, 295, 327
- Podiceps cristatus* 31-42
- POIANI, A. Prey delivered to Bell Miner nestlings: is there division of labour among nest attendants? 87-90
- POLACHECK, T. see KLAER, N.
- Poliocephalus poliocephalus* 56
- Pomatostomus* spp. 27, *P. isidori* 28
- Population density of *Alcedo azurea* 254, *Alisterus scapularis* 254, *Anas superciliosa* 254, *Cacatua galerita* 254, *C. roseicapilla* 254, *Cacomantis flabelliformis* 254, *C. variolosus* 254, *Callocephalon fimbriatum* 254, *Calyptorhynchus funereus* 254, *Chrysococcyx lucidus* 254, *Climacteris erythrops* 254, *Coracina novaehollandiae* 255, *Cormobates leucophaeus* 254, *Corvus coronoides* 255, *C. mellori* 255, *Cracticus torquatus* 255, *Dacelo novaeguineae* 254, *Gymnorhina tibicen* 255, *Malurus cyaneus* 254, *Menura novaehollandiae* 254, *Neochmia temporalis* 255, *Neophema chrysostoma* 254, *Oriolus sagittatus* 255, *Pachycephala rufiventris* 251, *Pardalotus punctatus* 254, *Pstriatus* 254, *Petroica rosea* 251, *Phaps chalcoptera* 254, *Platycercus elegans* 254, *P. eximius* 254,

- Rhipidura fuliginosa* 255, *Rhipidura rufifrons* 251, *Sericornis frontalis* 254, *Strepera graculina* 255, *S. versicolor* 255, *Todiramphus sanctus* 254, *Zoothera lunulata* 255, *Zosterops lateralis* 255
- Population size of *Diomedea melanophris* 322-324, *Sterna anaethetus* 310-315
- Porphyrio porphyrio* 31-42
- Porzana fluminea* 56
- Powerful Owl 326-329
- Predation by *Pachyptila desolata* 129, *Rattus rattus* 102,106
- Predation of *Aegotheles cristatus* 318, 319, *Rhynchoetus jubatus* 102, 106
- Prey of *Puffinus carneipes* 168-173
- PRIDDEL, D. & CARLILE, N. Boondelbah Island confirmed as a second breeding locality for Gould's Petrel *Pterodroma leucoptera leucoptera* 245-248
- Procellaria aequinoctialis* 129, 158, *P. cinerea* 158
- Psephotus varius* 85
- Psophodes* spp. 27, *P. olivaceus* 121-125
- Pteridophora* 139, *P. alberti* 185-193
- Pterodroma leucoptera* 245-248
- Ptilonorhynchus violaceus* 200-206
- Ptiloris magnificus* 138
- Puffinus bulleri* 158, *P. carneipes* 156, 158, 168-173, *P. griseus* 158, 168, 307, 336, *P. pacificus* 305-309, *P. tenuirostris* 305
- Purple Swamphen 31-42
- Purple-crowned Lorikeet 85
- Purpureicephalus spurius* 85, 95
- Pygoscelis adeliae* 258, 259, *P. antarctica* 258, 259, *P. papua* 126, 130
- Raggiana Bird of Paradise 139
- Rainbow Bee-eater 329-332
- Rainbow Lorikeet 85
- RAYNER, M.E. see STONEMAN, G.L.
- RECHER, H.F. see KEAST, A.
- Recurvirostra novaehollandiae* 56
- Red Knot 108-120
- Red Wattlebird 85, 254
- Red-browed Finch 255
- Red-browed Treecreeper 254
- Red-capped Parrot 85, 95
- Red-capped Plover 57
- Red-kneed Dotterel 57
- Red-necked Avocet 56
- Red-winged Parrot 85
- Regent Honeyeater 287
- REID, K., CROXALL, J.P. & EDWARDS, T.M. Interannual variation in the diet of the Antarctic Prion *Pachyptila desolata* at South Georgia 126-132
- REID, T.A. see BROTHERS, N.P.
- Rhipidura fuliginosa* 228, 255, *R. rufifrons* 249-253
- Rhynchosetos jubatus* 97-107
- Richard's Pipit 229
- ROGERS, D. see BATTLEY, P.
- Rose Robin 249-253, 254
- Royal Albatross 158
- Royal Spoonbill 31-42
- Rufous Babbler 28
- Rufous Fantail 249-253
- Rufous Night Heron 31-42
- Rufous Whistler 124, 249-253, 254
- Rufous-banded Honeyeater 86
- Rufous-throated Honeyeater 86
- Sacred Kingfisher 254, 302
- SAFFER, V. & CALVER, M.C. The size and type of prey taken by adult Rainbow Bee-eaters in the south-west of Australia 329-322
- SAGAR, P.M. see WAUGH, S.M.
- SALAS, M. see LETOCART, Y.
- Satin Bowerbird 200-206
- Satin Flycatcher 230
- Scarlet Honeyeater 86
- Scarlet Robin 228, 254
- SCHULZ, M. The diet of the Powerful Owl *Ninox strenua* in the Rockhampton area 326-329
- Seleucidis* spp. 138, 139, *S. melanoleuca* 133-140
- Semioptera* spp. 139, *S. wallacii* 191
- Semipalmated Sandpiper 115
- SENGUPTA, S. & SHRILATA House Sparrow *Passer domesticus* uses Krishnachura leaves as an antidote to malaria fever 248-249
- Sericornis frontalis* 230, 254, *S. magnirostris* 15, 28
- SERVENTY MEDAL, Citation of Penelope Diane Olsen for, 262
- Shining Bronze-Cuckoo 230, 254
- Short-tailed Shearwater 305, 307
- SHRILATA see SENGUPTA, S.
- Shy Albatross 150-167, 231-239
- Silvereye 87, 91-93, 229, 255, 287
- Singing Honeyeater 86
- Skylark 230
- Smicrornis brevirostris* 15
- SMITH, G.C. & JONES, D.N. Vocalisations of the Marbled Frogmouth I: descriptions and an analysis of sex differences 290-295
- SMITH, G.C. see JONES, D.N.
- Social organisation of *Rhynchoetus jubatus* 97-107
- Sonagram 66, 290-295
- Sonograms of *Podargus ocellatus* 290-295
- Sooty Albatross 158, 237
- Sooty Shearwater 158, 168, 307, 336
- Southern Giant Petrel 64, 72, 158
- Southern Royal Albatross 194-199
- Spiny-cheeked Honeyeater 86
- Spoon-billed Sandpiper 274
- Spotted Bowerbird 202, 205
- Spotted Catbird 27
- Spotted Pardalote 229, 254
- Spotted Quail-thrush 230
- Spotted Turtle-Dove 85
- Stagonopleura bella* 230
- Standardwing Bird of Paradise 191
- Star Finch 87
- Stercorarius parasiticus* 110
- Sterna anaethetus* 310-315, *S. lunata* 310, *S. nilotica* 57
- Stictonetta naevosa* 55
- STONEMAN, G.L., RAYNER, M.E. & BRADSHAW, F.J. Size and age parameters of nest trees used by four species of parrot and one species of cockatoo in south-west Australia: critique
- Straw-necked Ibis 56

- Strepera fuliginosa* 228, *S. graculina* 86, 255, 327, *S. versicolor* 229, 255  
*Streptopelia chinensis* 85, *S. senegalensis* 85  
 Striated Fieldwren 229  
 Striated Pardalote 96, 228, 254  
 Striated Thornbill 254  
 Strong-billed Honeyeater 228  
*Sturnus vulgaris* 87, 229  
 Subantarctic Skua 64, 72, 197  
 Sulphur-crested Cockatoo 85, 254  
 Superb Bird of Paradise 192  
 Superb Fairy-wren 85, 229, 254, 324-325  
 Superb Lyrebird 254  
 Swift Parrot 229  
*Tachybaptus novaehollandiae* 56  
*Tadorna tadornoides* 31-42, 55, 85  
 Tawny Frogmouth 294, 295, 327  
 Tawny-crowned Honeyeater 86  
 Taxonomy of *Pteridophora albertyi* 185-193, *Seleucidis melanoleuca* 133-140  
 TAYLOR, G.A. see MOORE, P.J.  
 TAYLOR, R., DUCKWORTH, P., JOHNS, T. & WARREN, B.  
   Succession in bird assemblages over a seven-year period in regrowth dry sclerophyll forest in south-east Tasmania 220-230  
 Techniques, band recoveries 233, 237, census by vocalisations 296-304, diet estimation 169, mapping home range 208-209, radio-telemetry 99, satellite tracking 240-244, time-depth recorder 77  
 Territory and home range of *Rhynochetus jubatus* 99, 101-102, 104-105, *Lichenostomus melanops* 207-219  
*Thinornis rubicollis* 57  
 THORNTON, S.A. see BRIGGS, S.V.  
 Threatened species 245-248, 285, 287  
 Threatened species, *Pterodroma leucoptera* 245-248  
*Threskiornis aethiopica* 31-42, *T. spinicollis* 56  
 TIDEMANN, C.R. see PELL, A.S.  
*Todiramphus sanctus* 254  
 TOMKOVICH, P.S. Breeding distribution, migrations and conservation status of the Great Knot *Calidris tenuirostris* in Russia 265-282  
 Tree Martin 229  
*Trichoglossus haematodus* 85  
*Tringa guttifer* 275, *T. nebularia* 56  
*Turdus merula* 87  
 Twelve-wired Bird of Paradise 133-140  
 Varied Sittella 254  
 VENABLES, I. see BATTLEY, P.  
 Vocalisations of *Ailuroedus crassirostris* 121-125, *Phalacrocorax nivalis* 65-66, *Pitta versicolor* 121-125, *Podargus ocellatus* 290-295, 296-304, *Psophodes olivaceus* 121-125  
 Vocalisations, dawn chorus 122, diurnal variation 123, individual differences 296-304, seasonal variation 123-124, sexual differences 290-295  
 WALKER, W. see GOULD, P.  
 Wandering Albatross 150-167, 194, 196, 197, 235, 237, 240-244  
 WARREN, B. see TAYLOR, R.  
 WATSON, D.M. The importance of Mistletoe to the White-fronted Honeyeater *Phylidonyris albifrons* in western Victoria 174-177  
 WAUGH, S.M., SAGAR, P.M. & PAULL, D. Laying dates, breeding success and annual breeding of Southern Royal Albatrosses  
*Diomedea epomophora epomophora* at Campbell Island during 1964-69  
 Weather, influence of, on distribution of *Diomedea exulans* 240-244  
 WEATHERS, W.W. & PATON, D.C. Summer field metabolic rate and water intake rate in Superb Fairy-wrens and a White-throated Treecreeper 324-325  
 Wedge-tailed Eagle 230, 286  
 Wedge-tailed Shearwater 305-309  
 Weights and measurements of *Eudyptula minor* 258-261, *Orthonyx spaldingii* 25, *Phalacrocorax nivalis* 69-71, *Sterna anaethetus* 313, *Zosterops lateralis* 91-93  
 Weka 105  
 Welcome Swallow 229, 334  
 Western Corella 85  
 Western Gerygone 1-17  
 Western Rosella 95  
 Wetlands, and waterbird breeding 31-42, 51-59, flooding 31-42, flooding 51-59, hydrology 31-42, 51-59, intermittent 51-59  
 Whiskered Tern 57  
 White-browed Scrubwren 230, 254  
 White-cheeked Honeyeater 86  
 White-chinned Petrel 129, 158  
 White-eared Honeyeater 86, 254  
 White-faced Heron 31-42, 56  
 White-fronted Chat 230  
 White-fronted Honeyeater 174-177  
 White-gaped Honeyeater 86  
 White-naped Honeyeater 254  
 White-necked Heron 56  
 White-plumed Honeyeater 86  
 White-throated Gerygone 1-17  
 White-throated Needletail 230  
 White-throated Treecreeper 254, 324-325  
 White-winged Fairy-wren 87  
 Wonga Pigeon 85  
 WOODALL, P.F. Seasonal and diurnal variation in the calls of the Noisy Pitta *Pitta versicolor*, Eastern Whipbird *Psophodes olivaceus* and Green Catbird *Ailuroedus crassirostris* in Brisbane Forest Park, Queensland 121-125  
 WOOLLER, R.D. & WOOLLER, S.J. Overwintering by Clamorous Reed-Warbblers *Acrocephalus stentoreus* in Perth, Western Australia 332-334  
*Xanthomyza phrygia* 287  
 Yellow Wattlebird 228  
 Yellow-billed Spoonbill 31-42, 56  
 Yellow-faced Honeyeater 86, 254  
 Yellow-nosed Albatross 150-167, 235, 237  
 Yellow-rumped Thornbill 229  
 Yellow-tailed Black-Cockatoo 230, 254  
 Yellow-throated Honeyeater 229  
 Yellow-tinted Honeyeater 86  
 Yellow-tufted Honeyeater 86, 216  
*Zosterops lunulata* 230, 255  
*Zosterops lateralis* 87, 91-93, 229, 255, 287