

Index to Volume 103

Authors, Species and Subjects

Compiled by Lesley Brooker

- Abbott, C. L. *see* Double, M. C. 287–294
- Abundances, and logging 221, of Chestnut-bellied Hill-partridge 134, of Eastern Curlew 279, of Pied Oystercatchers 163–169, of Red-capped Robins 201, of seabirds 307–313
- Acanthagenys rufogularis*, Spiny-cheeked Honeyeater 173
- Acanthiza apicalis*, Inland Thornbill 266, 358
- A. chrysorrhoa*, Yellow-rumped Thornbill 262, 358
- A. inornata*, Western Thornbill 262
- A. lineata*, Striated Thornbill 224
- A. pusilla*, Brown Thornbill 224
- A. reguloides*, Buff-rumped Thornbill 224
- A. uropygialis*, Chestnut-rumped Thornbill 358
- Acanthorhynchus tenuirostris*, Eastern Spinebill 224
- A. superciliosus*, Western Spinebill 266
- Accipiter cirrhocephalus*, Collared Sparrowhawk 224
- A. fasciatus*, Brown Goshawk 73
- Activity budgets, of Painted Honeyeater 171–176
- Aegotheles cristatus*, Australian Owlet-nightjar 224
- Aerodramus hirundinaceus*, Mountain Swiftlet 177–182
- Alisterus scapularis*, Australian King Parrot 224
- Altitudinal distribution, of Chestnut-bellied Hill-partridge 136
- Alvarado, A., *see* Karubian, J. 87–92
- Antarctic LOWs, use by albatross 59–65
- Anthochaera carunculata*, Red Wattlebird 224, 262, 347
- A. chrysoptera*, Little Wattlebird 224, 348
- Anthus novaeseelandiae*, Richard's Pipit 129
- Antos, M. *see* Dowling, D. K. 199–205
- Arborophila javanica*, Chestnut-bellied Hill-partridge 133–140
- Arctic Skua, *Stercorarius parasiticus* 309
- Arctic Tern, *Sterna paradisae* 309
- Argonauta nodosa* octopus 45
- Arnold, G. W. Bird species richness and abundance in wandoo woodland and in tree plantations on farmland at Baker's Hill, Western Australia. 259–269
- Arnould, J. P. Y. *see* Dann, P. 307–313
- Artamus cyanopterus*, Dusky Woodswallow 225, 266
- A. superciliosus*, White-browed Woodswallow 225
- Artificial eggs and nests 207–214, 255
- Australasian Gannet, *Morus serrator* 307
- Australasian Grebe, *Poliocephalus novaehollandiae* 309
- Australian Hobby, *Falco longipennis* 224
- Australian Kestrel, *Falco cenchroides* 299
- Australian King Parrot, *Alisterus scapularis* 224
- Australian Owlet-nightjar, *Aegotheles cristatus* 224
- Australian Pelican, *Pelecanus conspicillatus* 309
- Australian Raven, *Corvus coronoides* 225
- Baird, R., and Dann, P. The breeding biology of Hooded Plovers, *Thinornis rubricollis*, on Phillip Island, Victoria. 323–328
- Baker, M. C. Local similarity and geographic differences in a contact call of the Galah (*Cacatua roseicapilla assimilis*) in Western Australia. 233–237
- Baker, M. C., Baker, E. M., and Baker, M. S. A. Songs of the Red-capped Robin, *Petroica goodenovii*: comparison of acoustic features in island and mainland populations. 329–335
- Baker, E. M. *see* Baker, M. C. 329–335
- Baker, M. S. A. *see* Baker, M. C. 329–335
- Basal metabolic rate, of Gouldian Finch 5
- Battley, P. F., Rogers, D. I., Piersma, T., and Koolhaas, A. Behavioural evidence for heat-load problems in Great Knots in tropical Australia fuelling for long-distance flight. 97–103
- Beach Stone-curlew, *Esacus neglectus* 369–368
- Behaviour, of Red-backed Fairy-wren 87–92
- Bell Miner, *Manorina melanophrys* 221, 224
- Berry, L., and Lill, A. Do predation rates on artificial nests accurately predict predation rates on natural nests? The effects of nest type, egg type and nest-site characteristics. 207–214
- Biology, of Marquesan Imperial-Pigeon 381–386
- Black-browed Albatross, *Diomedea melanophrys* 309
- Blackburn, T. M. *see* Evans, K. L. 215–220
- Black-faced Cormorant, *Phalacrocorax fuscescens* 309
- Black-faced Cuckoo-shrike, *Coracina novaehollandiae* 225, 266
- Black-faced Monarch, *Monarcha melanopsis* 225
- Black-winged Petrel, *Pterodroma nigripennis* 67
- Blanvillain, C., and Thorsen, M. The biology of the critically endangered Marquesan Imperial-Pigeon (*Ducula galeata*), Nuku Hiva, Marquesas Archipelago (French Polynesia). 381–386
- Blue-breasted Fairy-wren, *Malurus pulcherrimus* 185–198, 357–361
- Blue-faced Honeyeater, *Entomyzon cyanotis* 348
- Blue-faced Parrot-Finch, *Erythrura trichroa* 363–368
- Body size, of Zebra Finch 11–19, of Burrowing Parrots 152, of Little Penguin 239
- Bower orientation, in Satin Bowerbirds 105–109
- Breeding biology, of Welcome Swallow 215–220, of Hooded Plovers 323–328, of Mountain Swiftlet 177–182, of Rainbow Pitta 245–254, of White-winged Fairy-wrens 295–306
- Breeding colouration of Dusky Moorhens 81–86
- Breeding success, of Cape Sugarbird 31, of Red-capped Robins 201, of Burrowing Parrots 154, of Hooded Plovers 323–328
- Bretagnolle, V., *see* Robinet, O. 71–80
- Brood parasitism 299, 357–361
- Brood-size, in Peregrine Falcon 127–132
- Brooker, L., and Brooker, M. Local distribution, metapopulation viability and conservation of the Blue-breasted Fairy-wren in fragmented habitat in the Western Australian wheatbelt. 185–198
- Brooker, M., and Brooker, L. Brood parasitism by Horsfield's Bronze-Cuckoo in a fragmented agricultural landscape in Western Australia. 357–361
- Brothers, N. *see* Double, M. C. 287–294
- Brown Falcon, *Falco berigora* 21–28
- Brown Gerygone, *Gerygone mouki* 224
- Brown Goshawk, *Accipiter fasciatus* 73, 224
- Brown Honeyeater, *Lichmera indistincta* 262, 348
- Brown Skua, *Catharacta antarctica* 37–41
- Brown Thornbill, *Acanthiza pusilla* 224
- Brown-headed Honeyeater, *Melithreptus brevirostris* 224, 266
- Brush Bronzewing, *Phaps elegans* 224
- Brush Cuckoo, *Cacomantis variolosus* 224
- Buff-rumped Thornbill, *Acanthiza reguloides* 224

- Burrowing Parrot, *Cyanoliseus patagonus* 149–161
 Burton, C. T., and Weathers, W. W. Energetics and thermoregulation of the Gouldian Finch (*Erythrura gouldiae*). 1–10
 Butcher, E. *see* Murray, M. D. 59–65, 111–120
Cacatua roseicapilla, Galah 129, 233–237
Cacomantis flabelliformis, Fan-tailed Cuckoo 224
C. variolosus, Brush Cuckoo 224
Calamanthus campestris, Rufous Fieldwren 266
 Calf, K. M., Downs, C. T., and Cherry, M. I. Territoriality and breeding success in the Cape Sugarbird (*Promerops cafer*). 29–35
Calidris tenuirostris, Great Knot 97–103
Callocephalon fimbriatum, Gang-gang Cockatoo 224
 Calls, of Galah 233, of Red-capped Robin 329–335
Calyptorhynchus funereus, Yellow-tailed Black-Cockatoo 224
 Cape Sugarbird, *Promerops cafer* 29–35
 Caspian Tern, *Sterna caspia* 309
Catharacta antarctica, Brown Skua 37–41
 Chestnut-bellied Hill-partridge, *Arborophila javanica* 133–140
 Chestnut-rumped Thornbill, *Acanthiza uropygialis* 358
 Chiaradia, A., Costalunga, A., and Kerry, K. The diet of Little Penguins (*Eudyptula minor*) at Phillip Island, Victoria, in the absence of a major prey – Pilchard (*Sardinops sagax*). 43–48
Chrysococcyx basalis, Horsfield's Bronze-Cuckoo 224, 299, 357–361
C. lucidus, Shining Bronze-Cuckoo 224
 Cicadabird, *Coracina tenuirostris* 225
Cinclosoma punctatum, Spotted Quail-thrush 224
Climacteris erythrops, Red-browed Treecreeper 224
C. rufa, Rufous Treecreeper 266
 Clout, M., *see* Robinet, O. 71–80
 Collared Sparrowhawk, *Accipiter cirrhocephalus* 224
Colluricincla harmonica, Grey Shrike-thrush 129, 225, 262
Columba livia, Rock Dove 129
 Common Blackbird, *Turdus merula* 225
 Common Bronzewing, *Phaps chalcoptera* 129, 224
 Common Starling, *Sturnus vulgaris* 129
 Common Tern, *Sterna hirundo* 309
 Conservation of Blue-breasted Fairy-wren 185–198, of Chestnut-bellied Hill-partridge 133–140, of Rufous Bristlebird 315–321
Coracina novaehollandiae, Black-faced Cuckoo-shrike 225, 266
C. papuensis, White-bellied Cuckoo-shrike 225
C. tenuirostris, Cicadabird 225
Cormobates leucophaeus, White-throated Treecreeper 224
Corvus coronoides, Australian Raven 225
 Costalunga, A. *see* Chiaradia, A. 43–48
Coturnix pectoralis, Stubble Quail 129
Cracticus nigrogularis, Pied Burcherbird 266, 299
Cracticus torquatus, Grey Butcherbird 225, 266
 Craig, M. D. An ecological study of the Blue-faced Parrot-Finch (*Erythrura trichroa macgillivrayi*) near Yungaburra, Australia. 363–368
 Crescent Honeyeater, *Phylidonyris pyrrhoptera* 224
 Crested Pigeon, *Ocyphaps lophotes* 266
 Crested Shrike-tit, *Falcunculus frontatus* 224, 271–277
 Crested Tern, *Sterna bergii* 307
 Crimson Finch, *Neochmia phaeton* 141–148
 Crimson Rosella, *Platycercus elegans* 129, 22
Cyanoliseus patagonus, Burrowing Parrot 149–161
Dacelo novaeguineae, Laughing Kookaburra 224
 Dann, P., Arnould, J. P. Y., Jessop, R., and Healy, M. Distribution and abundance of seabirds in Western Port, Victoria. 307–313
Daphoenositta chrysoptera, Varied Sittella 224, 266
Dasyornis broadbenti, Rufous Bristlebird 315–321
Dicaeum hirundinaceum, Mistletoebird 225, 266
 Diet, of Grey-headed Parrot 49–58, of Little Penguin 43–48, of Blue-faced Parrot-Finch 363–368, of Crimson and Star Finches 141–148, of Victoria's Riflebird 121–126
Diomedea exulans, Wandering Albatross 59–65, 111–120
D. melanophrys, Black-browed Albatross 309
 Dispersal, of Red-capped Robins 199–205, of White-winged Fairy-wrens 303
 Distribution, of Beach Stone-curlew 369–368, of Blue-breasted Fairy-wren 185–198, of Chestnut-bellied Hill-partridge 133–140, of Pied Oystercatcher 163–169, of Rufous Bristlebird 315–321, of seabirds 307–313
 Dominican Gull, *Larus dominicanus* 309
 Double, M. C., Gales, R., Reid, T., Brothers, N., and Abbott, C. L. Morphometric comparison of Australian Shy and New Zealand White-capped Albatrosses. 287–294
 Doucet, S. M., and Montgomerie, R. Bower location and orientation in Satin Bowerbirds: optimising the conspicuousness of male display? 105–109
 Dow, D. D. Obituary by 93–95
 Dowling, D. K., Antos, M., and Salman, T. Dispersal and recruitment of juvenile Red-capped Robins, *Petroica goodenovii*. 199–205
Ducula galeata, Marquesan Imperial-Pigeon 381–386
 Duncan, R. P. *see* Evans, K. L. 215–220
 Dusky Moorhens, *Gallinula tenebrosa* 81–86
 Dusky Woodswallow, *Artamus cyanopterus* 225, 266
 Eastern Curlew, *Numenius madagascariensis* 279–283
 Eastern Rosella, *Platycercus eximius* 129
 Eastern Spinebill, *Acanthorhynchus tenuirostris* 224
 Eastern Whipbird, *Psophodes olivaceus* 224
 Eastern Yellow Robin, *Eopsaltria australis* 207–214, 224
 Elegant Parrot, *Neophema elegans* 266
 Elliott, G. *see* Murray, M. D. 111–120
Entomyzon cyanotis, Blue-faced Honeyeater 348
Eopsaltria australis, Eastern Yellow Robin 207–214, 224
E. griseogularis, Western Yellow Robin 266
Epthianura albifrons, White-fronted Chat 266, 358
Erythrura gouldiae, Gouldian Finch 1–10
E. trichroa, Blue-faced Parrot-Finch 363–368
Esacus neglectus, Beach Stone-curlew 369–368
Eudyptula minor, Little Penguin 43–48, 239–243, 307
Eunymphicus cornutus uvaensis, Ouvéa Parakeet 71–80
 Evans, K. L. Tyler, C., Blackburn, T. M., and Duncan, R. P. Changes in the breeding biology of the Welcome Swallow (*Hirundo tahitica*) in New Zealand since colonisation. 215–220
 Fairy Tern, *Sterna nereis* 309
Falco berigora, Brown Falcon 21–28
F. cenchrroides, Australian Kestrel 129, 299
F. longipennis, Australian Hobby 224
F. peregrinus, Peregrine Falcon 127–132
Falcunculus frontatus, Crested Shrike-tit 224, 271–277
 Fan-tailed Cuckoo, *Cacomantis flabelliformis* 224
 Fecundity, of Cape Sugarbird 32
 Felton, A., *see* Todd, M. K. 141–148
 Fisher, C. book review by 285–286
 Flame Robin, *Petroica phoenicea* 224
 Flight paths, of albatross 59–65, 111–120
 Fluttering Shearwater, *Puffinus gavia* 309
 Footedness, in parrots 53
 Foraging behaviour, of Blue-faced Parrot-Finch 363–368, of Crested Shrike-tit 271–277, of Ouvéa Parakeet 71
 Foraging effort, of Peregrine Falcons 127–132
 Ford, H. A. *see* Fulton, G. R. 255–258

- Freeman, A. N. D. The distribution of Beach Stone-curlews and their response to disturbance on far north Queensland's Wet Tropical Coast. 369–372
- Fruit abundance 51
- Fruit wastage by parrots 54
- Fulton, G. R., and Ford, H. A. Quail eggs, modelling clay eggs, imprints and small mammals in an Australian woodland. 255–258
- Fuscous Honeyeater, *Lichenostomus fuscus* 348
- Galah, *Cacatua roseicapilla assimilis* 129, 233–237
- Gales, R. *see* Double, M. C. 287–294
- Gallinula tenebrosa*, Dusky Moorhens 81–86
- Gang-gang Cockatoo, *Callocephalon fimbriatum* 224
- Garnett, S. T., *see* Todd, M. K. 141–148
- Gerygone fusca*, Western Gerygone 262
- G. mouki*, Brown Gerygone 224
- Glossopsitta concinna*, Musk Lorikeet 224
- G. pusilla*, Little Lorikeet 224, 347
- Golden Whistler, *Pachycephala pectoralis* 225, 262
- Goldizen, A. W., *see* Shirley, A. M. 81–86
- Gouldian Finch, *Erythrura gouldiae* 1–10
- Grallina cyanoleuca*, Magpie-lark 129
- Grant, J. D., and Litchfield, N. M. Habitat use, home range and diet of male Victoria's Riflebird, *Ptiloris victoriae*. 121–126
- Grantiella picta*, Painted Honeyeater 171–176
- Great Cormorant, *Phalacrocorax carbo* 309
- Great Crested Grebe, *Podiceps cristatus* 309
- Great Knot, *Calidris tenuirostris* 97–103
- Grey Butcherbird, *Cracticus torquatus* 225, 266
- Grey Currawong, *Strepera versicolor* 266
- Grey Fantail, *Rhipidura fuliginosa* 225, 262
- Grey Shrike-thrush, *Colluricincla harmonica* 129, 225, 262
- Grey-headed Parrot, *Poicephalus fuscicollis suahelicus* 49–58
- Growth rate, of Peregrine Falcons 127–132, of Mountain Swiftlet 180, of Rainbow Pitta 249
- Habitat, of Blue-faced Parrot-Finch 363–368, of Chestnut-bellied Hill-partridge 133–140, of Dusky Moorhen 81–86, of Ouvéa Parakeet 71, of Painted Honeyeater 171–176, of Pied Oystercatcher 163–169, of Red-capped Robin 201, of Victoria's Riflebird 121–126
- Haematopus longirostris*, Pied Oystercatcher 163–169
- Hahn, S., and Peter, H.-U. Sex and age dependency of wing patch size in Brown Skuas. 37–41
- Healy, M. *see* Dann, P. 307–313
- Hirundo neoxena*, Welcome Swallow 225
- H. tahitica*, Welcome Swallow 215–220
- Hoary-headed Grebe, *Poliiocephalus poliocephalus* 309
- Home range, of Ouvéa Parakeet 71, of Victoria's Riflebird 121–126
- Hooded Plover, *Thinornis rubricollis* 323–328
- Horsfield's Bronze-Cuckoo, *Chrysococcyx basalis* 224, 299, 357–361
- Hylacola cauta*, Shy Hylacola 358
- Inland Thorbill, *Acanthiza apicalis* 266, 358
- Isolation distances 189
- Jacky Winter, *Microeca fascians* 224, 266
- Jessop, R. *see* Dann, P. 307–313
- Jones, D. N., *see* Shirley, A. M. 81–86
- Karubian, J., and Alvarado, A. Testing the function of petal-carrying in the Red-backed Fairy-wren (*Malurus melanocephalus*). 87–92
- Kavanagh, R. P., and Stanton, M. A. Bird population recovery 22 years after intensive logging near Eden, New South Wales. 221–231
- Kerry, K. *see* Chiaradia, A. 43–48
- Koolhaas, A. *see* Battley, P. F. 97–103
- Krebs, E. A., *see* Shirley, A. M. 81–86
- Lalage sueurii*, White-winged Triller 266
- Larus dominicanus*, Dominican Gull 309
- L. novaehollandiae*, Silver Gull 129, 307
- L. pacificus*, Pacific Gull 309
- Laughing Kookaburra, *Dacelo novaeguineae* 224
- Le Corre, M., Salamolard, M., and Portier, M. C. Transoceanic dispersion of the Red-tailed Tropicbird in the Indian Ocean. 183–184
- Leaden Flycatcher, *Myiagra rubecula* 225
- Leucosarcia melanoleuca*, Wonga Pigeon 224
- Lewin's Honeyeater, *Meliphaga lewinii* 224
- Lichenostomus chrysops*, Yellow-faced Honeyeater 224, 348
- L. fuscus*, Fuscous Honeyeater 348
- L. leucotis*, White-eared Honeyeater 224, 266
- L. ornatus*, Yellow-plumed Honeyeater 266
- L. penicillatus*, White-plumed Honeyeater 173, 266, 348
- L. virescens*, Singing Honeyeater 262
- L. melanops*, Yellow-tufted Honeyeater 224
- Lichmera indistincta*, Brown Honeyeater 262, 348
- Lill, A. *see* Berry, L. 207–214
- Little Black Cormorant, *Phalacrocorax sulcirostris* 309
- Little Friarbird, *Philemon citreogularis* 348
- Little Lorikeet, *Glossopsitta pusilla* 224, 47
- Little Penguin, *Eudyptula minor* 43–48, 239–243, 307
- Little Pied Cormorant, *Phalacrocorax melanoleucos* 309
- Little Shearwater, *Puffinus assimilis* 67–70
- Little Wattlebird, *Anthochaera chrysoptera* 224, 348
- Logging impact 221–231
- Long-distance flights, by Wandering Albatross 59–65, 111–120
- Magpie-lark, *Grallina cyanoleuca* 129
- Malurus cyaneus*, Superb Fairy-wren 224
- M. leucopterus*, White-winged Fairy-wren 295–306, 358
- M. melanocephalus*, Red-backed Fairy-wren 87–92
- M. pulcherrimus*, Blue-breasted Fairy-wren 185–198, 357–361
- M. splendens*, Splendid Fairy-wren 262
- Manorina flavigula*, Yellow-throated Miner 266
- M. melanocephala*, Noisy Miner 347
- M. melanophrys*, Bell Miner 221, 224
- Marquesan Imperial-Pigeon, *Ducula galeata* 381–386
- Masello, J. F., and Quillfeldt, P. Body size, body condition and ornamental feathers of Burrowing Parrots: variation between years and sexes. assortive mating and influences on breeding success. 149–161
- Masked Lapwing, *Vanellus miles* 129
- Mate retention, by White-winged Fairy-wrens 301
- Mate-choice experiments 87–92
- M'Donald, P. G. Variable plumage and bare part colouration in the Brown Falcon, *Falco berigora*: the influence of age and sex. 21–28
- Meliphaga lewinii*, Lewin's Honeyeater 224
- Melithreptus brevirostris*, Brown-headed Honeyeater 224, 266
- Melithreptus lunatus*, White-naped Honeyeater 224, 266, 348
- Menura novaehollandiae*, Superb Lyrebird 224
- Metabolism, of Gouldian Finch 1–10
- Metapopulation capacity of landscape 185
- Metapopulation viability, of Blue-breasted Fairy-wren 185–198
- Microeca fascians*, Jacky Winter 224, 266
- Mistletoebird, *Dicaeum hirundaceum* 225, 266
- Miyazaki, M., and Waas, J. R. Influence of parental body size on sea-to-nest distances and food provisioning in Little Penguins (*Eudyptula minor*). 239–243
- Monarcha melanopsis*, Black-faced Monarch 225

- Montgomerie, R. *see* Doucet, S. M. 105–109
- Moors, P. J. *see* Murray, M. D. 59–65, 111–120
- Morphology, of Brown Falcon 21–28, of Crested Shrike-tits 272, of Crimson and Star Finches 141–148, of White-winged Fairy-wrens 295–306
- Morphometrics, of Burrowing Parrots 152, of Shy Albatross 287–294, of White-capped Albatross 287–294
- Morus serrator*, Australasian Gannet 307
- Mountain Swiftlet, *Aerodramus hirundinaceus* 177–182
- Movements, of Rufous Bristlebird 315–321
- Murray, M. D., Nicholls, D. G., Butcher, E., and Moors, P. J. How Wandering Albatrosses use weather systems to fly long distances. 2. The use of eastward-moving cold fronts from Antarctic lows to travel westwards across the Indian Ocean. 59–65
- Murray, M. D., Nicholls, D. G., Butcher, E., Moors, P. J., Walker, K., and Elliott, G. How Wandering Albatrosses use weather systems to fly long distances. 3. The contributions of Antarctic lows to eastward, southward and northward flight. 111–120
- Musk Lorikeet, *Glossopsitta concinna* 224
- Myiagra rubecula*, Leaden Flycatcher 225
- Myzomela sanguinolenta*, Scarlet Honeyeater 224, 348
- Nankeen Kestrel, *Falco cenchroides* 129
- Neochmia phaeton*, Crimson Finch 141–148
- N. ruficauda*, Star Finch 141–148
- N. temporalis*, Red-browed Finch 225
- Neophema elegans*, Elegant Parrot 266
- Nest predation 207–214, 255
- Nest predators of artificial eggs 210
- Nest record cards 215
- Nesting ecology, of Mountain Swiftlet 178, of Rainbow Pitta 249
- Nesting success, of Mountain Swiftlet 180, of Welcome Swallow 217
- Nestling growth, of Burrowing Parrots 154
- New Holland Honeyeater, *Phylidonyris novaehollandiae* 224, 262
- Nicholls, D. G. *see* Murray, M. D. 59–65, 111–120
- Nijman, V. Distribution, habitat use and conservation of the endemic Chestnut-bellied Hill-partridge (*Arborophila javanica*) in fragmented forests of Java, Indonesia. 133–140
- Noisy Friarbird, *Philemon corniculatus* 347
- Noisy Miner, *Manorina melanocephala* 347
- Noske, R. A. Sexual differences in the foraging behaviour of Crested Shrike-tits, *Falcunculus frontatus*, during winter. 271–277; *see* Zimmermann, U. M. 245–254
- Numenius madagascariensis*, Eastern Curlew 279–283
- Obituary of J. D. McDonald 93–95
- Ocyphaps lophotes*, Crested Pigeon 266
- Olive-backed Oriole, *Oriolus sagittatus* 225
- Oliver, D. L., Chambers, M. A., and Parker, D. G. Habitat and resource selection of the Painted Honeyeater (*Grantiella picta*) on the northern floodplains region of New South Wales. 171–176
- Olsen, J., and Tucker, A. D. A brood-size manipulation experiment with Peregrine Falcons, *Falco peregrinus*, near Canberra. 127–132
- Oriolus sagittatus*, Olive-backed Oriole 225
- Ouvéa Parakeet, *Eunymphicus cornutus uvaeensis* 71–80
- Owner, D., and Rohweder, D. A. Distribution and habitat of Pied Oystercatchers (*Haematopus longirostris*) inhabiting ocean beaches in northern New South Wales. 163–169
- Pachycephala pectoralis*, Golden Whistler 225, 262
- P. rufiventris*, Rufous Whistler 225, 262
- Pacific Gull, *Larus pacificus* 309
- Painted Honeyeater, *Grantiella picta* 171–176
- Pardalotus punctatus*, Spotted Pardalote 224
- P. striatus*, Striated Pardalote 224, 262
- Pelecanus conspicillatus*, Australian Pelican 309
- Peregrine Falcon, *Falco peregrinus* 127–132
- Perrin, M. R. *see* Symes, C. T. 49–58
- Peter, H.-U. *see* Hahn, S. 37–41
- Petroica goodenovii*, Red-capped Robin 199–205, 262, 329–335, 358
- P. multicolor*, Scarlet Robin 224
- P. phoenicea*, Flame Robin 224
- P. rosea*, Rose Robin 224
- Phaethon rubricauda*, Red-tailed Tropicbird 183–184
- Phalacrocorax carbo*, Great Cormorant 309
- P. fuscescens*, Black-faced Cormorant 309
- P. melanoleucos*, Little Pied Cormorant 309
- P. sulcirostris*, Little Black Cormorant 309
- P. varius*, Pied Cormorant 307
- Phaps chalcoptera*, Common Bronzewing 129, 224
- P. elegans*, Brush Bronzewing 224
- Philemon citreogularis*, Little Friarbird 348
- P. corniculatus*, Noisy Friarbird 347
- Phylidonyris albifrons*, White-fronted Honeyeater 266
- P. melanops*, Tawny-crowned Honeyeater 266
- P. nigra*, White-cheeked Honeyeater 262
- P. novaehollandiae*, New Holland Honeyeater 224, 262
- P. pyrrhoptera*, Crescent Honeyeater 224
- Physiology, of Gouldian Finch 1–10, of Zebra Finch 11–19
- Pied Burcherbird, *Cracticus nigrogularis* 266, 299
- Pied Cormorant, *Phalacrocorax varius* 307
- Pied Currawong, *Strepera graculina* 129, 225, 255
- Pied Oystercatcher, *Haematopus longirostris* 163–169
- Piersma, T. *see* Battley, P. F. 97–103
- Pilotbird, *Pycnoptilus floccosus* 224
- Pitta iris*, Rainbow Pitta 245–254
- Platycercus elegans*, Crimson Rosella 129, 224
- P. eximius*, Eastern Rosella 129
- Plectorhyncha lanceolata*, Striped Honeyeater 173
- Plumage signals 37–41
- Podiceps cristatus*, Great Crested Grebe 309
- Poicephalus fuscicollis suahelicus*, Grey-headed Parrot 49–58
- Poliiocephalus novaehollandiae*, Australasian Grebe 309
- P. poliocephalus*, Hoary-headed Grebe 309
- Polytelis anthopeplus*, Regent Parrot 266
- Pomotostomus superciliosus*, White-browed Babbler 266
- Population changes after logging 226
- Population size, of Rufous Bristlebird 315–321
- Portier, M. C. *see* Le Corre, M. 183–184
- Predation rates 207–214
- Predation, by koalas 258, by Pied Currawongs 255
- Priddel, D., Hutton, I., Carlile, N., and Bester, A. Little Shearwaters, *Puffinus assimilis assimilis*, breeding on Lord Howe Island. 67–70
- Promerops cafer*, Cape Sugarbird 29–35
- Provisioning of chicks, of Little Penguin 239
- Psephotus haematonotus*, Red-rumped Parrot 129
- Psophodes olivaceus*, Eastern Whipbird 224
- Pterodroma nigripennis*, Black-winged Petrel 67
- Ptilonorhynchus violaceus*, Satin Bowerbird 105–109, 225
- Ptiloris victoriae*, Victoria's Riflebird 121–126
- Puffinus assimilis*, Little Shearwater 67–70
- P. gavia*, Fluttering Shearwater 309
- P. griseus*, Sooty Shearwater 373–379
- P. tenuirostris*, Short-tailed Shearwater 307, 309
- Purpureicephalus spurius*, Red-capped Parrot 266
- Putland, D. A., *see* Shirley, A. M. 81–86

- Pycnoptilus floccosus*, Pilotbird 224
- Quillfeldt, P. *see* Masello, J. F. 149–161
- Radio transmitters, on Ouvéa Parakeets 74
- Rainbow Lorikeet, *Trichoglossus haematodus* 224
- Rainbow Pitta, *Pitta iris* 245–254
- Rathburn, M. K., and Montgomerie, R. Breeding biology and social structure of White-winged Fairy-wrens (*Malurus leucopterus*): comparison between island and mainland subspecies having different plumage types. 295–306
- Recruitment, of Red-capped Robins 199–205
- Red Wattlebird, *Anthochaera carunculata* 224, 262, 347
- Red-backed Fairy-wren, *Malurus melanocephalus* 87–92
- Red-browed Finch, *Neochmia temporalis* 225
- Red-browed Treecreeper, *Climacteris erythrops* 224
- Red-capped Parrot, *Purpureicephalus spurius* 266
- Red-capped Robin, *Petroica goodenovii* 199–205, 262, 329–335, 358
- Red-rumped Parrot, *Psephotus haematotus* 129
- Red-tailed Tropicbird, *Phaethon rubricauda* 183–184
- Regent Parrot, *Polytelis anthopeplus* 266
- Reid, T., and Park, P. Continuing decline of Eastern Curlew, *Numenius madagascariensis*, in Tasmania. 279–283; *see* Double, M. C. 287–294
- Reproductive success, of White-winged Fairy-wrens 295–306
- Rhipidura fuliginosa*, Grey Fantail 225, 262
- R. rufifrons*, Rufous Fantail 225
- Richard's Pipit, *Anthus novaeseelandiae* 129
- Robinet, O., Bretagnolle, V., and Clout, M. Activity patterns, foraging behaviour and food selection of the Ouvéa Parakeet (*Eunymphicus cornutus uvaensis*). 71–80
- Rock Dove, *Columba livia* 129
- Rogers, D. I. *see* Battley, P. F. 97–103
- Rohweder, D. A. *see* Owner, D. 163–169
- Rose Robin, *Petroica rosea* 224
- Rozman, J., Runciman, D., and Zann, R. A. Seasonal variation in body mass and fat of Zebra Finches in south-eastern Australia. 11–19
- Rufous Bristlebird, *Dasyornis broadbenti* 315–321
- Rufous Fantail, *Rhipidura rufifrons* 225
- Rufous Fieldwren, *Calamanthus campestris* 266
- Rufous Treecreeper, *Climacteris rufa* 266
- Rufous Whistler, *Pachycephala rufiventris* 225, 262
- Runciman, D. *see* Rozman, J. 11–19
- Sacred Kingfisher, *Todiramphus sanctus* 224, 266
- Salamolard, M. *see* Le Corre, M. 183–184
- Salman, T. *see* Dowling, D. K. 199–205
- Satellite telemetry, of Wandering Albatross 59–65, 111–120, of Sooty Shearwater 373–379
- Satin Bowerbird, *Ptilonorhynchus violaceus* 105–109, 225
- Scarlet Honeyeater, *Myzomela sanguinolenta* 224, 348
- Scarlet Robin, *Petroica multicolor* 224
- Sericornis frontalis*, White-browed Scrubwren 224
- Sex ratio, of Red-capped Robins 201
- Sexual display, in Satin Bowerbirds 105–109
- Seymour, J., Paton, D. C., and Rogers, D. J. The conservation status of the Rufous Bristlebird, *Dasyornis broadbenti*, in South Australia. 315–321
- Shining Bronze-Cuckoo, *Chrysococcyx lucidus* 224
- Shirley, A. M., Goldizen, A. W., Jones, D. N., Krebs, E. A., and Putland, D. A. Effects of habitat characteristics and climate on the distribution and colouration of Dusky Moorhens (*Gallinula tenebrosa*) in south-east Queensland. 81–86
- Short-tailed Shearwater, *Puffinus tenuirostris* 307, 309
- Shy Albatross, *Thalassarche cauta* 287–294, 309
- Shy Hylacola, *Hylacola cauta* 358
- Silver Gull, *Larus novaehollandiae* 129, 307
- Silvereye, *Zosterops lateralis* 225, 266
- Singing Honeyeater, *Lichenostomus virescens* 262
- Smicrornis brevirostris*, Weebill 262
- Social behaviour, of White-winged Fairy-wrens 295–306
- Söhle, I. S. Effects of satellite telemetry on Sooty Shearwater, *Puffinus griseus*, adults and chicks. 373–379
- Sooty Shearwater, *Puffinus griseus* 373–379
- Sound recordings, of Galah 233, of Red-capped Robin 329–335
- Species richness, in wandoo woodland 259–269
- Species turnover and logging 221
- Spiny-cheeked Honeyeater, *Acanthagenys rufogularis* 173
- Splendid Fairy-wren, *Malurus splendens* 262
- Spotted Pardalote, *Pardalotus punctatus* 224
- Spotted Quail-thrush, *Cinclosoma punctatum* 224
- Stanton, M. A. *see* Kavanagh, R. P. 221–231
- Star Finch, *Neochmia ruficauda* 141–148
- Stercorarius parasiticus*, Arctic Skua 309
- Sterna bergii*, Crested Tern 307
- S. caspia*, Caspian Tern 309
- S. hirundo*, Common Tern 309
- S. nereis*, Fairy Tern 309
- S. paradisae*, Arctic Tern 309
- Strepera graculina*, Pied Currawong 129, 225, 255
- S. versicolor*, Grey Currawong 266
- Striated Pardalote, *Pardalotus striatus* 224, 262
- Striated Thornbill, *Acanthiza lineata* 224
- Striped Honeyeater, *Plectorhyncha lanceolata* 173
- Stubble Quail, *Coturnix pectoralis* 129
- Sturnus vulgaris*, Common Starling 129
- Superb Fairy-wren, *Malurus cyaneus* 224
- Superb Lyrebird, *Menura novaehollandiae* 224
- Symes, C. T., and Perrin, M. R. Feeding biology of the Grey-headed Parrot, *Poicephalus fuscicollis suahelicus* (Reichenow), in Northern Province, South Africa. 49–58
- Taeniopygia guttata*, Zebra Finch 11–19, 266
- Tarburton, M. K. The breeding biology of the Mountain Swiftlet, *Aerodramus hirundinaceus*, in Irian Jaya. 177–182
- Tawny-crowned Honeyeater, *Phylidonyris melanops* 266
- Territoriality, of Cape Sugarbird 29–35
- Territory size, of Cape Sugarbird 32, of Rufous Bristlebird 315–321
- Thalassarche cauta*, Shy Albatross 287–294, 309
- T. steadi*, White-capped Albatross 287–294
- Thermoregulation, in Great Knots 97–103
- Thinornis rubricollis*, Hooded Plovers 323–328
- Thorsen, M., *see* Blanvillain, C. 381–386
- Timing of breeding, of Rainbow Pitta 247, of Welcome Swallow 216
- Todd, M. K., Felton, A., and Garnett, S. T. Morphological and dietary differences between common and uncommon subspecies of Crimson Finch, *Neochmia phaeton*, and Star Finch, *Neochmia ruficauda*, in northern Australia. 141–148
- Todiramphus sanctus*, Sacred Kingfisher 224, 266
- Transoceanic dispersion, by Red-tailed Tropicbird 183–184
- Tree plantations, species richness of 259
- Trichoglossus haematodus*, Rainbow Lorikeet 224
- Turdus merula*, Common Blackbird 225
- Tyler, C. *see* Evans, K. L. 215–220
- Vanellus miles*, Masked Lapwing 129
- Varied Sittella, *Daphoenositta chrysoptera* 224, 266
- Victoria's Riflebird, *Ptiloris victoriae* 121–126
- Waas, J. R. *see* Miyazaki, M. 239–243
- Walker, K. *see* Murray, M. D. 111–120
- Walters, M. A Concise History of Ornithology, book review 285–186
- Wandering Albatross, *Diomedea exulans* 59–65, 111–120

- Weathers, W. W. *see* Burton, C. T. 1–10
 Weebill, *Smicrornis brevirostris* 262
 Welcome Swallow, *Hirundo neoxena* 225, *H. tahitica* 215–220
 Western Gerygone, *Gerygone fusca* 262
 Western Spinebill, *Acanthorhynchus superciliosus* 266
 Western Thornbill, *Acanthiza inornata* 262
 Western Yellow Robin, *Eopsaltria griseogularis* 266
 White-bellied Cuckoo-shrike, *Coracina papuensis* 225
 White-browed Babbler, *Pomotostomus superciliosus* 266
 White-browed Scrubwren, *Sericornis frontalis* 224
 White-browed Woodswallow, *Artamus superciliosus* 225
 White-capped Albatross, *Thalassarche steadi* 287–294
 White-cheeked Honeyeater, *Phylidonyris nigra* 262
 White-eared Honeyeater, *Lichenostomus leucotis* 224, 266
 White-fronted Chat, *Epthianura albifrons* 266, 358
 White-fronted Honeyeater, *Phylidonyris albifrons* 266
 White-naped Honeyeater, *Melithreptus lunatus* 224, 266, 348
 White-plumed Honeyeater, *Lichenostomus penicillatus* 173, 266, 348
 White-throated Treecreeper, *Cormobates leucophaeus* 224
 White-winged Fairy-wren, *Malurus leucopterus* 295–306, 358
 White-winged Triller, *Lalage sueurii* 266
 Wonga Pigeon, *Leucosarcia melanoleuca* 224
 Yellow-faced Honeyeater, *Lichenostomus chrysops* 224, 348
 Yellow-plumed Honeyeater, *Lichenostomus ornatus* 266
 Yellow-rumped Thornbill, *Acanthiza chrysorrhoa* 262, 358
 Yellow-tailed Black-Cockatoo, *Calyptorhynchus funereus* 224
 Yellow-throated Miner, *Manorina flavigula* 266
 Yellow-tufted Honeyeater, *Lichenostomus melanops* 224
 Zann, R. A. *see* Rozman, J. 11–19
 Zebra Finch, *Taeniopygia guttata* 11–19, 266
 Zimmermann, U. M., and Noske, R. A. Breeding biology of the
 Rainbow Pitta, *Pitta iris*, a species endemic to Australian
 monsoon-tropical rainforests. 245–254
Zosterops lateralis, Silvereye 225, 266