

10.1071/RD14372_AC

© CSIRO 2016

Supplementary Material: *Reproduction, Fertility and Development*, 2016, 28(7), 969–973.

Supplementary Material

Impact of superovulation and mating on the wellbeing of juvenile and adult C57BL/6N mice

Thomas Kolbe^{A,B}, Sarjoun Sheety^C, Ingrid Walter^D, Rupert Palme^E and Thomas Rülicke^{C,F}

^ABiomodels Austria, University of Veterinary Medicine Vienna, Veterinärplatz 1, 1210 Vienna, Austria.

^BIFA-Tulln, University of Natural Resources and Life Sciences, Konrad Lorenz Strasse 20, 3430 Tulln, Austria.

^CInstitute of Laboratory Animal Science, University of Veterinary Medicine Vienna, Veterinärplatz 1, 1210 Vienna, Austria.

^DVetCore Facility for Research, University of Veterinary Medicine Vienna, Veterinärplatz 1, 1210 Vienna, Austria.

^EInstitute of Medical Biochemistry, University of Veterinary Medicine Vienna, Veterinärplatz 1, 1210 Vienna, Austria.

^FCorresponding author. Email: thomas.ruelicke@vetmeduni.ac.at

Table S1. Results of the plug and ampulla control after superovulation and mating

Number of fertilised, unfertilised and degenerated ova produced by juvenile and adult females
(* $P \leq 0.05$)

Juvenile	Plug	Ampulla	Ova		
			Fertilised	Unfertilised	Degenerated
JV1	+	Swollen	23	3	0
JV2	-	Swollen	0	57	0
JV3	-	Not swollen	0	1	0
JV4	+	Swollen	38	5	0
JV5	-	Swollen	31	35	0
JV6	+	Swollen	22	20	0
Mean			19*	20.17	0
SD			15.82	22.22	0
Adult	Plug	Ampulla	Ova		
			Fertilised	Unfertilised	Degenerated
AV1	-	Swollen	0	8	0
AV2	-	Swollen	0	11	6
AV3	-	Swollen	0	12	0
AV4	-	Swollen	11	3	4
AV5	+	Not swollen	7	4	0
AV6	-	Swollen	0	12	0
Mean			3*	8.33	1.67
SD			4.82	4.03	2.65