

Corrigenda

Tapheocarpa (Commelinaceae), a new Australian genus with hypogeous fruits

J. G. Conran

Volume 7, Number 6 (1994), pp. 585–589

Page 586, 2nd paragraph should read: '*T. calandrinoides* (F.Muell.) Conran, comb. nov. Basionym: *Aneilema calandrinoides* F.Muell., Fragmenta Phytographiae Australiae 9: 191 (1875) as *A. calandrinoides*. *Typus*: QUEENSLAND: Inter fluvios Normani et Gilberti, *T. A. Gulliver* s.n. (holotype: MEL!; isotypes: BRI!, K)'.

Circumscription of *Marsdenia* (Asclepiadaceae: Marsdenieae), with a revision of the genus in Australia and Papuasia

P. I. Forster

Volume 8, Number 5 (1995), pp. 703–933

In the diagnoses, the following corrections need to be made:

'*Marsdenia*' when used in conjunction with 'affinis' should read: '*Marsdeniae*';

pp. 752, 753, '*Marsdenia variabilis*' should read: '*Marsdeniae variabili*';

pp. 756, 758–761, '*Marsdenia gonoloboidis*' should read: '*Marsdeniae gonoloboidi*';

pp. 780, 782, 'affinis' and the authority should be transposed;

p. 797, '*Marsdenia jasminoidis*' should read: '*Marsdeniae jasminoidi*';

p. 799, '*Marsdenia praestantis*' should read: '*Marsdeniae praestanti*';

p. 808, '*Marsdenia suborbicularis*' should read: '*Marsdeniae suborbiculari*';

p. 816, '*Marsdenia geminata*' should read: '*Marsdeniae geminatae*'.