

**Supplementary Material****Managing coniferous production forests towards bat conservation**

*Maria João Ramos Pereira<sup>A,B,F</sup>, Filipa Peste<sup>B</sup>, Anabela Paula<sup>C</sup>, Pedro Pereira<sup>C</sup>, Joana Bernardino<sup>C</sup>, José Vieira<sup>D</sup>, Carlos Bastos<sup>D</sup>, Miguel Mascarenhas<sup>E</sup>, Hugo Costa<sup>D</sup> and Carlos Fonseca<sup>B</sup>*

<sup>A</sup>Department of Zoology, Institute of Biosciences, Universidade Federal do Rio Grande do Sul, Av. Bento Gonçalves 9500, Porto Alegre RS 91540-000, Brazil.

<sup>B</sup>CESAM, Centre for Environmental and Marine Studies and Department of Biology, Universidade de Aveiro, 3810-193 Aveiro, Portugal.

<sup>C</sup>Bio3 – Estudos e Projetos em Biologia e Recursos Naturais, Lda. Almada, Portugal.

<sup>D</sup>IEETA – Institute of Electronics and Telematics Engineering, Universidade de Aveiro, Portugal.

<sup>E</sup>Sarimay – Ambiente, Energia e Projetos, S.A., Lisboa, Portugal.

<sup>F</sup>Corresponding author. Email: [maria.joao@ufrgs.br](mailto:maria.joao@ufrgs.br)

**Table S1.** Abundance and biomass per operation time for class, orders, suborders and family groups of arthropods captured

<b>Groups</b>	<b>Abundance</b>	<b>Biomass(g)</b>
<b>Class Insecta</b>		
Order Lepidoptera	59.79	14178.03
Order Diptera	2.65	560.12
Order Coleoptera	1.86	289.17
Order Hymenoptera	1.18	332.54
Order Neuroptera	0.66	3.30
Family Myrmeleontidae	0.04	32.26
Order Trichoptera	0.56	209.72
Order Heteroptera	0.17	118.50
Order Homoptera	0.20	25.42
Order Orthoptera	0.92	61.63
Order Dictyoptera		
Sub-Order Blattodea	0.18	21.46
Sub-Order Mantodea	0.11	1.63
Order Phasmida	0.05	0.23
Order Psocoptera	0.01	4.02
<b>Class Arachnida</b>		
Order Araneae	0.09	4.62
Order Opilliones	0.01	87.75