

CSIRO Publishing

# Wildlife Research



Volume 29, 2002  
© CSIRO 2002

**All enquiries and manuscripts should be directed to:**

*Wildlife Research*  
CSIRO Publishing  
PO Box 1139 (150 Oxford St)  
Collingwood, Vic. 3066, Australia



**CSIRO  
PUBLISHING**

Telephone: +61 3 9662 7622  
Fax: +61 3 9662 7611  
Email: [publishing.wr@csiro.au](mailto:publishing.wr@csiro.au)

Published by CSIRO Publishing  
for CSIRO and the Australian Academy of Science

[www.publish.csiro.au/journals/wr](http://www.publish.csiro.au/journals/wr)

## Index to Volume 29

### Authors and Titles

- Abbott, I.  
Origin and spread of the cat, *Felis catus*, on mainland Australia, with a discussion of the magnitude of its early impact on native fauna. 51
- Allen, L. R.  
See Engeman, R. M. 85
- Alves, P. C.  
See Gonçalves, H. 165
- Atkinson, P. H.  
See Zheng, T. 683
- Ballinger, A., and Morgan, D. G.  
Validating two methods for monitoring population size of the European rabbit (*Oryctolagus cuniculus*). 431
- Barlow, N. D., Barron, M. C., and Parkes, J. P.  
Rabbit haemorrhagic disease in New Zealand: field test of a disease–host model. 649
- Barron, M. C.  
See Barlow, N. D. 649
- Barry, S. C.  
See Mills, D. J. 379
- Baxter, G. S.  
See Sullivan, B. J. 455
- Berman, D. M.  
See Edwards, G. P. 557, 567  
See McPhee, S. 635
- Berry, L.  
Predation rates of artificial nests in the edge and interior of a southern Victorian forest 341
- Bird, P.  
See Mutze, G. J. 577
- Bladon, R. V., Dickman, C. R., and Hume, I. D.  
Effects of habitat fragmentation on the demography, movements and social organisation of the eastern pygmy-possum (*Cercartetus nanus*) in northern New South Wales. 105
- Blomberg, S. P.  
See Singh, S. 447
- Bourassa, J.  
See Engeman, R. M. 85
- Bradley, J. S.  
See Rhind, S. G. 235
- Bradley, S.  
See Robley, A. J. 423
- Bradsell, P., Prince, J., Kuchling, G., and Knott, B.  
Aggressive interactions between freshwater turtle, *Chelodina oblonga*, hatchlings and freshwater crayfish, *Cherax* spp.: implications for the conservation of the critically endangered western swamp turtle, *Pseudemydura umbrina*. 295
- Brooker, L. C., and Brooker, M. G.  
Dispersal and population dynamics of the blue-breasted fairy-wren, *Malurus pulcherrimus*, in fragmented habitat in the Western Australian wheatbelt. 225
- Brooker, M. G.  
See Brooker, L. C. 225
- Brown, P. R., Chambers, L. K., and Singleton, G. R.  
Pre-sowing control of house mice (*Mus domesticus*) using zinc phosphide: efficacy and potential non-target effects. 27
- Burt, R. J.  
See Catling, P. C. 313
- Busana, F.  
See Marks, C. A. 291
- Butler, K. L.  
See McPhee, S. 635
- Caley, P., McElrea, L. M., and Hone, L. J.  
Mortality rates of feral ferrets (*Mustela furo*) in New Zealand. 323
- Calver, M. C.  
See Hart, R. K. 415
- Cameron, E. Z.  
See Linklater, W. L. 221
- Capucci, L.  
See Robinson, A. J. 655, 663  
See Cooke, B. D. 673
- Carrick, F. N.  
See Ellis, W. A. H. 19, 303
- Catling, P. C., Burt, R. J., and Forrester, R. I.  
Models of the distribution and abundance of ground-dwelling mammals in the eucalypt forests of north-eastern New South Wales in relation to environmental variables. 313
- Catterall, C. P.  
See Piper, S. 127
- Chambers, L. K.  
See Brown, P. R. 27
- Choquenot, D.  
See Saunders, G. R. 605
- Claridge, A. W.  
Use of bioclimatic analysis to direct survey effort for the long-footed potoroo (*Potorous longipes*), a rare forest-dwelling rat-kangaroo. 193  
See Mills, D. J. 379
- Coleman, J.  
See Ramsey, D. S. L. 39
- Cooke, B. D.  
See Mutze, G. J. 577  
See Robinson, A. J. 655, 663
- Cooke, B. D., and Fenner, F.  
Rabbit haemorrhagic disease and the biological control of wild rabbits, *Oryctolagus cuniculus*, in Australia and New Zealand. 689
- Cooke, B. D., McPhee, S., Robinson, A. J., and Capucci, L.  
Rabbit haemorrhagic disease: does a pre-existing RHDV-like virus reduce the effectiveness of RHD as a biological control in Australia? 673
- Coulson, G. M.  
See Moore, B. D. 439
- Cowan, P. E.  
See Ramsey, D. S. L. 39
- Cunningham, R. B.  
See Henzell, R. P. 523
- Daniels, P.  
See McPhee, S. 635
- Delean, J. S. C.  
See Johnson, P. M. 463
- Dennis, A. J.  
The diet of the musky rat-kangaroo, *Hypsiprymnodon moschatus*, a rainforest specialist. 209
- Denny, E., Yakovlevich, P., Eldridge, M. D. B., and Dickman, C. R.  
Social and genetic analysis of a population of free-living cats (*Felis catus* L.) exploiting a resource-rich habitat. 405
- Dickman, C. R.  
See Bladon, R. V. 105  
See Denny, E. 405  
See Hart, R. K. 415
- Dobbie, W.  
See Edwards, G. P. 557, 567

- Doran, B.  
See Olsen, P. D. 117
- Eason, C. T.  
See Littin, K. E. 259
- Edwards, G. P., Dobbie, W., and Berman, D. M.  
Population trends in European rabbits and other wildlife of central Australia in the wake of rabbit haemorrhagic disease. 557  
Warren ripping: its impacts on European rabbits and other wildlife of central Australia amid the establishment of rabbit haemorrhagic disease. 567
- Efford, M. G.  
See Ramsey, D. S. L. 39
- Eldridge, M. D. B.  
See Denny, E. 405
- Ellis, W. A. H., Hale, P. T., and Carrick, F. N.  
Breeding dynamics of koalas in open woodlands. 19
- Ellis, W. A. H., Melzer, A., Carrick, F. N., and Hasegawa, M.  
Tree use, diet and home range of the koala (*Phascolarctos cinereus*) at Blair Athol, central Queensland. 303
- Engeman, R. M., Pipas, M. J., Gruver, K. S., Bourassa, J., and Allen, L. R.  
Plot placement when using a passive tracking index to simultaneously monitor multiple species of animals. 85
- Farroway, L. N., Singleton, G. R., Lawson, M. A., and Jones, D. A.  
The impact of murine cytomegalovirus (MCMV) on enclosure populations of house mice (*Mus domesticus*). 11
- Fenner, F.  
See Cooke, B. D. 689
- Foley, W. J.  
See Woolnough, A. P. 91
- Forrester, R. I.  
See Catling, P. C. 313  
See Robinson, A. J. 655
- Frampton, C. M.  
See Reddiex, B. 627
- Gaikhorst, G.  
See Martin, G. R. 489
- Gibson, L.  
See Sharp, A. 175
- Gigliotti, F.  
See Marks, C. A. 291
- Gonçalves, H., Alves, P. C., and Rocha, A.  
Seasonal variation in the reproductive activity of the wild rabbit (*Oryctolagus cuniculus algirus*) in a Mediterranean ecosystem. 165
- Gonzales, A.  
See McPhee, S. 635
- Goosem, M.  
Effects of tropical rainforest roads on small mammals: fragmentation, edge effects and traffic disturbance 277
- Göth, A., and Vogel, U.  
Chick survival in the megapode *Alectura lathami* (Australian brush-turkey). 503
- Gregory, N. G.  
See Littin, K. E. 259
- Gruver, K. S.  
See Engeman, R. M. 85
- Hale, P. T.  
See Ellis, W. A. H. 19
- Harris, B.  
See Mills, D. J. 379
- Hart, R. K., Calver, M. C., and Dickman, C. R.  
The index of relative importance: an alternative approach to reducing bias in descriptive studies of animal diets. 415
- Hasegawa, M.  
See Ellis, W. A. H. 303
- Henzell, R. P., Cunningham, R. B., and Neave, H. M.  
Factors affecting the survival of Australian wild rabbits exposed to rabbit haemorrhagic disease. 523
- Heyward, R. P.  
See Parkes, J. P. 543  
See Norbury, G. L. 599
- Heywood, M. R., and Pavey, C. R.  
Relative importance of plague rodents and dasyurids as prey of barn owls in central Australia. 203
- Hickling, G. J.  
See Reddiex, B. 627
- Hodkinson, C. G.  
See Jacob, J. 101
- Holden, C., and Mutze, G. J.  
Impact of rabbit haemorrhagic disease on introduced predators in the Flinders Ranges, South Australia. 615
- Hone, L. J.  
See Caley, P. 323
- Hume, I. D.  
See Bladon, R. V. 105
- Humphrey, J.  
See McPhee, S. 635
- Jacob, J., Jones, D. A., and Singleton, G. R.  
Retention of the bait marker Rhodamine B in wild house mice. 159
- Jacob, J., Ylönen, H., and Hodkinson, C. G.  
Trapping efficiency of Ugglan traps and Longworth traps for house mice in south-eastern Australia. 101
- Jennings, S.  
See Mutze, G. J. 577
- Johnson, P. M., and Delean, J. S. C.  
Reproduction of the purple-necked rock-wallaby, *Petrogale purpureicollis* Le Souef (Marsupialia : Macropodidae) in captivity, with age estimation and development of the pouch young. 463
- Jones, D. A.  
See Farroway, L. N. 11  
See Jacob, J. 159
- Kay, B. J.  
See Saunders, G. R. 605
- Khaemba, W. M., and Stein, A.  
Improved sampling of wildlife populations using airborne surveys. 269
- King, D. R.  
See Martin, G. R. 489
- Kirkland, P. D.  
See Robinson, A. J. 655
- Kirkpatrick, W. E.  
See Martin, G. R. 489
- Kirkwood, R. J.  
See Shaughnessy, P. D. 185
- Knott, B.  
See Bradsell, P. 295
- Koch, S.  
See McPhee, S. 635

- Kok, N. E.  
See Thomson, P. C. 371
- Kovaliski, J.  
See Mutze, G. J. 577
- Krebs, C. J.  
Beyond population regulation and limitation. 1
- Krockenberger, A. K.  
See Parker, A. K. 135
- Kuchling, G.  
See Bradsell, P. 295
- Lawson, M. A.  
See Farroway, L. N. 11
- Linklater, W. L., and Cameron, E. Z.  
Escape behaviour of feral horses during a helicopter count. 221
- Lisle, A. T.  
See Sullivan, B. J. 455
- Littin, K. E., O'Connor, C. E., Gregory, N. G., Mellor, D. J., and Eason, C. T.  
Behaviour, coagulopathy and pathology of brushtail possums (*Trichosurus vulpecula*) poisoned with brodifacoum. 259
- Lowe, T. J.  
See Twigg, L. E. 513
- Loyn, R. H.  
See van der Ree, R. 151
- Marks, A.  
See Sharp, A. 175
- Marks, C. A.  
See McPhee, S. 635
- Marks, C. A., Gigliotti, F., and Busana, F.  
Estimated 1080 dose rate for the M-44 ejector for the control of red foxes (*Vulpes vulpes*). 291
- Marlow, N. J.  
See Martin, G. R. 489
- Martin, G. R.  
See Twigg, L. E. 141, 513
- Martin, G. R., and Twigg, L. E.  
Sensitivity to sodium fluoroacetate (1080) of native animals from north-western Australia. 75
- Martin, G. R., Twigg, L. E., Marlow, N. J., Kirkpatrick, W. E., King, D. R., and Gaikhorst, G.  
The acceptability of three types of predator baits to captive non-target animals 489
- McElrea, L. M.  
See Caley, P. 323
- McKeown, A.  
See Shaughnessy, P. D. 363
- McPhee, S.  
See Cooke, B. D. 673
- McPhee, S., Berman, D. M., Gonzales, A., Butler, K. L., Humphrey, J., Muller, J., Waddington, J. N., Daniels, P., Koch, S., and Marks, C. A.  
Efficacy of a competitive enzyme-linked immunosorbent assay (cELISA) for estimating prevalence of immunity to rabbit haemorrhagic disease virus (RHDV) in populations of Australian wild rabbits (*Oryctolagus cuniculus*). 635
- Mellor, D. J.  
See Littin, K. E. 259
- Melzer, A.  
See Ellis, W. A. H. 303
- Mills, D. J., Harris, B., Claridge, A. W., and Barry, S. C.  
Efficacy of hair-sampling techniques for the detection of medium-sized terrestrial mammals. I. A comparison between hair-funnels, hair-tubes and indirect signs. 379
- Moore, B. D., Coulson, G. M., and Way, S.  
Habitat selection by adult female eastern grey kangaroos. 439
- Morgan, D. G.  
See Ballinger, A. 431
- Muller, J.  
See McPhee, S. 635
- Muller, W. J.  
See Robinson, A. J. 663
- Mutze, G. J.  
See Saunders, G. R. 605  
See Holden, C. 615
- Mutze, G. J., Bird, P., Kovaliski, J., Peacock, D., Jennings, S., and Cooke, B. D.  
Emerging epidemiological patterns in rabbit haemorrhagic disease, its interaction with myxomatosis, and their effects on rabbit populations in South Australia. 577
- Napier, A. M.  
See Zheng, T. 683
- Neave, H. M.  
See Henzell, R. P. 523
- Norbury, G. L.  
See Parkes, J. P. 543  
See Reddiex, B. 627
- Norbury, G. L., Heyward, R. P., and Parkes, J. P.  
Short-term ecological effects of rabbit haemorrhagic disease in the short-tussock grasslands of the South Island, New Zealand. 599
- Norton, M.  
See Sharp, A. 175
- O'Connor, C. E.  
See Littin, K. E. 259
- O'Keefe, J. S.  
See Zheng, T. 683
- Olsen, M. F.  
See Piper, S. 127
- Olsen, P. D., and Doran, B.  
Climatic modelling of the Australian distribution of the grass owl (*Tyto capensis*): is there an inland population? 117
- Paltridge, R. M.  
The diets of cats, foxes and dingoes in relation to prey availability in the Tanami Desert, Northern Territory. 389
- Parker, A. K., and Krockenberger, A. K.  
Sometimes the simple way is best: an evaluation of total body electrical conductivity (TOBEC) and a morphological index as predictors of total body water in the northern brown bandicoot, *Isodon macrourus*. 135
- Parkes, J. P.  
See Norbury, G. L. 599  
See Barlow, N. D. 649  
See Zheng, T. 683
- Parkes, J. P., Norbury, G. L., Heyward, R. P., and Sullivan, G.  
Epidemiology of rabbit haemorrhagic disease (RHD) in the South Island, New Zealand, 1997–2001. 543
- Parris, K. M.  
The distribution and habitat requirements of the great barred frog (*Mixophyes fasciolatus*). 469

- Pavey, C. R.  
See Heywood, M. R. 203
- Peacock, D.  
See Mutze, G. J. 577
- Philbey, A. W.  
See Robinson, A. J. 655
- Pipas, M. J.  
See Engeman, R. M. 85
- Piper, S., Catterall, C. P., and Olsen, M. F.  
Does adjacent land use affect predation of artificial shrub-nests near eucalypt forest edges? 127
- Prince, J.  
See Bradsell, P. 295
- Ramsey, D. S. L., Efford, M. G., Cowan, P. E., and Coleman, J.  
Factors influencing annual variation in breeding by common brushtail possums (*Trichosurus vulpecula*) in New Zealand. 39
- Reddiex, B., Hickling, G. J., Norbury, G. L., and Frampton, C. M.  
Effects of predation and rabbit haemorrhagic disease on population dynamics of rabbits (*Oryctolagus cuniculus*) in North Canterbury, New Zealand. 627
- Rhind, S. G.  
Reproductive demographics among brush-tailed phascogales (*Phascogale tapoatafa*) in south-western Australia. 247
- Rhind, S. G., and Bradley, J. S.  
The effect of drought on body size, growth and abundance of wild brush-tailed phascogales (*Phascogale tapoatafa*) in south-western Australia. 235
- Risbey, D. A.  
See Short, J. C. 475
- Robinson, A. J.  
See Cooke, B. D. 673
- Robinson, A. J., Kirkland, P. D., Forrester, R. I., Capucci, L., Cooke, B. D., and Philbey, A. W.  
Serological evidence for the presence of a calicivirus in Australian wild rabbits, *Oryctolagus cuniculus*, before the introduction of rabbit haemorrhagic disease virus (RHDV): its potential influence on the specificity of a competitive ELISA for RHDV. 655
- Robinson, A. J., So, P. T. M., Müller, W. J., Cooke, B. D., and Capucci, L.  
Statistical models for the effect of age and maternal antibodies on the development of rabbit haemorrhagic disease in Australian wild rabbits. 663
- Robley, A. J., Short, J. C., and Bradley, S.  
Do European rabbits (*Oryctolagus cuniculus*) influence the population ecology of the burrowing bettong (*Bettongia lesueur*)? 423
- Rocha, A.  
See Gonçalves H. 165
- Ryan, B.  
See Sharp A. 175
- Sandell, P. R.  
Implications of rabbit haemorrhagic disease for the short-term recovery of semi-arid woodland communities in north-west Victoria. 591
- Saunders, G. R., Kay, B. J., Mutze, G. J., and Choquenot, D.  
Observations on the impacts of rabbit haemorrhagic disease on agricultural production values in Australia. 605
- Semeraro, L.  
See Sharp, A. 175
- Sharp, A., Gibson, L., Norton, M., Ryan, B., Marks, A., and Semeraro, L.  
The breeding-season diet of wedge-tailed eagles (*Aquila audax*) in western New South Wales and the influence of Rabbit Calicivirus Disease. 175
- Shaughnessy, P. D., and McKeown, A.  
Trends in abundance of New Zealand fur seals, *Arctocephalus forsteri*, at the Neptune Islands, South Australia. 363
- Shaughnessy, P. D., Kirkwood, R. J., and Warneke, R. M.  
Australian fur seals, *Arctocephalus pusillus doriferus*: pup numbers at Lady Julia Percy Island, Victoria, and a synthesis of the species' population status. 185
- Short, J. C.  
See Robley, A. J. 423
- Short, J. C., Turner, B., and Risbey, D. A.  
Control of feral cats for nature conservation. III. Trapping. 475
- Singh, S., Smyth, A. K., and Blomberg, S. P.  
Effect of a control burn on lizards and their structural environment in a eucalypt open-forest. 447
- Singleton, G. R.  
See Farroway, L. N. 11  
See Brown, P. R. 27  
See Jacob, J. 159
- Smyth, A. K.  
See Singh, S. 447
- So, P. T. M.  
See Robinson, A. J. 663
- Stein, A.  
See Khaemba, W. M. 269
- Stevens, T. S.  
See Twigg, L. E. 141
- Stirrat, S. C.  
Foraging ecology of the agile wallaby (*Macropus agilis*) in the wet-dry tropics. 347
- Sullivan, B. J., Baxter, G. S., and Lisle, A. T.  
Low-density koala (*Phascolarctos cinereus*) populations in the mulglands of south-west Queensland. I. Faecal pellet sampling protocol. 455
- Sullivan, G.  
See Parkes, J. P. 543
- Thomson, P. C., and Kok, N. E.  
The fate of dried meat baits laid for fox control: the effects of bait presentation on take by foxes and non-target species, and on caching by foxes. 371
- Turner, B.  
See Short, J. C. 475
- Twigg, L. E.  
See Martin, G. R. 75, 489
- Twigg, L. E., Lowe, T. J., and Martin, G. R.  
Evaluation of bait stations for broadacre control of rabbits. 513
- Twigg, L. E., Martin, G. R., and Stevens, T. S.  
Effect of lengthy storage on the palatability and efficacy of zinc phosphide wheat bait used for controlling house mice. 141
- van der Ree, R.  
The population ecology of the squirrel glider (*Petaurus norfolcensis*) within a network of remnant linear habitats. 329
- van der Ree, R., and Loyn, R. H.  
The influence of time since fire and distance from fire boundary on the distribution and abundance of arboreal marsupials in *Eucalyptus regnans*-dominated forest in the Central Highlands of Victoria. 151

- Vogel, U.  
     *See* Göth, A. 503
- Waddington, J. N.  
     *See* McPhee, S.
- Warneke, R. M. 635  
     *See* Shaughnessy, P. D. 185
- Way, S.  
     *See* Moore, B. D. 439
- Woolnough, A. P., and Foley, W. J.  
     Rapid evaluation of pasture quality for a critically endangered  
     mammal, the northern hairy-nosed wombat (*Lasiorhinus*  
     *krefftii*). 91
- Yakovlevich, P.  
     *See* Denny, E. 405
- Ylönen, H.  
     *See* Jacob, J. 101
- Zheng, T., Napier, A. M., Parkes, J. P., O’Keefe, J. S., and  
     Atkinson, P. H.  
     Detection of RNA of rabbit haemorrhagic disease virus from New  
     Zealand wild rabbits. 683