Supplementary Material for

Evaluation of HealthPathways: an appraisal of usage, experiences and opinions of healthcare professionals in Australia and New Zealand

Arran Goddard-Nash¹ BSc(Hons), Student

Marshall Makate^{1,5} PhD, Data Analytics Specialist

Richard Varhol¹ MHIM, Research Fellow

Frances Quirk² PhD, Director of Research, Professor

Richard Larsen³ BSc(Hons), Research Ethics Officer

Graham McGeoch⁴ MBChB, FRNZCGP, Clinical Leader

Brett Shand⁴ PhD, Clinical Writer and Analyst

Suzanne Robinson¹ PhD, Theme Leader, Professor

¹Health Economics and Data Analytics, School of Public Health, Curtin University, GPO Box U1987, Perth, WA 6845, Australia. Email: a.goddard.nash@gmail.com; rvarhol@curtin.edu.au; suzanne.robinson@curtin.edu.au

²New England Institute of Healthcare Research, Faculty of Medicine and Health, University of New England, Armidale, NSW 2351, Australia. Email: fquirk@une.edu.au

³Barwon Health, University Hospital Geelong, Vic. 3220, Australia. Email: Richard.larsen@barwonhealth.org.au

⁴Canterbury Initiative, Canterbury District Health Board, 32 Oxford Terrace, Christchurch, New Zealand. Email: mcgeochg@gmail.com; shandbrett@gmail.com

⁵Corresponding author. Email: marshall.makate@curtin.edu.au

File S1. HealthPathways survey questionnaire

Confidential

HealthPathways Survey [Curtin University

Page 1 of 11

The objective of this survey is to gather valuable feedback on the usage and user experience of HealthPathways by a variety of health professionals.

The survey should take approxiamtely 10 minutes to complete and your answers will remain completely anonymous
If you would like additional information or have any questions you can contact
Thank you for your time and feedback!
What is your age?
○ 20 - 30 years○ 31 - 40 years○ 41 - 50 years○ 51 - 60 years○ 61+ years
What is your gender?
○ Male○ Female○ Prefer not to say
If a colleague from another region asked you about HealthPathways, what general comments would you make?
Do you have any concerns about HealthPathways, including the way it is developed and maintained? If so, please elaborate on what these are.
What is your role?
 General Practitioner Practice Nurse Hospital Clinician Allied Health Professional Practice Manager Hospital Manager
What is the name of your practice?

REDCap €

What is the size of the practice you work in?
Solo3 - 5 practitioners6+ practitioners
How many years have you been in clinical practice?
1 - 5 years 6 -10 years 11 - 20 years 21 - 30 years 31 -40 years 41+ years
What is your speciality as a hospital clinician?
Cardiology Dermatology Endocrinology ENT Gastroenterology General Medicine General Surgery Genetics Hyperbaric Medicine Infectious Diseases Nephrology Neurology Neurosurgery Older Person's Health Oncology Ophthalmology Oral Maxillofacial Surgery Orthopaedics Paediatric Surgery Palliative Care Plastic Surgery Respiratory Respiratory Rheumatology/Immunology Urology Vascular Surgery Other
What is your Allied Health discipline?
Midwifery Nutrition Occupational Therapy Optometry Physiotherapy Podiatry Speech Language Therapy Pharmacy Other
Are you aware of HealthPathways?
○ Yes ○ No

Н	low many years have you been in the Allied Health discipline?
	1 - 5 years 6 - 10 years 11 - 20 years 21 - 30 years 31 - 40 years 41+ years
Н	low many years have you been a Practice Manager for?
	1 - 5 years 6 - 10 years 11 - 20 years 21 -30 years 31 -40 years 41+ years
Н	low many years have you been a Hospital Manager for?
	1 - 5 years 6 - 10 years 11 - 20 years 11 - 20 years 21 - 30 years 31 - 40 years 41+ years
Н	low much time of your working week do you spend in clinical practice?
	More than 0.5 FTE Less than or equal to 0.5 FTE
Н	low much time of your working week do you spend in your role as a Practice Manager?
	More than 0.5 FTE Less than or equal to 0.5 FTE
A	mongst your professional peers, please rank your computer skills.
	I do not use a computer, except when forced to and I need help if anything unexpected happens. I find performing any task on a computer difficult or stressful I only perform basic tasks on a computer. I only find using a computer stressful when something goes wrong. I am a confident IT user who can do all the simple tasks I encounter day to day. I need help with anything more complex or if there is a technical issue I am a confident IT user who can perform most complex tasks without difficulty or assistance. I can solve most issues that arise by myself I am an expert user with technical skills. I feel confident advising other people



patients.
□ UpToDate □ Dynamed □ MD Consult □ Medscape □ Patient.co.uk □ Wikipedia □ BMJ □ Pegasus Intranet □ BestPractice (bpac.org.nz) □ Therapeutic Guidelines □ NICE Guidelines □ RACGP □ Google □ None of the above
Has HealthPathways changed your use of the above resources?
 Yes - it has increased my use of the resources listed previously Yes - it has decreased my use of the resources listed previously No



The following section will ask questions dealing with your usage of HealthPathways. In the last month, how many times have you used HealthPathways? ○ Never○ Rarely (1 - 3 times)○ Sometimes (3 - 10 times)○ Often (> 10 times) When you do use HealthPathways, how often is it for the purpose of accessing information on the assessment of a clinical condition? O Never RarelySometimesOften When you do use HealthPathways, how often is it for the purpose of accessing information on the management of a clinical condition? ○ Never RarelySometimesOften When you do use HealthPathways, how often is it for the purpose of accessing information on a community service, including making a report or a referral? ○ Never RarelySometimesOften When you do use HealthPathways, how often is it for the purpose of accessing information on a hospital service, including making a report or a referral? ○ Never○ Rarely○ Sometimes○ Often When you do use HealthPathways, how often is it for the purpose of accessing a resource or link? ○ Never○ Rarely○ Sometimes○ Often When you do use HealthPathways, how often is it for the purpose of accessing patient information, including HealthInfo? ○ Never○ Rarely○ Sometimes Often



If you have NEVER or RARELY used HealthPathways, why is this? Tick all options that apply.
☐ I do not know what HealthPathways is ☐ I cannot access HealthPathways ☐ I had not considered utilising HealthPathways in clinical practice ☐ I forget to use HealthPathways ☐ The HealthPathways information is not useful ☐ HealthPathways is difficult to navigate
☐ Using HealthPathways is too time consuming
Other
☐ Not applicable



The following questions refer to your experience in using HealthPathways The HealthPathways website is easy to use. ○ Disagree○ Neither agree or disagree○ Agree The HealthPathways website is easy to navigate DisagreeNeither agree or disagreeAgree Information on the HealthPathways website is clear and easy to understand. ○ Disagree○ Neither agree or disagree○ Agree HealthPathways is the first resource I consult for clinical information. ○ Disagree○ Neither agree or disagree○ Agree The guidance provided by HealthPathways is of practical use. ○ Disagree○ Neither agree or disagree○ Agree The information provided on the HealthPathways website is of high quality. DisagreeNeither agree or disagreeAgree I find the search function on the HealthPathways website to be effective. Disagree Neither agree or disagree Agree HealthPathways has increased my confidence in managing clinical problems. ○ Disagree Neither agree or disagree Agree HealthPathways has increased my ability to provide quality nursing care to my patients. ○ Disagree○ Neither agree or disagree○ Agree HealthPathways has enabled me to be more time efficient in my patient management. ○ Disagree○ Neither agree or disagree○ Agree

The following questions refer to your experience in using HealthPathways The HealthPathways website is easy to use. ○ Disagree○ Neither agree or disagree○ Agree The HealthPathways website is easy to navigate DisagreeNeither agree or disagreeAgree Information on the HealthPathways website is clear and easy to understand. ○ Disagree○ Neither agree or disagree○ Agree HealthPathways is the first resource I consult for clinical information. ○ Disagree○ Neither agree or disagree○ Agree The guidance provided by HealthPathways is of practical use. ○ Disagree○ Neither agree or disagree○ Agree The information provided on the HealthPathways website is of high quality. DisagreeNeither agree or disagreeAgree I find the search function on the HealthPathways website to be effective. Disagree Neither agree or disagree Agree HealthPathways has increased my confidence in managing clinical problems. ○ Disagree Neither agree or disagree Agree HealthPathways has increased my ability to provide quality nursing care to my patients. ○ Disagree○ Neither agree or disagree○ Agree HealthPathways has enabled me to be more time efficient in my patient management. ○ Disagree○ Neither agree or disagree○ Agree

HealthPathways is useful in supporting my diagnostic process.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has improved the care I can provide to my patients.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has increased the volume of patient information leaflets or website links I can provide to my patients.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has assisted in the provision of more primary healthcare in the community.
 ○ Disagree ○ Neither agree or disagree ○ Agree ○ Don't know
HealthPathways has resulted in improved care of patients in the community?
○ Disagree○ Neither agree or disagree○ Agree○ Don't know
HealthPathways has provided explicit information to help the referral triage process?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has enabled me to better communicate my advice and recommendations to general practice?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has enabled me to reduce the number of patients that require follow-up?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has increased my knowledge of local health services.
○ Disagree○ Neither agree or disagree○ Agree
Knowing the criteria for the availability of publically-funded patient care is helpful.
○ Disagree○ Neither agree or disagree○ Agree



HealthPathways has improved my relationship with my patients - in particular their confidence in my clinical ability to manage their health.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has improved my relationship with my patients - in particular their confidence in my ability to manage their health.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has improved my relationship with hospital clinicians.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has improved the relationship between my department and general practice?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways enables me to manage patients I would have previously referred.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has improved the overall quality of referrals?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has increased the proportion of appropriate referrals?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has improved general practice management prior to referral?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has increased the acuity of referred patients?
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways encourages me to refer patients I would have previously managed myself.
○ Disagree○ Neither agree or disagree○ Agree



HealthPathways increases my confidence in managing patients I may have otherwise referred to a GP.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways provides useful information on what information to include in a referral.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has required a lot of effort from myself and/or department to develop and maintain?
○ Disagree○ Neither agree or disagree○ Agree
The development and maintenance of HealthPathways has been a positive experience for myself and/or department?
DisagreeNeither agree or disagreeAgree
I believe that HealthPathways is primarily for GPs.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways can help manage the work load on the department.
○ Disagree○ Neither agree or disagree○ Agree
HealthPathways has allowed patients to be managed outside our department who used to come in.
○ Disagree○ Neither agree or disagree○ Agree



Other decision-support software provides tailored management advice (structured decision support) by linking patient information from patient management software.

HealthPathways provides clinical advice without individual patient information.

HealthPathways should be altered to provide structured decision support.	
○ Disagree○ Neither agree or disagree○ Agree	
I would find it useful if the Electronic Records Management System (ERMS) could be launched from wit HealthPathways.	thin
○ Disagree○ Neither agree or disagree○ Agree	
I prefer to make decisions based on my knowledge of the patient, rather than advice from structured c support.	decision
○ Disagree○ Neither agree or disagree○ Agree	
Have you encouraged your staff to use HealthPathways?	
○ Yes ○ No	



Table S1. How did you come across HealthPathways?

	Ov	Overall		Australia		New Zealand	
Reasons	N	%	N	%	N	%	
Primary Health Network recommendation	458	66.8	293	71.1	165	60.2	
Colleague recommendation	158	23.0	82	19.9	76	27.7	
Web-search	12	1.7	8	1.9	4	1.5	
This is the first time I have heard about HealthPathways	123	17.9	68	16.5	55	20.1	
Other	3	0.4	3	0.7			
Observations	686		412		274		

Note: Proportions are only calculated for health professionals who are aware or have used HealthPathways in the pasts.

Table S2. Unadjusted ordered logistic regression estimates of the frequency of usage of HealthPathways among general practitioners in New Zealand and Australia

	Overall sample N		Nev	v Zealand	A	Australia	
Specification	Odds	95% CI	Odds	95% CI	Odds	95% CI	
	ratio		ratio		ratio		
Years in clinical practice							
1-5 years in practice	0.70	[0.42,1.16]	0.91	[0.29,2.82]	0.64	[0.36,1.15]	
6-10 years in practice	0.69	[0.42,1.12]	0.75	[0.29,1.93]	0.62	[0.34,1.13]	
11-20 years in practice	0.57^{*}	[0.35,0.92]	0.84	[0.33,2.16]	0.42^{**}	[0.23, 0.75]	
21-30 years in practice	1.00	[1.00,1.00]	1.00	[1.00,1.00]	1.00	[1.00,1.00]	
31-40 years in practice	1.03	[0.60, 1.78]	1.59	[0.51,4.93]	0.82	[0.44,1.52]	
41+ years in practice	1.03	[0.52,2.04]	1.98	[0.76,5.19]	0.39	[0.14,1.06]	
General practitioner (GP)	4.98***	[3.01,8.24]	9.92***	[3.89,25.29]	2.88**	[1.51,5.50]	
Years in clinical practice × HCP							
1-5 years in practice × GP	2.47^{*}	[1.15,5.33]	1.71	[0.30,9.64]	5.49***	[2.14,14.10]	
6-10 years in practice × GP	1.58	[0.71, 3.51]	2.82	[0.42,18.93]	2.83^{*}	[1.06,7.55]	
11-20 years in practice × GP	1.70	[0.84,3.43]	1.53	[0.38,6.16]	3.22**	[1.33,7.79]	
21-30 years in practice × GP	1.00	[1.00,1.00]	1.00	[1.00,1.00]	1.00	[1.00,1.00]	
31-40 years in practice × GP	0.73	[0.34, 1.54]	0.36	[0.09, 1.49]	1.23	[0.48, 3.14]	
41+ years in practice × GP	0.57	[0.16, 1.99]	0.46	[0.07,2.83]	1.48	[0.30,7.34]	
Observations	965	-	313		652	- · · · · -	

Notes: ***Significant at 1% level; **significant at 5% level; *significant at 10% level. The dependent variable in each instance is an ordered variable measuring the frequency of usage of HealthPathways (i.e. 1=never, 2=rarely(1-3 times), 3=sometimes(3-10 times), and 4=often(> 10 times)). Standard errors, robust to heteroscedasticity are assumed. Reference category: GPs with 21-30 years of experience in professional practice.

Table S3. Ordered logistic regression estimates of the frequency of usage of HealthPathways among general practitioners in New Zealand and Australia

		Tustiana					
	Overal	l sample	New	Zealand	Australia		
Specification	Odds ratio	95% CI	Odds ratio	95% CI	Odds ratio	95% CI	
Years in clinical practice							
1-5 years in practice	0.73	[0.42,1.26]	0.89	[0.29,2.75]	0.66	[0.36,1.18]	
6-10 years in practice	0.64	[0.38, 1.08]	0.77	[0.30, 1.97]	0.62	[0.34, 1.13]	
11-20 years in practice	0.52^{*}	[0.31, 0.87]	0.90	[0.35, 2.31]	0.42^{**}	[0.23, 0.76]	
21-30 years in practice	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	
31-40 years in practice	1.01	[0.57,1.78]	1.57	[0.51,4.82]	0.84	[0.45, 1.56]	
41+ years in practice	0.79	[0.41,1.51]	2.02	[0.78,5.25]	0.40	[0.14,1.12]	
General practitioner (GP)	4.69***	[2.75,7.99]	12.06***	[4.48,32.46]	3.10***	[1.61,5.99]	
Years in clinical practice × HCP							
1-5 years in practice × GP	3.75**	[1.63,8.63]	1.87	[0.34,10.14]	5.35***	[2.06,13.91]	
6-10 years in practice × GP	2.36^{*}	[1.03,5.40]	2.65	[0.40,17.63]	2.80^{*}	[1.05,7.45]	
11-20 years in practice × GP	2.26^{*}	[1.09,4.69]	1.31	[0.32,5.41]	3.13^{*}	[1.30,7.56]	
21-30 years in practice × GP	1.00	[1.00,1.00]	1.00	[1.00,1.00]	1.00	[1.00,1.00]	
31-40 years in practice × GP	0.82	[0.38, 1.77]	0.37	[0.09, 1.52]	1.22	[0.47, 3.12]	
41+ years in practice × GP	0.92	[0.30, 2.81]	0.56	[0.10, 3.15]	1.60	[0.32,7.91]	
Observations	965		313		652		

Notes: ***Significant at 1% level; **significant at 5% level; *significant at 10% level. The dependent variable in each instance is an ordered response variable measuring the frequency of usage of HealthPathways (i.e. 1=never, 2=rarely (1-3 times), 3=sometimes (4-10 times), and 4=often (> 10 times)). Standard errors, robust to heteroskedasticity are assumed. All models include controls for gender (=1 if female), time of working week spent in professional practice (=1 if more than 0.5 Full Time Equivalent (FTE)), and location fixed effects (i.e. binary indicators for location), where applicable). Reference category: GPs with 21-30 years of experience in professional practice.

Table S4. Ordered logistic regression estimates: Frequency of usage of HealthPathways among health professionals in Australia and New Zealand

Specification	Overal	l sample	New	Zealand	Australia		
	Odds ratio	95% CI	Odds ratio	95% CI	Odds ratio	95% CI	
Years in clinical practice							
1-5 years in practice	0.67	[0.39, 1.15]	0.75	[0.18,3.01]	0.62	[0.35, 1.11]	
6-10 years in practice	0.76	[0.45, 1.27]	0.65	[0.27, 1.57]	0.83	[0.44, 1.55]	
11-20 years in practice	0.56^{*}	[0.34, 0.93]	0.76	[0.28,2.01]	0.48^*	[0.26, 0.88]	
21+ years in practice	1.00	[1.00,1.00]	1.00	[1.00,1.00]	1.00	[1.00, 1.00]	
Health care professional (HCP)							
General Practitioner (GP)	3.57***	[2.40,5.32]	5.27***	[2.51,11.08]	3.00^{***}	[1.82,4.93]	
Allied Health Professional (AHP)	0.36^{*}	[0.15,0.83]	0.15	[0.02,1.08]	0.46	[0.21,1.01]	
Other health care professional (Other HCP)	1.00	[1.00,1.00]	1.00	[1.00,1.00]	1.00	[1.00,1.00]	
Years in clinical practice × HCP							
1-5 years in practice × GP	3.96***	[1.78,8.80]	1.80	[0.33,9.83]	5.25***	[2.08,13.26]	
1-5 years in practice × AHP	0.53	[0.09,3.14]	0.49	[0.03,7.65]	1.74	[0.25,12.17]	
1-5 years in practice × Other HCP	S1.00	[1.00,1.00]	1.00	[1.00,1.00]	1.00	[1.00,1.00]	
6-10 years in practice × GP	1.83	[0.83,4.04]	2.81	[0.43, 18.14]	1.81	[0.70, 4.65]	
6-10 years in practice × AHP	0.34	[0.08, 1.49]	0.50	[0.03, 9.24]	0.38	[0.09, 1.63]	
6-10 years in practice × Other HCP	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	
11-20 years in practice × GP	2.28^{*}	[1.18,4.43]	1.87	[0.52,6.75]	2.75^{*}	[1.21,6.23]	
11-20 years in practice × AHP	0.51	[0.14, 1.78]	0.67	[0.06, 7.24]	0.69	[0.17, 2.74]	
11-20 years in practice × Other HCP	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	
21+ years in practice × GP	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	
21+ years in practice × AHP	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	
21+ years in practice × Other HCP	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	1.00	[1.00, 1.00]	
Female	1.29	[0.93,1.79]	1.24	[0.65,2.35]	1.31	[0.89,1.91]	
Country/location							
Australia	1.00	[1.00, 1.00]			1.00	[1.00, 1.00]	
New Zealand	4.87***	[3.69,6.44]	1.00	[1.00, 1.00]			
Observations	965	_	313	_	652		

Notes: ***Significant at 1% level; **significant at 5% level; *significant at 10% level. The dependent variable in each instance is an ordered response variable measuring the frequency of usage of HealthPathways (i.e. 1=never, 2=rarely(1-3 times), 3=sometimes(3-10 times), and 4=often(> 10 times)). Standard errors, robust to heteroskedasticity are computed or allowed in all models. All models include controls for gender (=1 if female), time of working week spent in professional practice (=1 if more than 0.5 Full Time Equivalent (FTE)), location fixed effects (where applicable), and age category). Reference category: GPs with 21+ years of experience in professional practice, age=51-60 years; and other health professionals.

Table S5. Perceptions around HPW in relation to other decision-support software of health professionals in Australia and New Zealand

	Australia				New Zealand								
	O	verall		GP		r health essional	O	verall		GP		er health Sessional	Chi-square
Variables		Mean	N	Mean	prote	Mean	N	Mean	N	Mean	Proi N	Mean	_ Cni-square [p-value]
HPW should be altered to provide structured decision support	73	0.15	42	0.16	31	0.15	58	0.25	34	0.24	24	0.25	9.31 [< 0.00]
I would find it useful if an electronic patient record health system could be launched from within HPW	132	0.28	73	0.27	59	0.29	92	0.39	46	0.33	46	0.48	9.75 [< 0.00]
I prefer to make decisions based on my knowledge of the patient, rather than advice from structured decision support	134	0.28	95	0.35	39	0.19	47	0.20	41	0.29	6	0.06	5.37 [0.02]
Observations	476		269		207		234		139		95		

Notes: Other health professionals include practice nurses, specialist nurses, nurse practitioners, hospital nurses, community nurses and other health professionals. HPW – HealthPathways. Pearson's Chi-squared test (Fisher's exact test where applicable) are testing for potential overall differences in the distribution of categorical variables between the two countries.