INDEX

I	PAGE	r	AGE
Andrew, W. D.—		Bellair, J. T., and Mauritzen, C. M.—	
See Brock, R. D.	1119	The fractionation of β -histone from	
Angeles, H.—		chicken erythrocyte nuclei	160
See Fraser, A. S	619	Bergersen, F. J.—	
Apple fruits, protein nitrogen content and		Ammonia—an early stable product of	
phosphorylative activity of, during		nitrogen fixation by soybean root	
	1093	nodules	1
Arabidopsis thaliana, temperature-sensi-		See also Wittmann, W	1129
tive, vitamin-requiring mutants of	311	Bergersen, F. J., Kennedy, G. S., and	1
Ashton, G. C.—		Wittmann, W.—	
Serum transferrin D alleles in Austra-		Nitrogen fixation in the coralloid roots	
lian cattle	665	of Macrozamia communis L. Johnson	1135
Aspinall, D.—		Borthwick, H. A.—	
See May, L. H.	25	See Evans, L. T.	745
Atkinson, M. R., and Eckermann, Gail—		Bradbury, J. H., Chapman, G. V., and	
Identification of Cherry and Hageman's		King, N. L. R.—	
"compound XI" from maize as cheli-		The chemical composition of wool. II.	
donie acid	437	Analysis of the major histological	
dollie dola		components produced by ultrasonic	
		disintegration	353
		Bravo, G.—	
Bachelard, E. P.—		See Fraser, A. S	619
The interrelations between root forma-		Briggs, M. H.—	
tion and anthocyanin synthesis in red			1245
maple cuttings: effects of gibberellic		Brock, R. D., and Andrew, W. D.—	
acid, CCC, and 8-azaguanine	699	X-ray induced variation in Medicago	
Back, Joan F.—			1119
See Smith, M. B.	365	Bull spermatozoa, survival of deep-frozen	901
Baker, E. P.—		Bull, T. A.—	001
See McIntosh, R. A	971	See Glasziou, K. T.	53
Barber, H. N.—		See Giasziou, K. 1.	00
See Hall, D. M	323		
Barley, K. P.—			
The effect of localized pressure on the		<u>, </u>	
growth of the maize radicle	499	Carr, D. J., and Wardlaw, I. F.—	
Barley root development, quantitative		The supply of photosynthetic assimi-	
studies of. I	25	lates to the grain from the flag leaf and	
Barley seedlings, transpiration and the		ear of wheat	711
selective uptake of potassium by	987	Carter, M. V.—	
Barrs, H. D.—		See Moller, W. J.	67
Comparison of water potentials in leaves		Cattle, beef, changes in levels of salivary	
as measured by two types of thermo-		sodium and potassium associated with	
couple psychrometer	36		1235
See also Lang, A. R. G.	487	Cattle, British and Zebu crossbred,	
Bean, broad, effects of chelation and of		interrelationships of erythrocyte and	
certain cations on the mobility of foliar-		other characters of	124
applied ⁴⁵ Ca in	211	Cattle, serum transferrin D alleles in	
Bean plants, [14C]sucrose transport in		Australian	665
Beetroot tissue, Donnan free space in		Chapman, Fay H.—	
	547	See May, L. H.	25
disks of	01.		_

	PAGE	PAGE
Chapman, G. V.—		Diallel crosses, analyses of variance of,
See Bradbury, J. H	353	in split-plot experiments 837
Chapman, R. E.—		Downes, A. M., Sharry, L. F., and Till,
Crimp in wool: cortical segmentation		A. R.—
and tensile properties of well-crimped		Further studies of the metabolism of
and abnormally crimped fibres of		cystine in sheep 140
Merino wool	689	Driscoll, C. J.—
Chapman, R. E., and Short, B. F.—		See McIntosh, R. A 971
The response of sheep skin to topically		Drosophila, variation of scutellar bristles
applied substances	703	in. IV, V, VI 619, 851, 869
Chara australis, ionic relations of cells of.		
X	789	
Chicken erythrocyte nuclei, fractionation		
of β -histone from	160	Earthworm adenosine triphosphatase,
Chitin, studies on. VI	935	
Classification of data, experimental		Eckermann, Gail—
appraisal of certain procedures for the	1189	See Atkinson, M. R 437
Cleland, K. W.—		Eucalyptus, coherence in
Sources of error in two-wavelength		Eutypa armeniacae, production and dis-
microspectrophotometry	1057	persal of ascospores in 67
Connellan, J. M., and Masters, C. J.—		Evans, J. V., and Turner, H. G.—
The response of ovine plasma fatty	4.43	Interrelationships of erythrocyte char-
acids to prolonged protein depletion	441	acters and other characters of British
Fatty acid components of ovine		and Zebu crossbred beef cattle 124
erythrocyte lipids	445	Evans, L. T.—
Cotton plants, photosynthesis in arti-	1100	See Ludwig, L. J 1103
	1103	Evans, L. T., Borthwick, H. A., and
Cow, lipids and other constituents in		Hendricks, S. B.—
blood plasma of, variation in concen-		Inflorescence initiation in Lolium
tration of	114	temulentum L. VII. The spectral
Cow, mammary gland, effect of starvation		dependence of induction 745
on the uptake of the precursors of milk	1005	Ewe, mammary gland, movement of
fat by	1025	solutes across the epithelium of the
Cow, mammary gland, variation in com-		ducts and cisterns of 1035
position of milk during successive stages	970	
of milk removal from Cruickshank, I. A M.—	379	
~ ~ . ~ ~	909	
See Perrin, Dawn R	803	n l'nr
R.—		Francki, R. I. B.—
Studies on phytoalexins. VIII. The		See Randles, J. W 979
effect of some further factors on the		Fraser, A. S.—
formation, stability, and localization		Variation of scutellar bristles in <i>Droso-</i>
of pisatin in vivo	817	phila. VI. Dominance and epistasis 861
Studies on phytoalexins. IX. Pisatin	011	Fraser, A. S., Scoweroft, W., Nassar, R.,
formation by cultivars of Pisum		Angeles, H., and Bravo, G.—
sativum L. and several other Pisum		Variation of scutellar bristles in
species	829	Drosophila. IV. Effects of selection 619
	920	Fraser, F. J.—
		See Holmes, E. G
Davison, R. M.—		Fraser, R. A., and Scowcroft, W. R.— Variation of scutellar bristles in <i>Droso</i> -
Some properties of a plant growth		phila. V. Components of selection
inhibitor present in xylem sap of woody		
	475	advance 851 Fungal cellulases. XI, XII, XIII 387, 417, 425
species	#10	1 ungui contuiasco, 2x1, 2x11, 2x111 001, 411, 420

	PAGE		PAGE
Gates, C. E., and (the late) Wilcox, A. N.— Analyses of variance of diallel crosses		Hackman, R. H., and Goldberg, Mary—Studies on chitin. VI. The nature of	
in split-plot experiments	837	α - and β -chitins	935
Gibson, A. H.—		Hall, D. M., Matus, A. I., Lamberton,	
Physical environment and symbiotic		J. A., and Barber, H. N.—	
nitrogen fixation. II. Root tempera-		Infra-specific variation in wax on leaf	
ture effects on the relative nitrogen		surfaces	323
assimilation rate	295	Hancock, R. L.—	
Gill, J. L.—		Earthworm adenosine triphosphatase:	
Effects of finite size on selection		a temperature study of a poikilotherm	
advance in simulated genetic popula-		enzyme	707
tions	599	Hanger, B. C.—	
Monte Carlo evaluation of predicted		See Millikan, C. R 211, 953,	1083
selection response	999	Hartley, J.—	1000
Selection and linkage in simulated	• • • • • • • • • • • • • • • • • • • •	Coherence in <i>Eucalyptus</i>	190
	1171		100
	11.1	Hartmann, P. E., and Lascelles, A. K.— The effect of starvation on the uptake	
Glasziou, K. T., Bull, T. A., Hatch, M. D.,			
and Whiteman, P. C.—		of the precursors of milk fat by the bovine mammary gland	1005
Physiology of sugar-cane. VII. Effects			1025
of temperature, photoperiod duration, and diurnal and seasonal temperature		Variation in the concentration of lipids	
-	53	and some other constituents in the	
changes on growth and ripening	99	blood plasma of cows at various stages of lactation	114
Goldberg, Mary—	095		114
See Hackman, R. H	935	Hatch, M. D.—	
Greenway, H.—		See Glasziou, K. T	53
Plant responses to saline substrates.		Hawker, J. S.—	
IV. Chloride uptake by Hordeum vulgare		The sugar content of cell walls and	
as affected by inhibitors, transpiration,		intercellular spaces in sugar-cane stems	
and nutrients in the medium	249	and its relation to sugar transport	959
VII. Growth and ion uptake throughout		Hayman, D. L., and Martin, P. G.—	
plant development in two varieties of		Supernumerary chromosomes in the	
Hordeum vulgare	763	marsupial Schoinobates volans (Kerr)	1081
Greenway, H., Gunn, A., Pitman, M. G.,		Hendricks, S. B.—	
and Thomas, D. A.—		See Evans, L. T.	745
Plant response to saline substrates.		Hinks, Mary, and Masters, C. J.—	
VI. Chloride, sodium, and potassium		The multiple forms of ovine lactate	
uptake and distribution within the		dehydrogenase	154
plant during ontogenesis of <i>Hordeum</i>		Hogan, T. W.—	
vulgare	525	Changes in pH associated with the	
Greenway, H., and Pitman, M. G.—		application of ammonia and potassium	
Potassium retranslocation in seedlings		hydroxide to diapausing eggs of	
of Hordeum vulgare	235	Teleogryllus commodus (Walk.) (Orthop-	
Greenway, H., and Thomas, D. A.—		tera: Gryllidae)	81
Plant response to saline substrates.		Holmes, E. G., and Fraser, F. J.—	
V. Chloride regulation in the individual		An attempt to produce hyperphagia in	
organs of Hordeum vulgare during		sheep by electrical damage to the	
treatment with sodium chloride	505	hypothalamus	345
Griffing, B.—		Hope, A. B.—	
Influence of sex on selection. I. Cor-		Ionic relations of cells of Chara aus-	
tribution of sex-linked genes	1157	tralis. X. Effects of bicarbonate ions	
See also McWilliam, J. R	569	on electrical properties	789
Gunn, A.—		Hordeum vulgare, chloride regulation in	
See Greenway, H	525	the individual organs of	505

1252 INDEX

	PAGE		PAGE
Hordeum vulgare, chloride, sodium, and		Lamberton, J. A.—	000
potassium uptake by, during onto-	F05	See Hall, D. M	323
genesis	525	Lang, A. R. G., and Barrs, H. D.—	
Hordeum vulgare, chloride uptake by, as		An apparatus for measuring water	407
affected by inhibitors, transpiration,	040	potentials in the xylem of intact plants	487
and nutrients in the medium	249	Lange, R. T., Stenhouse, N. S., and	
Hordeum vulgare, growth and ion uptake		Offler, Christina E.—	
throughout plant development in two	= 00	Experimental appraisal of certain	1100
varieties of	763	procedures for the classification of data	1189
Hordeum vulgare, ion exchange and diffu-	£41	Langridge, J.—	
sion in roots of	541	Temperature-sensitive, vitamin-requir-	911
Hordeum vulgare, potassium retransloca-	ຄອຮ	ing mutants of Arabidopsis thaliana	311
tion in seedlings of	235	Lanigan, G. W.—	
Hordeum vulgare, sodium and potassium	10	Silage bacteriology. II. Influence of	
uptake by seedlings of	10	temperature differences on the com-	
Hordeum vulgare, transpiration and the	007	position of the lactic microflora	555
selective uptake of potassium by	987	Lascelles, A. K.—	100=
			1025
Infra-specific variation in wax on leaf			1035
surfaces	323	Latter, B. D. H.— The response to artificial selection due	
	1245		
		to autosomal genes of large effect. I. Changes in gene frequency at an	
			585
Jermyn, M. A.—		II. The effects of linkage on limits to	900
Fungal cellulases. XI. The nature of			1009
the inductive process for aryl β -gluco-		Lewis, T. L., and Martin, D.—	1005
sidase in Stachybotrys atra	387	Protein nitrogen content and phos-	
XII. Relation of the amino acid analy-		phorylative activity of apple fruits	
ses of the mycelium of Stachybotrys			1093
atra and of its β -glucosidase to the		Lolium temulentum L., inflorescence in-	1000
S-aminoethyl-L-cysteine effect on		itiation in. VII	745
induction	417	Ludwig, L. J., Saeki, T., and Evans,	• 20
XIII. Specificity of the induction of		L. T.—	
the β -glucosidase of Stachybotrys atra	425	Photosynthesis in artificial communi-	
Jones, R. C.—		ties of cotton plants in relation to leaf	
The use of dimethyl sulphoxide, gly-		area. I. Experiments with progressive	
cerol, and reconstituted skim milk for			1103
the preservation of ram spermatozoa.		•	
I. The tonicity and toxicity of dimethyl			
sulphoxide and reconstituted skim	055		
milk at 30 and 5°C	877	Mackenzie, D. D. S.—	
II. The influence of diluent composi-		See Williams, V. J	917
tion and processing time during freez-		Mackenzie, D. D. S., and Lascelles,	
ing to -79°C with dimethyl sulphoxide	007	A. K.—	
or glycerol or both compounds	887	The variation in the composition of	
		milk during successive stages of milk	
Kennedy, G. S.—		removal from the mammary gland of	
· ·	1129	the cow	379
See also Bergersen, F. J	1135	The movement of solutes across the	
King, N. L. R.—		epithelium of the ducts and cisterns	
See Bradbury, J. H	353	in the mammary gland of the ewe	1035
Kitto, G. B., and Briggs, M. H.—		Macrozamia communis L. Johnson,	
Nicotinamide content of insects	1245	coralloid roots of	1129

P	AGE		PAGE
Macrozamia communis L. Johnson,		Millikan, C. R., and Hanger, B. C.—	
nitrogen fixation in coralloid roots of l	135	Effects of chelation and of certain	
Magrath, Jeanne M.—		cations on the mobility of foliar-	
See Sobey, W. R.	947	applied ⁴⁵ Ca in stock, broad bean, peas,	
Maize, identification of Cherry and		and subterranean clover	211
Hageman's "compound XI" from, as		Effects of chelation and of various	
chelidonic acid	437	cations on the mobility of foliar-applied	
Maize radicle, the effect of localized		⁶⁵ Zn in subterranean clover	953
pressure on the growth of	499	Transport of ⁴⁵ Ca and ⁶⁵ Zn through	
Maize, temperature-dependent heterosis		collapsed petioles of calcium-deficient	
in	569	subterranean clover (Trifolium sub-	
Martin, D.—		terraneum L.)	1083
See Lewis, T. L 1	.093 N	Moller, W. J., and Carter, M. V.—	
Martin, I. C. A.—		Production and dispersal of ascospores	
Influence of equilibration, freezing		in Eutypa armeniacae	67
rate, method of dilution, and diluent	. 1	Iouse, acquired immunological un-	
on the survival of deep-frozen bull		responsiveness to bovine plasma	
spermatozoa	901	albumin in the	947
Martin, P. G.—	M	Iouse, prenatal development in the, with	
See Hayman, D. L 1	081	particular reference to secondary	
Masters, C. J.—		vibrissae	97
See Hinks, Mary	154		
See also Connellan, J. M 441,	445		
Matus, A. I.—		Vassar, R.—	
	323	See Fraser, A. S	619
Mauritzen, C. M.—			1.
•	160		
Mauritzen, C. M., and Stewart, P. R.—	C	O'Donnell, I. J.—	
The ultracentrifugation of doughs made		See Thompson, E. O. P	1207
	173 C	D'Donnell, I. J., and Thompson,	
May, L. H., Chapman, Fay H., and		E. O. P.—	
Aspinall, D.—		Studies on reduced wool. VI. Com-	
Quantitative studies of root develop-		parison of peptides containing S -	
ment. I. The influence of nutrient		carboxymethylcysteinyl residues in	
concentration	25	different protein fractions	1227
May, P.—	C	Offler, Christina E.—	
Reducing inflorescence formation by		See Lange, R. T	1189
9	463 C	Osborne, W. B.—	
McIntosh, R. A., Baker, E. P., and		The absorption of subcutaneously	
Driscoll, C. J.—		implanted testosterone propionate	
Cytogenetical studies in wheat. I.		1	1241
Monosomic analysis of leaf rust resis-	C	Ovalbumin, studies on. II	365
tance in the cultivars Uruguay and			
	971		
McWilliam, J. R., and Griffing, B.—	P	Peas, effects of chelation and of certain	
Temperature-dependent heterosis in		cations on the mobility of foliar-applied	
	569	⁴⁵ Ca in	211
McWilliam, J. R., and Wardlaw, I. F.—	ŀ	Perrin, Dawn R.—	
Effect of detaching culms on seed devel-	208 -		, 829
1	283 P	Perrin, Dawn R., and Cruickshank,	
Medicago polymorpha var. vulgaris, X-ray	110	I. A. M.—	
induced variation in	119	Studies on phytoalexins. VII. Chemical	
Microspectrophotometry, two-wavelength,	0×=/	stimulation of pisatin formation in	000
sources of error in	U57	Pisum sativum L	803

1254 INDEX

PAGE	PAGE
Pennycuik, Pamela R.—	Rat, effect of the oestrous cycle and of
The effects of acute exposure to high	oestradiol on the breakdown of seminal
temperatures on prenatal development	glycerylphosphorylcholine by secre-
in the mouse with particular reference	tions of the uterus of the 88
to secondary vibrissae 97	Rat, effect of X-rays on gonocytes in the
Phalaris, effect of detaching culms on	testis of the 643
seed development in 283	Rats, synthesis of DNA and nuclear
Phytoalexins, studies on. VII, VIII,	protein by gonocytes in the testes of
IX 803, 817, 829	normal and X-irradiated 653
Pisatin, formation in Pisum sativum L.,	Red beet tissue, effects of calcium and
chemical stimulation of 803	tris on potassium uptake during and
Pisatin, formation, stability, and locali-	after the lag phase in 227
zation of 817	Red maple cuttings, interrelations
Pisatin, formation of, by cultivars of	between root formation and antho-
Pisum sativum and other Pisum species 829	cyanin synthesis in 699
Pisum sativum L., chemical stimulation	Reinhold, Leonora—
of pisatin formation in 803	See Plaut, Z 1143
Pisum species, pisatin formation by	Reis, P. J.—
cultivars of 829	The growth and composition of wool.
Pitman, M. G.—	III. Variations in the sulphur content
Sodium and potassium uptake by	of wool 671
seedlings of Hordeum vulgare 10	Rhizobium bacteriophage, host-controlled
Ion exchange and diffusion in roots of	modification of 333
Hordeum vulgare 541	Rijven, A. H. G. C.—
The location of the Donnan free space	See Williams, R. F 721
in disks of beetroot tissue 547	
Transpiration and the selective uptake	
of potassium by barley seedlings	
(Hordeum vulgare ev. Bolivia) 987	Saeki, T.—
See also Greenway, H 235, 525	See Ludwig, L. J 1103
Plant growth inhibitor present in xylem	Sapsford, C. S.—
sap of woody species, some properties	The effect of X-rays on gonocytes in
of 475	the testis of the rat 643
Plaut Z, and Reinhold, Leonora-	The syntheis of DNA and nuclear pro-
The effect of water stress on [14C]sucrose	tein by gonocytes in the testes of
transport in bean plants 1143	normal and X-irradiated rats 653
Post, T. B.—	Schoinobates volans, supernumerary
Changes in levels of salivary sodium	chromosomes in 1081
and potassium associated with the	Schwinghamer, E. A.—
mustering of beef cattle 1235	Host-controlled modification of Rhizo-
	bium bacteriophage 333
	Scoweroft, W. R.—
	See Fraser, A. S 619
	See also Fraser, R. A 851
Radler, F.—	Selection advance in simulated genetic
The surface waxes of the sultana vine	populations, effect of finite size on 599
(Vitis vinifera cv. Thompson Seedless) 1045	Selection and linkage in simulated genetic
Ram spermatozoa, use of dimethyl sul-	populations 1171
phoxide, glycerol, and reconstituted	Selection, artificial, response due to
skim milk for the preservation of. I,	autosomal genes of large effect. I,
II 877, 887	II 585, 1009
Randles, J. W., and Francki, R. I. B.—	Selection, influence of sex on. I 1157
Some properties of a tobacco ringspot	Selection response, predicted, Monte
virus isolate from South Australia 979	Carlo evaluation of 999

:	PAGE	PAGE
Sharry, L. F.—		Stocks, effects of chelation and of certain
See Downes, A. M	140	cations on the mobility of foliar-applied
Sheep, absorption of lactic acid from the		⁴⁵ Ca in 211
reticulo-rumen of the	917	Stone, G. M.—
Sheep, absorption of subcutaneously		See Wallace, J. C 88
implanted testosterone propionate		Subterranean clover, calcium-deficient, transport of ⁴⁵ Ca and ⁶⁵ Zn through
	1241	collapsed petioles of 1083
Sheep, attempt to produce hyperphagia		Subterranean clover, effects of chelation
in, by electrical damage to the hypo-	045	and of various cations on the mobility
thalamus	345	of foliar-applied ⁴⁵ Ca, ⁶⁵ Zn in 211, 953
Sheep, erythrocyte lipids, fatty acid	445	Sugar-cane, physiology of. VII, VIII 53, 781
components of	445	Sugar-cane, sugar content of cell walls and
Sheep, metabolism of cystine in	140	intercellular spaces in 959
Sheep, lactate dehydrogenase, multiple	154	Sultana buds, reducing inflorescence for-
forms of	154	mation by shading individual 463
Sheep, plasma fatty acids, response of,	441	Sultana vine, surface waxes of 1045
due to prolonged protein depletion	441	
Sheep skin, response of, to topically	709	
applied substances	703	Teleogryllus commodus (Walk.), changes
Short, B. F.—	703	in pH associated with the application
See Chapman, R. E		of ammonia and potassium hydroxide
Silage bacteriology. II	555	to diapausing eggs of 81
Slack, C. R.—		Thiobacillus neapolitanus, permeability of, to thiosulphate
The physiology of sugar-cane. VIII.		of, to thiosulphate 563 Thomas, D. A.—
Diurnal fluctuations in the activity of soluble invertase in elongating inter-		See Greenway, H 505, 525
nodes	781	Thompson, E. O. P.—
Smith, M. B., and Back, Joan F.—	101	See O'Donnell, I. J 1227
Studies on ovalbumin. II. The for-		Thompson, E. O. P., and O'Donnell, I. J.–
mation and properties of S-ovalbumin,		Studies on reduced wool. V. A com-
a more stable form of ovalbumin	365	parison of the two major components 1207
Sobey, W. R., and Magrath, Jeanne M.—		Thrower, Stella L.—
Acquired immunological unrespon-		Translocation of labelled assimilates
siveness to bovine plasma albumin in		in the soybean. IV. Some effects of low
mice	947	temperature on translocation 449
Soybean root nodules, nitrogen fixation		Till, A. R.—
by	1	See Downes, A. M 140
Soybean, translocation of labelled assimi-		Tobacco ringspot virus, some properties
lates in. IV	449	of 979
Spencer, D., and Unt, H.—		Trifolium subterraneum, calcium-deficient,
Biochemical and structural correlations		transport of ⁴⁵ Ca and ⁶⁵ Zn through collapsed petioles of 1083
in isolated spinach chloroplasts under		collapsed petioles of 1083 Trifolium subterraneum, symbiotic nitro-
isotonic and hypotonic conditions	197	gen fixation in 295
Spinach chloroplasts, biochemical and		Trudinger, P. A.—
structural correlations in, under iso-		On the permeability of Thiobacillus
tonic and hypotonic conditions	197	neapolitanus to thiosulphate 563
Stachybotrys atra, cellulases of. XI, XII,		Turner, H. G.—
XIII 387, 417	7, 425	See Evans, J. V 124
Stenhouse, N. S.—		
See Lange, R. T	1189	
Stewart, P. R.—		Unt, H.—
See Mauritzen C M	173	See Spencer D

	PAGE	PAG	Е
Van Steveninck, R. F. M.—		Wheat, supply of photosynthetic assimi-	
The effects of calcium and tris(hydro-		lates to the grain from the flag leaf and	
xymethyl)aminomethane on potassium		ear of 71	1
uptake during and after the lag phase		Wheat, velocity and pattern of assimilate	
in red beet tissue	227	translocation in, during grain develop-	
Vitis vinifera, surface waxes of	1045	ment 26	9
		White, I. G.—	
		See Wallace, J. C 8	8
Wallace, J. C., Stone, G. M., and White,		Whiteman, P. C.—	
I. G.—		See Glasziou, K. T 5	3
The effect of the oestrous cycle and of		Wilcox, A. N. (the late)—	
oestradiol on the breakdown of seminal		See Gates, C. E 83	7
glycerylphosphorylcholine by secre-		Williams, R. F., and Rijven, A. H. G. C.—	
tions of the rat uterus	88	The physiology of growth in the wheat	
Wardlaw, I. F.—		plant. II. The dynamics of leaf growth 72	1
The velocity and pattern of assimilate		Williams, V. J., and Mackenzie, D. D. S.—	
translocation in wheat plants during		The absorption of lactic acid from the	
grain development	269	reticulo-rumen of the sheep 91	7
See McWilliam, J. R	283	Wittmann, W.—	
See also Carr, D. J	711	See Bergersen, F. J 113	5
Water potentials in leaves, comparisons		Wittmann, W., Bergersen, F. J., and	
of, as measured by two types of		Kennedy, G. S.—	
thermocouple psychrometer	36	The coralloid roots of Macrozamia	
Water potentials in the xylem of intact		communis L. Johnson 1129	9
plants, an apparatus for measuring	487	Wool, chemical composition of. II 353	3
Wheat, cytogenetical studies in. I	971	Wool, growth and composition of. III 67	1
Wheat flour, the ultracentrifugation of		Wool, Merino, crimp in 689	9
doughs made from	173	Wool, reduced, studies on. V, VI 1207, 1227	7
Wheat gluten proteins, an improved		Wrigley, C. W.—	
chromatographic separation of	193	An improved chromatographic separa-	
Wheat plant, physiology of growth in. II	721	tion of wheat gluten proteins 193	3

