	\mathbf{PAGE}	PAGE
Aerobacter aerogenes, ionic relations as a		Bacillus stearothermophilus, effect of
function of metabolism in	691	temperature on growth characteristics
Alcorn, J. L.—		of 439
The occurrence and host range of		Back, Joan F.—
Ascochyta phaseolorum in Queensland	1143	See Smith, M. B 539, 549
Alexander, G., and Williams, the late		Bacteria, movement of, in moist particu-
D.—		late systems 579
Failure of sheep \times goat hybrid foetuses		Bain, Joan M.—
to survive in goats treated with		A crystalline inclusion in the chloro-
sheep's blood	953	plasts of the outer hypodermal cells
Amphibian cells, temperature tolerance		of the banana fruit 421
of, in relation to latitudinal distribu-		Baker, E. P., and McIntosh, R. A.—
tion of donors	741	Chromosome pairing in a nulli-5B and
Amplicaecum robertsi Sprent & Mines,		di-5D wheat haploid 161
haematological changes induced in		Banana, a crystalline inclusion in the
laboratory rats by larval	341	chloroplasts of the outer hypodermal
Aphelenchus avenae Bastian, fecundity of	169	cells of the 421
Apples, individual, relation between low-		Barber, H. N., Halsall, D. M., and
temperature breakdown and the		Palmer, J. H.—
volatiles given off by	1307	Genetic, environmental, and physio-
Apricot fruits, gibberellin and the	200	logical control of leaf orientation in
growth of	209	Plantago lanceolata 641
Arabidopsis thaliana, effects of high		Barker, J. S. F.—
temperature and genotype on the	015	See Rathie, K. A 1187
excised roots of	217	Barley roots, comparison of potassium
O TTT111	90	and sodium uptake by, at high and
	89	low salt status 871
Ascochyta phaseolorum, the occurrence and host range of, in Queensland	1143	Bean yellow mosaic virus and pea mosaic
and host range of, in Queensland Asher, C. J.—	1149	virus, the relationship between 429
See Evans, Christine S	13	Beetroot tissue, inhibition of protein
Ashrafi, S. H.—	10	synthesis and cation uptake in, by
See Naqvi, S. N. H	1047	cycloheximide and cryptopleurine 1107
Ashton, G. C., Seifert, G. W., and	1041	
Francis, J.—		Beilharz, R. G.—
An association between serum amy-		Effect of stimuli associated with the
lase phenotype and tick infestation		male on litter size in mice 583
in cattle	303	Bhatnagar, G. M., and Gruen, L. C.—
Astragalus racemosus, isolation of di-	000	The effect of reduction of the disul-
methyl diselenide and other volatile		phide bond on the fluorescence of
selenium compounds from	13	high-sulphur wool proteins 1325
Atkinson, M. R., and Polya, G. M.—		Bick, Y. A. E., and Jackson, W. D.—
Effects of L-ethionine on adenosine		Effects of the pyrrolizidine alkaloid
triphosphate levels, respiration, and		heliotrine on cell division and chromo-
salt accumulation in carrot xylem		some breakage in cultures of
tissue	409	leucocytes from the marsupial
Atkinson, M. R.—		Potorous tridactylus 469
See also Clare, B. G	275	Bjarnason, E. N.—
Atriplex, acid metabolism in. II	917	See Millikan, C. R 619
Atriplex leaf tissue, ion absorption in. I	1119	Bliss, F. A., and Gates, C. E.—
Avadhani, P. N.—		Directional selection in simulated
See Osmond, C. B	917	populations of self-pollinated plants 705

	PAGE		PAGE
Bogyo, T. P., and Ting, Shirley W.—		Caso, O. H., and Kefford, N. P.—	
Effect of selection and linkage on		The bolting and flowering of Chon-	
inbreeding	45	drilla juncea L. as influenced by tem-	
Boophilus microplus, a mechanism of		perature and photoperiod	883
resistance to organophosphorus acari-		Cattle, an association between serum	
cides in a strain of	97	amylase phenotype and tick infesta-	
Boophilus microplus, acetylcholinester-		tion in	303
ase insensitivity in the Biarra strain of	759	Cattle, British, comparative studies of	
Boophilus microplus, brain cholinester-		lipid metabolism in, in a tropical	
ase activity and its inheritance in	321	environment. I, II 1013	, 1025
Boophilus microplus, inheritance of		Cattle, sweat gland and hair follicle	
resistance to organophosphorus acari-		measurements as indicators of skin	
cides in	309	type in	1001
Bottrill, D. E., and Hanson, J. B.—		Cattle tick, brain cholinesterase activity	
Short-term growth response to growth		and its inheritance in	321
regulators in roots of Zea mays	201	Cattle tick, inheritance of resistance to	
Bradbury, J. H.—		organophosphorus acaricides in the	309
See King, N. L. R	375	Chambers, S. C., and Flentje, N. T.—	
Brenton, W.—		Saprophytic survival of Ophiobolus	
See Fraser, A. S	75	graminis on various hosts	1153
Broad bean roots, the electrochemical		Chara australis, cytoplasmic ion ex-	
state of cells of. I	185	change during rest and excitation in	1069
Broad bean wilt virus, purification and		Chara australis, ionic relations of cells of	243
properties of	929	Chara (fibrosa), ultrastructure and	
Bubela, B.—			655
Effect of temperature on growth		Chenopodium trigonon in Queensland,	
characteristics of Bacillus stearo-		sowbane mosaic virus infecting	649
thermophilus	439	Chondrilla juncea L., bolting and flower-	
Bull spermatozoa, effect of osmotic		ing of, as influenced by temperature	
pressure and temperature gradients		and photoperiod	883
on cold shock in	133	Citrus, an effect of kinetin on the trans-	
Bull spermatozoa, the transport of		location of ¹⁴ C-labelled photosynthate	
cations by	781	in	569
Burley, R. W., Jackson, W. J. H., and		Citrus leaves, some photosynthetic	
Robertson, Jean P.—		characteristics of	895
Action of dinitrophenyl amino acids		Clare, B. G., Flentje, N. T., and	
on skeletal muscle proteins. II.		Atkinson, M. R.—	
Absorption of bis-dinitrophenyllysine		Electrophoretic patterns of oxido-	
by light and heavy meromyosins and		reductases and other proteins as	
by light meromyosin fraction I	141	criteria in fungal taxonomy	275
Buttrose, M. S., and Mullins, M. G.—		Cold shock, effect of osmotic pressure	
Proportional reduction in shoot		and temperature gradients on, in ram	
growth of grapevines with root systems			133
maintained at constant relative vol-		and bull spermatozoa	199
umes by repeated pruning	1095	Collagen helix, the effects of salts on the	
		stability of, under acidic conditions	821
		Collis-George, N., and Wallace, M. R.—	
Calliphora stygia, developmental changes		Supply of oxygen during hatching of	
in the late larva of. I	1033	the nematode Meloidogyne javanica	
Cardiac action potential, a mathematical		under non-competitive conditions	21
model for	37	Coster, H. G. L., George, E. P., and	
Carrot xylem tissue, effects of L-ethio-		Rogers, P. L.—	
nine on adenosine triphosphate levels,		Ionic relations as a function of meta-	
respiration, and salt accumulation in	409	bolism in Aerobacter aerogenes	691

	PAGE		PAGE
Coster, H. G. L., and Hope, A. B.—		Enzymes, activity of, in the endo-	211012
Ionic relations of cells of Chara		metrium, caruncles, and uterine rin-	
australis. XI. Chloride fluxes	243	sings of progestogen-treated and	
Coster, H. G. L., Syriatowicz, J. C., and		naturally cycling ewes	123
Vorobiev, L. N.—		Erway, L.—	0
Cytoplasmic ion exchange during rest		See Fraser, A. S	75
and excitation in Chara australis	1069	Evans, Christine S., Asher, C. J., and	.0
Courtice, A. C.—		Johnson, C. M.—	
See Pitman, M. G	871	Isolation of dimethyl diselenide and	
Crossett, R. N.—		other volatile selenium compounds	•
Effect of light upon the translocation		from Astragalus racemosus (Pursh.)	13
of phosphorus by seedlings of Hordeum		Evans, L. T.—	10
$vulgare (L.) \dots \dots \dots \dots$	225	See Knox, R. B.	1083
The site of phosphorus accumulation		Ewes, progestogen-treated and naturally	1000
in maize roots	1063	cycling, activity of enzymes in the	
Crowden, R. K.—		endometrium, caruncles, and uterine	
See Mills, A. K.	1131	rinsings of	123
			120
Dawson, D. J., and Mauritzen, C. M.—		Faichney, G. J.—	
Studies on tetanus toxin and toxoid.		Volatile fatty acids in the caecum of	
II. Isolation and characterization of		41 1 .	177
the tetanus toxin and toxoid	559	Fenugreek, determination of uni- and	177
Deakin, M. A. B.—		4	155
Genetic polymorphism in a subdivided		Fisher, J. M.—	155
population	165	Fecundity of Aphelenchus avenue	
Interaction of selection and recom-		D 4:	100
bination	55	Flax, effect of phosphorus and zinc levels	169
Deciduomata, induction of, in normal		in the substrate on 65Zn distribution	
and histamine-depleted rats	331	in	610
Desert locust, acid phosphatase activity		m Flentje, N. T.—	619
in the digestive system of	1047	Q QI 1 Q -Q	1150
Dobson, C.—		D C ID . D	1153
Haematological changes induced in		Francis, J.—	275
laboratory rats by larval Amplicaecum		See Achten C C	202
robertsi Sprent & Mines	341	Francki, R. I. B., and McLean, G. D.—	303
Drosophila melanogaster, effectiveness of		Purification of potato virus X and	
regular cycles of intermittent artif-		preparation of infectious ribonucleic	
icial selection for a quantitative		acid by degradation with lithium	
character in	1187	chloride	1311
Drosophila melanogaster, genetic hetero-		Frankham, R.—	1911
geneity among the founders of labora-	20-	Sex and selection for a quantitative	
tory populations of. III	297	character in <i>Drosophila</i> . I. Single-	
Drosophila melanogaster, relative fitness			1215
	1179		1225
Drosophila melanogaster, studies on the		Fraser, A. S., Erway, L., and Brenton,	1229
scutellar bristles of. I	721	W.—	
Drosophila, sex and selection for a		Variation of scutellar bristles in	
quantitative character in. I, II 1215,	1225	Drosophila. XIV. Effects of tem-	
Drosophila, variation of scutellar bristles		perature and crowding	7 =
in. XIII, XIV 6	1, 75	Fraser, A. S.—	75
Edwards, D. G.—		See also Millor D. U	g1
Cation effects on phosphate absorption		Frater, R.—	61
from solution by Trifolium subter-		Immunological studies on wool	
raneum	1	mataina	815
		proteins	010

	PAGE		PAGE
Gallus, H. P. C., and Jennings, A. C.—		Hanson, J. B.—	
The fractionation of the nitrogen com-		See Bottrill, D. E	201
pounds of wheat flour on Sephadex		Harrap, B. S.—	
columns	1077	See Woodlock, Anne F	821
Gates, C. E.—		Hesketh, J. D.—	
See Bliss, F. A	705	Effects of light and temperature	
Gawthorne, J. M.—		during plant growth on subsequent	
The excretion of methylmalonic and		leaf CO_2 assimilation rates under	
formiminoglutamic acids during the		standard conditions	235
induction and remission of vitamin		Hogan, J. P., Weston, R. H., and	
B_{12} deficiency in sheep	789	Lindsay, J. R.—	
Genetic polymorphism in a subdivided		Influence of protein digestion on	1000
population	165	plasma amino acid levels in sheep	1263
Genotypic frequencies, interaction of		Hollis, D. E.—	001
selection and recombination on	55		, 981
George, E. P.—		Hope, A. B.—	049
See Coster, H. G. L	691	See Coster, H. G. L	243
See Munk, L	37	Hope, R. M., and Godfrey, G. K.—	
Gesinski, R. M., Morrison, J. H., and		Transferrin polymorphism in the	
Toepfer, J. R.—		Australian marsupial mouse Sminth- opsis crassicaudata (Gould)	587
Ionic and osmotic effects on cell vol- ume and oxygen consumption of rat		Hordeum vulgare (L.), effect of light upon	001
	1319	the translocation of phosphorus by	
bone marrow cells Gibbs, A. J.—	1010	seedlings of	225
See Taylor, R. H	929	Hosken, R., Moss, A. B., O'Donnell, I. J.,	
Godfrey, G. K.—	020	and Thompson, E. O. P.—	
See Hope, R. M	587	Methionyl sequences in low-sulphur	
Grapevines, proportional reduction in		proteins of wool	593
shoot growth of	1095	Humphrey, K. W.—	
Gray, F. V.—		Induction of deciduomata in normal	
See Weller, R. A	1075	and histamine-depleted rats	331
Griffin, D. M., and Quail, Gwen-		Humphrey, K. W., and Martin, L.—	
Movement of bacteria in moist, parti-		The effects of oestrogens and anti-	
culate systems	579	oestrogens on ovum transport in the	
Griffing, B.—		laboratory mouse	1239
Selection in reference to biological		Hutchings, T. R.—	
groups. II. Consequences of selection		See Williams, V. J	89
in groups of one size when evaluated		Hynes, M. J.—	
in groups of a different size	1163	Genetically controlled electrophoretic	
III. Generalized results of individual		variants of a storage protein in Pisum	
and group selection in terms of parent–		sativum	827
offspring covariances	1171		
Gruen, L. C.—	1005	Inbreeding, effect of selection and link-	
See Bhatnagar, G. M	1325	$age on \dots \dots \dots \dots \dots$	45
Gulline, Heather—	105		
See Scott, B. I. H	185	Jackson, D. I.—	
Tideall D. M.		Gibberellin and growth in stone fruits:	1100
Halsall, D. M.—	641	induction of parthenocarpy in plum Gibberellin and the growth of peach	1103
See Barber, H. N	641	_	209
Hanger, B. C.—	619	and apricot fruits Jackson, W. D.—	200
See Millikan, C. R	019	See Bick, Y. A. E	469
Leaf growth and development in the		Jackson, W. J. H.—	-56
young tobacco plant	855	See Burley, R. W	141
, carry consecs present it it			

	\mathbf{PAGE}		PAGE
Jenkins, P. T.—		Some photosynthetic characteristics	
The longevity of conidia of Sclero-		of citrus leaves	895
tinia fructicola (Wint.) Rehm under			
field conditions	937	Leaf CO ₂ assimilation rates, effects of	
Jenner, C. F.—		light and temperature during plant	
Synthesis of starch in detached ears of		growth on subsequesent	235
wheat	597	Lee, Barbara—	
Jennings, A. C.—		See Pitman, M. G	871
The characterization by gel electro-		Leucocytes from Potorous tridactylus,	
phoresis of the proteins extracted by		effects of the pyrrolizidine alkaloid	
dilute alkali from wheat flour	1053	heliotrine on cell division and chromo-	
See also Gallus, H. P. C.	1077	some breakage in cultures of	469
Jermyn, M. A.—		Lindsay, J. R.—	
Linked induction of glycosidases in		See Hogan, J. P	1263
Stachybotrys atra	1291	Lolium temulentum L., inflorescence	
Johnson, C. M.—		initiation in. XII	1083
See Evans, Christine S	13	Lucilia cuprina (sheep blowfly), a	
Johnston, P. G.—		resistance mechanism in organo-	
Male sterility in mice homozygous for		phosphorus-resistant strains of	173
the t^{w2} allele	947	Lyne, A. G., and Hollis, D. E.—	
		Effects of freezing the skin and pluck-	
		ing the fibres in sheep, with special	
Kefford, N. P.—		reference to pigmentation	981
See Caso, O. H	883	The skin of the sheep: a comparison	
Kennedy, G. S.—		of body regions	499
trans-Aconitate utilization by sheep	529		
Khan, A. G.—		Maclaren, J. A., Kilpatrick, D. J., and	
Effect of temperature, gibberellic acid,		Kirkpatrick, A.—	
and indolylacetic acid on root and		Reduced wool fibres, their preparation	
shoot growth of cuttings from Podo-		and alkylation	805
carpus lawrencei Hook f	573	Maize roots, site of phosphorus accumu-	
Kilpatrick, D. J.—		lation in	1063
See Maclaren, J. A	805	Martin, Marjory-D.—	
King, N. L. R., and Bradbury, J. H.—		See Kinnear, Judith F	1033
The chemical composition of wool. V.		Mauritzen, C. M.—	
The epicuticle	375	See Dawson, D. J	559
Kinnear, Judith F., Martin, Marjory-D.,		McEwan Jenkinson, D., and Nay, T.—	
Thomson, J. A., and Neufeld, G. J.—	•	Sweat gland and hair follicle measure-	
Developmental changes in the late		ments as indicators of skin type in	
larva of Calliphora stygia. I. Haemo-		cattle	1001
lymph	1033	McIntosh, R. A.—	
Kirkpatrick, A.—		See Baker, E. P	161
See Maclaren, J. A	805	McLean, G. D.—	
Knox, R. B., and Evans, L. T.—		See Francki, R. I. B	1311
Inflorescence initation in Lolium		McWilliam, R. J.—	
temulentum L. XII. An autoradio-		Nature and genetic control of the	
graphic study of evocation in the shoot	1000	vernalization response in <i>Phalaris</i>	005
apex	1083	tuberosa L	395
Kriedemann, P. E.—		Meloidogyne javanica, supply of oxygen	. 01
An effect of kinetin on the trans-		during hatching of	21
location of ¹⁴ C-labelled photosynthate	500	Miller, D. H., and Fraser, A. S.—	
in citrus	569	Variation of scutellar bristles in	
Observations on gas exchange in the	007	Drosophila. XIII. Effects of scute	61
developing sultana berry	907	alleles	υı

	PAGE	PAGE
Millikan, C. R., Hanger, B. C., and		Nay, T.—
Bjarnason, E. N.—		See McEwan Jenkinson, D 1001
Effect of phosphorus and zinc levels		Neales, T. F.—
in the substrate on ⁶⁵ Zn distribution		Effects of high temperature and geno-
in subterranean clover and flax	619	type on the growth of excised roots of
Mills, A. K., and Crowden, R. K.—		$A rabidops is\ thalian a \dots \dots 217$
Distribution of soluble proteins and		Neufeld, G. J.—
enzymes during early development of		See Kinnear, Judith F 1033
Pisum sativum	1131	
Morrison, J. H.—		O'Donnell, I. J.—
See Gesinski, R. M	1319	Pyrrolid-2-one-5-carboxylic acid as an
Moss, B. A.—		N-terminal group of the low-sulphur
See Hosken, R	593	
Mouse, effect of stimuli associated with		See also Hosken, R
the male on litter size in	583	O'Donnell, I. J., and Thompson, E. O. P.–
Mouse homozygous for the t^{w2} allele,	A 4 =	Studies on reduced wool. VIII. N-
male sterility in	947	acetyl peptides isolated from a major
Mouse, laboratory, effects of oestrogens		component 385
and anti-oestrogens on ovum trans-	1000	O'Kelly, J. C.—
port in Mullins, M. G.—	1239	Comparative studies of lipid meta-
0 70 11 25 0	1005	bolism in Zebu and British cattle in a
See Buttrose, M. S	1095	tropical environment. I. Plasma lipid
A mathematical model for the cardiac		levels of grazing cattle 1013
action potential based on slow in-		II. Blood lipid levels of cattle on
activation of sodium conductance	37	different diets 1025
Murdoch, R. N., and White, I. G.—	91	Ophiobolus graminis, saprophytic sur-
Activity of enzymes in the endo-		vival of, on various hosts 1153
metrium, caruncles, and uterine rin-		O'Shea, T.—
sings of progestogen-treated and		See Wales, R. G 181, 831
naturally cycling ewes	123	Osmond, C. B.—
Influence of the female genital tract on	120	Ion absorption in Atriplex leaf tissue.
the metabolism of rabbit spermatozoa.		I. Absorption by mesophyll cells 1119
I. Direct effect of tubal and uterine		Osmond, C. B., and Avadhani, P. N.—
fluids, bicarbonate, and other factors	961	Acid metabolism in Atriplex. II. Oxal-
II. Effect of storage with glucose, lac-		ate synthesis during acid metabolism
tate, bicarbonate, and female genital		in the dark 917
tract fluids	973	Ovalbumin, studies on. III, IV 539, 549
Metabolic studies of testicular,		
epididymal, and ejaculated sperma-		Pallaghy, C. K.—
tozoa of the ram	111	See Scott, B. I. H 185
Studies of the distribution and source		Palmer, J. H.—
of enzymes in mammalian semen	483	See Perhan H M
Mycoplasma agents, from infected sheep		Parsons, P. A.—
eyes	447	Genetic heterogeneity among the
		founders of laboratory populations of
Naqvi, S. N. H., Ashrafi, S. H., and		Drosophila melanogaster. III. Sterno-
Qadri, M. A. H.—		pleural chaetae 297
Acid phosphatase activity in the		Paton, D. M.—
digestive system of the desert locust		Photoperiodic and temperature con-
Schistocerca gregaria (Forskål)	1047	trol of flower initiation in the late pea
Nassar, R. F.—		cultivar Greenfeast 609
Relative fitness of a third chromosome		Paton, D. M., and Willing, R. R.—
$inversion\ in\ Drosophila\ melanogaster.\ .$	1179	Bud dormancy in Populus 157
		1 1

	PAGE		AGE
Pea cultivar Greenfeast, photoperiodic		Quail, Gwen—	
and temperature control of flower		See Griffin, D. M	579
initiation in the	609	Quinn, P. J., Salamon, S., and White,	
Pea mosaic virus and bean yellow mosaic		I. G.—	
virus, the relationship between	429	Effect of osmotic pressure and tem-	
Peach fruits, gibberellin and the growth		perature gradients on cold shock in	
of	209	ram and bull spermatozoa	133
Phalaris tuberosa L., nature and genetic		Quinn, P. J., and White, I. G.—	
control of the vernalization response		The transport of cations by ram and	
in	395	bull spermatozoa	781
Pickett-Heaps, J. D.—			
Ultrastructure and differentiation in			
Chara (fibrosa) III. Formation of		Rabbit spermatozoa, deep freezing of	831
the antheridium	255	Rabbit spermatozoa, influence of the	
IV. Spermatogenesis	655	female genital tract on the metabolism	
Pilgrim, A. F.—		of. I, II 961,	973
See Weller, R. A	1075	Ram, metabolic studies of testicular,	
"Pink-eye" in sheep, cytology of	447	epididymal, and ejaculated sperma-	,
Pisum sativum, distribution of soluble		tozoa of the	111
proteins and enzymes during early		Ram semen, deep freezing of, recovery	
development of	1131	of spermatozoa and comparison with	
Pisum sativum, genetically controlled		other methods of freezing	351
electrophoretic variants of a storage		Ram spermatozoa, effect of osmotic	001
protein in	827	pressure and temperature gradients	
Pitman, M. G., Courtice, A. C., and Lee,		on cold shock in	133
Barbara—		Ram spermatozoa, in the ligated	
Comparison of potassium and sodium		epididymis, viability and morphology	
uptake by barley roots at high and		of	769
low salt status	871	Ram spermatozoa, the transport of	.00
Plantago lanceolata, genetic, environ-		cations by	781
mental, and physiological control of		Rathie, K. A., and Barker, J. S. F.—	101
leaf orientation in	641	Effectiveness of regular cycles of inter-	
Plants, self-pollinated, directional		mittent artificial selection for a	
selection in simulated populations of	705	quantitative character in Drosophila	
Plum, induction of parthenocarpy in	1103	-	1187
Podocarpus lawrencei Hook f., effect of		Rats, laboratory, haematological	110
temperature, gibberellic acid, and		changes induced in, by larval Amplic-	
indolylacetic acid on root and shoot		aecum robertsi	341
growth of cuttings from	573	Rats, normal and histamine-depleted,	OII
Polya, G. M.—		induction of deciduomata in	331
Inhibition of protein synthesis and		Reinganum, C.—	001
cation uptake in beetroot tissue by		~	929
cycloheximide and cryptopleurine	1107	· ·	046
See also Atkinson, M. R	409	Restall, B. J., and Wales, R. G.— The fallopian tube of the sheep. V.	
Populus, bud dormancy in	157		
Potato virus X, purification of, by		Secretion from the ampulla and isthmus	491
degradation with lithium chloride	1311		491
Potorous tridactylus, effects of the pyrroli-		Ribonucleic acid, infectious, preparation	
zidine alkaloid heliotrine on cell		of, by degradation of potato virus X	1311
division and chromosome breakage in			TOTI
cultures of leucocytes from	469	Rijven, A. H. G. C.—	
·		Determination of uni- and trifoliolate	158
Oodni M A H		leaf form in fenugreek	TOE
Qadri, M. A. H.—	1047	Robertson, Jean P.— See Burley, R. W	141
See Nagvi, S. N. H	1047	See Burley, R. W	1.41

	PAGE	PAGE	
Rogers, P. L.—		Selection in reference to biological	
See Coster, H. G. L	691	groups. II, III 1163, 1171	
Roulston, W. J., Schnitzerling, H. J.,		Semen, mammalian, studies of the	
and Schuntner, C. A.—		source and distribution of enzymes in 483	
Acetylcholinesterase insensitivity in		Sheep, absorption of volatile fatty acids	
the Biarra strain of the cattle tick		from the reticulo-rumen and abo-	
Boophilus microplus, as a cause of		masum of 89	
resistance to organophosphorus and		Sheep blowfly (Lucilia cuprina), a	
carbamate acaricides	759	resistance mechanism in organo-	
Roulston, W. J.—		phosphorus-resistant strains of 173	
	7, 173	Sheep, effects of freezing the skin and	
Rumen microorganism, reduction of		plucking the fibres in, with special	
heliotrine by a	1277	reference to pigmentation 981	
Russell, G. R., and Smith, R. M.—		Sheep fed pure cellulose as sole carbo-	
Reduction of heliotrine by a rumen	10	hydrate in its diet, volatile fatty acids	
microorganism	1277	produced by 1075	
		Sheep × goat hybrid foetuses, failure of,	
Salamon, S.—		to survive in goats treated with sheep's	
Deep freezing of ram semen: recovery		blood 953	
of spermatozoa after pelleting and		Sheep, influence of protein digestion on	
comparison with other methods of		plasma amino acid levels in 1263	
freezing	351	Sheep, the excretion of methylmalonic	
Viability and morphology of ram		and formiminoglutamic acids during	
spermatozoa in ligated epididymis	769	the induction and remission of vita-	
See also Quinn, P. J	133	min B_{12} deficiency in	
Schistocerca gregaria (Forskål), acid		Sheep, the fallopian tube of the. V 491 Sheep, the skin of, a comparison of the	
phosphatase activity in the digestive		1 1	
system of	1047	Sheep, trans-aconitate utilization by	
Schnitzerling, H. J.—	w × 0	Sheep, volatile fatty acids in the caecum	
See Roulston, W. J	759	of the 177	
See Schuntner, C. A	97	Sheldon, B. L.—	
Schuntner, C. A., and Roulston, W. J.— A resistance mechanism in organo-		Studies on the scutellar bristles of	
phosphorus-resistant strains of sheep		Drosophila melanogaster. I. Basic	
blowfly (Lucilia cuprina)	173	variability, some temperature and	
Schuntner, C. A., Roulston, W. J., and	170	culture effects, and responses to short-	
Schnitzerling, H. J.—		term selection in the Oregon-RC	
A mechanism of resistance to organo-		strain 721	
phosphorus acaricides in a strain of		Skeletal muscle proteins, action of	
the cattle tick Boophilus microplus	97	dinitrophenyl amino acids on. II 141	
Schuntner, C. A.—		Sminthopsis crassicaudata (Gould),	
See also Roulston, W. J.	759	tranferrin polymorphism in 587	
Sclerotinia fructicola (Wint.) Rehm, the		Smith, M. B., and Back, Joan F.—	
longevity of conidia of, under field		Studies on ovalbumin. III. Denatu-	
conditions	937	ration of ovalbumin and S-ovalbumin. 539	
Scott, B. I. H., Gulline, Heather, and		IV. Trypsin digestion and the cystine	
Pallaghy, C. K.—		peptides of ovalbumin and S-oval-	
The electrochemical state of cells of		bumin 549 Smith, P. R.—	
broad bean roots. I. Investigations of		C Tl D II 400 000	
elongating roots of young seedlings	185	•	
Scott, K. J.—	100=	Smith, R. M.—	
See Wills, R. B. H	1307	See Russell, G. R	
Seifert, G. W.— See Ashton, G. C.	303	Sowbane mosaic virus infecting Cheno- nodium trigonon in Queensland 649	
DEC ASHUUH, U. U	อบอ	TOUGHTH ITTHOUGHTH HI WILLERSIAND 64U	

	PAGE	PA	GE:
Spermatozoa, fertility in rabbits insemi-		Ting, Shirley W.—	
nated with diluted or washed	181	200 208,70, 2.2.	45
Stachybotrys atra, linked induction of	1001	Tobacco plant, leaf growth and develop-	355
glycosidases in	1291	ment in 8 Toepfer, J. R.—	100
Stephenson, Elsie M.— Temperature tolerance of cultured		-	319
amphibian cells in relation to lati-		Trifolium subterraneum, cation effects on	
tudinal distribution of donors	741	phosphate absorption from solution by	1
Stone, B. F.—		F	
Brain cholinesterase activity and its			
inheritance in cattle tick (Boophilus		Vorobiev, L. N.—	
microplus) strains resistant and		See Coster, H. G. L 10)69
susceptible to organophosphorus			
acaricides	321	Wales D. C. and O'Chee T	
Inheritance of resistance to organo-		Wales, R. G., and O'Shea, T.— Deep freezing of rabbit spermatozoa 8	831
phosphorus acaricides in the cattle		Fertility in rabbits inseminated with	,01
tick, Boophilus microplus	309	<u> </u>	181
Stone fruits, gibberellin and growth in	1103	·····	
Subterranean clover, effect of phos-		Wales, R. G.— See also Restall, B. J	491
phorus and zinc levels in the substrate	010		101
on 65Zn distribution in	619	Wallace, H. R.—	21
Sultana berry, observations on gas	007	See Collis-George, N	41
exchange in	907	Weller, R. A., Gray, F. V., and Pilgrim,	
Surman, P. G.—		A. F.—	
Cytology of "pink-eye" of sheep,		Volatile fatty acids produced by a	
including a reference to trachoma of		sheep fed pure cellulose as sole carbo-	075
man, by employing acridine orange		11, 011,000 111 100 01101	,,,
and iodine stains, and isolation of Mycoplasma agents from infected		Weston, R. H.—	263
sheep eyes	447		203
		Wheat, chromosome pairing in a nulli-	101
Syriatowicz, J. C.— See Coster, H. G. L	1069		161
See Coster, H. G. L	1000	Wheat flour, characterization by gel	
		electrophoresis of the proteins extract-	050
Taxonomy (fungal), electrophoretic			053
patterns of oxidoreductases and other		Wheat flour on Sephadex columns,	
proteins as criteria in	275	fractionation of the nitrogen com-	022
Taylor, R. H., and Smith, P. R.—		Politica	077
The relationship between bean yellow		Wheat plant, physiology of growth in.	
mosaic virus and pea mosaic virus	429	IV 8	835
Taylor, R. H., Smith, P. R., Reinganum,		Wheat, synthesis of starch in detached	
C., and Gibbs, A. J.—		ears of	597
Purification and properties of broad		White, I. G.—	
bean wilt virus	929	See Murdoch, R. N. 111, 123, 483, 961, 9	
Teakle, D. S.—		See Quinn, P. J 133,	781
Sowbane mosaic virus infecting Cheno-		Williams, C. N.—	
podium trigonon in Queensland	649	See Williams, R. F	835
Tetanus toxin and toxoid, studies on. II	559	Williams, R. F., and Williams, C. N.—	
Thompson, E. O. P.—		Physiology of growth in the wheat	
See Hosken, R	593	plant. IV. Effects of day length and	
See O'Donnell, I. J	385	light-energy level	835
Thomson, J. A.—		Williams, the late D.—	
See Kinnear, Judith F	1033	See Alexander, G	953

Williams, V. J., Hutchings, T. R., and Wool, low-sulphur proteins of, methic	PAGE
Archer, K. A.— sequences in	593
Absorption of volatile fatty acids from the reticulo-rumen and abomasum of Wool, low-sulphur proteins of, pyrrous acid as an	lid-
sheep 89 terminal group of	1327
Willing, R. R.— Wool proteins, high-sulphur, effect	1521
See Paton, D. M 157 reduction of the disulphide bond	on
Wills, R. B. H., and Scott, K. J.— the fluorescence of	
Relation between low-temperature Wool proteins, immunological studie	
breakdown and the volatiles given off Wool, studies on reduced. VIII	385
by individual apples 1307 Wool, the chemical composition of	
Woodlock, Anne F., and Harrap, B. S.—	, 0,0
The effects of salts on the stability of the collagen helix under acidic conditions Yates, J. R.— Studies in depilation. II. Struct	
Wool fibres, reduced, their preparation and alkylation 805	g'') 361
	xali 795
Wool follicle, structural changes in, during depilation with acid and structural changes in the work follicle during depilation with a and any arrange systems.	ool cid 1249
	1449
Wool follicle, structural changes in, during depilation with alkali and alkaline reducing systems 795 growth regulators in roots of	e to 201

