	PAGE		PAGE
Agrobacterium tumefaciens and related		Bain, Joan M., and McBean, D. McG.—	
species, isolation of	111	The development of the cuticular wax	
Ahern, Gabrielle A.—		layer in prune plums and the changes	
See Bowyer, J. W	271	occurring in it during drying	101
Air, G. M., and Thompson, E. O. P.—		Ballard, L. A. T., and Grant Lipp, A. E	
Studies on marsupial proteins. II.		Studies of dormancy in the seeds of	
Amino acid sequence of the $\beta$ -chain of		subterranean clover (Trifolium sub-	
haemoglobin from the grey kangaroo,		terraneum L.). III. Dormancy break-	
Macropus giganteus	1437		950
Air, G. M.—		ing by low concentrations of oxygen	279
See also Thompson, E. O. P.	449	Banana fruit, green, ethylene produc-	
Algae, marine, ionic relations of. I	1163	tion by slices of, during the develop-	
Amos, J. J., and Crowden, R. K.—	1100	ment of induced respiration	<b>489</b>
Effects of vernalization, photoperiod,		Banana fruit slices, effects of 2,4-	
		dichlorophenoxyacetic acid and indo-	
and cotyledon on flower initiation in	1001	leacetic acid on respiration, ethylene	
Greenfeast peas	1091	production, and ripening of	601
Amylostereum sp., effects of, in patho-		Banana fruit slices, respiration and	001
genicity of Sirex noctilio on Pinus		rinoning of	0.
radiata	915	ripening of	87
Antirrhinum majus L., mobility of <sup>65</sup> Zn		Barley, K. P.—	
in	311	See Grasmanis, V. O	1313
Apple fruits, changes in rate of leakage		Barley, effects of day length and light	
of potassium from excised disks of	1577	intensity of the growth of. VI	53
Apple phloem, accumulation and trans-		Barley, environmentally induced vari-	
location of sorbitol in	611	ability in the host reaction of, to net	
Apricots, effects of water, light, and		blotch	1097
nutrition on flower-bud initiation in	69		1237
Aspinall, D.—	00	Bean plants, concomitant photosynthesis	
Effects of day length and light inten-		implicated in the light effect on trans-	
sity on the growth of barley. VI.		location in	1105
Interactions between the effects of		Beet parenchyma, aged, evidence for a	
temperature, photoperiod, and the		direct involvement of electron trans-	
	~0	port in the high-affinity ion accumula-	
spectral composition of the light source	53	tion system of	573
Atherton, J. G.—		*	0.0
See Bowyer, J. W	271	Bieleski, R. L.—	
Atkinson, M. R.—		Accumulation and translocation of	
See Polya, G. M.	573	sorbitol in apple phloem	611
Atriplex leaf tissue, ion absorption in. II	797	Biological membranes, energy-trans-	
		ducing reactions in. I, II, III, IV	
D 11 17 D		1337, 1355, 1373,	1389
Bachelard, E. P.—		Birchmeier, Pamela J.—	
Studies on the formation of epicormic		Quantitative changes in mouse liver	
shoots on eucalypt stem segments	1291	ultrastructure following cortisone and	
Bailey, R. W., and Gaillard, Blanche		inordin administration	065
D. E.—			965
Hydrolysis of plant mannans by		Bjarnason, E. N.—	
rumen protozoal enzymes	267	See Millikan, C. R 311	545
Bain, Joan M., and Hall, Janice M.—		Blair, Suzanne—	
Observations on the development and		See Nair, N. G 639,	1061
structure of the vitelline membrane of		Boophilus microplus, detoxification as a	
the hen's egg: an electron microscope		mechanism of resistance in a strain	
	653	0	1505
study	000	OI	1585

	AGE		AGE
Boophilus microplus, relationships between resistance to, nutritional status, and blood composition in Shorthorn × Hereford cattle Bottrill, D. E., and Hanson, J. B.—  The action of 2,4-dinitrophenol on corn root mitochondria	1497 847	Burley, R. W., and Robertson, Jean P.— Action of dinitrophenyl amino acids on skeletal muscle proteins. III. Effect of partially blocking myosin sulphy- dryl groups on absorption of bis- dinitrophenyllysine; implications for the structure of myosin with modified enzyme activity Buttrose, M. S.— The dissolution and reaccumulation of	205
terranean clover	523	starch granules in grape vine cane	1297
Bouma, D., and Dowling, E. J.— Effects of temperature on growth and nutrient uptake in subterranean clover during recovery from phosphorus stress. I. Growth changes	505	Calf, newborn, composition and output of lipid in the thoracic duet lymph of the	189
II. Phosphorus uptake and distribution	515	on the flow and composition of thoracic duct and intestinal lymph in Calliphora, effects of exogenous moult-	197
Bowen, G. D.—  The uptake of orthophosphate and its incorporation into organic phosphates along roots of <i>Pinus radiata</i>	1125	ing hormones on puparium formation in	761
Bowyer, J. W., Atherton, J. G., Teakle, D. S., and Ahern, Gabrielle A.—  Mycoplasma-like bodies in plants		in the late larva of. II	935 787
affected by legume little leaf, tomato big bud, and lucerne witches' broom diseases	271	Cattle, Shorthorn × Hereford, relationships between resistance to Boophilus microplus, nutritional status, and blood composition in	1497
Braden, A. W. H.—  See Mattner, P. E 1069,  Bristle, abdominal, genetic analyses of	1283	soil organisms on survival of Ophio- bolus graminis	275
two selection lines of Bowen, G. D.—	1485	Chambers, T. C.— See O'Loughlin, G. T. Chara australis, role of pH in the punch-	629
The uptake of orthophosphate and its incorporation into organic phosphates along roots of <i>Pinus radiata</i> Bradbury, J. H., and O'Shea, J. M.—	1125	through effect in the electrical characteristics of	365
Keratin fibres. II. Separation and analysis of medullary cells	1205	uptake and photosynthesis in Characean cells, membrane fluxes and	351
Broad bean roots, electrochemical state of cells of. II	585	electric conductance in	1179
Brussels sprouts, movement of foliar- applied <sup>45</sup> Ca in	545	length with low-intensity light on growth of	333
washing, skim-milk solids, and potassium and magnesium ions on the metabolism of	721	Relative value for wool growth and nitrogen retention of several proteins administered as abomasal supplements to sheep	1507
Effect of soil amendments on numbers of soil microorganisms and on the root rot-Fusarium wilt complex of peas	1329	Commelina cyanea, preprophase microtubules and stomatal differentiation in	375
100-1 asarram with complex of peas	10-0		

PAG	PAGE
Corn root mitochondria, action of	Eucalypt stem segments, studies on the
2,4-dinitrophenol on 84	formation of epicormic shoots in 1291
Coster, H. G. L.—	Evans, L. T.—
The role of pH in the punch-through effect in the electrical characteristics	Inflorescence initiation in Lolium
of Chara australis 36	temulentum L. XIII. The role of
Cotton leaves, calculated mesophyll	g155010HHB
resistance to carbon dioxide in 81	See also King, R. W
Cotton leaves, plant water status and	Ewe, innuence of fluids from the genital
carbon dioxide exchange of 28	tract of, on survival of ram spermatozoa 1517
Coutts, M. P.—	101.
The mechanism of pathogenicity of	Ewes, effect of time of insemination on the distribution of spermatozoa in
Sirex noctilio on Pinus radiata. I.	the genital tract in 1283
Effects of the symbiotic fungus	
Amylostereum sp. (Thelophoraceae) 91	
II. Effects of S. noctilio mucus 115. Crowden, R. K.—	Fatty acids, long-chain, estimation in
Con Amora T T	foods hile and forms
See Amos, J. J 109	Findlay, G. P., Hope, A. B., and
Darskus, R. L., Gillespie, J. M., and	Williams, E. J.—
Lindley, H.—	Ionic relations of marine algae. I.
The possibility of common amino acid	Griffithsia: membrane electrical pro-
sequences in high-sulphur protein	perties 1163
fractions from wool 119'	
Dawson, D. J., and Mauritzen, C. M.—	Genetically controlled electrophoretic
Studies on tetanus toxin and toxoid.	variants of a starch-degrading enzyme
IV. Interaction of formaldehyde with	in Zea mays $1055$
tetanus toxin 121	
Dawson, D. J., and Nichol, L. W.—	See Chambers, S. C 275
Studies on tetanus toxin and toxoid.  III. Sedimentation of toxin and	See McKenzie, A. R 895
derivatives obtained by sulphite and	Fowke, L. C.—
aldehyde treatments 247	See Pickett-Heaps, J. D 857
Dowling, E. J.—	rowi, domestic, naemogrobins of 1455
See Bouma, D	Fowl, domestic, observations on the
Drechslera teres, physiologic specializa-	development and structure of the
tion in 1229	vitelline membrane of 653 Frankham, R.—
Drosophila melanogaster, an experimen-	Genetic analyses of two abdominal
tal approach to the study of multiple	haintle coloution 1:
peak epistasis in 925	)
Drosophila melanogaster, correlation	Emagen A C
between bristle systems in	See Lee C I
Drosphila melanogaster, effects of artificial selection on rates of inbreeding	Fraser, I. E. B.—
in populations of. I, II 143, 157	TO 1.1
Drosophila melanogaster, sex dimorphism	thesis. I. Proteins of prekeratin and
and canalization in 1259	3
Dunstone, J. R.—	II. Incorporation of [35S]cystine into
See Silpananta, Panee 1031	
	Frater, R.—
Ecklonia (Phaeophyta), cytokinins as	Heterogeneity in a high-sulphur
endogenous growth regulators in 621	protein from wool 1087
Entwistle, K. W.—	Fusarium-root rot wilt complex of peas,
See Mattner, P. E 181	

	PAGE		PAGE
Gaillard, Blanche D. E.—		Hill, A. V.—	
See Bailey, R. W	267	Factors affecting viability of spore	
Gallus domesticus, haemoglobins of	1455	inoculum in Peronospora tabacina	
Gallus domesticus, vitelline membrane of		Adam and lesion production in	
egg of	653	tobacco plants. I. The inoculum	393
Gaut, I. P. C.—		II. Lesion production	399
Identity of the fungal symbiont of		Hill, L. N.—	
Sirex noctilio	905	See Heath, T. J	1015
Gibberellins, role of, in inflorescence		Hillis, W. E., and Ishikura, N.—	
initiation in Lolium temulentum L	773	The extractives of the mycorrhizas	
Gibson, A. H.—		and roots of Pinus radiata and	
Physical environment and symbiotic		$Pseudotsuga \ menziesii \ \ldots \ \ldots$	1425
nitrogen fixation. VI. Nitrogen reten-		Hodgkinson, K. C.—	
tion within the nodules of Trifolium		The utilization of root organic com-	
subterraneum L	829	pounds during the regeneration of	
VII. Effect of fluctuating root tem-		lucerne	1113
perature on nitrogen fixation	839	Hofstra, G., Ryle, G. J. A., and Williams,	
Gillespie, J. M.—		R. F.—	
See Darskus, R. L	1197	Effects of extending the day length	
Ginzburg, B. Z.—		with low-intensity light on the growth	
See Noy-Meir, I	35	of wheat and cocksfoot	333
Grant Lipp, A. E.—		Hofstra, G.—	
See Ballard, L. A. T.	279	See also Rawson, H. M.	321
Grape vine cane, dissolution and		Hope, A. B.—	
reaccumulation of starch granules in	1297	See Findlay, G. P	1163
Grasmanis, V. O., and Barley, K. P.—		See Walker, N. A	1179
The uptake of nitrate and ammonium		Hopgood, M. F., and Walker, D. J.—	
by successive zones of the pea radicle	1313	Succinic acid production by rumen	
Grey kangaroo, polymorphism of		bacteria. III. Enzymic studies on	
haemoglobin of the	449	the formation of succinate by Rumi-	
Griffin, D. M.—		nococcus flavefaciens	1413
See Nair, N. G 639	, 1061	Horn, D. H. S.—	
Griffing, B.—		See Thomson, J. A	761
Selection in reference to biological		Hosken, R.—	
groups. IV. Application of selection		See Thompson, E. O. P	449
index theory	131		239
Griffithsia, membrane electrical pro-			200
perties	1163	Humphrey, K. W.— Interactions between oestradiol-3,17β	
		and progesterone on the induction and	
TT II Touling M		growth of deciduomata in ovariecto-	
Hall, Janice M.—	653	mized mice	689
See Bain, Joan M	000		
Hanger, B. C.—	S 545	Humphries, E. J.—	1005
See Millikan, C. R 311, 58	55, 545	See Wales, R. G	
Hanson, J. B.—	047	Hyperomyzus lactucae, the feeding sites	629
See Bottrill, D. E	847	of, in Sonchus oleraceus	
Heath, T. J., and Hill, L. N.—		Hypnea (Rhodophyta), cytokinins as	
Dietary and endogenous long-chain		endogenous growth regulators in	621
fatty acids in the intestine of sheep,			
with an appendix on their estimation	1015	T'	
in feeds, bile, and faeces	1015	Illisson, Liia—	
Hen's egg, observations on the develop-		Spermatozoal head shape in two inbred	•
ment and structure of the vitelline		strains of mice and their F <sub>1</sub> and F <sub>2</sub>	0.45
membrane of	653	progenies	94

	PAGE	P.	AGE
Ishikura, N.—		King, R. W., and Evans, L. T.—	
See Hillis, W. E	1425	Timing of evocation and development	
		of flowers in <i>Pharbitis nil</i>	559
		Kinnear, Judith F.—	
Jackson, D. I.—			935
Effects of water, light, and nutrition		Klein, S.—	000
	en	See Nir, I	17
on flower-bud initiation in apricots	69	Dec NII, 1	11
Jennings, R. C.—		T11 A TZ	
Cytokinins as endogenous growth		Lascelles, A. K.—	105
regulators in the algae Ecklonia		See Shannon, A. D 189,	197
(Phaeophyta) and Hypnea (Rhodo-		Latter, B. D. H.—	
phyta)	621		493
Jermyn, M. A.—		Lee, G. L., and Fraser, A. S.—	
Interaction of linear analogues of		Sex dimorphism and canalization in	
D-glucose with the $\beta$ -glucosidase of		* *	259
Stachybotrys atra	1039	Legume little leaf, Mycoplasma-like	
Jolly, M., and Lyne, A. G.—		bodies in plants affected by	271
Effect of subdermal pressure on the		Leptonychotes weddelli, transferrin poly-	
skin and its appendages in the sheep	433	morphism and population structure of 1	581
Jones, L. P.—		Lewis, T. L., and Martin, D.—	
Effects of artificial selection on rates		Changes in rate of leakage of potas-	
of inbreeding in populations of		sium from excised disks of apple	
Drosophila melanogaster. I. Effect			577
in early generations	143	Lightfoot, R. J., and Salamon, S.—	
II. Effect of previous selection on	110	Freezing ram spermatozoa by the	
	157	pellet method. II. Effects of method	
Jones, L. P., Frankham, R., and	101	of dilution, dilusion rate, and dura-	
Sheridan, A. K.—		tion of storage at 5°C prior to freezing	
•			547
Correlation between bristle systems	1.450	-	547
1 0	1473	III. Effects of pellet volume,	
Jones, R. C.—		composition of the thawing solution,	
Studies of the suitability of prepara-		and reconcentration of the thawed	
tions of ewe and cow milk for storing			561
ram spermatozoa at 37, 5, and $-79^{\circ}$ C	983	Lightfoot, R. J.—	
Influence of diluents and processing		· · · · · · · · · · · · · · · · · · ·	527
times after ejaculation on the survival		Lindley, H.—	
of deep-frozen ram spermatozoa	995	See Darskus, R. L 1	197
		Lolium temulentum L., effect of water	
		stress on translocation during leaf	
Keratin fibres. II	1205	development in	1
Keratin, proteins of, and their synthesis.		Lolium temulentum L., inflorescence	
	, 231	initiation in. XIII	773
Kerr, A.—	,	Lucerne, utilization of root organic	
Crown gall of stone fruit. I. Isolation			113
of Agrobacterium tumefaciens and		Lucerne witches' broom, Mycoplasma-	
	111		271
- · · · · · · · · · · · · · · · · · · ·	111	Lüttge, U.—	~
Khan, T. N., and Boyd, W. J. R.—		0 0 1 0 D	797
Environmentally induced variability			101
in the host reaction of barley to net	100=	Lyne, A. G.—	199
	1237	See Jolly, M	433
${\bf Physiologic  specialization  in  } Drechslera$		35 1 T A 1770 7 7 7	
	1229	Maclaren, J. A., and Kilpatrick, D. J.—	
Kilpatrick, D. J.—		Extraction of reduced wool proteins	
See Maclaren, J. A	1081	by solutions of salts 10	081

	PAGE		PAGE
Macropus eugenii, development of dor- mant blastocysts induced by oestrogen		McWilliam, J. R., Latter, B. D. H., and Mathison, M. J.—	
in ovariectomized	171	Enhanced heterosis and stability in	
Macropus giganteus, amino acid sequence		the growth of an interspecific Phalaris	400
of the $\beta$ -chain of haemoglobin from	1437	hybrid at high temperature	493
Macropus giganteus, polymorphism of		Mice, effects of exposure to 21 and 34°C on the outcome of overlapping repro-	
haemoglobin of	<b>449</b>	ductive cycles in	767
Maize roots, effect of moisture stress on		Mice maintained for 12 generations at	
submicroscopic structure of	17	34°C, reproductive performance and	
Marsupial proteins, studies on. I, II 449,	, 1437	body weights of	667
Martin, D.—	1555	Mice moved to 21°C after 10 generations	
See Lewis, T. L.	1577	at 34°C, physiological and morpho-	088
Martin, I. C. A.—	101	logical characteristics of	677
See Mattner, P. E	181	Mice, ovariectomized, interactions between oestradiol $3,17\beta$ and proges-	
Martin, Marjory-D., Kinnear, Judith F.,		terone on the induction and growth	
and Thomson, J. A.— Developmental changes in the late		of deciduomata in	689
larva of Calliphora stygia. II. Protein		Mice, two inbred strains and their F <sub>1</sub>	
synthesis	935	and F <sub>2</sub> progenies, spermatozoal head	
Mathison, M. J.—		shape in	947
See McWilliam, J. R.	493	Miles, P. W.—	
Mattner, P. E., and Braden, A. W. H.—		Incorporation and metabolism of cysteine in the haemolymph and	
Comparison of the distribution of		saliva of a plant bug	1271
motile and immotile spermatozoa in		Miller, F. L.—	
the ovine cervix	1069	See Parish, R. W	77
Effect of time of insemination on the		Millikan, C. R., and Hanger, B. C.—	
distribution of spermatozoa in the		Movement of foliar-applied <sup>45</sup> Ca in	
genital tract in ewes	1283	Brussels sprouts	545
Mattner, P. E., Entwistle, K. W., and		Millikan, C. R., Hanger, B. C., and	
Martin, I. C. A.—		Bjarnason, E. N.—	
Passage, survival, and fertility of		Interaction between calcium level and nitrogen source on growth and <sup>45</sup> Ca	
deep-frozen ram semen in the genital tract of the ewe	181	distribution in subterranean clover	535
	101	Mobility of 65Zn in Trifolium sub-	-
Mauritzen, C. M.— See Dawson, D. J	1217	terraneum L. and Antirrhinum majus	
•	121.	L	311
Mayo, M. Jean— See McKenzie, A. R	895	Moon, K. E., and Thompson, E. O. P.—	
·	000	Subunits from reduced and S-car-	
McBean, D. McG.— See Bain, Joan M	101	boxymethylated ribulose diphosphate	4.00
	101	carboxylase (fraction I protein) Moore, N. W., Polge, C., and Rowson,	463
McGlasson, W. B.— Ethylene production by slices of green		L. E. A.—	
banana fruit and potato tuber tissue		The survival of single blastomeres of	
during the development of induced		pig eggs transferred to recipient	
respiration	<b>489</b>	gilts	979
See also Palmer, J. K.	87	Moss, B. A., and Thompson, E. O. P.—	
McKenzie, A. R., Flentje, N. T., Stretton,		Haemoglobins of the adult domestic	,
Helena M., and Mayo, M. Jean—		fowl Gallus domesticus	1455
Heterokaryon formation and genetic		Mouse embryo, pre-implantation, accu-	
recombination within one isolate of	895	mulation of carboxylic acids from glucose by	701

	PAGE		PAGÉ
Mouse embryos, two-cell, storage of in vitro	1065	O'Loughlin, G. T., and Chambers, T. C.— The feeding sites in <i>Sonchus oleraceus</i>	
Mouse liver ultrastructure, quantitative		of Hyperomyzus lactucae, the aphid	
changes in, following cortisone and insulin administration	965	vector of lettuce necrotic yellows	600
Mycoplasma-like bodies in plants	909	virus	629
affected by legume little leaf, tomato		port in	1137
big bud, and lucerne witches' broom diseases	951	Ophiobolus graminis, relative effects of	
diseases	271	soil nitrogen and soil organisms on survival of	275
Nair, N. G., White, N. H., Griffin,		O'Shea, J. M.—	
D. M., and Blair, Suzanne—		See Bradbury, J. H	1205
Effect of oxygen and carbon dioxide		O'Shea, T.— Metabolism of semen after freezing.	
on the mitochondria of Sclerotium rolfsii	1061	I. Effects of washing, skim-milk	
Fine structure and electron cyto-	1001	solids, and potassium and magnesium	
chemical studies of Sclerotium rolfsii		ions on the metabolism of thawed ram	
Sacc	639	and bull spermatozoa	721
Nassar, R. F.— An experimental approach to the		II. The aerobic metabolism of ram spermatozoa before and after storage	
study of multiple peak epistasis in		$\mathrm{at} - 79^{\circ}\mathrm{C}$	733
Drosophila melanogaster	925	O'Shea, T., and Wales, R. G.—	
Nayfeh, S. N.—		Further studies of the deep freezing of	
See Tannous, R. I.	1071	rabbit spermatozoa in reconstituted	
Net blotch, environmentally induced variability in the host reaction of		skim milk powder Osmond, C. B., Lüttge, U., West, K. R.,	709
barley to	1237	Pallaghy, C. K., and Shacher-Hill,	
Neurospora crassa, induction of NAD-	1201	B.—	
specific glutamate dehydrogenase in	425	Ion absorption in Atriplex leaf tissue.	
Nichol, L. W.—		II. Secretion of ions to epidermal	
See Dawson, D. J	247	bladders	797
Nir, I., Klein, S., and Poljakoff-Mayber, A.—		Ox synovial fluid, protein associated with hyaluronic acid in	1031
Effect of moisture stress on sub- microscopic structure of maize roots	17		
Noy-Meir, I., and Ginzburg, B. Z.—	17		
An analysis of the water potential		Pahl, P. J.—	
isotherm in plant tissue. II. Com-		Growth curves for body weight of the laboratory rat	1077
parative studies on leaves of different		Pallaghy, C. K., and Scott, B. I. H.—	1077
types	35	The electrochemical state of cells of broad bean roots. II. Potassium	
O'Donnell, I. J.—		kinetics in excised root tissue	585
Studies on reduced wool. IX. The		Pallaghy, C. K.—	
N-terminal sequence of a fragment	471	See also Osmond, C. B.	797
Oedogonium, cell division in. I	857	Palmer, J. K., and McGlasson, W. B.—	
Ogston, A. G.—	1001	Respiration and ripening of banana	OF
See Silpananta, Panee	1031	fruit slices Parish, R. W.—	87
O'Kelly, J. C., and Seifert, G. W.— Relationships between resistance to		Effects of indoleacetic acid on ligni-	
Boophilus microplus, nutritional		fication in wheat internodes and in	
status, and blood composition in		vitro	343
${f Shorthorn}  imes {f Hereford\ cattle}$	1497	Studies on wheat peroxidase	261

	$\mathbf{PAGE}$		PAGE
Parish, R. W., and Miller, F. L.—		Pinus radiata, mechanism of pathogeni-	
The uptake and effects of calcium and			, 1153
phosphate on maturity, lignification,		$Pinus\ radiata, {\it uptake of orthophosphate}$	
and peroxidase activity of wheat		and its incorporation into organic	
internodes	77	phosphates along roots of	1125
Paton, D. M.—		Pisum, developmental fate of endo-	
Vernalization, photoperiodic induc-		plasmic reticulum in the sieve element	
tion, and flower initiation in the late		of	257
pea cultivar Greenfeast	303	Pisum, localization of acid phosphatase	
Pea, late, cultivar Greenfeast, vernali-		in the sieve element of	1051
zation, photoperiodic induction, and	200	Plakalbumin, chemical characteriza-	
flower initiation in	303	tion of a non-covalently linked pep-	
Pea fruits, physiology of. VI	1145	tide from	239
Pea radicle, uptake of nitrate and		Plant bug, incorporation and metabo-	
ammonium by successive zones of	1313	lism of cysteine in the haemolymph	
Peas, effect of soil amendments on root	*020	and saliva of	1271
rot-Fusarium wilt complex of	1329	Plant mannans, hydrolysis of, by rumen	
Peas, Greenfeast, effects of vernaliza-		protozoal enzymes	267
tion, photoperiod, and cotyledon on	1001	Plaut, Z., and Reinhold, Leonora—	
flower initiation in	1091	Concomitant photosynthesis impli-	
Pederson, D. G.—		cated in the light effect on transloca-	
The prediction of selection response		tion in bean plants	1105
in a self-fertilizing species. I. Indivi-	118	Plums, prune, development of the	
dual selection	117		101
II. Family selection	1245	·	101
Pennycuik, Pamela R.—		Polge, C.—	979
Effects of exposure to 21 and 34°C on		See Moore, N. W	919
the outcome of overlapping reproduc-	nen	Poljakoff-Mayber, A.—	1.7
tive cycles in the mouse	767	See Nir, I	17
Physiological and morphological char-		Polya, G. M., and Atkinson, M. R.—	
acteristics of mice moved to 21°C	677	Evidence for a direct involvement of	
after 10 generations at 34°C	677	electron transport in the high-affinity	
Reproductive performance and body		ion accumulation system of aged beet	
weights of mice maintained for 12	667	parenchyma	573
generations at 34°C	007	Potato tuber tissue, ethylene production	
Peronospora tabacina Adam, factors		by slices of, during the development	
affecting viability of spore inoculum in I. II	3, 399	of induced respiration	489
in. I, II 39  Phalaris hybrid, interspecific, enhanced	J, J <i>JJ</i>	Proteins, skeletal muscle, action of dini-	
heterosis and stability in the growth		trophenyl amino acids on. III	205
	493	Pseudotsuga menziesii, extractives of	
of, at high temperature Pharbitis nil, timing of evocation and	400	micorrhizas and roots of	1425
development of flowers in	559	Rabbit spermatozoa, deep freezing of,	
Pickett-Heaps, J. D.—	000	in reconstituted skim milk powder	709
Preprophase microtubules and sto-		Ram semen, deep-frozen, passage,	
matal differentiation in Commelina		survival, and fertility of, in the genital	
cyanea	375	tract of the ewe	181
Pickett-Heaps, J. D., and Fowke, L. C.—	0.0	Ram spermatozoa, aerobic metabolism	
Cell division in Oedogonium. I. Mitosis,		of, before and after storage at $-79^{\circ}$ C	733
cytokinesis, and cell elongation	857	Ram spermatozoa, deep-frozen, influ-	
Pig eggs, survival of single blastomeres		ence of diluents and processing times	
of, transferred to recipient gilts	979	after ejaculation on the survival of	
	010	Ram spermatozoa, freezing of, by the	
Pinus radiata, extractives of mycorrhi-	1425	pellet method. I, II, III 1527, 154	
285 800 COOK OF		p - 1100 1110 - 1 - 1 - 1 - 1 - 1 - 1 - 1	

	PAGE	:	PAGE
Ram spermatozoa, influence of fluids		Ruminococcus flavefaciens, enzymic	
from genital tract of ewe on survival		studies on the formation of succinate	
of	1517	by	1413
Ram spermatozoa, intracellular accumu-		Ryle, G. J. A.—	
lation of metabolites by	1005	See Hofstra, G	333
Ram spermatozoa, studies of the suita-			
bility of preparations of ewe and cow		Salamon, S., and Lightfoot, R. J.—	
milk for storing at 37, 5, and $-79^{\circ}$ C	983	Freezing ram spermatozoa by the	
Ram spermatozoa, thawed, effects of		pellet method. I. Effect of diluent	
washing, skim-milk solids, and potas-		composition on survival of sperma-	
sium and magnesium ions on the			1527
metabolism of	721	Salamon, S.—	
Rat, effect of feeding lupine seeds on		See also Lightfoot, R. J 1547,	1561
spermatogenesis in	1071	Schnitzerling, H. J.—	
Rat, laboratory, growth curves for body		·	1585
weight of the	1077	Schuntner, C. A.—	
Rats, zinc-deficient, ribonuclease acti-		· ·	1585
vity and nucleic acid and protein		Sclerotium rolfsii, fine structure and	
metabolism in the testes of	1277	electron cytochemical studies of	639
Rawson, H. M., and Hofstra, G.—		Sclerotium rolfsii Sacc., effect of carbon	
Translocation and remobilization of			1061
14C assimilated at different stages by	007	Scott, B. I. H.—	
each leaf of the wheat plant	321	See Pallaghy C. K	585
Reis, P. J.—		Seifert, G. W.—	
The growth and composition of wool.		•	1497
V. Stimulation of wool growth by the		Selection in reference to biological	
abomasal administration of varying	F 4 F	groups. IV	131
amounts of casein	745	Selection response, prediction of, in a	1015
See also Colebrook, W. F	1507	self-fertilizing species. I, II 117, I	1245
C TOI 1 PZ	1105	Senescence, reversion of, in banana	001
See Plaut, Z	1105	fruit slices	601
The influence of the fluids from the		Shacher-Hill, B.—	707
genital tract of the ewe on the sur-		See Osmond, C. B	797
vival of ram spermatozoa	1517	Composition and output of lipid in the	
Rhizobium spp., host specificity in the	1017	thoracic duct lymph of the newborn	
root hair "eurling factor" of	413	10	189
Robertson, Jean P.—	110	Effect of skim-milk feeding on the	109
See Burley, R. W	205	flow and composition of thoracic duct	
Root rot-Fusarium wilt complex of	200	and intestinal lymph in young calves	197
peas, effect of soil amendments on	1329	Sharman, G. B.—	101
Roulston, W. J., Schuntner, C. A.,		See Smith, Meredith J.	171
Schnitzerling, H. J., and Wilson,		Shaughnessy, P. D.—	111
J. T.—		Transferrin polymorphism and popu-	
Detoxification as a mechanism of re-		lation structure of the Weddell seal	
sistance in a strain of the cattle tick		T	1581
Boophilus microplus (Canestrini) re-		Sheep, dietary and endogenous long-	.001
sistant to orgonophosphorus and			015
carbamate compounds	1585	Sheep, effect of subdermal pressure on	.010
Rovira, A. D.—		the skin and its appendages in	433
Diffusion of carbon compounds away		Sheep, relative value for wool growth	
from wheat roots	1287	and nitrogen retention of several	
Rowson, L. E. A.—		proteins administered as abomasal	
See Moore, N. W.	979		507

	PAGE	PAGE
Sheridan, A. K.—		Subterranean clover, effects of changes
See Jones, L. P	1473	in boron nutrition on growth and
Silpananta, Panee, Dunstone, J. R., and		development of 523
Ogston, A. G.—		Subterranean clover, effects of tempera-
Protein associated with hyaluronic		ture on growth and nutrient uptake
acid in ox synovial fluid	1031	in, during recovery from phosphorus
Sirex noctilio, identity of the fungal		stress. I, II 505, 515
symbiont of	905	Subterranean clover, interaction be-
Sirex noctilio, the mechanism of patho-		tween calcium level and nitrogen
genicity of, on Pinus radiata. I, II 915	, 1153	source on growth and <sup>45</sup> Ca distribu-
Skene, K. G. M.—		tion in 535
A comparison of the effects of "Cyco-		Symbiotic nitrogen fixation, effect of
cel" and tipping on fruit set in Vitis		fluctuating root temperature on 839
$vinifera \  ext{L.} \qquad \dots \qquad \dots \qquad \dots$	1305	Symbiotic nitrogen fixation, physical
Slatyer, R. O.—		environment and. VI, VII 829, 839
See Troughton, J. H	815	
Sleigh, R., Hosken, R., Smith, M. B.,		
and Thompson, E. O. P.—		Tannous, R. I., and Nayfeh, S. N.—
Chemical characterization of a non-		Effect of feeding lupine seeds on
covalently linked peptide from		spermatogenesis in the rat 1071
plakalbumin	239	Taylor, B. K.—
Smith, F. A., and West, K. R.—		Physiological studies on dormancy in
A comparison of the effects of meta-		Cape tulip 787
bolic inhibitors on chloride uptake		Teakle, D. S.—
and photosynthesis in Chara corallina	351	See Bowyer, J. W 271
Smith, M. B.—		Tetanus toxin and toxoid, studies on.
See Sleigh, R	239	III, IV 247, 1217
Smith, Meredith J., and Sharman,		Thanatephorus cucumeris, heterokaryon
G. B.—		formation and genetic recombination
Development of dormant blastocysts		within one isolate of 895
induced by oestrogen in the ovariecto-		Thompson, E. O. P., Hosken, R., and
mized marsupial, Macropus eugenii	171	Air, G. M.—
Somers, M., and Underwood, E. J.—		Studies on marsupial proteins. I.
Ribonuclease activity and nucleic acid		Polymorphism of haemoglobin of the
and protein metabolism in the testes		grey kangaroo, Macropus giganteus 449
of zinc-deficient rats	1277	Thompson, E. O. P.—
Spermatogenesis in the rat, effect of		See also Air, G. M 1437
feeding lupine seeds on	1071	See also Moon, K. E 463
Spermatozoa, comparison of the dis-		See also Moss, B. A 1455
tribution of motile and immotile,		See also Sleigh, R 239
in the ovine cervix	1069	Thomson, J. A., and Horn, D. H. S.—
Stachybotrys atra, $\beta$ -glucosidase of, inter-		Effects of exogenous moulting hor-
action of linear analogues of D-glucose		mones on puparium formation in
with	1039	Calliphora 761
Steinbrecher, W., and Lüttge, U.—		Thomson, J. A.—
Sugar and ion transport in isolated		See also Martin, Marjory-D 935
onion epidermis	1137	Tobacco plants, factors affecting lesion
Stone fruit, crown gall of. I	111	production in. I, II 393, 399
Stretton, Helena M.—		Tomato big bud, Mycoplasma-like
See McKenzie, A. R	895	bodies in plants affected by 271
	300	Trifolium subterraneum L., mobility of
Strickland, W. N.—		<sup>65</sup> Zn in
Induction of NAD-specific glutamate		Trifolium subterraneum L., nitrogen
dehydrogenase in Neurospora crassa by addition of glutamate to the media		retention within the nodules of 829
DV MOUDDON OF STUDBING TO THE INCUIA	120	

	PAGE		PAGE
Trifolium subterraneum L., studies of		Wardlaw, I. F.—	
dormancy in the seeds of. III	279	Effect of water stress on translocation	
Troughton, J. H.—		in relation to photosynthesis and	
Plant water status and carbon dioxide		growth. II. Effect during leaf develop-	
exchange of cotton leaves	289	ment in Lolium temulentum L.	1
Troughton, J. H., and Slatyer, R. O.—		Water potential isotherm in plant tissue,	
Plant water status, leaf temperature,		an analysis of. II	35
and the calculated mesophyll resis-		Weiss, D. E.—	
tance to carbon dioxide of cotton		Energy-transducing reactions in	
leaves	815	biological membranes. I. Energy	
Turner, J. F.—		transduction in ion- and electron-	
Physiology of pea fruits. VI. Changes		exchange polymers	1337
in uridine diphosphate glucose pyro-		II. A molecular mechanism for the	
phosphorylase and adenosine di- phosphate glucose pyrophosphorylase		permeability changes in nerve during	
in the developing seed	1145	the passage of an action potential	1355
Starch synthesis and changes in uri-	1149	III. A model of the sodium pump and	
dine diphosphate glucose pyrophos-		its possible relevance to some other active transport processes	1050
phorylase and adenosine diphosphate		active transport processes	1373
glucose pyrophosphorylase in the		ation and ion accumulation in mito-	
developing wheat grain	1321	chondria based on a thioacylation	
1 0	1011	manala a minus	1389
Underwood, E. J.—		West, K. R.—	1909
See Somers, M	1277	See Osmond, C. B	797
		See Smith, F. A.	351
Vendrell, M.—		Wheat, effects of extending the day	331
Reversion of senescence: effects of		length with low-intensity light on	
2,4-dichlorophenoxyacetic acid and		growth of	333
indoleacetic acid on respiration,		Wheat grain, changes in uridine di-	000
ethylene production, and ripening of		phosphate glucose pyrophosphorylase	
banana fruit slices	601	and adenosine diphosphate glucose	
Vicia faba, P-protein-producing cells of		pyrophosphorylase in	1321
the primary root of	1573	Wheat internodes, effects of indoleacetic	1021
Vincent, J. M.—		acid on lignification in	343
See Yao, Phaik Y	413	Wheat internodes, uptake and effects of	010
Vitis vinifera, comparison of effects of		calcium and phosphate on maturity,	
Cycocel and tipping on fruit set in	1305	lignification, and peroxidase activity	
		of	77
Wales, R. G.—		Wheat peroxidase, studies on	261
Accumulation of carboxylic acids		Wheat plant, translocation and remobi-	201
from glucose by the pre-implantation		lization of <sup>14</sup> C assimilated by each	
mouse embryo	701	leaf of	321
See also O'Shea, T	709	Wheat roots, diffusion of carbon com-	521
See also Whittingham, D. G.	1065	1 0	1287
Wales, R. G., and Humphries, E. J.—		White, N. H.—	1201
The intracellular accumulation of		C M M. C.	1061
metabolites by ram spermatozoa dur-		,	1001
ing incubation in the presence of	1005	Whittingham, D. G., and Wales, R. G.— Storage of two-cell mouse embryos	
exogenous fructose Walker, D. J.—	1005		1065
C., II 1 M. T.	1419	Williams, E. J.—	1065
Walker, N. A., and Hope, A. B.—	1413	0 10 11 0 70	1169
Membrane fluxes and electric con-		See Findlay, G. P	1163
ductance in characean cells	1179	See Hofstra, G	333
	- 1 t O	~~~ <b></b>	อออ

	PAGE		PAGE
Wilson, J. T.—  See Roulston, W. J	1585	Yao, Phaik Y., and Vincent, J. M.— Host specificity in the root hair	
Wool growth, stimulation of, by the abomasal administration of varying		"curling factor" of Rhizobium spp.	413
amounts of casein	745	Zea mays, genetically controlled electro-	
Wool, high-sulphur protein from, heterogeneity in	1087	phoretic varients of a starch-degrading enzyme in	1055
Wool, possibility of common amino acid sequences in high-sulphur fractions from	1197	Zee, SY.—  The developmental fate of endo-	
Wool proteins, reduced, extraction of, by solutions of salts	1081	plasmic reticulum in the sieve element of $Pisum$	257
Wool, reduced, studies on. IX Wool, relative value of several proteins,	471	The localization of acid phosphatase in the sieve element of <i>Pisum</i>	1051
administered as abomasal supplements to shoop on growth of	1507	P-protein-producing cells of the primary root of <i>Vicia faba</i>	1573



