## INDEX

Bassett, J. M.---

growth hormone

slicing and aging

Plasma glucagon concentrations in sheep: their regulation and relation to concentrations of insulin and

Beet storage tissue, changes in microsomal electron transport, induced by

Bieleski, R. L., and Johnson, P. N.-The external location of phosphatase activity in phosphorus-deficient Spirodela oligorrhiza ...

. .

••

. .

..

. .

D. CT

	PAGE
Agar, N. S., Roberts, J., and Evans, J. V.—	
Erythrocyte glutathione poly-	
morphism in sheep	619
Albizia julibrissin pinnules, action	
spectrum for the opening of	885
Allaway, W. G.—	
See Evans, L. T	885
Apricot leaf disks, influence of	
epicuticular waxes on foliar absorptio	n
of nitrate ions by	641
Arabidopsis thaliana, haploid callus	
and plants from anther culture	259
Arboviruses, Koongol group, electron	-00
microscopy of	53
Artiodactyla, ultra-high-sulphur	00
proteins in the hairs of	139
Atherton, J. G.—	100
See Bowyer, J. W	43
Atriplex halimus, effect of sodium	TU
chloride salinity on the water balance	
of	895
Aurelia coerulea, thermal properties of	000
the collagen of	1361
	1001
Bagasse, effect of sulphate ion on the in	
vitro rumen digestion of polysaccharid	
constituents of	1377
Bald, J. G.—	1011
The possible use of alternating	
temperatures for the reduction of	
viruses in plant tissue	429
Bananas, green, effects of oxygen and	423
carbon dioxide on respiration, storage	
life, and organic acids of	35
Barley, extension and branching of a	<b>3</b> 0
	0 001
	69, 681
Barley, light-induced effects of Tris on	~ 1 -
the ultrastructure of leaf tissue of	517
Barley roots, action of abscisic acid on	1105
ion uptake and water flow in	1125
Barley seedlings, ultrastructural	
localization of ions in leaf parenchym	
cells of	499
Barley seedlings, uptake and transport	

of ions in. II, III

..

ure 259	Bingham, J.—
lectron	See Evans, L. T
53	Bird, P. R.—
ur	Sulphur metabolism and excretion
139	studies in ruminants.
	V. Ruminal desulphuration of
43	methionine and cyst(e)ine
um	VI. The digestibility and utilization
er balance	by sheep of <sup>35</sup> S-labelled ruminal
	microorganisms
erties of	VII. Secretion of sulphur and
1361	nitrogen in sheep pancreatic and bile
	fluids
on the <i>in</i>	IX. Sulphur, nitrogen, and energy
ysaccharide	utilization by sheep fed a sulphur-
	deficient and a sulphate supple-
	mented, roughage-based diet
ng	X. Sulphide toxicity in sheep
ion of	Bird, P. R., and Moir, R. J.—
	Sulphur metabolism and excretion
gen and	studies in ruminants. VIII.
n, storage	Methionine degradation and
35	utilization in sheep when infused into
ng of a	the rumen or abomasum
669, 681	Bird, P. R., and Thornton, R. F
f Tris on	Sulphur metabolism and excretion
sue of 517	studies in ruminants. XI. Cycling of
acid on	$^{35}$ S to the caecum and colon and the
n 1125	influence of the hindgut on sulphur
al	excretion
arenchyma	Blackshaw, A. W., and Salisbury,
499	G. W.—
ransport	The effect of storage in vitro on the
243, 905	DNA content of bull spermatozoa

PAGE

1277

103

707

185

195

817

1073

1087

835

1299

175

1

. .

. .

. .

## INDEX

	PAGE
Bouma, D., Greenwood, E. A. N., and	
Dowling, E. J.—	
The contribution by leaves of	
different age to new growth of sub-	
terranean clover plants following the	
removal of a sulphur stress. I. Origin	
and distribution of dry matter	1147
Bouma, D., Titmanis, Z., and	
Greenwood, E. A. N.—	
The contribution by leaves of	
different age to new growth of	
subterranean clover plants following	
the removal of a sulphur stress. II.	
Uptake and distribution of sulphur	1157
Bovine $\beta$ -lactoglobulins A, B, and C,	
dissociation of, near pH 7	949
Bovine mammary gland, relationships	
between milk and milk fat composi-	
tion and trans-lactation changes in	1341
Bovine mammary gland, trans-lactation	
changes in the activities of selected	
enzymes in biopsy samples of	1333
Bowyer, J. W., and Atherton, J. G	
Effects of tetracycline antibiotics on	
plants affected by legume little leaf	
disease	<b>43</b>
Bradbury, J. H.—	
See Peters, D. E	1225
Bradbury, J. H., and Leeder, J. D.—	
Keratin fibres. VI. Mechanism of the	
Allwörden reaction	133
Bradbury, J. H., and Ley, K. F.—	
The chemical composition of wool.	
XI. Separation and analysis of	
exocuticle and endocuticle	1235
Bradbury, J. H., and O'Shea, J. M	
Keratin fibres. VII. Proteins of the	
histological components of kangaroo	
fibres	963
Braden, A. W. H.—	
See Holst, P. J	167
See Lino, B. F	351
Bremner, P. M.—	
Accumulation of dry matter and	
nitrogen by grains in different	
positions of the wheat ear as	
influenced by shading and defoliation	657
Bremner, P. M., and Rawson, H. M.—	
Fixation of <sup>14</sup> CO <sub>2</sub> by flowering and	
non-flowering glumes of the wheat	
ear, and the pattern of transport of	
label to individual grains	921
Brittain, E. G.—	
See Chilvers, G. A.	749

	PAGE
Broad, Andrea—	
See Gillespie, J. M	139
Bull spermatozoa, effect of osmolality,	
phosphate, and hydrogen ion buffers	
on the motility of	1047
Bull spermatozoa, effect of storage in	
vitro on the DNA content of	175
Bull spermatozoa, toxic effects of	
aromatic amino acids on the	
livability of	1039

Callitriche shoots, control of growth in,	
by growth retardants and gibberellic	<u> </u>
acid	637
Campbell, M. E., Whiteley, K. J., and	
Gillespie, J. M.—	
Compositional studies of high- and	
low-crimp wools	977
Caple, I., and Heath, T.—	
Regulation of output of electrolytes	
in bile and pancreatic juice in sheep	155
Carrot, initiation of developmental drifts	
in excised tissues of	855
Carthamus flavescens, a sporophytic	
self-incompatibility breeding system,	
computer simulation of	343
Cartwright, B.—	
Influence of nutrition on the activities	
of some enzymes of glycolysis and the	
pentose phosphate pathway in	
expanding lucerne leaves	1181
Casida, L. E.—	
See Edey, T. N	397
Caso, O. H.—	
See Kefford, N. P	691
Cattle, European, sweat glands and hair	001
follicles of	585
Chang, S. T.—	000
Genetic studies of a dome mutant	
and its suppressor gene in	
Schizophyllum commune	757
Chenopodium quinoa Willd., effects of	151
lettuce mosaic virus on the fine	
	1355
structure of mesophyll cells of	1999
Chenoweth, A. R. F.—	400
See Van Steveninck, R. F. M.	499
Chicken embryonic cartilage, inhibitor	
studies on the biosynthesis of	
chondromucoprotein by	115
Chilvers, G. A., and Brittain, E. G.—	
Plant competition mediated by host-	
specific parasites—a simple model $\dots$	749

PAGE

Cho, K. Y., and Doy, C. H.—	
Ultrastructure of spermine-treated	
Escherichia coli, including a polar	
organelle concerned with envelope	
synthesis	543
$Chondrilla \ juncea, \ organ \ regeneration \ on$	
excised roots of	691
Cocoa, vascular streak dieback of	553
Colebrook, W. F.—	
See Reis, P. J	1057
Cook, L. J.—	
See Faichney, G. J	205
See also Mills, S. C	807
Coptotermes acinaciformis mounds,	
non-soil constituents of	1005
Court, R. D., Williams, W. T., and	
Hegarty, M. P.—	
The effect of mineral nutrient	
deficiency on the content of free	
amino acids in Setaria sphacelata	77
Cram, W. J.—	
The initiation of development drifts in	
excised plant tissues	855
Cram, W. J., and Pitman, M. G.—	
The action of abscisic acid on ion	
uptake and water flow in plant roots	1125
Cremer, K. W.—	
Internode extension of eucalypts	
reduced in artificial light	849
Currie, W. B.—	
Trans-lactation changes in the	
activities of selected enzymes in	
biopsy samples of the bovine	
mammary gland	1333
Relationships between milk and milk	
fat composition and trans-lactation	
changes in mammary gland enzyme	
activities in grazing cattle	1341
Davies, H. Lloyd—	
See Faichney, G. J	205
Deakin, M. A. B.—	
Corrigendum to: Genetic poly-	
morphism in a subdivided population	213
Dekker, R. F. H., and Richards, G. N	
Effect of sulphate ion on the in vitro	
rumen digestion of polysaccharide	
constituents of bagasse	1377
Dodman, R. L	
Heterokaryon formation and genetic	
recombination between auxotrophic	
and morphological mutants of	
Thanatephorus cucumeris	739
-	

Dowling, E. J.—				
See Bouma, D		••		1147
Doy, C. H.—				
See Cho, K. Y	••	••	• •	543
See Gresshoff, P. M.	• •	••		259
$Drosophila\ melanogaste$	r, furth	er evi	dence	
on multiple peak epi	stasis i	n	••	565
Echidna, amino acid se	quence	of the	Э	
$\beta$ -chain of haemoglol	bin <b>fro</b> r	n	••	989
Edey, T. N., and Casid	la, L. E	I.—-		
Effects of fasting on	oestrus	s and		
ovulation in the oest	rus rab	$\mathbf{bit}$	••	397
Eisen, E. J., and Hanr	ahan, J	J. P.—		
Selection for sexual of	dimorp	hism i	n	
body weight of mice	••	••	••	1015
Entwistle, K. W., and			A.—	
Effects of composition	on of di	luent,		
method of addition of	of glyce	rol,		
freezing rate, and sto	-	-		
on the revival of ran	ı spern	natozoa	æ	
after deep-freezing	••	• •	••	379
$Escherichia\ coli,\ ultrast$	ructure	e of		
spermine-treated	••	••	••	543
Eucalypts, internode ex	xtensio	n of	••	849
Evans, J. V.—				
See Agar, N. S.	••	••	• •	619
Evans, L. T., and Alla				
Action spectrum for				
Albizia julibrissin pi				
10le of phytochrome		<u> </u>	5	
movements of pinnul		$\mathbf{of}$		
stomata of Vicia fab		••	••	885
Evans, L. T., Bingham	, J., an	d		
Roskams, M. A.—				
The pattern of grain	set wit	hin ea	$\mathbf{rs}$	
of wheat				1

Roskams, M. A.—			
The pattern of grain set w	ithin e	ars	
of wheat		••	1
Ewe, ovum transport in			167
Ewe, phosphomonoesterases	and		
histamine in the uterus of,	during	g	
early pregnancy		- 	1289
Ewe, time course of embryon	ic		
resorption in			597
_			

Faichney, G. J., Davies, H. Lloyd,	
Scott, T. W., and Cook, L. J	
The incorporation of linoleic acid into	
the tissues of growing steers offered a	
dietary supplement of formaldehyde-	
treated casein-safflower oil	205
Fenemore, P. G.—	
See Russell, G. B	1025

PAGE

	P	AGE
Fergusson, J. E., Robinson, W. T., an	d	
Rodley, G. A.—		
Significance of the orientation of		
coordinated imidazole and benzimid	l-	
azole groups in haemoprotein and		
vitamin $B_{12}$ structures		1365
Fernandes, N. S., and Rantilla, C. K		
Histamine levels in the blood of		
pregnant mares		1381
Filsell, O. H.—	•••	
See Jarrett, I. G		405
Findlay, G. P.—	••	100
See Tay, D. K. C		931
Fischer, R. A.—	••	001
Aspects of potassium accumulation		
		1107
Fisher, W. K.—	••	1101
See Whittaker, R. G		989
Flentje, N. T.—	•••	000
See Keane, P. J.		553
See Stretton, Helena M.	 203	305
Fluoroacetic acid biosynthesis, a	200,	000
proposed mechanism		327
Foote, R. H.—	••	021
See Jones, R. C		1047
Fulcher, R. G., O'Brien, T. P., and	••	1011
Lee, J. W.—		
Studies on the aleurone layer. I.		
Conventional and fluorescence		
microscopy of the cell wall with		
emphasis on phenol-carbohydrate		
complexes in wheat		23
Fulcher, R. G., O'Brien, T. P., and	••	20
Simmonds, D. H.—		
Localization of arginine-rich protein	29	
in mature seeds of some members o		
the Gramineae	1	487
	••	407
Fuss, Christine N.—		865
See Godwin, K. O	••	800
~ 1 T		
Gale, J.—		007
See Kaplan, A.	 л	895
Genetic polymorphism in a subdivide	a	

population, corrigendum to .. ..

Gifford, R. M., and Musgrave, R. B.— Activation energy analysis and limiting factors in photosynthesis

Gillespie, J. M., and Broad, Andrea-Ultra-high-sulphur proteins in the

Gillespie, J. M.-

See Campbell, M. E.

hairs of the Artiodactyla

 $\mathbf{213}$ 

419

977

139

. .

..

. .

. .

Gillman, L. Rosemary, Jefferies, Marilyn K., and Richards, G. N.— Non-soil constituents of termite	
(Coptotermes acinaciformis) mounds	1005
Goddard, C. K.— Structure of the heart of the ascidian	045
Pyura praeputialis (Heller) Godwin, K. O., and Fuss, Christine N.— The entry of selenium into rabbit	645
protein following the administration	
of $Na_2^{75}SeO_3$	865
Goodchild, D. J.—	
See Kirk, J. T. O	215
Gramineae, localization of arginine-rich	
proteins in mature seeds of some	
members of	487
Greenwood, E. A. N.— See Boume D. 1147	
See Bouma, D 1147,	1157
Gresshoff, P. M., and Doy, C. H.—	
Haploid Arabidopsis thaliana callus	
and plants from anther culture	259
Gulline, H. F.—	
See Scott, B. I. H	61
Hackett, C.— A method of applying nutrients locally to roots under controlled conditions, and some morphological effects of locally applied nitrate on the branching of wheat roots Hackett, C., and Rose, D. A.— A model of the extension and branching of a seminal root of barley, and its use in studying relations between root dimensions.	
I. The model	669
II. Results and inferences from	681
manipulation of the model	081
Haemoprotein structures, significance	
of the orientation of coordinated	
imidazole and benzimidazole groups	1965
in	1365
Hafey, M.—	1901
See Rigby, B. J	1361
Halley, J. B. W.—	1015
See Irving, M. G	1215
Hamster, golden, effect of colchicine on	
preimplantation blastocysts and	1105
10-day-old embryos of	1105
Hanrahan, J. P.—	1015
See Eisen, E. J	1015
Hart, N. L.— See Macmillan, K. L	1039

PAGE

		:	PAGE
	•		1101
	•	••	147
	•	••	155
• •	•	861,	1099
	•	••	77
			53
. A. W	. н.—		
ewe .	• •		167
ultras	structu	ire	
III, I	V, V, '	VI	
. 265,	279, 1	187,	1199
	A. W ewe ultras III, I	A. W. H.— ewe ultrastructu III, IV, V,	  861,   

Imrie, B. C., Kirkman, Colleen J., and	
Ross, D. R.—	
Computer simulation of a sporophytic	
self-incompatibility breeding system	<b>343</b>
Irving, M. G., Williams, J. F., and	
Halley, J. B. W.—	
Control of glucose-metabolizing	
enzymes in preneoplastic rat liver	1215
Ivy leaves, relationship of photosyn-	
thetic effectiveness of different kinds	
of light to chlorophyll content and	
chloroplast structure in	215

Jarrett, I. G.—	
A polymeric form of haemoglobin-	
binding protein in sheep following	
metabolic and hormonal disturbance	941
Jarrett, I. G., and Filsell, O. H.—	
Pancreatic exocrine secretion and	
digestion in the sheep	405
Jefferies, Marilyn K.—	
See Gillman, L. Rosemary	1005
Jeffrey, P. L., and Rienits, K. G.—	
Inhibitor studies on the biosynthesis	
of chondromucoprotein by chicken	
embryonic cartilage	115
Jellyfish, thermal properties of the	
collagen of	1361
Jenkinson, D. McEwan, and Nay, T	
The sweat glands and hair follicles of	
European cattle	585

	PAGE
Johnson, P. N.—	
See Bieleski, R. L	707
Jones, H. G., and Slatyer, R. O.—	
Effects of intercellular resistances	
on estimates of the intracellular	
resistance to CO <sub>2</sub> uptake by plant	
leaves	443
Jones, R. C., and Foote, R. H.—	
Effect of osmolality and phosphate,	
'Tris', 'TES', 'MES', and 'HEPES'	
hydrogen ion buffers on the motility	
of bull spermatozoa stored at 37 or	
5°C	1047
Jones, R. H.—	
See Menary, R. C	531
Judson, G. J., and Leng, R. A.—	
Estimation of the total entry rate	
and resynthesis of glucoses uniformly	
labelled with <sup>14</sup> C and variously	
labelled with <sup>3</sup> H	1313

Kaplan, A., and Gale, J.	<u> </u>		
Effect of sodium chlori	de salinity c	n	
the water balance of $A$	triplex halin	ius	895
Keane, P. J., Flentje, N.	T., and		
Lamb, K. P.—			
Investigation of vascul	ar-streak		
dieback of cocoa in Pa	pua New		
Guinea		•••	553
Kefford, N. P., and Caso	, O. H.—		
Organ regeneration on	excised root	s	
of Chondrilla juncea an	d its chemic	al	
regulation			691
Kennedy, J. P.—			
See Tassell, Robin .		••	1249
Kenworthy, A. L.—			
See Leece, D. R.		••	641
Keratin fibres. VI, VII		133,	963
Keratin, microfibrillar m	aterial from		
various sources of .	• ••		1373
Kirk, J. T. O., and Good	child, D. J		
Relationship of photos	ynthetic		
effectiveness of differen	t kinds of li	$_{\mathrm{ght}}$	
to chlorophyll content	and chlorop	last	
structure in greening w	heat and in		
ivy leaves			215
Kirkman, Colleen J.—			
See Imrie, B. C.		••	343
Kuo, J., O'Brien, T. P.,	and Zee, S	Y.—	
The transverse veins o	f the wheat	leaf	721

	PAGE		PAGE
Lamb, K. P.— See Keane, P. J.	553	Macmillan, K. L., Tiku, J. L., and Hart, N. L.—	
Lapwood, K. R., and Martin, I. C. A		Toxic effect of aromatic amino acids	
Effects of some buffers and inorganic		on the livability of bull spermatozoa	1039
and organic sodium salts in synthetic		Maize, activation energy analysis and	
diluents for the storage of ram		limiting factors in photosynthesis in	419
spermatozoa at 37 or $5^{\circ}$ C	367	Maize, light-induced effects of Tris on	
Lee, J. W.—		the ultrastructure of leaf tissue of $\dots$	517
See Fulcher, R. G	<b>23</b>	Maize, localization of thallium in	
Leece, D. R., and Kenworthy, A. L.—		stomata of, independent of	
Influence of epicuticular waxes on		transpiration	415
foliar absorption of nitrate ions by		Maize roots, action of abscisic acid on	
apricot leaf disks	641	ion uptake and water flow in	1125
Leeder, J. D.—		Marchant, H. J., and Pickett-Heaps,	
See Bradbury, J. H	133	J. D.—	
Legume little leaf disease, effects of		Ultrastructure and differentiation of	
tetracycline antibiotics on plants		Hydrodictyon reticulatum.	
affected by	<b>43</b>	III. Formation of the vegetative	965
Leng, R. A.—		daughter net	265
See Williams, A. J	1259	development of zygospores and	
See Judson, G. J	1313	azygospores	279
Ley, K. F.—		V. Development of polyhedra	1187
See Bradbury, J. H	1235	VI. Formation of the germ net	1199
Liefman, C. E.—		Mares, pregnant, histamine levels in the	1100
See St. George, T. D	319	blood of	1381
Lino, B. F.—		Martin, I. C. A.—	1001
The output of spermatozoa in rams.		See Lapwood, K. R	367
II. Relationship to scrotal circum-		See Entwistle, K. W	379
ference, testis weight, and the number		McComb, A. J.—	
of spermatozoa in different parts of		See Wong, C. H	637
the urogenital tract	359	McGlasson, W. B., and Wills, R. B. H.—	
Lino, B. F., and Braden, A. W. H.—		Effects of oxygen and carbon dioxide	
The output of spermatozoa in rams.		on respiration, storage life, and	
I. Relationship with testicular output		organic acids of green bananas	35
of spermatozoa and the effect of		McIntosh, R. A.—	
ejaculations	351	Cytogenetical studies in wheat. VI.	
Lucas, Daphne—		Chromosome location and linkage	
The effect of day length on primordia		studies involving $Sr13$ and $Sr8$ for	
production of the wheat apex	<b>649</b>	reaction to <i>Puccinia graminis</i> f. sp.	
Lucerne leaves, expanding, influence of		<i>tritici</i>	765
nutrition on the activities of some		McKenzie, H. A., and Sawyer, W. H.—	
enzymes of glycolysis and the pentose		On the dissociation of bovine	
phosphate pathway in	1181	$\beta$ -lactoglobulins A, B, and C near	
Ludlow, M. M., and Wilson, G. L.—		рН 7	949
Photosynthesis of tropical pastures		Mead, R. J., and Segal, W.—	
plants. IV. Basis and consequences		Fluoroacetic acid biosynthesis: a	
of differences between grasses and	1100	proposed mechanism	327
legumes	1133	Menary, R. C., and Jones, R. H.—	
Luig, N. H., and Watson, I. A.—		Nitrate accumulation and reduction	507
The role of wild and cultivated grasses	ł	in papaw fruits	531
in the hybridization of formae		Mice, inheritance of patterns of oxygen	1005
speciales of <i>Puccinia graminis</i>	<b>335</b>	$ \begin{array}{ccc} \text{consumption in} & \dots & \dots & \dots \\ \end{array}$	1031

	PAGE
Macmillan, K. L., Tiku, J. L., and Hart, N. L.—	
Toxic effect of aromatic amino acids	
on the livability of bull spermatozoa	1039
Maize, activation energy analysis and	1000
limiting factors in photosynthesis in	419
Maize, light-induced effects of Tris on	410
the ultrastructure of leaf tissue of	517
Maize, localization of thallium in	.017
stomata of, independent of	
· · · ·	415
1	410
Maize roots, action of abscisic acid on	1105
ion uptake and water flow in	1125
Marchant, H. J., and Pickett-Heaps, J. D.—	
Ultrastructure and differentiation of	
$Hydrodicty on\ reticulatum.$	
III. Formation of the vegetative	
daughter net	265
IV. Conjugation of gametes and the	
development of zygospores and	
azygospores	279
V. Development of polyhedra	1187
VI. Formation of the germ net	1199
Mares, pregnant, histamine levels in the	
blood of Martin, I. C. A.—	1381
,	967
See Lapwood, K. R See Entwistle, K. W	367
	379
McComb, A. J.—	
See Wong, C. H	637
McGlasson, W. B., and Wills, R. B. H	-
Effects of oxygen and carbon dioxide	
on respiration, storage life, and	
organic acids of green bananas	35
McIntosh, R. A.—	
Cytogenetical studies in wheat. VI.	
Chromosome location and linkage	
studies involving $Sr13$ and $Sr8$ for	
reaction to <i>Puccinia graminis</i> f. sp.	
tritici	765
McKenzie, H. A., and Sawyer, W. H	
On the dissociation of bovine	
$\beta$ -lactoglobulins A, B, and C near	
рН 7	949
Mead, R. J., and Segal, W.—	
Fluoroacetic acid biosynthesis: a	
proposed mechanism	327
Menary, R. C., and Jones, R. H.—	
Nitrate accumulation and reduction	
in papaw fruits	531
* *	551
Mice, inheritance of patterns of oxygen	

	PAGE
Mice, oestrous frequency and incidence	
of pregnancy in	801
Mice, seasonal changes in reproductive	
productivity, growth rate, and food	
	627
intake in	021
Mice, selection for sexual dimorphism	1015
in body weight of	1015
Mills, S. C., Sharry, L. F., Cook, L. J.,	
and Scott, T. W.—	
Metabolism of [ <sup>14</sup> C]formaldehyde	
when fed to ruminants as an aldehyd	e-
casein-oil complex	807
Mittelheuser, Cathryn J., and Van	
Steveninck, R. F. M.—	
Light-induced effects of Tris on the	
ultrastructure of leaf tissue	517
	517
Mizrahi, Y., and Richmond, A. E.	
Hormonal modification of plant	
response to water stress	437
Moir, R. J.—	
See Bird, P. R	835
Monotreme proteins, studies on	989
Moore, N. W.—	
Fertilization of sheep ova following	
mechanical penetration of the zona	
pellucida	433
Moore, R. F.—	100
	873
See Teakle, D. S	010
Murdoch, R. N	
Changes in acid and alkaline	
phosphatase activities in the uterus	
and oviduct of the rabbit doe during	-
early pregnancy	
Phosphomonoesterases and histamine	;
in the uterus of the ewe during early	
pregnancy	1289
Musgrave, R. B.—	
See Gifford, R. M	419
Namilastone () a tamis substana from th	
Nagilactone C, a toxic substane from th	ie
leaves of <i>Podocarpus nivalis</i> and	1005
$P. hallii \dots \dots \dots \dots \dots$	1025
Nassar, R. F.—	
Further evidence on multiple-peak	
epistasis in Drosophila melanogaster	565
Nay, T.—	
See Jenkinson, D. McEwan	585
Nicotiana rustica, response to water	
stress, hormonal modification of	437
suces, normonal moundation of	101
O'Drive T D	
O'Brien, T. P.—	aa 40=
,	23, 487
See Kuo, J	721
See Swift, J. G	9,469

	PAGE
Orwin, D. F. G., and Thomson, R. W The distribution of coated vesicles in	 L
keratinizing cells of the wool follicle	573
O'Shea, J. M.— See Bradbury, J. H	. 963
Pallaghy, C. K.—	
Localization of thallium in stomata i	
independent of transpiration .	. 415
Papaw fruits, nitrate accumulation and	
reduction in	. 531
Paramecium aurelia, ultrastructure of	
nuclear division in. III	. 775
Pares, R. D.—	
Effects of lettuce mosaic virus on the	Э
fine structure of mesophyll cells of	
Chenopodium quinoa Willd	. 1355
Parkhurst, D. F.—	
Conductive capacities of veins in	105
expanding leaves of Quercus	. 425
Pasture plants, tropical, photosynthesis	1100
of. IV	. 1133
Patrick, J. W.—	
Distribution of assimilate during	455
stem elongation in wheat	. 455
Pelargonium hortorum, effects of inter-	
cellular resistance to CO <sub>2</sub> uptake by	. 443
leaves of	. 440
Pennycuik, Pamela R.—	
Inheritance of patterns of oxygen consumption in mice	. 1031
Oestrous frequency and incidence of	
pregnancy in mice housed singly and	
in groups at 4, 21, and 33°C	. 801
Seasonal changes in reproductive	
productivity, growth rate, and food	
intake in mice exposed to different	
regimes of day length and environ-	
mental temperature	. 627
Peters, D. E., and Bradbury, J. H.—	
The chemical composition of wool.	
X. Material digested by trypsin from	1
fibres and cortical cells	1005
Phytophthora cinnamomi, oospore	
production in, in the presence of	
Trichoderma koningii	. 861
Phytophthora cinnamomi, transcon-	
tinental occurrence of A1 and A2	
strains of, in Australia	. 1099
Pickett-Heaps, J. D.—	
See Marchant, H. J 265, 279, 11	87, 1199
Pinus elliottii, importance of high	
temperatures in the induction of the	
resting phase of	. 1351

$f_{\rm eff} = -i \epsilon \delta t$	PAGE
Pitman, M. G.—	
Uptake and transport of ions in	
barley seedlings. II. Evidence for two	
active stages in transport to the shoot	
Uptake and transport of ions in	
barley seedlings. III. Correlation	
between transport to the shoot and	
relative growth rate	905
See also Cram, W. J	1125
Plant competition medicated by host-	1120
specific parasites—a simple model	<b>749</b>
Podocarpus nivalis and P. hallii,	110
toxic substance from	
the leaves of	1025
Pratt, B. H., Heather, W. A., and	1020
Shepherd, C. J.—	
Transcontinental occurrence of A1	
and A2 strains of <i>Phytophthora</i>	1000
cinnamomi in Australia	1099
Pratt, B. H., Sedgley, J. H., Heather,	
W. A., and Shepherd, C. J.—	
Oospore production in Phytophthora	
cinnamomi in the presence of	
Trichoderma koningii	861
Puccinia graminis f. sp. tritici,	
chromosome location and linkage	
studies in wheat, for reaction to $\dots$	765
Puccinia graminis, role of wild	
cultivated grasses in the hybridiza-	
tion of formae speciales of	335
Pyra praeputialis, structure of the heart	
of	645
Quercus, conductive capacities of veins	
in expanding leves of	425
Rabbit doe during early pregnancy,	
changes in acid and alkaline	
phosphatase activities in the uterus	
and oviduct of	387
Rabbit, oestrous, effects of fasting on	001
oestrus and ovulation in	397
Rabbit protein, entry of selenium into,	001
following administration of Na <sub>2</sub> <sup>75</sup> SeO <sub>3</sub>	865
Rabbits, effect of pregnancy in, on the	000
excretion of sulphobromophthalein	1101
in bile	1101
Ram spermatozoa, effects of buffers and	
inorganic and organic sodium salts in	
synthetic diluents for the storage of,	0.0-
at 37 or 5°C	-367

	PAGE
Ram spermatozoa, effects of compos	ition
of diluent, method of addition of	
glycerol, freezing rate, and storage	<b>a</b> .
temperature on the revival of, after	
deep freezing	379
Ram spermatozoa, frozen by pellet	0.0
method, effect of composition of	
Tris-based diluent and of thawing	
	805
solution on survival of	605
Rams, output of spermatozoa in.	951 950
	351, 359
Rantilla, C. K.—	1001
See Fernandes, N. S	1381
Rat brain, myelinating, ethanolamin	
phospholipid metabolism in	125
Rat liver, preneoplastic, control of	
glucose-metabolizing enzymes in	1215
Rat, significance of hormones, bile sa	
and feeding in the regulation of bi	
and other digestive secretions in the	he 147
Rawson, H. M.—	
See Bremner, P. M	921
Reis, P. J., and Colebrook, W. F	
The utilization of abomasal supple	-
ments of proteins and amino acids	s by
sheep with special reference to wo	ol
$\operatorname{growth}$	1057
Rice spikelet, vascular tissue and	
transfer cell distribution in the	411
Richards, G. N.—	
See Dekker, R. F. H.	1377
See Gillman, L. Rosemary	1005
Richmond, A. E.—	
See Mizrahi, Y	437
Rienits, K. G.—	
See Jeffrey, P. L.	115
Rigby, B. J., and Hafey, M.—	110
Thermal properties of the collagen	of
jellyfish (Aurelia coerulea) and the	
relation to its thermal behaviour	1361
Robards, G. E.—	1501
See Williams, A. J.	1269
Roberts, J.—	1203
	610
See Agar, N. S	619
Robinson, W. T.—	1965
See Fergusson, J. E	1365
Rodley, G. A.—	1905
See Fergusson, J. E	1365
Rose, D. A.—	000 007
See Hackett, C	669, 681
Roskams, M. A.—	
See Evans, L. T	1
Ross, D. R.—	1
See Imrie, B. C.	343

	PAGE
Russell, G. B., Fenemore, P. G., and Singh, P.—	
Insect-control chemicals from plants.	
Nagilactone C, a toxic substance from	
the leaves of <i>Podocarpus nivalis</i> and	
P. hallii	1025
Rungie, J. M., and Wiskich, J. T	
Characterization of electron	
transport in turnip microsomes	89
Changes in microsomal electron	
transport of plant storage tissues	
induced by slicing and aging	103
induced by sheing and aging	100
Salamon, S., and Visser, D.—	
Effect of composition of Tris-based	
diluent and of thawing solution on	
survival of ram spermatozoa frozen	
	605
by the pellet method	000
Salisbury, G. W.—	175
See Blackshaw, A. W	175
Saville, D. G.—	1269
See Williams, A. J	1209
Sawyer, W. H.—	0.40
See McKenzie, H. A	949
Schizophyllum commune, genetic studies	
of a dome mutant and its suppressor	
gene in	757
Scott, B. I. H., and Gulline, H. F	
Natural and forced circadian	
oscillations in the leaf of <i>Trifolium</i>	61
<i>repens</i>	61
Scott, T. W	205
See Faichney, G. J	205
See Mills, S. C	807
Sedgley, J. H.—	0.61
See Pratt, B. H	861
Segal, W.—	0.07
See Mead, R. J	327
Segal, W.—	105
See Wysocki, S. J.	125
Setaria sphacelata, effect of mineral	
nutrient deficiency on the content of	
free amino acids in	77
Sharry, L. F.—	
See Mills, S. C	807
Shaw, H. M., and Heath, T.—	
Effect of pregnancy on the excretion	
of sulphobromophthalein in bile	1101
Shaw, H. M., and Heath, T.—	
The significance of hormones, bile salts	,
and feeding in the regulation of bile an	
other digestive secretions in the rat $\dots$	. 147
Sheep, erythrocyte glutathione	
polymorphism in	619

I	PAGE
Sheep, estimation of the total entry rate	
and resynthesis of glucose in	1313
Sheep, Merino, metabolism of cystine	1999
by. I, II 1259,	1269
Sheep, metabolism of [ <sup>14</sup> C]formaldehyde	
when fed as an aldehyde-casein-oil	5 (E.S.)
	807
Sheep ova, fertilization of, following	
mechanical penetration of the zona	
pellucida	433
Sheep, pancreatic exocrine secretion and	
	405
Sheep, plasma glucagon concentrations	
	1277
Sheep, polymeric form of haemoglobin-	
binding protein in, following meta-	
bolic and hormonal disturbance	941
Sheep, regulation of output of electro-	
lytes in bile and pancreatic juice in	155
Sheep, role of parainfluenza type 3 virus	
in pneumonia in	319
Sheep, sulphur metabolism and	
excretion studies in. V, VI, VII, VIII,	, IX,
X, XI 185, 195, 817, 835, 1073, 1087,	1299
Sheep, tinctorial differentiation of the	19.3 × 1.4
cell types in the pars anterior of	1249
Sheep, utilization of abomasal supple-	11. A. J.
ments of proteins and amino acids by	1057
Shepherd, C. J.—	
	1099
Shepherd, K. R.—	
See Slee, M. U	1351
Simmonds, D. H.—	
See Fulcher, R. G.	487
Singh, P.—	
See Russell, G. B	1025
Slatyer, R. O.—	
See Jones, H. G	443
Slee, M. U., and Shepherd, K. R.—	
The importance of high temperatures	
in the induction of the resting phase	
	1351
Sohrab, M.—	
Effect of colchicine on pre-implanta-	
tion blastocysts and 10-day-old	
	1105
Sorghum, apparent effect of the $N$ gene	
of, on incidence of infection by a	
"Johnson grass" of sugar-cane mosaic	
virus	873
Spirodela oligorrhiza, phosphorus-	
deficient, external location of	×
phosphatase activity in	707

## INDEX

P.	4	G.

Steers, incorporation of linoleic acid into	207
the tissues of	<b>205</b>
Stevenson, Anne E., and Holmes, I. H	
Electron microscopy of Koongol group	
arboviruses	53
Stevenson, I.—	
Ultrastructure of nuclear division in	
Paramecium aurelia. III. Meiosis in	
the micronucleus during conjugation	775
St. George, T. D., and Liefman, C. E	
A field experiment to assess the role of	
parainfluenza type 3 virus in pneumonia	
in a flock of sheep in Victoria	319
Stephenson, S. K.—	, i
	1259
Stretton, Helena M., and Flentje, N. T	
Inter-isolate heterokaryosis in	
Thanatephorus cucumeris.	
I. Between isolates of similar	
pathogenicity	293 '
II. Between isolates of different	200
pathogenicity	305
Subterranean clover plants, contribu-	303
tion by leaves of different age to new	
growth of, following the removal of a	1
sulphur stress. I, II	157
Sugar-cane mosaic virus, "Johnson	
grass" strain of, apparent effect of	_
the N gene of sorghum on the	
incidence of infection by	873
Swede storage tissue, changes in micro-	· ·
somal electron transport, induced by	
slicing and aging	103
Swift, J. G., and O'Brien, T. P	2
The fine structure of the wheat	
scutellum before germination	9
The fine structure of the wheat	2
scutellum during germination	469
	1
Tachyglossus aculeatus aculeatus,	
amino acid sequence of the $\beta$ -chain of	]
haemoglobin from	989
Tassell, Robin, and Kennedy, J. P.—	
Tinctorial differentiation of the cell	
types in the pars anterior of the	Ţ
	1249
Tay, D. K. C., and Findlay, G. P	7
Permeability of the duodenum of the	
toad to non-electrolytes	931
Teakle, D. S., and Moore, R. F.—	
Apparent effect of the $N$ gene of	
sorghum on incidence of infection by	
a "Johnson grass" strain of sugar-	
	873
cane mosaic virus	010

łΕ		PAGE
)5	Termite mounds, non-soil constituents	1005
	Thanatephorus cucumeris, heterokaryon	
	formation and genetic recombination	
53	between auxotrophic and morphol-	
	ogical mutants of	739
	Thanatephorus cucumeris, inter-isolate	
		93, 305
15	Thomas, D. A.—	,
	The regulation of stomatal aperture	
	in tobacco leaf epidermal strips.	
	IV. The effect of bicarbonate/carbon	
9	dioxide	877
	Thompson, E. O. P.—	011
59	See Whittaker, R. G	989
	Thomson, R. W.—	909
	See Orwin, D. F. G	F 70
	-	573
	Thornton, R. F.—	1000
	See Bird, P. R	1299
3	Thwaites, C. J.—	
2	The time course of embryonic	
5	$resorption in the ewe \dots \dots \dots$	597
	Tiku, J. L.—	
	See Macmillan, K. L	1039
	Titmanis, Z.—	
7	See Bouma, D	1157
	Toad duodenum, permeability of, to	
	non-electrolytes	931
	Tobacco leaf epidermal strips, regula-	
3	tion of stomatal aperture in. IV	877
	Tobacco, possible use of alternating	
	temperatures for the reduction of	
3	viruses in	429
•	Trichoderma koningii, oospore production	
	in Phytophthora cinnamomi in the	L
9	presence of	861
0	-	801
9	Trifolium repens, natural and forced	61
9	circadian oscillations in the leaf of	61
	Turnip microsomes, characterization of	
	electron transport in	89
	Turnip storage tissue, changes in	
9	microsomal electron transport,	
	induced by slicing and aging	103
	Van Steveninck, R. F. M.—	
9	See Mittelheuser, Cathryn J.	517
	Van Steveninck, R. F. M., and	
	Chenoweth, A. R. F.—	
1	Ultrastructural localization of ions.	
	I. Effect of high external sodium	
	chloride concentration on the	
	apparent distribution of chloride in	
	leaf parenchyma cells of barley	
3	seedlings	499
-	······································	100

	PAGE	
Vicia faba, aspects of potassium		
accumulation by stomata of	1107	
Vicia faba, role of phytochrome in the		
closing movements of pinnules and		
of stomata of	<b>885</b>	
Visser, D.—		
See Salamon, S	605	
Vitamin B <sub>12</sub> structures, significance of		
the orientation of coordinated		
imidazole and benzimidazole groups		

.. .. .. .. .. 1365

 $\mathbf{in}$ 

Watson, I. A.—	
See Luig, N. H	335
Wheat, aleurone layer of, studies on. I	<b>23</b>
Wheat apex, effect of day length on	
primordia production of the	649
Wheat, cytogenetical studies in. VI	765
Wheat, distribution of assimilate during	
stem elongation in	455
Wheat ear, accumulation of dry matter	
and nitrogen by grains in different	
positions of the	657
Wheat ear, fixation of <sup>14</sup> CO <sub>2</sub> by flowering	
and non-flowering glumes of	921
Wheat, greening, relationship of photo-	
synthetic effectiveness of different	
kinds of light to chlorophyll content	
and chloroplast structure in	215
Wheat leaf, transverse veins of	721
Wheat, light-induced effects of Tris on	
the ultrastructure of leaf tissue of	517
Wheat, pattern of grain set within ears	
of	1
Wheat roots, morphological effects of	
locally applied nitrate on the branching	
	1169
Wheat scutellum, fine structure of,	
before germination	9
Wheat scutellum, fine structure of,	v
during germination	469
Whiteley, K. J.—	100
See Campbell, M. E	977
Whitmore, P. G.—	511
Microfibrillar material from various	
sources of konstin	1373
	1010

	PAGE
Whittaker, R. G., Fisher, W. K., and	
Thompson, E. O. P.—	
Studies on monotreme proteins. I.	
Amino acid sequence of the $\beta$ -chain	
of haemoglobin from the echidna,	
Tachyglossus aculeatus aculeatus	989
Williams, A. J., Leng, R. A., and	000
Stephenson, S. K.—	
Metabolism of cystine by Merino	
sheep genetically different in wool	
production. I. Comparison of the	
entry rates of cystine in sheep from	
flocks selectively bred for high and	1050
low fleece weight	1259
Williams, A. J., Robards, G. E., and	
Saville, D. G.—	
Metabolism of cystine by Merino	
sheep genetically different in wool	
production. II. The responses in	
wool growth to abomasal infusion of	
L-cystine or DL-methionine	1269
Williams, J. F.—	
See Irving, M. G	1215
Williams, W. T.—	
See Court, R. D	77
Wills, R. B. H.—	
See McGlasson, W. B.	<b>35</b>
Wilson, G. L.—	
See Ludlow, M. M	1133
Wiskich, J. T.—	
	9, 103
Wong, C. H., and McComb, A. J	
Control of growth in <i>Callitriche</i> shoots	
by growth retardants and gibberellic	
acid	637
Wool, chemical composition of. X, XI	
$\dots$ $\dots$ $\dots$ $1225$	, 1235
Wool follicle, distribution of coated	
vesicles in keratinizing cells of the	573
Wools, high- and low-crimp,	
compositional studies of	977
Wysocki, S. J., and Segal, W.—	
Ethanolamine phospholipid meta-	
bolism in myelinating rat brain	125
, <u> </u>	
Zee, SY.—	
Vascular tissue and transfer cell	
distribution in the rice spikelet	411
See also Kuo, J.	721

## 1395

