

Index to Volume 52

Authors and Titles

- Adam P
See Griffith SJ *et al.* 93
- Adkins SW
See Allan SM *et al.* 345, 559
- Akimoto M
See Zhang JM *et al.* 799
- Allan SM, Adkins SW, Preston CA, Bellairs SM
Corrigendum to: Improved germination of the Australian natives:
Hibbertia commutata, *Hibbertia amplexicaulis* (Dilleniaceae),
Chamaescilla corymbosa (Liliaceae) and *Leucopogon nutans*
(Epacridaceae) 559
- Allan SM, Adkins SW, Preston CA, Bellairs SM
Improved germination of the Australian natives: *Hibbertia*
commutata, *Hibbertia amplexicaulis* (Dilleniaceae),
Chamaescilla corymbosa (Liliaceae) and *Leucopogon nutans*
(Epacridaceae) 345
- Allen GR
See Rapley LP *et al.* 747
- Arambarri AM
See Stenglein SA *et al.* 73
- Attiwill PM, Martinelli LW
The first 50 years of the *Australian Journal of Botany* 1
- Backhouse D
See Neumann MJ *et al.* 543
- Balatti PA
See Stenglein SA *et al.* 73
- Bale CL
See Griffith SJ *et al.* 93
- Balmer J
See Lynch AJJ *et al.* 619
- Banks MA
See Carpenter RJ *et al.* 685
- Barnes RW
See Poole I *et al.* 739
- Batalha MA, Martins FR
Reproductive phenology of the cerrado plant community in Emas
National Park (central Brazil) 149
- Batista F, Bouza N, González-Pérez A, Caujapé-Castells J, Sosa PA
Genetic variation within and between populations of two
endangered endemic species of the laurel forest from the Canary
Islands, *Myrica rivas-martinezii* (Myricaceae) and *Sideritis*
discolor (Lamiaceae) 471
- Battaglia M
See Close DC *et al.* 133
- Beadle CL
See Close DC *et al.* 133
- Belehu T, Hammes PS, Robbertse PJ
The origin and structure of adventitious roots in sweet potato
(*Ipomoea batatas*) 551
- Bell DM, Clarke PJ
Seed-bank dynamics of *Eleocharis*: can spatial and temporal
variability explain habitat segregation? 119
- Bellairs SM
See Allan SM *et al.* 345, 559
- Bergstrom DM
See Hall JA *et al.* 333
- Bouza N
See Batista F *et al.* 471
- Bova AS
See Dickinson MB *et al.* 757
- Bowman DMJS
See Prior LD *et al.* 303
See Vigilante T *et al.* 381, 405
- Broadhurst L, Byrne M, Craven L, Lepschi B
Genetic congruence with new species boundaries in the *Melaleuca*
uncinata complex (Myrtaceae) 729
- Brodrribb T
See Jordan GJ *et al.* 765
- Bruzzone L
See Passarelli L *et al.* 659
- Bujang D
See Osunkoya OO *et al.* 499
- Burgess LW
See Neumann MJ *et al.* 543
- Byrne M
See Broadhurst L *et al.* 729
- Byrne M, Hines B
Phylogeographical analysis of cpDNA variation in *Eucalyptus*
loxophleba (Myrtaceae) 459
- Cairney JWG
See Midgley DJ *et al.* 63
- Caligari PDS
See Sinha A *et al.* 669
- Carpenter RJ, Hill RS, Greenwood DR, Partridge AD, Banks MA
No snow in the mountains: Early Eocene plant fossils from Hotham
Heights, Victoria, Australia 685
- Carter DA
See Neumann MJ *et al.* 543
- Caujapé-Castells J
See Batista F *et al.* 471
- Chambers SM
See Midgley DJ *et al.* 63
- Chang J
See Yue C *et al.* 171
- Chu PWG
See Godfree RC *et al.* 321
- Clarke PJ
See Bell DM *et al.* 119
- Close DC, Battaglia M, Davidson NJ, Beadle CL
Within-canopy gradients of nitrogen and photosynthetic activity of
Eucalyptus nitens and *Eucalyptus globulus* in response to
nitrogen nutrition 133
- Coates F
See Huynh TT *et al.* 231
- Cochrane A
See Shearer BL *et al.* 435
- Cody ML, Cody TWD
Morphology and spatial distribution of alien sea-rocket (*Cakile*
spp.) on South Australian and Western Canadian beaches 175
- Cody TWD
See Cody ML *et al.* 175
- Cole IA, Lunt ID, Koen TB
Effects of soil disturbance, weed control and mulch treatments on
establishment of *Themeda triandra* (Poaceae) in a degraded
white box (*Eucalyptus albens*) woodland in central western New
South Wales 629
- Colquhoun IJ
See D'Souza NK *et al.* 267
- Considine JA
See Ma X *et al.* 55

- Crane CE
See Shearer BL et al. 435
- Craven L
See Broadhurst L et al. 729
- Cunningham SA
See Duncan DH et al. 185
- Davidson NJ
See Close DC et al. 133
- Dickinson MB, Jolliff J, Bova AS
 Vascular cambium necrosis in forest fires: using hyperbolic temperature regimes to estimate parameters of a tissue-response model 757
- Dixon KW
See Panaia M et al. 257
- Dong M
See Huang Z et al. 519
- Drinnan AN
See Kremer CL et al. 243
- D'Souza NK, Colquhoun IJ, Shearer BL, Hardy GE St J
 The potential of five Western Australian native *Acacia* species for biological control of *Phytophthora cinnamomi* 267
- Duncan DH, Nicotra AB, Cunningham SA
 High self-pollen transfer and low fruit set in buzz-pollinated *Dianella revoluta* (Phormiaceae) 185
- Eamus D
See McClenahan K et al. 509
See McPherson S et al. 293
See Prior LD et al. 303
- Enrico L
See Gurvich DE et al. 647
- Fairfax RJ
See Fensham RJ et al. 583, 719
- Fensham RJ, Fairfax RJ, Pocknee D, Kelley J
 Vegetation patterns in permanent spring wetlands of arid Australia 719
- Fensham RJ, Fairfax RJ, Sharpe PR
 Spring wetlands in semi-arid Queensland: floristics, environmental relations, classification and conservation values 583
- Fletcher TD
See Keatley MR et al. 47
- French K
See Hill SJ et al. 23
- Funes G
See Gurvich DE et al. 647
- Godfree RC, Chu PWG, Woods MJ
 White clover (*Trifolium repens*) and associated viruses in the subalpine region of south-eastern Australia: implications for GMO risk assessment 321
- González-Pérez A
See Batista F et al. 471
- Gore P
See Patterson B et al. 781
- Gosper CR
 Fruit characteristics of invasive bitou bush, *Chrysanthemoides monilifera* (Asteraceae), and a comparison with co-occurring native plant species 223
- Greenwood DR
See Carpenter RJ et al. 685
- Griffith SJ, Bale CL, Adam P
 The influence of fire and rainfall upon seedling recruitment in sand-mass (wallum) heathland of north-eastern New South Wales 93
- Guest DI
See Reiter N et al. 425
- Gurvich DE, Enrico L, Funes G, Zak MR
 Seed mass, seed production, germination and seedling traits in two phenological types of *Bidens pilosa* (Asteraceae) 647
- Guterman Y
See Huang Z et al. 519
- Hall JA, Walter GH, Bergstrom DM, Machin P
 Pollination ecology of the Australian cycad *Lepidozamia peroffskyana* (Zamiaceae) 333
- Hammes PS
See Belehu T et al. 551
- Hardy GE St J
See D'Souza NK et al. 267
- Hill RS
See Carpenter RJ et al. 685
- Hill SJ, French K
 Potential impacts of fire and grazing in an endangered ecological community: plant composition and shrub and eucalypt regeneration in Cumberland Plain Woodland 23
- Hilu KW
 Phylogenetics and chromosomal evolution in the Poaceae (grasses) 13
- Hines B
See Byrne M et al. 459
- Hingston AB, McQuillan PB, Potts BM
 Pollinators in seed orchards of *Eucalyptus nitens* (Myrtaceae) 209
- Hingston AB, Potts BM, McQuillan PB
 Pollination services provided by various size classes of flower visitors to *Eucalyptus globulus* ssp. *globulus* (Myrtaceae) 353
- Hingston AB, Potts BM, McQuillan PB
 The swift parrot, *Lathamus discolor* (Psittacidae), social bees (Apidae) and native insects as pollinators of *Eucalyptus globulus* ssp. *globulus* (Myrtaceae) 371
- Holige TM
See Osunkoya OO et al. 499
- Hongo A
See Zhang JM et al. 799
- Huang X
See Ma G et al. 81
- Huang Z, Dong M, Guterman Y
 Caryopsis dormancy, germination and seedling emergence in sand-of *Leymus racemosus* (Poaceae), a perennial sand-dune grass inhabiting the Junggar Basin of Xinjiang, China 519
- Hudson I
See Keatley MR et al. 47
- Huynh TT, McLean CB, Coates F, Lawrie AC
 Effect of developmental stage and peloton morphology on success in isolation of mycorrhizal fungi in *Caladenia formosa* (Orchidaceae) 231
- Johnston FM, Pickering CM
 Effect of altitude on resource allocation for the weed *Achillea millefolium* (yarrow, Asteraceae) in the Australian Alps 639
- Jolliff J
See Dickinson MB et al. 757
- Jordan GJ, Brodribb T, Loney PE
 Water loss physiology and the evolution within the Tasmanian conifer genus *Athrotaxis* (Cupressaceae) 765

- Kaga A
See Saravanakumar P et al. 417
- Keatley MR, Hudson I, Fletcher TD
 Long-term flowering synchrony of box-ironbark eucalypts 47
- Kelley J
See Fensham RJ et al. 719
- Kirkpatrick JB
See Leeson KE et al. 39
See Leonard SWJ et al. 529
- Kirkpatrick JB
 Vegetation change in an urban grassy woodland 1974–2000 597
- Koen TB
See Cole IA et al. 629
- Korczynskyj D
See Lamont BB et al. 561
- Kremer CL, Drinnan AN
 Secondary walls in hyaline cells of *Sphagnum* 243
- Lamont BB, Wittkuhn R, Korczynskyj D
Turner Review No. 8. Ecology and ecophysiology of grasstrees 561
- de Lange PJ, Murray BG
 Chromosome numbers in *Kunzea* (Myrtaceae) 609
- Lawrie AC
See Huynh TT et al. 231
- Leeson KE, Kirkpatrick JB
 Ecological and physiological explanations for the restriction of a Tasmanian species of *Ozothamnus* to a single population 39
- Leishman MR
See Thomson VP et al. 141
- Leonard SWJ, Kirkpatrick JB
 Effects of grazing management and environmental factors on native grassland and grassy woodland, Northern Midlands, Tasmania 529
- Lepachi B
See Broadhurst L et al. 729
- Loney PE
See Jordan GJ et al. 765
- Lunt ID
See Cole IA et al. 629
See Spooner PG et al. 445
- Lynch AJJ, Balmer J
 The ecology, phytosociology and stand structure of an ancient endemic plant *Lomatia tasmanica* (Proteaceae) approaching extinction 619
- Ma G, Huang X, Zhao N, Xu Q
 Apospory in *Paspalum thunbergii* 81
- Ma X, Considine JA, Yan G
 Chloroplast DNA variation and inheritance in waxflowers (Myrtaceae) 55
- Machin P
See Hall JA et al. 333
- Macinnis-Ng C
See McClenahan K et al. 509
- Malo JE
 Potential ballistic dispersal of *Cytisus scoparius* (Fabaceae) seeds 653
- Martinelli LW
See Attiwill PM et al. 1
- Martins FR
See Batalha MA et al. 149
- Mather PB
See Prentis PJ et al. 201
- Mathiasen RL
See Shaw DC et al. 481
- McClennahan K, Macinnis-Ng C, Eamus D
 Hydraulic architecture and water relations of several species at diverse sites around Sydney 509
- McDougall KL, Wright GT
 The impact of trampling on feldmark vegetation in Kosciuszko National Park, Australia 315
- McLean CB
See Huynh TT et al. 231
- McPherson S, Eamus D, Murray BR
 Seasonal impacts on leaf attributes of several tree species growing in three diverse ecosystems of south-eastern Australia 293
- McQuillan PB
See Hingston AB et al. 209, 353, 371
- Meyers NM
See Prentis PJ et al. 201
- Midgley DJ, Chambers SM, Cairney JWG
 Inorganic and organic substrates as sources of nitrogen and phosphorus for multiple genotypes of two ericoid mycorrhizal fungal taxa from *Woolssia pungens* and *Leucopogon parviflorus* (Ericaceae) 63
- Moksin H
See Osunkoya OO et al. 499
- Murray BG
See de Lange PJ et al. 609
- Murray BR
See McPherson S et al. 293
- Neumann MJ, Backhouse D, Carter DA, Summerell BA, Burgess LW
 Genetic structure of populations of *Fusarium proliferatum* in soils associated with *Livistona mariae* palms in Little Palm Creek, Northern Territory, Australia 543
- Nicotra AB
See Duncan DH et al. 185
- Oliveira DMT
See Paiva EAS et al. 677
- Osunkoya OO, Bujang D, Moksin H, Wimmer FL, Holige TM
 Leaf properties and construction costs of common, co-occurring plant species of disturbed heath forest in Borneo 499
- Paiva EAS, Oliveira DMT
 Ontogenesis of the fruit pulp layer of *Hymenaea stigonocarpa* (Fabaceae: Caesalpinioidae) 677
- Panaia M, Senaratna T, Dixon KW, Sivasithamparam K
 The role of cytokinins and thidiazuron in the stimulation of somatic embryogenesis in key members of the Restionaceae 257
- Partridge AD
See Carpenter RJ et al. 685
- Passarelli L, Bruzzone L
 Significance of floral colour and scent in three *Solanum* sect. *Cyphomandropsis* species (Solanaceae) with different floral rewards 659
- Patterson B, Gore P, Potts BM, Vaillancourt RE
 Advances in pollination techniques for large-scale seed production in *Eucalyptus globulus* 781
- Patterson B, Vaillancourt RE, Pilbeam DJ, Potts BM
 Factors affecting variation in outcrossing rate in *Eucalyptus globulus* 773
- Pickering CM
See Johnston FM et al. 639
- Pilbeam DJ
See Patterson B et al. 773

- Pocknee D
See Fensham RJ *et al.* 719
- Poole I, Barnes RW
Comparative wood anatomy of *Eucryphia wilkiei* and *E. jinksii* (Cunoniaceae): two narrow endemics from Queensland, Australia 739
- Potts BM
See Hingston AB *et al.* 209, 353, 371
See Patterson B *et al.* 773, 781
See Patterson B *et al.*
See Rapley LP *et al.* 747
See Williams DR *et al.* 281
- Prender G
Floral development in *Daviesia cordata* (Leguminosae: Papilionoideae: Mirbeliae) and its systematic implications 285
- Prentis PJ, Vesey A, Meyers NM, Mather PB
Genetic structuring of the stream lily *Helmholzia glaberrima* (Philydraceae) within Toolona Creek, south-eastern Queensland 201
- Preston CA
See Allan SM *et al.* 345, 559
- Prior LD, Eamus D, Bowman DMJS
Tree growth rates in north Australian savanna habitats: seasonal patterns and correlations with leaf attributes 303
- Rapley LP, Allen GR, Potts BM
Genetic variation in *Eucalyptus globulus* in relation to susceptibility from attack by the southern eucalypt leaf beetle, *Chrysophtharta agricola* 747
- Reiter N, Weste G, Guest DI
The risk of extinction resulting from disease caused by *Phytophthora cinnamomi* to endangered, vulnerable or rare plant species endemic to the Grampians, Western Victoria 425
- Robbertse PJ
See Belehu T *et al.* 551
- Saffer VM
Are diel patterns of nectar production and anthesis associated with other floral traits in plants visited by potential bird and mammal pollinators? 87
- Saravanakumar P, Kaga A, Tomooka N, Vaughan DA
AFLP and RAPD analyses of intra- and interspecific variation in some *Vigna* subgenus *Ceratotropis* (Leguminosae) species 417
- Senaratna T
See Panaia M *et al.* 257
- Sharpe PR
See Fensham RJ *et al.* 583
- Shaw DC, Watson DM, Mathiasen RL
Comparison of dwarf mistletoes (*Arceuthobium* spp., Viscaceae) in the western United States with mistletoes (*Amyema* spp., Loranthaceae) in Australia—ecological analogs and reciprocal models for ecosystem management 481
- Shearer BL, Crane CE, Cochrane A
Quantification of the susceptibility of the native flora of the South-West Botanical Province, Western Australia, to *Phytophthora cinnamomi* 435
- Shearer BL
See D'Souza NK *et al.* 267
- Sinha A, Caligari PDS
Aspects of isolation underpinning mitotic behaviour in lupin protoplasts 669
- Sivasithamparam K
See Panaia M *et al.* 257
- Smethurst PJ
See Williams DR *et al.* 281
- Sosa PA
See Batista F *et al.* 471
- Spooner PG, Lunt ID
The influence of land-use history on roadside conservation values in an Australian agricultural landscape 445
- Stenglein SA, Arambbari AM, Vizgarra AN, Balatti PA
Micromorphological variability of leaf epidermis in Mesoamerican common bean (*Phaseolus vulgaris*, Leguminosae) 73
- Summerell BA
See Neumann MJ *et al.* 543
- Thomson VP, Leishman MR
Survival of native plants of Hawkesbury sandstone communities with additional nutrients: effect of plant age and habitat 141
- Tierney DA
Towards an understanding of population change for the long-lived resprouting tree *Angophora inopina* (Myrtaceae) 31
- Tomooka N
See Saravanakumar P *et al.* 417
- Tyagi AP
Precipitation effect on flowering and propagule setting in mangroves of the family Rhizophoraceae 789
- Vaillancourt RE
See Patterson B *et al.* 773, 781
- Vaughan DA
See Saravanakumar P *et al.* 417
- Vesey A
See Prentis PJ *et al.* 201
- Vigilante T, Bowman DMJS
Effects of fire history on the structure and floristic composition of woody vegetation around Kalumburu, North Kimberley, Australia: a landscape-scale natural experiment 381
- Effects of individual fire events on the flower production of fruit-bearing tree species, with reference to Aboriginal people's management and use, at Kalumburu, North Kimberley, Australia 405
- Vizgarra AN
See Stenglein SA *et al.* 73
- Walter G
See Hall JA *et al.* 333
- Wang Ku
See Yue C *et al.* 171
- Watson DM
See Shaw DC *et al.* 481
- Weste G
See Reiter N *et al.* 425
- Williams DR, Potts BM, Smethurst PJ
Short Communication. Phosphorus fertiliser can induce earlier vegetative phase change in *Eucalyptus nitens* 281
- Wimmer FL
See Osunkoya OO *et al.* 499
- Wittkuhn R
See Lamont BB *et al.* 561
- Woodall GS
Cracking the woody endocarp of *Santalum spicatum* nuts by wetting and rapid drying improves germination 163
- Woods MJ
See Godfree RC *et al.* 321
- Wooller RD
See Wooller SJ *et al.* 195

- Wooller SJ, Wooller RD
Seed viability in relation of pollinator availability in *Banksia baxteri*
195
- Wright GT
See McDougall KL *et al.* 315
- Xu Q
See Ma G *et al.* 81
- Yan G
See Ma X *et al.* 55
- Yue C, Chang J, Wang Ku, Zhu Y
Response of clonal growth in *Phyllostachys praecox* cv. *prevernalis*
to changing light intensity 171
- Zak MR
See Gurvich DE *et al.* 647
- Zhang JM, Hongo A, Akimoto M
Physical strength and its relation to leaf anatomical characteristics
of nine forage grasses 799
- Zhao N
See Ma G *et al.* 81
- Zhu Y
See Yue C *et al.* 171