CSIRO PUBLISHING

Marine Freshwater Research

Volume 48, 1997 © CSIRO Australia 1997

A journal for the publication of original contributions in physical oceanography, marine chemistry, marine and estuarine biology and limnology

www.publish.csiro.au/journals/mfr

All enquiries and manuscripts should be directed to Marine and Freshwater Research CSIRO PUBLISHING PO Box 1139 (150 Oxford St) Collingwood Telephone: 61 3 9662 7618 Vic. 3066 Facsimile: 61 3 9662 7611 Australia Email: ann.grant@publish.csiro.au



Published by **CSIRO** PUBLISHING for CSIRO Australia and the Australian Academy of Science



Academy of Science

Authors and Titles

Index to Volume 48 (1997)

Acosta C A, Butler M J IV Role of mangrove habitat as a nursery for juvenile spiny lobster, Panulirus argus, in Belize. 721 Addison J T Lobster stock assessment: report from a workshop; I. 941 Addison J T, Bell M C Simulation modelling of capture processes in trap fisheries for clawed lobsters. 1035 Annala J H. Sullivan K J Management strategies in lobster fisheries: report from a workshop. 1081 Arnold T N, Oldham C E Trace-element contamination of a shallow wetland in Western Australia, 531 Baker P. See Webster I T et al. 541 and Bormans M et al. 647 Baldwin J. See Wells R M G et al. 303 Bales M. See Casanova M T et al. 353 Bax N J. See Griffin D A et al. 27 Begg G A, Cameron D, Sawynok W Movements and stock structure of school mackerel (Scomberomorus queenslandicus) and spotted mackerel (S. munroi) in Australian east-coast waters 295 Begg G A, Hopper G A Feeding patterns of school mackerel (Scomberomorus queenslandicus) and spotted mackerel (S. munroi) in Queensland east-coast waters 565 Bell M C. See Addison J T et al. 1035 Bellamy P, Hunter K A Accumulation of ²¹⁰Po by spiny dogfish (Squalus acanthias), elephant fish (Callorhinchus milii) and red gurnard (Chelodonichthys kumu) in New Zealand shelf waters. 229 Bellgrove A, Clayton M N , Quinn G P Effects of secondarily treated sewage effluent on intertidal macroalgal recruitment processes. 137 Berry PF, Playford PE The biology of Fragum erugatum (Mollusca, Bivalvia, Cardiidae) in relation to deposition of the Hamelin Coquina, Shark Bay, Western Australia 415 Bird F L. See Boon P L et al. 503 Boon PI, Bird FL, Bunn SE Diet of the intertidal callianassid shrimps, Biffarius arenosus and Trypea australiensis (Decapoda : Thalassinidea) in Western Port (southern Australia), determined with multiple stable-isotope analyses. 503 Booth J D. See Cobb J S et al. 797 and Ovenden J R et al. 1131 Bormans M, Maier H, Burch M, Baker P Temperature stratification in the lower River Murray, Australia: implication for cyanobacterial bloom development 647 Boulton A J. See Paltridge R M et al. 633 Bourne P K. See Spanoghe P T et al. 839 Bradford R W. See Griffin D A et al. 27 Bramley R G V. See Mitchell A W et al. 79

Breen PA, Kendrick TH A fisheries management success story: the Gisborne, New Zealand, fishery for red rock lobsters (Jasus edwardsii), 1103 Breen PA. See also Starr P et al. 1093 Briones-Fourzán P, McWilliam P S Puerulus of the spiny lobster Panulirus guttatus (Latreille, 1804) (Palinuridae) 699 Broadhurst M K, Kennelly S J, O'Doherty G Specifications for the construction and installation of two by-catch reducing devices (BRDs) used in New South Wales prawntrawl fisheries 485 Brock M A. See Casanova M T et al. 353 Brodie J E. See Chiswell R K et al. 287 Brogueira M J. See Cabeçadas G et al. 559 Brown B E. See Davies J M et al. 513 Brown R S. See Melville-Smith R et al. 959 Bunn S E, Davies P M, Kellaway D M Contributions of sugar cane and invasive pasture grass to the aquatic food web of a tropical lowland stream, 173 Bunn S E. See also Hancock M A et al. 361 and Boon P I et al. 503 Burch M. See Webster I T et al. 541 and Bormans M et al. 647 Burchett M D. See Howe E et al. 425 Burke C M, Knott B Homeostatic interactions between the benthic microbial communities and the waters of a hypersaline lake, Lake Hayward, Western Australia. 623 Butler M J IV Benthic processes in lobster ecology: report from a workshop. 659 Butler M J IV. See also Acosta C A et al. 721 and Herrnkind W F et al. 759 Cabeçadas G, Brogueira M J Sediments in a Portuguese coastal area pool sizes of mobile and immobile forms of nitrogen and phosphorus. 559 Cambridge M. See Pergent G et al. 421 Cameron A M. See Souter D W et al. 321 Cameron D. See Begg G A et al. 295 Cartes J E. See Sardà F et al. 73 Casanova M T, Douglas-Hill A, Brock M A, Muschal M, Bales M Farm ponds in New South Wales, Australia; relationship between macrophyte and phytoplankton abundance. 353 Castell L L Population studies of juvenile Trochus niloticus on a reef flat on the north-eastern Queensland coast, Australia. 211 Cheshire A C, Wilkinson C R, Seddon S, Westphalen G Bathymetric and seasonal changes in photosynthesis and respiration of the phototrophic sponge Phyllospongia lamellosa in comparison with the heterotrophic sponge Ianthella basta on Davies Reef, Great Barrier Reef 589 Chessman B C Growns I E Kotlash A R Objective derivation of macroinvertebrate family sensitivity grade numbers for the SIGNAL biotic index: application to the Hunter River system, New South Wales. 159

Chick A J. See Nielsen D L et al. 153 Childress M I Marine reserves and their effects on lobster populations: report from a workshop. 1111 Childress M J, Herrnkind W F Den sharing by juvenile Caribbean spiny lobsters (Panulirus argus) in nursery habitat: cooperation or coincidence? 751 Childress M J. See also Herrnkind W F et al. 759 Chiswell R K, Jones G B, Brodie J Investigations of the speciation of phosphorus in coastal and estuarine waters of the Great Barrier Reef, using iron strips and colorimetry. 287 Chubb C F. See Melville-Smith R et al. 577 Clancy M. See Cobb J S et al. 797 Clayton M N. See Bellgrove A et al. 137 Cobb J S Oceanic processes affecting lobster larvae: report from a workshop. 771 Cobb J S, Booth J D , Clancy M Recruitment strategies in lobsters and crabs: a comparison. 797 Cobb J S. See also Incze L S et al. 729 Cockcroft A C Biochemical composition as a growth predictor in male west-coast rock lobster (Jasus lalandii) 845 Cockcroft A C. See also Groeneveld J C et al. 993 Colgan D.J., Paxton J.R. Biochemical genetics and recognition of a western stock of the common gemfish, Rexea solandri (Scombroidea : Gempylidae), in Australia. 103 Conacher C A. See Kenyon R A et al. 335 Cox C, Hunt J H, Lyons W G, Davis G E Nocturnal foraging of the Caribbean spiny lobster (Panulirus argus) on offshore reefs of Florida, USA. 671 Creese R G. See Hooker S H et al. 903 Cribb T H. See Dove A D M et al. 181 Davies J.M. Dunne R.P. Brown B.E. Coral bleaching and elevated sea-water temperature in Milne Bay Province, Papua New Guinea, 1996. 513 Davies P M. See Bunn S E et al. 173 Davis G E. See Cox C et al. 671 Dennis D M, Skewes T D, Pitcher C R Habitat use and growth of juvenile ornate rock lobsters. Panulirus ornatus (Fabricius, 1798), in Torres Strait, Australia. 663 Dennis D M. See also Skewes T D et al. 497 and Skewes T D et al. 745 and Pitcher C R et al. 1059 Dennison W C. See Udy J W et al. 605 Diebel C E. See Jeffs A G et al. 681 Diggles B K, Ernst I Hooking mortality of two species of shallowwater reef fish caught by recreational angling methods 479 Dostine PL. See Paltridge R M et al. 633 Douglas-Hill A. See Casanova M T et al. 353 Dove A D M, Cribb T H, Mockler S P, Lintermans M The Asian fish tapeworm, Bothriocephalus acheilognathi, in Australian freshwater fishes. 181 Drew S C. See Kennelly S J et al. 185

Drollet J H, Teai T, Faucon M, Martin P M V
Field study of compensatory changes in UVabsorbing compounds in the mucus of the solitary coral *Fungia repanda* (Scleractinia : Fungiidae) in relation to solar UV radiation, sea-water temperature, and other coincident physico-chemical parameters. 329
Dunne R P. See Davies J M et al. 513

Dunstan B. See Jussila J et al. 863

Eggleston D B. See Lipcius R N et al. 807

Endean R. See Souter D W et al. 321

Ennis G P, Fogarty M J Recruitment overfishing reference point for the American lobster, *Homarus americanus*. 1029

Ernst I. See Diggles B K et al. 479 Evans C R, Opnai L J, Kare B D Fishery ecology and oceanography of the

prawn *Penaeus merguiensis* (de Man) in the Gulf of Papua: estimation of maximum sustainable yield and modelling of yield, effort and rainfall. 219

Evans L H. See Jussila J et al. 863 and Phillips B F et al. 899 Eyre B, France L

Importance of marine inputs to the sediment and nutrient load of coastal-plain estuaries: a case study of Pumicestone Passage, southeastern Queensland, Australia 277

Faucon M. See Drollet J H et al. 329

Fogarty M J. See Ennis G P et al. 1029
France L. See Eyre B et al. 277
Friberg N, Winterbourn M J
Effects of native and exotic forest on benthic stream biota in New Zealand: a colonization

study. 267
Frusher S D, Kennedy R B, Gibson I D
Precision of exploitation rate estimates in the
Tasmanian rock-lobster fishery based on
change-in-ratio techniques. 1069

Frusher S D. See also Macmillan D L et al. 19 Furlani D M

Development and ecology of ocean perch larvae, *Helicolenus percoides* (Richardson, 1842) (Pisces : Scorpaenidae), from southern Australian waters, with notes on the larvae of other sympatric scorpaenid genera. 311

Gagnon C D D. See Kennelly S J et al. 185 Gardner C

Effect of size on reproductive output of giant crabs *Pseudocarcinus gigas* (Lamark): Oziidae. 581

George R W

Tectonic plate movements and the evolution of *Jasus* and *Panulirus* spiny lobsters (Palinuridae) 1121

Gibbs M T, Marchesiello P, Middleton J H Nutrient enrichment of Jervis Bay, Australia, during the massive 1992 coccolithophorid bloom 473

- Gibson I D. See Frusher S et al. 1069
- Grauf S G. See Paterson B D et al. 835
- Greenwood J G. See Mikami S et al. 777
- Griffin D A, Thompson P A, Bax N J, Bradford R W, Hallegraeff G M The 1995 mass mortality of pilchard: no role found for physical or biological

oceanographic factors in Australia. 27 Griffith J K Occurrence of aggressive mechanisms during interactions between soft corals (Octocorallia : Alcyoniidae) and other corals on the Great Barrier Reef, Australia. 129 Grobler C A F, Noli-Peard K R Jasus lalandii fishery in post-independence Namibia: monitoring population trends and stock recovery in relation to a variable environment. 1015 Groeneveld J C, Cockcroft A C Potential of a trap-fishery for deep-water rock lobster Palinurus delagoae off South Africa. 993 Growns J E. See Chessman B C et al. 159 Hall N G Delay-difference model to estimate the catch of different categories of the western rock lobster (Panulirus cygnus) for the two stages of the annual fishing season. 949 Hallegraeff G M. See Griffin D A et al. 27 Halse S A. See Maly E J et al. 615 Hamilton L J Methods to obtain representative surface wave spectra, illustrated for ports of northwestern Australia. 43 Hancock M A, Bunn S E Population dynamics and life history of Paratya australiensis Kemp, 1917 (Decapoda : Atyidae) in upland rainforest streams, south-eastern Queensland, Australia. 361 Hareesh Kumar P V. See Radhakrishnan K G et al. 465 Harriott V J. See Richardson D L et al. 59 Harrison P L. See Richardson D L et al. 59 Hayes K P. See van Leeuwen J A et al. 551 Hayward C J Distribution of external parasites indicates boundaries to dispersal of sillaginid fishes in the Indo-West Pacific. 391 Healey M R. See King A J et al. 435 and Robertson AI et al. 445 Heeren T, Mitchell B D Morphology of the mouthparts, gastric mill and digestive tract of the giant crab, Pseudocarcinus gigas (Lamarck) (Decapoda : Xanthidae). 7 Hernández A B. See Hernández-Pérez M et al. 573 Hernández-Pérez M, Rabanal Gallego R M R, Pascual Alayón P J, Hernández A B Squalene content in livers from deep-sea sharks caught in Canary Island waters 573 Herrnkind W F, Butler M J IV, Hunt J H, Childress M Role of physical refugia: implications from a mass sponge die-off in a lobster nursery in Florida. 759 Herrnkind W F. See also Childress M J et al. 751 Hickey B. See Lipcius R N et al. 807 Hilborn R Lobster stock assessment: report from a workshop; II. 945 Hilborn R. See also Starr P et al. 1093 Hobby A C, Pankhurst N W Post-ovulatory egg viability in the snapper Pagrus auratus (Sparidae) 385

Hobday D K, Ryan T J Contrasting sizes at sexual maturity of southern rock lobsters (Jasus edwardsii) in the two Victorian fishing zones: implications for total egg production and management. 1009 Hook J. See Howe R F et al. 377 Hooker S H, Jeffs A G, Creese R G, Sivaguru K Growth of captive Jasus edwardsii (Hutton) (Crustacea : Palinuridae) in north-eastern New Zealand 903 Hooker S H. See also Jeffs A G et al. 681 Hopper G A. See Begg G A et al. 565 Horn P L An ageing methodology, growth parameters and estimates of mortality for hake (Merluccius australis) from around the South Island, New Zealand. 201 Howe C J. See Howe E et al. 425 Howe E, Howe C, Lim R, Burchett M Impact of the introduced peociliid Gambusia holbrooki (Girard, 1859) on the growth and reproduction of Pseudomugil signifer (Kner, 1865) in Australia. 425 Howe R F, Lu X, Hook J, Johnson W D Reaction of aquatic humic substances with aluminium: a 27Al NMR study. 377 Humphrey C L. See Paltridge R M et al. 633 Hunt J H. See Lyons W G et al. 491 and Cox C et al. 671 and Sharp W C et al. 687 and Herrnkind W F et al. 759 and Muller R G et al. 1045 Hunter K A. See Bellamy P et al. 229 and Kim J P et al. 257 Hurn A S, McDonald A D A simple measure of price risk for Tasmanian southern rock lobster (Jasus edwardsii). Illingworth J, Tong L J, Moss G A, Pickering T D Upwelling tank for culturing rock lobster (Jasus edwardsii) phyllosomas. 911 Incze L S, Wahle R A, Cobb J S Quantitative relationships between postlarval production and benthic recruitment in lobsters, Homarus americanus. 729 Jago J. See Jussila J et al. 863 James P J, Tong L J Differences in growth and moult frequency among post-pueruli of Jasus edwardsii fed fresh, aged or frozen mussels. 931 Jeffs A, Diebel C E, Hooker S H Arrangement and significance of pinnate sensory setae on antennae of the puerulus and post-puerulus of the spiny lobster Jasus edwardsii (Palinuridae). 681 Jeffs A G. See also Hooker S H et al. 903 Jerry D.R. Woodland D. Electrophoretic evidence for the presence of the undescribed 'Bellinger' catfish (Tandanus sp.) (Teleostei : Plotosidae) in four New South Wales mid-northern coastal rivers. 235 Johnson A K L. See Mitchell A W et al. 79 Johnson W D. See Howe R F et al. 377

Jones G B. See Chiswell R K et al. 287 Jones J B. See Melville-Smith R et al. 959 Jones R J, Steven A L Effects of cyanide on corals in relation to cyanide fishing on reefs. 517 Jussila J Carapace mineralization and hepatopancreatic indices in natural and cultured populations of marron (Cherax tenuimanus) in Western Australia. 67 Jussila J, Jago J, Tsvetnenko E, Dunstan B, Evans L H Total and differential haemocyte counts in western rock lobsters (Panulirus cygnus George) under post-harvest stress. 863 Kare B D. See Evans C R et al. 219 Kellaway D M. See Bunn S E et al. 173 Kendrick T H. See Breen P A et al. 1103 and Starr P J. et al. 1093 Kennedy R B. See Punt A E et al. 967 and Frusher S et al. 1069 Kennelly S J, Drew S C, Gagnon C D D Rates of retained and discarded catches from demersal fish trawling off the north-eastern United States, 185 Kennelly S J. See also Broadhurst M K et al. 485 Kenyon R A, Conacher C A, Poiner I R Seasonal growth and reproduction of Enhalus acoroides (L.f.) Royle in a shallow bay in the western Gulf of Carpentaria, Australia, 335 Kim J P. Hunter K A Aqueous chemistry of major ions and trace metals in the Takaka-Cobb River system, New Zealand, 257 King A J, Robertson A I, Healey M R Experimental manipulations of the biomass of introduced carp (Cyprinus carpio) in billabongs. I. Impacts on water-column properties. 435 King A J. See also Robertson A I et al. 445 Kittaka J Culture of larval spiny lobsters: a review of work done in northern Japan. 923 Knott B. See Burke C M et al. 623 Kobavashi T Associations between environmental variables and zooplankton body masses in a regulated Australian river. 523 Kotlash A R. See Chessman B C et al. 159 Kuramoto T, Tani M Enhancement of both cardiac contraction and metabolism by a transient cooling of the lobster Panulirus japonicus. 857 Levay G. See van Leeuwen J A et al. 551 Lim R. See Howe E et al. 425 Lintermans M. See Dove A D M et al. 181 Lipcius R N, Stockhausen W T, Eggleston D B, Marshall L S Jr. Hickey B Hydrodynamic decoupling of recruitment, habitat quality and adult abundance in the Caribbean spiny lobster: source-sink dynamics? 807 Lobón-Cerviá J. See Rincón P A et al. 455 Long B G. See Skewes T D et al. 745 Lozano-Alvarez E, Spanier E

Behaviour and growth of captive spiny lobsters (*Panulirus argus*) under the risk of predation 707 Lu X Q. See Howe R F et al. 377 Lyle J M, Smith D C Abundance and biology of warty oreo (*Allocyttus verrucosus*) and spiky oreo (*Neocyttus rhombiodalis*) (Oreosomatidae) off south-eastern Australia. 91 Lyons W G, Hunt J H

The puerulus of the spotted spiny lobster, *Panulirus guttatus* (Latreille 1804) (Crustacea : Decapoda). 491

Lyons W G. See also Cox C et al. 671 and Sharp W C et al. 687

Macmillan D L, Sandow S L, Wikeley D M, Frusher S Feeding activity and the morphology of the digestive tract in stage-I phyllosoma larvae

of the rock lobster *Jasus edwardsii*. 19 Maier H. *See* Webster I T *et al*. 541

and Bormans M *et al.* 647 Maly E J, Halse S A, Maly M P

Distribution and incidence patterns of *Boeckella, Calamoecia* and *Hemiboeckella* (Copepoda : Calanoida) in Western Australia. 615

Maly M P. See Maly E J et al. 615

- Marchesiello P. See Gibbs M T et al. 473
- Marshall Jr L S. See Lipcius R N et al. 807
- Martin P M V. See Drollet J H et al. 329

Mathew B. See Radhakrishnan K G et al. 465

Matsuda H, Yamakawa T
Effects of temperature on growth of the
Japanese spiny lobster, *Panulirus japonicus*(V. Siebold), phyllosomas under laboratory
conditions. 791

- Matthews J M. See McGarvey R et al. 1001
- Matthews T R. See Muller R G et al. 1045
- McDonald A D. See Hurn A S et al. 1023

McGarvey R, Matthews J M, Prescott J H Estimating lobster recruitment and exploitation rate from landings by weight and numbers and age-specific weights. 1001

McWilliam P S, Phillips B F Metamorphosis of the final phyllosoma and secondary lecithotrophy in the puerulus of *Panulirus cygnus* George: a review. 783

McWilliam P S. See also Briones-Fourzán P et al. 699

Melville-Smith R, Chubb C F Comparison of dorsal and ventral tag retention in western rock lobsters, *Panulirus cygnus* (George). 577

Melville-Smith R, Jones J B, Brown R S Biological tags as moult indicators in *Panulinrus cygnus* (George). 959

Middleton J H. See Gibbs M T et al. 473 Mikami S, Greenwood J G

Influence of light regimes on phyllosomal growth and timing of moulting in *Thenus orientalis* (Lund) (Decapoda : Scyllaridae). 777

Minagawa M Reproductive cycle and size-dependent spawning in female spiny lobsters (*Panulirus japonicus*) off Oshima Island, Tokyo, Japan. 869 Minagawa M, Sano M Oogenesis and ovarian development cycle of

- the spiny lobser *Panulirus japonicus* (Decapoda : Palinuridae). 875
- Mitchell Å W, Bramley R G V, Johnson A K L Export of nutrients and suspended sediment during a cyclone-mediated flood event in the Herbert River catchment, Australia. 79

Mitchell B D. See Heeren T et al. 7

Mockler S P. See Dove A D M et al. 181 Mohan R

Size structure and reproductive variation of the spiny lobster *Panulirus homarus* over a relatively small geographic range along the Dhofar coast in the Sultanate of Oman. 1085

Mohan Kumar N. See Radhakrishnan K G et al. 465

Moss G A. See Illingworth J et al. 911 and Tong L J et al. 935

Mulcahy D E. See van Leeuwen J A et al. 551

Muller RG, Hunt JH, Matthews TR, Sharp WC Evaluation of effort reduction in the Florida Keys spiny lobster, *Panulirus argus*, fishery using an age-structured population analysis. 1045

Muschal M. See Casanova M T et al. 353

Newman S J, Williams D McB, Russ G R Patterns of zonation of assemblages of the Lutjanidae, Lethrinidae and Serranidae (Epinephelinae) within and among mid-shelf and outer-shelf reefs in the central Great Barrier Reef. 119

Nicholson B C. See van Leeuwen J A et al. 551

Nielsen D L, Chick A J

Flood-mediated changes in aquatic macrophyte community structure. 153

Noli-Peard K R. See Grobler C A F et al. 1015

O'Doherty G. See Broadhurst M K et al. 485

Oldham C E. See Arnold T N et al. 531

Opnai L J. See Evans C R et al. 219

Ovenden J R, Booth J D, Smolenski A J Mitochondrial DNA phylogeny of red and green rock lobsters (genus *Jasus*). 1131

Paewai M M. See Tong L J et al. 935

Paltridge R M, Dostine P L, Humphrey C L, Boulton A J Macroinvertebrate recolonization after re-

wetting of a tropical seasonally-flowing stream (Magela Creek, Northern Territory, Australia). 633

Pankhurst N W. See Hobby A C et al. 385 Decenced Alexie P. L. See Horméndez Pérez M.

Pascual Alayón P J. See Hernández-Pérez M et al. 573

Paterson B D, Grauf S G, Smith R A Haemoloymph chemistry of tropical rock lobsters (*Panulirus ornatus*) brought onto a mother ship from a catching dinghy in Torres Strait. 835

Paterson B D, Spanoghe P T Stress indicators in marine decapod crustaceans, with particular reference to the grading of western rock lobsters (*Panulirus cygnus*) during commercial handling. 829

Paterson B D. See also Taylor H H et al. 817 Paxton J R. See Colgan D J et al. 103

Pergent G, Pergent-Martini C, Cambridge M Morphochronological variations in the genus *Posidonia.* 421

Pergent-Martini C. See Pergent G et al. 421

Phillips B F, Evans L H
Aquaculture and stock enhancement of lobsters: report from a workshop. 899
Phillips B F. See also McWilliam P S et al.

783 Pickering T D. See Illingworth J et al. 911

and Tong L J et al. 935 Pitcher C R, Dennis D M, Skewes T D Fishery-independent surveys and stock assessment of *Panulirus ornatus* in Torres Strait. 1059

Pitcher C R. See also Skewes T D et al. 497 and Dennis D M et al. 663 and Skewes T D et al. 745

Playford P E. See Berry P F et al. 415

- Poiner I R. See Kenyon R A et al. 335
- Prescott J H. See McGarvey R et al. 1001 Punt A E
- Estimating the size-transition matrix for Tasmanian rock lobster, *Jasus edwardsii*. 981

Punt A E, Kennedy R B Population modelling of Tasmanian rock lobster, Jasus edwardsii., resources. 967

Quinn G P. See Bellgrove A et al. 137

Rabanal Gallego R M R. See Hernández-Pérez M et al. 573

Radhakrishnan E V. See Vijayakumaran M et al. 823

Radhakrishnan K G, Mathew B, Hareesh Kumar P V, Mohan Kumar N Thermocline climatology of the Arabian Sea – a review, 465

Richardson D L, Harriott V J, Harrison P L Distribution and abundance of giant sea anemones (Actiniaria) in subtropical eastern Australian waters. 59

Rincón P A, Lobón-Cerviá J Temporal patterns in macroinvertebrate drift in a northern Spanish stream 455

Robertson A I , Healey M R, King A J Experimental manipulations of the biomass of introduced carp (*Cyprinus carpio*) in billabongs. II. Impacts on benthic properties and processes 445

Robertson A I. See also King A J et al. 435 Ronquillo J D, Saisho T

Larval development of *Metapenaeopsis* barbata (de Haan, 1844) (Crustacea : Decapoda : Penaeidae). 401 Russ G R. *See* Newman S J *et al.* 119

Ryan T J. See Hobday D K et al. 1009

Saintilan N

Above- and below-ground biomass of two species of mangrove on the Hawkesbury River estuary, New South Wales. 147 Saintilan N

Above- and below-ground biomass of mangroves in a sub-tropical estuary. 601

Saisho T. See Ronquillo J D et al. 401 Sandow S L. See Macmillan D L et al. 19

Sano M. See Minagawa M et al. 875 Sardà F, Cartes J E

Morphological features and ecological aspects of early juvenile specimens of the aristeid shrimp *Aristeus antennatus* (Risso, 1816). 73 Scanes P R Uptake and depuration of organochlorine compounds in Sydney rock oysters (Saccostrea commercialis). 1 Seddon S. See Cheshire A et al. 589 Sekiguchi H, Terazawa T Statocyst of Jasus edwardsii pueruli (Crustacea, Palinuridae), with a review of crustacean statocysts. 715 Seymour R S. See Wells R M G et al. 303 Sharp W C, Hunt J H, Lyons W G Life history of the spotted spiny lobster, , an obligate reef-dweller 687 Sharp W C. See also Muller R G et al. 1045 Sivaguru K. See Hooker S H et al. 903 Skewes T D, Pitcher C R, Dennis D M Growth of ornate rock lobsters, Panulirus ornatus, in Torres Strait, Australia, 497 Skewes T D, Dennis D M, Pitcher C R, Long B G Age structure of Panulirus ornatus in two habitats in Torres Strait Australia, 745 Skewes T D. See also Dennis D M et al. 663 and Pitcher C R et al. 1059 Smith D C. See Lyle J M et al. 91 Smith I.D. See Towler P.H. et al. 371 Smith R A. See Paterson B D et al. 835 Smolenski A J. See Ovenden J R et al. 1131 Souter D W, Cameron A M, Endean R Implications of sublethal predation, autotomy and regeneration: pigment bands on their spines can not be used to determine the ages of adult specimens of the corallivore Acanthaster planci. 321 Spanier E. See Lozano-Alvarez E et al. 707 Spanoghe P T, Bourne P K Relative influence of environmental factors and processing techniques on Panulirus cygnus morbidity and mortality during simulated live shipments. 839 Spanoghe PT. See also Paterson B D et al. 829 Starr P J, Vignaux M Comparison of data from voluntary logbook and research catch-sampling programmes in the New Zealand lobster fishery. 1075 Starr P J, Breen P A, Hilborn R H, Kendrick T H Evaluation of a management decision rule for a New Zealand rock lobster substock. 1093 Steven A L. See Jones R J et al. 517 Stockhausen W T. See Lipcius R N et al. 807 Sullivan K J. See Annala J H et al. 1081 Sykes D A New Zealand Industry perspective on the Fifth International Conference and Workshop on Lobster Biology and Management. 655 Tani M. See Kuramoto T et al. 857 Taylor HH, Paterson BD, Wong RJ, Wells RMG Physiology and live transport of lobsters: report from a workshop. 817 Taylor H H, Waldron F M Respiratory responses to air-exposure in the

Sawynok W. See Begg G A et al. 295

southern rock lobster, *Jasus edwardsii* (Hutton) (Decapoda : Palinuridae). 889 Teai T. *See* Drollet J H *et al.* 329 Terasawa T. See Sekiguchi H et al. 715 Thompson PA. See Griffin DA et al. 27 Timms B V Study of coastal freshwater lakes in southern New South Wales. 249 Tong L J, Moss G A, Paewai M M, Pickering T D Effect of brine-shrimp numbers on the growth and survival of early-stage phyllosoma larvae of the rock lobster Jasus edwardsii. 935 Tong L J. See also Illingworth J et al. 911 and James P L et al. 931 Towler P H. Smith J D Distribution of ²²⁶Ra and ²¹⁰Pb in the mixed layer of the western equatorial Pacific Ocean. 371 Tsvetnenko E. See Jussila J et al. 863 Tucker A D Validation of skeletochronology to determine age of freshwater crocodiles (Crocodylus johnstoni). 343 Udy J W, Dennison W C Physiological responses of seagrasses used to identify anthropogenic nutrient inputs. 605 Vignaux M. See Starr P J. et al. 1075 Vijayakumaran M, Radhakrishnan E V Live transport and marketing of spiny lobsters in India. 823 Wahle R A Consequences of fishing, with regard to lobster fisheries: report from a workshop. 1115 Wahle R A. See also Incze L S et al. 729 Waldron F M. See Taylor H H et al. 889 Walsh C J A multivariate method for determining optimal subsample size in the analysis of macroinvertebrate samples. 241 Webster I T, Maier H, Baker P, Burch M Influence of wind on water levels and lagoon-river exchange in the River Murray, Australia. 541 Wells R M G, Baldwin J , Seymour R S Low concentrations of methaemoglobin in marine fishes of the Great Barrier Reef, Australia. 303 Wells R M G. See also Taylor H H et al. 817 Westphalen G. See Cheshire A et al. 589 Wikeley D M. See Macmillan D L et al. 19 Wilkinson C R. See Cheshire A et al. 589 Williams D McB. See Newman S J et al. 119 Winterbourn M J. See Friberg N et al. 267 Wong R J. See Taylor H H et al. 817 Woodland D J. See Jerry D R et al. 235 Yamakawa T. See Matsuda H et al. 791 van Leeuwen J A, Nicholson B C, Levay G, Hayes K P, Mulcahy D E Transformation of free tetrachloroguaiacol to bound compounds by fungi isolated from Lake Bonney, south-eastern South Australia. 551

van der Meeren G I Preliminary acoustic tracking of native and transplanted European lobsters (*Homarus* gammarus) in an open sea lagoon. 915