

10.1071/MUauth2013

Index to Volume 113

Authors, Species and Subjects

Compiled by Lachlan Garland

- Acanthiza apicalis* 117
A. lineata 115, 116, 118, 119
A. reguloides 115, 116, 118
Acanthochaera carunculata 115, 117, 118, 119
Acanthorhynchus tenuirostris 115, 117, 118, 119
Accipiter fasciatus 2, 333
acoustic structure in Maluridae 270–281
Acridotheres tristis 154–159
Adams, N. J., Parker, K. A., Cockrem, J. F., Brunton, D. H. and Candy E. J. Inter-island differences in the corticosterone responses of North Island Saddlebacks (*Philesturnus rufusater*) in New Zealand do not suggest selective effects of translocation 45–51
Adornes, A. C. *see* Vanstreels, R. E. T. 128–134
Aegotheles cristatus 333
A. savesi 384
age-class and variability in size in communal roosts 122–127
ageing of Providence Petrel chicks 33–44
Agelaius phoeniceus 161
Alavda arvenis 1
Alves, K. J. F. *see* Rother, D. C. 52–61
Amazilia fimbriata 59
American Crow 158
American Kestrel 86
Amos, J. N. *see* Balasubramaniam, S. 353–358
Amytornis ballarae 201, 310, 311
A. barbatus 201, 310, 311, 312
A. b. barbatus 310, 312, 315
A. b. diamantina 310
A. dorotheae 201 310, 311, 312, 315, 323, 324, 338
A. goyderi 201, 310, 311
A. housei 201, 310, 311, 312, 315, 323, 324
A. merrotsyi 201, 272, 273 310, 311, 212
A. m. merrotsyi 310, 315
A. m. pedleri 310
A. modestus 201, 202, 310, 312
A. m. curnamona 310
A. m. indulkanna 310
A. m. inexpectatus 310
A. m. modestus 310
A. m. obscurior 310
A. m. raglessi 310, 315
A. purnelli 201 219, 310, 311, 315
A. striatus 197, 201, 202, 219, 221, 226, 227, 252, 271, 273, 279, 310, 311, 312
A. s. rowleyi 202, 310
A. s. striatus 202, 271, 273, 310, 314, 315
A. s. whitei 202, 310
A. textilis 201, 202, 310, 311, 312
A. t. carteri 310
A. t. giganturus 310
A. t. macrourus 310
A. t. myall 202, 310, 315
A. t. textilis 310, 312
A. woodwardi 201, 310, 311, 312, 315, 323, 324
Anabazenops fuscus 55, 59
Anas chlorotis 62–67
A. platyrhynchos 242
Andean Condor 122–126
Andean Snipe 383
Anderson, A. *see* Worthy, T. H. 383–393
Anderson, M. G., Gill, B. J., Briskie, J. V., Brunton, D. H. and Hauber, M. E. Latitudinal differences in the breeding phenology of Grey Warblers covary with the relationship to the prevalence of parasitism by Shining Bronze-Cuckoos 187–191
Anderton, J. C. *see* Rasmussen, P. C. 397–398
Androphobus viridis 359
Anthornis melanocephala 185
Anthus pratensis 1
Antipodes Island Snipe 384
Aplomado Falcon 84
Apostlebird 337
Aprosmictus erythropterus 333, 334, 335
Aptenodytes patagonicus 131
Archer, M. *see* Nguyen, J. M. T. 374–382
Ardenna grisea 40
A. pacifica 34, 41
A. tenuirostris 40, 41
Ardeotis australis 174, 332, 334
Arenaria interpres 106, 108
Arnould, J. P. Y. *see* Schumann, N. 135–144
Arremon flavirostris 60
Artamus cinereus 334, 335, 337
Atrichornis clamosus 340, 378
Attila rufus 60
Auckland Island Snipe 384
Australasian Figbird 333, 339
Australian Barn Owl 384, 389
Australian Bustard 174, 332, 334
Australian Hobby 20, 24
Australian Magpie 210, 321 374
Australian Owlet-nightjar 333
Australian Pied Oystercatcher 103, 105, 107, 108
Australian Raven 20, 22
Automolus leucophthalmus 55, 59
avian assemblages in a tropical rainforest 52–61
avian haematozoa 353–358
Azar, J. F., Bell, B. D. and Burns, K. C. Chatter-call harmonics in the North Island Saddleback: do they play a role in ranging? 161–167
Bell, B. D. *see* Azar, J. F. 161–167
Azure-shouldered Tanager 60
Balasubramaniam, S., Mulder, R. A., Sunnucks, P., Pavlova, A., Amos, J. N. and Melville, J. Prevalence and diversity of avian haematozoa in three species of Australian passerine 353–358
Bananaquit 60, 200
Banded Stilt 106, 108
Bar-breasted Honeyeater 324
Bar-shouldered Dove 333, 335
Bar-tailed Godwit 103, 107

- Bare-throated Bellbird 55, 59
 Barn Swallow 95
Basileuterus culicivorus 60
 B. leucoblepharus 60
 B. leucophrys 60
Batara cinerea 60
 Bearded Tachuri 339
 Beckman, J. *see* McGiffin, A. 154–160
 behavioural development of New Zealand Falcons 84–87
 Bellbird 185
 Bermuda Petrel 39
 Berón, M. P., Seco Pon, J. P., García, G. O., Paterlini, C. A., Mariano-Jelicich, R. and Favero, M. The diet of Olrog's Gull (*Larus atlanticus*) reveals an association with fisheries during the non-breeding season 69–76
Biatas nigropectus 57
 Binder, D., Priddel, D., Carlile, N. and Kingsford, R. T. Emergence, growth, ageing and provisioning of Providence Petrel (*Pterodroma solandri*) chicks: implications for translocation 33–44
 biology of the Maluridae 195–207
 bird song, of North Island Saddlebacks 161–167; of Red-backed Fairy-wrens 282–293
 Black Grasswren 201, 310, 311, 312, 315, 323, 324
 Black Robin 185
 Black Treecreeper 332, 336
 Black-browed Albatross 41
 Black-capped Foliage-gleaner 59
 Black-chinned Honeyeater 321
 Black-eared Cuckoo 302
 Black-eared Miner 201, 340
 Black-faced Cuckoo-shrike 335, 360, 362
 Black-faced Woodswallow 334, 335, 337
 Black-fronted Piping-Guan 59
 Black-headed Gull 242
 Black-tailed Treecreeper 321, 334, 335
 Black-throated Finch 323, 324
 Black-throated Grosbeak 56, 60
 Black-winged Stilt 106, 108
 Blond-crested Woodpecker 59
 Blue Petrel 40, 41
 Blue-breasted Fairy-wren 196, 197, 199, 200, 202, 203, 209, 219, 221, 226, 233–238, 251, 252, 254, 271, 272, 273, 275, 279, 303, 304, 305, 311, 312, 314, 315
 Blue-faced Honeyeater 77–83, 335
 Blue-winged Kookaburra 333
 Blue-winged Parrotlet 59
 Boat-billed Flycatcher 60
 Boles, W. E. *see* Nguyen, J. M. T. 374–382
 Bornean Bristlehead 375
 bower decorations of Great Bowerbirds 367–373
 breeding habitats of burrow-nesting seabirds 135–144
 Briskie, J. V. *see* Anderson, M. G. 187–191
 Broad-billed Fairy-wren 196, 197, 198, 221, 226, 251
Brotogeris tirica 59
 Brouwer, L. *see* Cockburn, A. 208–217
 Brown Falcon 2, 22
 Brown Goshawk 2, 333
 Brown Honeyeater 333
 Brown Quail 334, 335
 Brown Teal 62–67
 Brown Tinamou 59
 Brown Treecreeper 354, 355
 Brown-headed Cowbird 304
 Brown-hooded Gull 72
 Brunton, D. H. *see* Adams, N. J. 45–51; Anderson, M. G. 187–191
 Brush Cuckoo 302, 303, 304
 Buchanan, K. L. and Cockburn, A. Fairy-wrens and their relatives (Maluridae) as model organisms in evolutionary ecology: the scientific legacy of Ian Rowley and Eleanor Russell i–vii (113/3)
 Buchanan, K. L. Ratites, seeds and biodiversity i (113/2)
 Budgerigar 22, 161, 166
 Buff-rumped Thornbill 115, 116, 118
 Buffy-fronted Seed-eater 56, 57, 60
 Burbidge, A. H. *see* Toon, A. 359–366
Burhinus grallarius 336
 Burns, K. C. *see* Azar, J. F. 161–167
 Bush Stone-curlew 336
Cacatua galerita 82, 335
Cacicus haemorrhous 60
Cacomantis pallidus 334
 C. pyrrhophanus 302, 303, 304
 C. variolosus 302, 303, 304
Calidris acuminata 103–105, 107, 108
 C. alba 103, 104, 105, 107, 108
 C. canutus 101, 106, 107, 108
 C. ferruginea 103–108
 C. mauri 99, 107
 C. ruficollis 103, 104, 105, 107, 108
 C. tenuirostris 106, 108
Callaeas cinerea 378
Calonectris diomedea 40, 41
 Calviño-Cancela, M. *see* Dunstan, H. 168–176
Calyptorhynchus banksia macrorhynchus 321, 333
 Campbell Island Snipe 389
Camptylorhamphus trochilrostris 59
 Canabarro, P. L. *see* Vanstreels, R. E. T. 128–134
 Candy E. J. *see* Adams, N. J. 45–51
 Cape Sugarbird 210
Carduelis carduelis 185
 Carib Grackle 6
 Carlile, N. *see* Binder, D. 33–44
 Carolina Wren 161
 Carpentarian Grasswren 201, 310, 311, 312, 315, 323, 324, 338
Carpodacus erythrurus 96
Casuaris casuaris 178
 Catão-Dias, J. L. *see* Vanstreels, R. E. T. 128–134
Celeus flavescens 59
Centropus phasianinus 335
Chalcites basalis 302–307
 C. lucidus 187–191, 302, 303
 C. minutillus 302
 C. osculans 302
Chamaeza meruloides 60
Charadrius leschenaultii 106, 108
 C. mongolus 106, 108
 C. ruficapillus 103, 105, 107, 108
 C. veredus 334
 Chatham Island Crow 185
 Chatham Island Snipe 383, 384, 385
 Chatham Island Warbler 183–186
 Chatham Petrel 39
 chatter-call harmonics in North Island Saddlebacks 161–167
Chenorhamphus grayi 196, 197, 198, 221, 226, 251
 Chestnut Quail-thrush 360, 362
 Chestnut-bellied Euphonia 61
 Chestnut-quilled Rock-pigeon 324
 Chestnut-rumped Heathwren 117
 Chiming Wedgebill 359–365

- Chiroxiphia caudata* 55, 59
 Chirruping Wedgebill 359–365
 Christidis, L., book review by 89–91
 Christmas Shearwater 41
Chroicocephalus (Larus) ridibundus 242
 C. maculipennis 72
Chthonicola sagittata 117
Cincloramphus mathewsi 334, 335
Cinclosoma castanotum 360, 362
 Cinnamon-vented Piha 59
Circus approximans 63, 66
Cisticola exilis 334
Cladorhynchus leucocephalus 106, 108
Claravis godefrida 57
Climacteris melanura 321, 334, 335
 C. picumnus 354, 355
 C. p. melanota 332, 336
 Closs, G. P. *see* Waite, E. 26–32
 clutch-size of Lesser Elaenias 8–18
Clytomyias insignis 196, 197
 Cockatiel 334
 Cockburn, A., Brouwer, L., Double, M. C., Margraf, N. and van de Pol, M.
 Evolutionary origins and persistence of infidelity in *Malurus*: the least
 faithful birds 208–217
 Cockburn, S., book review by 396
 Cockburn, A. *see* Buchanan, K. L. i–vii (113/3); Margraf, M. 294–301
 Cockrem, J. F., *see* Adams, N. J. 45–51
Coenocorypha aucklandica 383, 388
 C. a. aucklandica 384
 C. a. meinertzhagenae 384
 C. a. perseverance 389
 C. barrierensis 384, 388, 389
 C. chathamica 383, 384, 385, 398
 C. huegeli 384
 C. iredalei 384, 388, 389
 C. miratropica 383, 384, 385, 387, 388, 389
 C. neocaledonica 385–389, 391–393
 C. pusilla 383, 384, 385
Coereba flaveola 60, 200
Colluricincla harmonica 112, 115, 117, 118, 119, 334
 Colombelli-Négrel, D. *see* Kleindorfer, S. 259–269
 colour preferences of Great Bowerbirds 367–373
Columba livia 6
 Common Cuckoo 303
 Common Diving-Petrel 39, 41, 135–142
 Common Greenshank 106, 108
 Common Kestrel 82
 Common Myna 154–159
 Common Redshank 106
 Common Snipe 384
 Common Starling 26, 77, 82
 Common Tern 72
 competition in Brown Teals 62–68
Conopophila albogularis 335
 conservation status of Australian malurids 309–318
 Cooney, S. J. N., book review by 91–92
 cooperative breeding, in fairy-wrens 294–301; in *Malurus* 208–217
Coracina novaehollandiae 335, 360, 362
 C. papuensis 333
Corcorax melanorhamphos 115, 116, 118, 119, 321
Cormobates leucophaea 115, 118, 119, 378
 corticosterone responses of North Island Saddlebacks 45–51
Corvitalusoides grandiculus 377
Corvus brachyrhynchos 158
 C. coronoides 21, 22
 C. moriorum 185
 C. orru 22, 335
 Cory's Shearwater 40, 41
Coturnix pectoralis 22
 C. ypsilophora 334, 335
Cracticus nigrogularis 82, 333, 334, 335
 C. tibicen 374
 C. torquatus 333, 335, 337
 Crested Pigeon 6, 22, 334, 335, 337
 Crested Shrike-tit 321
 Crimson Finch 323, 336
 Crimson Rosella 115, 117, 118, 119
Crypturellus obsoletus 59
 cuckoo–host coevolution model systems 302–308
Cuculus canorus 303
Culicivora caudacuta 339
 Cunningham, S., book review by 88–89
 Curl-crested Jay 15
 Curlew Sandpiper 103–108
Cyanocorax cristatellus 15
Cyclarhis gujanensis 60
Cypsnagra hirundinacea 15
 da Silva M. C. *see* Schetini de Azevedo, C. 177–182
 da Silva-Filho, R. P. *see* Vanstreels, R. E. T. 128–134
Dacelo leachii 333
 D. novaeguineae 115, 116, 118
 Dann, P. *see* Schumann, N. 135–144
Dasyornis brachypterus 340, 341
 Delhey, K. *see* Peters, A. 232–247
Dendrocincla turdina 59
Dendrocolaptes platyrostris 59
Dendroica petechia 304
 Dey, C. D. *see* Rickett, R. 62–68
 Diamond Dove 22, 334
Dicaeum hirundinaceum 334, 335
 Dickinson, K. J. M. *see* Waite, E. 26–32
 diet, of Grey Falcons 19–25; of Olrog's Gulls 69–76; of
 Emus 168–176
 differential migration and the geographical variation in size of Australian
 shorebirds 99–111
 dispersal of translocated Brown Teal 62–68
 DNA sequences of the Maluridae 195–207
 Doherty, P. 'Sentinel Chickens: What Birds Tell Us About our Health and
 the World' (book review) 192–193
 Dollarbird 333, 335
 Double, M. C. *see* Cockburn, A. 208–217
 Double-barred Finch 82, 335
 Dowling, J. L. and Webster, M. S. The form and function of duets and
 choruses in Red-backed Fairy-wrens 282–293
 Drab-breasted Pygmy-Tyrant 60
Dromaius novaehollandiae 168–174, 178, 330
Dryophila ferruginea 55, 56, 60
 D. genei 60
 D. malura 60
 D. ochropyga 60
Dryocopus lineatus 59
Ducula bicolor 337
 Dunlap, T. R., book review by 395
 Dunstan, H., Florentine, S. K., Calviño-Cancela, M., Westbrooke, M.
 E. and Palmer, G. C. Dietary characteristics of Emus (*Dromaius*
 novaehollandiae) in semi-arid New South Wales, Australia, and
 dispersal and germination of ingested seeds 168–176
 Dusky Grasswren 201, 219, 310, 311, 315

- Dusky Honeyeater 333, 337
 Dusky-legged Guan 59
 Dusky-tailed Antbird 60
 Dusky-throated Hermit 59
Dysithamnus mentalis 60
 D. stictothorax 60
 Eastern Barn Owl 22
 Eastern Bristlebird 340, 341
 Eastern Curlew 102–105, 107, 108
 Eastern Koel 337
 Eastern Spinebill 115, 117, 118, 119
 Eastern Whipbird 359–365
 Eastern Yellow Robin 112, 115, 118, 340
 Eclectus Parrot 82
Eclectus roratus 82
 ecology of Grey Falcons 19–25
 Edwards, S. V. *see* Joseph, L. 195–207
 Eguchi, K., Yamaguchi, N., Ueda, K. and Noske, R. A. The effects of nest usurpation and other interference by the Blue-faced Honeyeater on the reproductive success of the Grey-crowned Babbler 77–83
 Eguchi, K. *see* Haruyama, N. 367–373
Elaenia chiriquensis 8–16
 E. flavogaster 60
Elanus scriptus 22, 24, 322
Emberiza schoeniclus 210
 emergence of Providence Petrel chicks 33–44
 Emperor Fairy-wren 196, 197, 198, 201, 209, 233, 234, 235, 236, 237, 311, 251, 252, 271, 273, 275, 276, 279
 Emu 168–174, 178, 330
Entomyzon cyanotis 77–83, 335
Eolophus roseicapillus 334
Eopsaltria australis 112, 115, 118, 340
 E. griseogularis 202
Epthianura crocea tunneyi 323
Erythronyx cinctus 106, 108
Erythrorhynchus radiatus 322
Erythrura gouldiae 323, 334, 336, 338, 339
Eudynamis orientalis 337
Eudiptula minor 135–142
 Euler's Flycatcher 60
Euphonia pectoralis 61
 E. violacea 61
 Eurasian Magpie 77, 82
 Eurasian Oystercatcher 106
 European Goldfinch 185
 European Storm-Petrel 41
Eurystomus orientalis 333, 335
Euscarthmus rufomarginatus 339
 Evans, C. *see* Kleindorfer, S. 259–269
 evolutionary history of the Maluridae 195–207
 extra-pair copulation, in fairy-wrens 208–217, 294–301
 extra-pair paternity in the Maluridae 218–231
 Eyrean Grasswren 201, 310, 311
 Fairy Prion 39, 41, 135–142
Falco berigora 2, 22
 F. cenchroides 20, 22, 24
 F. femoralis 84
 F. hypoleucos 19–24, 322
 F. longipennis 20, 24
 F. novaeseelandiae 84–87, 389
 F. peregrinus 24
 F. sparverius 86
 F. tinnunculus 82
Falcunculus frontatus whitei 321
 Fan-tailed Cuckoo 302, 303, 304
 Favero, M. *see* Berón, M. P. 69–76
 Fawn-breasted Bowerbird 322
 Feduccia, A., book review by 193–194
 female ornamentation in *Malurus* fairy-wrens 248–258
 Ferruginous Antbird 55, 56, 60
Ficedula hypoleuca 96
 Fiji Snipe 383, 384, 385, 387, 388, 389
 fire and its impact on birds in Australia 319–352
 fisheries association in diet of Olrog's Gulls 69–76
 fleeing behaviour of Common Mynas 154–160
 Flock Bronzewing 324
 Florentine, S. K. *see* Dunstan, H. 168–176
 Fluttering Shearwater 39
 foraging behaviour, of Humboldt and Magellanic Penguins 145–153; of Peaceful Doves 1–7; of Silvereyes 26–32
 Forbes' Snipe 383, 384, 385, 388
 Forest Kingfisher 333, 335, 337
 Fork-tailed Storm-Petrel 40, 41
Forpus xanthopterygius 59
 fossil species 374–382, 383–393
 Galah 334
 Galapagos Penguin 131, 132
Gallinago gallinago 384
 G. hardwickii 384, 388
 G. imperialis 383
 G. jamesoni 383
 G. stricklandii 383
 García, G. O. *see* Berón, M. P. 69–76
 Garcia, Q. S. *see* Schetini de Azevedo, C. 177–182
 genetic analysis of the Australian whipbirds and wedgebills 359–366
 geographical variation in the size of Australian shorebirds 99–111
Geopelia cuneata 22, 334
 G. humeralis 333, 335
 G. striata 1–6, 22, 335
Geophaps plumifera 22
 G. smithii 322, 324, 330, 331, 338–339, 341
 G. s. blaaui 322
 G. s. smithii 322
Geospiza conirostris 186
 G. fortis 186
Gerygone albofrontata 183–186
 G. albogularis 112, 115, 118, 119
 G. chloronatus 333
 G. igata 187–191
 Giant Antshrike 60
 Gill, B. J. *see* Anderson, M. G. 187–191
 Glittering-throated Emerald 59
 Goldcrest 96
 Golden-crowned Warbler 60
 Golden-headed Cisticola 334
 Golden-shouldered Parrot 322, 324, 330, 338, 344
 Goodale, E., book review by 397–398
 Gould's Petrel 40, 41
 Gouldian Finch 323, 334, 336, 338, 339
Grallaria varia 60
Grallina cyanoleuca 6, 158, 333, 334, 335, 337
 Gray-hooded Attila 60
 Great Bowerbird 82, 321, 333, 334, 339, 367–373
 Great Knot 106, 108
 Great Skua 142
 Great Tit 6, 46
 Greater Rhea 1, 177–180
 Greater Sand Plover 106, 108

- Great-winged Petrel 38, 39, 40, 48
 Green-backed Gerygone 333
 Green-backed Trogon 56, 59
 Green-headed Tanager 60
 Greig, E. I., Price, J. J. and Pruett-Jones, S. Song evolution in Maluridae: influences of natural and sexual selection on acoustic structure 270–281
 Grey Butcherbird 333, 335, 337
 Grey Falcon 19–24, 322
 Grey Fantail 112, 115, 117, 118, 119
 Grey Grasswren 201, 310, 311, 312, 315
 Grey Plover 106, 108
 Grey Shrike-thrush 112, 115, 117, 118, 119, 334
 Grey Warbler 187–191
 Grey-crowned Babbler 77–83, 334, 335, 337
 Grey-headed Albatross 41
 Grey-tailed Tattler 106, 108
 Griggio, M. *see* Kleindorfer, S. 259–269
 Ground Parrot 340
 growth of Providence Petrel chicks 33–44
Grus americana 161
Gymnorhina tibicen 210, 321
Habia rubica 56, 60
 haematocrit concentration as an indicator of body condition in Welcome Swallows 93–98
Haematopus fuliginosus 103, 105, 107, 108, 109
 H. longirostris 103, 105, 107, 108
 H. ostralegus 106
 haemoglobin concentration as an indicator of body condition in Welcome Swallows 93–98
Haliastur sphenurus 333
Halobaena caerulea 40, 41
 Hand, S. J. *see* Nguyen, J. M. T. 374–382
Haplospiza unicolor 56, 60
 Harlequin Duck 242
 Haruyama, N., Yamaguchi, N., Eguchi, K. and Noske, R. A. Experimental evidence of local variation in the colour preferences of Great Bowerbirds for bower decorations 367–373
 Hauber, M. E. *see* Anderson, M. G. 187–191
 Hawaiian Petrel 40, 41
Heliobletus contaminatus 59
 helping behaviour in fairy-wrens 294–301
Hemitriccus diops 60
Himantopus himantopus 106, 108
 Hiriart-Bertrand, L. *see* Raya Rey, A. 145–153
Hirundo neoxena 93–97
 H. rustica rustica 95
Histrionicus histrionicus 242
 Hoi, H. *see* Kleindorfer, S. 259–269
 Hooded Robin 323, 324, 334, 337
 Horsfield's Bronze-Cuckoo 302–307
 Horsfield's Bushlark 323
 House Sparrow 26
 House Wren 15, 77
 human approach tolerance by Common Mynas 154–160
 Humboldt Penguin 132, 145–151
 Hutton's Shearwater 39
Hydrobates leucorhoa 41
 H. pelagicus 41
Hylacola pyrrhopygia 117
Hylopezus nattereri 60
Hylophylax naevioides 15
Hypoedaleus guttatus 60
 Imperial Snipe 383
 infidelity in *Malurus* 208–217
 Inland Thornbill 117
 Jack Snipe 383
 Jacky Winter 334, 335
 Janes, S. W. Song variation among Chatham Island Warblers on two islands of the Chatham Island archipelago 183–186
 Japanese Snipe 384, 388
 Ji, W. *see* Rickett, R. 62–68
 Johnstone, C. P. *see* Lill, A. 93–98; McGiffin, A. 154–160
 Joseph, L., Edwards, S. V. and McLean, A. J. The Maluridae: inferring avian biology and evolutionary history from DNA sequences 195–207
 Joseph, L. *see* Toon, A. 359–366
 Kalkadoon Grasswren 201, 310, 311
 Karubian, J. Female ornamentation in *Malurus* fairy-wrens: a hidden evolutionary gem for understanding female perspectives on social and sexual selection 248–258
 Kelp Gull 72, 73
 King Penguin 131
 Kingma, S. A. *see* Peters, A. 232–247
 Kingsford, R. T. *see* Binder, D. 33–44
 Kleindorfer, S., Evans, C., Mihailova, M., Colombelli-Négrel, D., Hoi, H., Griggio, M., Mahr, K. and Robertson, J. When subspecies matter: resident Superb Fairy-wrens (*Malurus cyaneus*) distinguish the sex and subspecies of intruding birds 259–269
 Knight, F. *see* Pizzey, G. 91–92
 Kokako 378
 Komdeur, J., book review by 398–399
 Kross, S. M. and Nelson, X. J. Factors influencing the behavioural development of juvenile New Zealand Falcons (*Falco novaeseelandiae*) 84–87
Kurrartapu johnnugyi 374–379
Lalage leucomela 333
 L. sueurii 335
 Lambertucci, S. A. Variability in size of groups in communal roosts: influence of age-class, abundance of individuals and roosting site 122–127
 Langmore, N. E. Fairy-wrens as a model system for studying cuckoo–host coevolution 302–308
 Large Cactus-Finch 186
Larus atlanticus 69–73
 L. dominicanus 72, 73
 L. pacificus 142
Lathrotriccus euleri 60
 latitudinal differences in breeding phenology of Grey Warblers 187–191
 Laughing Kookaburra 115, 116, 118
 Laughing Owl 389
 Leach's Storm-Petrel 41
 Leaden Flycatcher 115, 116, 118
 Leavesley, A., book review by 192–193
 Legge, S. *see* Woinarski, J. C. Z. 319–352
Leipoa ocellata 340
 Leisler, B. and Schulze-Hagen, K. 'The Reed Warblers: Diversity in a Uniform Bird Family' (book review) 398–399
 Lemon-bellied Flycatcher 333, 337
 Lesser Elaenia 8–16
 Lesser Sand Plover 106, 108
 Letter-winged Kite 22, 24, 322
Lichenostomus chrysops 115, 117, 118, 119
 L. flavescens 321
 L. leucotis 115, 118, 119
 L. penicillatus 115, 118
 L. unicolor 333, 335

- L. virescens* 334, 335
Lichmera indistincta 333
 Lill, A., Yachou-Wos. L. and Johnstone, C. P. Are haematocrit and haemoglobin concentration reliable indicators of body condition in adult Welcome Swallows? 93–98
 Lill, A. *see* McGiffin, A. 154–160
Limosa lapponica 103, 107
 Lineated Woodpecker 59
Lipaugus lanioides 59
 Little Bronze-Cuckoo 302
 Little Friarbird 334, 335
 Little Penguin 135–142
 Little Shearwater 41
 Long-tailed Finch 324, 334, 335
 Lovely Fairy-wren 196–203, 209, 219, 221, 226, 228, 233–237, 240, 271, 272, 273, 275, 279, 304, 310, 311
 Lüthi, B. *see* Raya Rey, A. 145–153
Lymnocyrtes minimus 383
 MacGregor's Bird-of-paradise 196
Macgregoria pulchra 196
Mackenziaena severa 60
 Magellanic Penguin 128–132, 145–151
 Magenta Petrel 38, 39
 Magpie-lark 6, 158, 333, 334, 335, 337
 Mahr, K. *see* Kleindorfer, S. 259–269
 Mallard 242
 Mallee Emu-wren 201, 311, 313, 315
 Mallee Whipbird 365
 Malleefowl 340
Malurus alboscapulatus 196, 197, 200, 209, 219, 228, 233, 234, 235, 236, 251, 252, 253, 254, 255, 311, 271, 273, 275, 276, 279
M. a. lorentzi 250
M. a. moretoni 197, 250, 255
M. a. naimii 197
M. amabilis 196–203, 209, 219, 221, 226, 228, 233–237, 240, 252, 271, 272, 273, 275, 279, 304, 310, 311
M. campbelli 197
M. coronatus 196, 197, 200–201, 209–210, 213, 219–228, 233–242, 251, 252, 254, 255, 272, 275, 276, 279, 283, 290, 291, 297, 298, 303, 304, 305, 310, 311, 313, 336, 337, 338
M. c. coronatus 197, 200, 219, 226, 271, 273, 310, 313, 314, 315, 322
M. c. macgillivrayi 272, 273, 310, 313, 315, 322
M. cyaneus 112, 115, 118, 196–201, 209, 211–212, 213, 219–228, 233–241, 251, 252, 254, 255, 259–267, 272, 278, 283, 294–299, 303–307, 310, 311
M. c. ashbyi 259–267, 310
M. c. cyaneus 197, 271, 273, 279, 310
M. c. cyanochlamys 197, 219, 221, 224, 226, 227, 271, 273, 279, 310
M. c. elizabethae 310
M. c. leggei 219, 224, 259–267, 310, 315
M. c. samueli 310
M. cyanocephalus 196, 197, 198, 201, 209, 233, 234, 235, 236, 237, 311, 251, 252, 271, 273, 275, 276, 279
M. elegans 196, 197, 199, 200, 202, 203, 209, 210, 211, 214, 219, 220, 221, 224, 226, 233–240, 251, 252, 254, 271, 272, 273, 275, 279, 283, 295, 303, 304, 305, 310, 311
M. grayi 197
M. lamberti 196–203, 209, 219, 221, 226, 227, 233–237, 241, 251, 252, 253, 260, 261, 305, 310, 311, 334, 335, 337
M. l. assimilis 196–200, 202–203, 271, 272, 273, 278, 279, 310, 315
M. l. bernieri 196, 198, 310, 313
M. l. dulcis 196, 198, 202, 203, 310, 315
M. l. lamberti 198–200, 203, 271, 273, 279, 310
M. l. rogersi 196, 198, 202, 203, 310, 315
M. leucopterus 196, 197, 200, 209, 212, 219, 221, 226, 227, 228, 233–237, 239, 252, 253, 254, 272, 273, 285, 278, 279, 303, 304, 305, 310, 311
M. l. edouardi 200, 235, 310, 313
M. l. leuconotus 235, 271, 273, 310, 315
M. l. leucopterus 197, 200, 235, 310, 313
M. melanocephalus 196, 197, 200, 202–204, 209, 211, 219, 220, 221, 224, 225, 226, 233–239, 241, 250, 252, 253, 255, 272, 275, 278, 279, 282–292, 295, 303, 304, 305, 310, 311, 316, 333, 334, 337, 338, 339
M. m. cruentatus 203, 310, 315
M. m. melanocephalus 203, 219, 221, 226, 250, 271, 273, 311
M. pulcherrimus 196, 197, 199, 200, 202, 203, 209, 219, 221, 226, 233–238, 251, 252, 254, 271, 272, 273, 275, 279, 303, 304, 305, 311, 312, 314, 315
M. splendens 196, 197, 198, 200, 201, 209, 210, 211, 219–228, 233, 234, 236, 237, 238, 251, 252, 253, 254, 272, 273, 278, 283, 297, 298, 303–307, 311
M. s. callainus 311, 315
M. s. emmottorum 272, 273, 311
M. s. melanotus 197, 203, 219, 221, 224, 226, 271, 273, 278, 279, 311, 315
M. s. musgravi 197
M. s. splendens 210, 219, 224, 272, 273, 311
Manorina flavigula 333, 334, 337
M. melanocephala 116, 120, 335
M. melanotis 201, 340
 Margraf, N. and Cockburn, A. Helping behaviour and parental care in fairy-wrens (*Malurus*) 294–301
 Margraf, N. *see* Cockburn, A. 208–217
 Mariano-Jelicich, R. *see* Berón, M. P. 69–76
 Marini, M. Â. *see* Sousa, N. O. M. 8–18
 Maroon-bellied Parakeet 59
 Masked Finch 82, 334
 Masked Lapwing 106, 108, 109
 Masked Owl 321, 322
 McGiffin, A., Lill, A., Beckman, J. and Johnstone, C. P. Tolerance of human approaches by Common Mynas along an urban–rural gradient 154–160
 McLean, A. J. *see* Joseph, L. 195–207
 Meadow Pipit 1
 Medium Ground-Finch 186
Megadyptes antipodes 131
Megarynchus pitangua 60
Melanerpes carolinus 82
Melanodryas cucullata 334, 337
M. c. melvillensis 323, 324
Melithreptus albogularis 333, 334, 337, 339
M. gularis laetior 321
M. lunatus 115, 118
Melopsittacus undulatus 22, 161, 166
Melospiza georgiana 166
M. melodia 166
 Melville, J. *see* Balasubramaniam, S. 353–358
Merops ornatus 356–357
Merulaxis ater 60
Microeca fascians 334, 335
M. flavigaster 333, 37
 Mihailova, M. *see* Kleindorfer, S. 259–269
 Minton C. D. T. *see* Nebel, S. 99–111
Mirafrja javanica melvillensis 323
 Mistletoebird 334, 335
Molothrus ater 304

- mortality of Magellanic Penguins 128–134
Mottled Whistler 375
Mouse-colored Tapaculo 60
Mulder, R. A. *see* Balasubramaniam, S. 353–358
Murphy, S. A. *see* Skrobilin, A. 309–318
Myiagra inquieta 117
M. i. nana 321
Myiagra rubecula 115, 116, 118
Myiodynastes maculatus 60
Myrmeciza loricata 60
Myzomela obscura 333, 337
Nankeen Kestrel 20, 22, 24
Nebel, S., Rogers, K. G., Minton C. D. T. and Rogers, D. I. Is geographical variation in the size of Australian shorebirds consistent with hypotheses on differential migration? 99–111
Nelson, X. J. *see* Kross, S. M. 84–87
Neochmia phaeton 336
N. p. evangelinae 323
N. ruficauda clarescens 323
N. r. ruficauda 323
Neophema chrysogaster 340
Neothraupis fasciata 15
nest usurpation by the Blue-faced Honeyeater 77–83
New Caledonian Owlet-nightjar 384
New Zealand Falcon 84–87, 389
New Zealand Fantail 185
Nguyen, J. M. T., Worthy, T. H., Boles, W. E., Hand, S. J. and Archer, M. A. new cracticid (Passeriformes : Cracticidae) from the Early Miocene of Australia 374–382
Noisy Friarbird 115, 118, 334
Noisy Miner 116, 120, 335
Noisy Scrub-bird 340, 378
Norman, G. ‘Buller’s Birds of New Zealand: The Complete Work of JG Keulemans’ (book review) 396
North Island Saddleback 45–49, 161–166
North Island Snipe 384, 388, 389
Northern Fantail 321, 335, 339
Northern Rosella 321, 333, 335, 337
Noske, R. A. *see* Haruyama, N. 367–373; Eguchi, K. 77–83
Numenius madagascariensis 102–105, 107, 108
Nymphicus hollandicus 334
Nystalus chacuru 15
O’Connor, C. M. *see* Rickett, R. 62–68
Oceanites oceanicus 41
Oceanodroma furcata 40, 41
O. leucorhoa 41
Ochre-rumped Antbird 60
Ocyphaps lophotes 6, 22, 334, 335, 337
Odontophorus capueira 59
Olivaceous Woodcreeper 59
Olive-backed Oriole 333
Olrog’s Gull 69–73
Olsen, P. ‘Cayley & Son: The Life and Art of Neville Henry Cayley & Neville William Cayley’ (book review) 395
Orange-bellied Parrot 340
Orange-crowned Wren 196, 197
Oriental Plover 334
Origma solitaria 302
Oriolus flavocinctus 339
O. sagittatus 333
ornamentation in *Malurus* fairy-wrens 248–258
Pachycephala rufiventris 112, 115, 118, 333, 335, 337
P. r. falcata 321
P. r. pallida 321
P. rufogularis 201
Pachyptila turtur 39, 41, 135–142
Pachyramphus polychropterus 60
Pacific Golden Plover 106, 108
Pacific Gull 142
Painted Button-quail 384
Pale-headed Rosella 334, 335
Pallid Cuckoo 334
Palm Cockatoo 322, 332
Palm Tanager 60
Palmer, G. C. *see* Dunstan, H. 168–176
Pandion haliaetus 84
Papuan Whipbird 359
parasitism by Shining Bronze-Cuckoos 187–191
Pardalotus punctatus 115, 116, 117, 118, 354, 355
P. rubricatus 334
P. striatus 115, 118, 334, 335, 354, 355
P. s. melvillensis 321
P. s. uropygialis 321
parental care in fairy-wrens 294–301
Parker, K. A. *see* Adams, N. J. 45–51
Partridge Pigeon 322, 324, 330, 331, 338–339, 341
Parus major 6, 46
passage through the gut of Greater Rheas 177–182
Passer domesticus 26
Patagioenas plumbea 59
Pateke 62–67
Paterlini, C. A. *see* Berón, M. P. 69–76
Pavlova, A. *see* Balasubramaniam, S. 353–358
Peaceful Dove 1–6, 22, 335
Pelecanoides georgicus 41
P. urinatrix 39, 41, 135–142
Penelope obscura 59
Peregrine Falcon 24
Peter, J. D. L. Serventy Medal 2013: Citation – Ron Wooller 394
Peters, A., Kingma, S. A. and Delhey, K. Seasonal male plumage as a multi-component sexual signal: insights and opportunities 232–247
Petroica macrocephala 185
P. traverse 185
Petrophassa albipennis boothi 322, 324
P. rufipennis 324
Pezoporus wallicus 340
Phaethornis squalidus 59
Phaps histrionica 324
Pheasant Coucal 335
Philemon argenteiceps 335
P. citreogularis 334, 335
P. corniculatus 115, 118, 334
Philesturnus carunculatus 49
P. rufusater 45–49, 161–166
Philydor atricapillus 59
Phoenix Petrel 41
Phonygammus keraudrenii 166
Piaya cayana 59
Pica pica 77, 82
Pied Butcherbird 82, 333, 334, 335
Pied Currawong 115, 116, 117, 118, 119, 374
Pied Flycatcher 96
Pied Imperial-Pigeon 337
Pionus maximiliani 59
Pipile jacutinga 59
Pityriasis gymnocephala 375

- Pizo, M. A. *see* Rother, D. C. 52–61
- Pizzey, G. and Knight, F. 'The Field Guide to the Birds of Australia (Ninth Edition)' (book review) 91–92
- Plain Antvireo 60
- Plain Parakeet 59
- Planalto Woodcreeper 59
- Platyercus adscitus* 334, 335
- P. elegans* 115, 117, 118, 119
- P. venustus* 321, 333, 335, 337
- plumage as a sexual signal in fairy-wrens 232–247
- plumage evolution of Australian whipbirds and wedgebills 359–366
- Plumbeous Pigeon 59
- Pluvialis fulva* 106, 108
- P. squatarola* 106, 108
- Podargus strigoides* 337
- Poephila acuticauda* 324, 334, 335
- P. cincta cincta* 323, 324
- P. personata* 82, 334
- Polystictus pectoralis* 339
- Pomatostomus temporalis* 77–83, 334, 335, 337
- Porphyrio porphyrio melanotus* 62–67
- Price, J. J. *see* Greig, E. I. 270–281
- Priddel, D. *see* Binder, D. 33–44
- Probosciger aterrimus macgillivrayi* 322, 332
- Procellaria aequinoctialis* 41
- Procnias nudicollis* 55, 59
- Promerops cafer* 210
- Prothemadera novaeseelandiae* 185
- Providence Petrel 33–42
- provisioning of Providence Petrel chicks 33–44
- Pruett-Jones, S. *see* Greig, E. I. 270–281; Rowe, M. 218–231
- Psephotus chrysoterygius* 322, 324, 330, 338, 344
- P. dissimilis* 324
- Psittuteles versicolor* 333, 335
- Psophodes cristatus* 359–365
- P. leucogaster* 365
- P. nigrogularis* 201, 340, 359–365
- P. n. lashmari* 360
- P. n. nigrogularis* 360, 361, 362, 365
- P. n. oberon* 360, 361, 362, 365
- P. occidentalis* 359–365
- P. olivaceus* 359–365
- Pterodroma alba* 41
- P. axillaris* 39
- P. cahow* 39
- P. leucoptera* 40, 41
- P. macroptera* 38, 39
- P. m. gouldi* 48
- P. magentae* 38, 39
- P. pycroftii* 39, 40
- P. sandwicensis* 40, 41
- P. solandri* 33–42, 39, 41
- Ptilonopus regina* 337
- Ptilonorhynchus cerviniventris* 322
- P. maculata* 367
- P. nuchalis* 82, 321, 333, 334, 339
- P. n. nuchalis* 367–373
- P. n. orientalis* 367
- Puffinus assimilis* 41
- P. gavia* 39
- P. huttoni* 39
- P. nativitatis* 41
- P. tenuirostris* 135–142
- Pukeko 62–67
- Purple Swamphen 62–67
- Purple-crowned Fairy-wren 196, 197, 200–201, 209–210, 213, 219–228, 233–242, 251, 252, 254, 255, 272, 275, 276, 279, 283, 290, 291, 297, 298, 303, 304, 305, 310, 311, 313, 314, 315, 322, 336, 337, 338
- Purple-winged Ground Dove 57
- Pütz, K. *see* Raya Rey, A. 145–153
- Pycroft's Petrel 39, 40
- Pyrglena leucoptera* 60
- Pyrrhura frontalis* 59
- Quinn, J. S. *see* Rickett, R. 62–68
- Quiscalus lugubris* 6
- Rainbow Bee-eater 356–357
- Rainbow Lorikeet 333, 334, 335
- Ramphastos dicolorus* 59
- Ramphodon naevius* 56, 57, 59
- Ramsayornis fasciatus* 324
- Rasmussen, P. C. and Anderton, J. C. 'Birds of South Asia: The Ripley Guide (Second Edition)' (book review) 397–398
- Raya Rey, A., Pütz, K., Simeone, A., Hiriart-Bertrand, L., Reyes-Arriagada, R., Riquelme, V. and Lüthi, B. Comparative foraging behaviour of sympatric Humboldt and Magellanic Penguins reveals species-specific and sex-specific strategies 145–153
- Recurvirostra novaehollandiae* 103, 104, 105, 107, 108
- Red Goshawk 322
- Red Knot 101, 106, 107, 108
- Red Wattlebird 115, 117, 118, 119
- Red-backed Fairy-wren 196, 197, 200, 202–204, 209, 211, 219, 220, 221, 224, 225, 226, 233–239, 241, 250, 252, 253, 255, 272, 275, 278, 279, 282–292, 295, 303, 304, 305, 310, 311, 315, 316, 333, 334, 337, 338, 339
- Red-backed Kingfisher 333, 334
- Red-bellied Woodpecker 82
- Red-billed Scythebill 59
- Red-breasted Toucan 59
- Red-browed Pardalote 334
- Red-capped Plover 103, 105, 107, 108
- Red-crowned Ant-Tanager 56, 60
- Red-kneed Dotterel 106, 108
- Red-lored Whistler 201
- Red-necked Avocet 103, 104, 105, 107, 108
- Red-necked Stint 103, 104, 105, 107, 108
- Red-necked Tanager 60
- Red-rumped Cacique 60
- Red-tailed Black-Cockatoo 321, 333
- reduced rainfall and avian declines 112–121
- Red-winged Blackbird 161, 196, 197, 199, 200, 202, 203, 209, 210, 211, 214, 219, 220, 221, 224, 226, 233–240, 251, 252, 254, 271, 272, 273, 275, 279, 283, 295, 298, 303, 304, 305, 310, 311
- Red-winged Parrot 333, 334, 335
- Reed Bunting 210
- Regulus regulus* 96
- reproductive effort of Lesser Elaenias 8–18
- reproductive success, of Grey-crowned Babbler 77–83; of Lesser Elaenias 8–18
- resource availability of Silvereyes 26–32
- Restless Flycatcher 117, 321
- Reyes-Arriagada, R. *see* Raya Rey, A. 145–153
- Rhagologus leucostigma* 375
- Rhea americana* 1, 177–180
- Rhipidura albiscapa* 112, 115, 117, 118, 119
- R. fuliginosa* 185
- R. rufiventris* 321, 335, 339

- Rickett, R., Dey, C. D., Stothart, J., O'Connor, C. M., Quinn, J. S. and Ji, W. The influence of supplemental feeding on survival, dispersal and competition in translocated Brown Teal, or Pateke (*Anas chlorotis*) 62–68
- Riquelme, V. *see* Raya Rey, A. 145–153
- Robertson, J. *see* Kleindorfer, S. 259–269
- Rock Dove 6
- rockwarbler 302
- Rodrigues, M. *see* Schetini de Azevedo, C. 177–182
- Rogers, D. I. *see* Nebel, S. 99–111
- Rogers, K. G. *see* Nebel, S. 99–111
- Ron Wooller (Serventy Medal 2013) 394
- roosting site and variability in size in communal roosts 122–127
- Rose-crowned Fruit-dove 337
- Rother, D. C., Alves, K. J. F. and Pizo, M. A. Avian assemblages in bamboo and non-bamboo habitats in a tropical rainforest 52–61
- Rowe, M. and Pruett-Jones, S. Extra-pair paternity, sperm competition and their evolutionary consequences in the Maluridae 218–231
- Rowley, Ian i, vi (113/3)
- Ruby-crowned Tanager 60
- Ruddy Turnstone 106, 108
- Rufous Songlark 334, 335
- Rufous Whistler 112, 115, 118, 321, 333, 335, 337
- Rufous-banded Honeyeater 335
- Rufous-bellied Thrush 60
- Rufous-breasted Leaf-tosser 59
- Rufous-browed Peppershrike 60
- Rufous-capped Spinetail 59
- Rufous-crowned Emu-wren 201, 311, 313, 315
- Rufous-sided Pygmy-Tyrant 339
- Rufous-tailed Antbird 60
- Ruoppolo, V. *see* Vanstreels, R. E. T. 128–134
- Russell, Eleanor ii, vi (113/3)
- Saffron-billed Sparrow 60
- Saltator fuliginosus* 56, 60
- Sand, C. *see* Worthy, T. H. 383–393
- Sanderling 103, 104, 105, 107, 108
- Saw-billed Hermit 56, 57, 59
- Scaly-headed Parrot 59
- Scarlet Rosefinch 96
- Sceloglaux albifacies* 389
- Schetini de Azevedo, C., da Silva, M. C., Teixeira, T. P., Young, R. J., Garcia, Q. S. and Rodrigues, M. Effect of passage through the gut of Greater Rheas on the germination of seeds of plants of cerrado and caatinga grasslands 177–182
- Schoenjahn, J. A hot environment and one type of prey: investigating why the Grey Falcon (*Falco hypoleucos*) is Australia's rarest falcon 19–25
- Schulze-Hagen, K. *see* Leisler, B. 398–399
- Schumann, N., Dann, P. and Arnould, J. P. Y. Use of terrestrial habitats by burrow-nesting seabirds in south-eastern Australia 135–144
- Schwarzkopf, L. *see* Tang, L. (S.) 1–7
- Sclerurus scansor* 59
- Scytalopus speluncae* 60
- Seco Pon, J. P. *see* Berón, M. P. 69–76
- seed dispersal by Emus 168–176
- Şekercioğlu, Ç. H. *see* Wormworth, J. 88–89
- Selenidera maculirostris* 59
- Sharp-billed Treehunter 59
- Sharp-tailed Sandpiper 103–105, 107, 108
- Sharp-tailed Tyrant 339
- Shining Bronze-Cuckoo 187–191, 302, 303
- Short-tailed Grasswren 201, 310, 311, 312, 315
- Short-tailed Shearwater 40, 41, 135–142
- Silver-crowned Friarbird 335
- Silvereye 115, 118, 119, 185, 26–30, 32
- Simeone, A. *see* Raya Rey, A. 145–153
- Singing Honeyeater 334, 335
- Sipodotus wallacii* 196, 197, 271, 273, 275, 279
- Sittasomus griseicapillus* 59
- size of groups in communal roosts 122–127
- Skroblin, A. and Murphy, S. A. The conservation status of Australian malurids and their value as models in understanding land-management issues
- Skylark 1
- Slaty Bristlefront 60
- Smicrornis brevirostris* 115, 116, 117, 118, 333, 335, 337
- Snares Island Snipe 384
- Solitary Tinamou 59
- song evolution in Maluridae 270–281
- Song Sparrow 166
- song variation among Chatham Island Warblers 183–186
- Sooty Oystercatcher 103, 105, 107, 108, 109
- Sooty Shearwater 40
- Sousa, N. O. M. and Marini, M. Â. A negative trade-off between current reproductive effort and reproductive success: an experiment with clutch-size in a tropical bird 8–18
- South American Tern 72
- South Georgian Diving-Petrel 41
- South Island Saddleback 49
- South Island Snipe 384, 388, 389
- Southern Cassowary 178
- Southern Emu-wren 201, 209, 219, 220, 221, 223, 226, 271, 273, 279, 311, 313, 315
- species recognition in Superb Fairy-wrens 259–269
- Speckle-breasted Antpitta 60
- Speckled Warbler 117
- sperm competition in the Maluridae 218–231
- Sphecotheres vieilloti* 333, 339
- Spheniscus humboldti* 132, 145–151
- S. magellanicus* 128–132, 145–151
- S. mendiculus* 131, 132
- Spinifex Pigeon 22
- Spix's Spinetail 59
- Splendid Fairy-wren 196, 197, 198, 200, 201, 209, 210, 211, 219–228, 233, 234, 236, 237, 238, 251, 252, 253, 254, 272, 273, 278, 283, 295, 297, 298, 303–307, 311, 315
- Sporophila falcirostris* 57
- S. frontalis* 56, 57, 60
- Spot-backed Antshrike 60
- Spot-billed Toucanet 59
- Spot-breasted Antvireo 60
- Spot-winged Wood-Quail 59
- Spotted Antbird 15
- Spotted Bowerbird 367
- Spotted Pardalote 115, 116, 117, 118
- Spotted Pardalote 354, 355
- Squirrel Cuckoo 59
- Star Finch 323
- Stercorarius skua* 142
- Sterna hirundinacea* 72
- S. hirundo* 72
- Stevens, H. C. and Watson, D. M. Reduced rainfall explains avian declines in an unfragmented landscape: incremental steps toward an empty forest? 112–121
- Stipiturus malachurus* 201, 209, 271, 273, 279, 311, 313

- S. m. halmaturinus* 311
S. m. hartogi 311
S. m. intermedius 311, 315
S. m. littleri 311
S. m. malachurus 219, 220, 221, 223, 226, 311
S. m. parimeda 311, 315
S. m. polionotum 311
S. m. westernensis 311
S. mallee 201, 272, 273, 311, 313, 315
S. ruficeps 201, 311, 313, 315
Stothart, J. *see* Rickett, R. 62–68
Streaked Flycatcher 60
Strepera graculina 115, 116, 117, 118, 119, 374
Striated Grasswren 197, 201, 202, 219, 221, 226, 227, 252, 271, 273, 279, 310, 311, 312, 314, 315
Striated Pardalote 115, 118, 321, 334, 335, 354, 355
Striated Thornbill 115, 116, 118, 119
Struthidea cinerea 337
Stubble Quail 22
Sturnus vulgaris 26, 77, 82
Subantarctic Snipe 383, 388
Such's Antthrush 60
Sulphur-crested Cockatoo 82, 335
Sunnucks, P. *see* Balasubramaniam, S. 353–358
Superb Fairy-wren 112, 115, 118, 196–201, 209, 211–212, 213, 219–228, 233–241, 251, 252, 254, 255, 259–267, 271, 272, 273, 278, 279, 283, 294–299, 303–307, 310, 311, 315
supplemental feeding of Brown Teal 62–68
survival of Brown Teals 62–68
Swallow-tailed Manakin 55, 59
Swamp Harrier 63, 66
Swamp Sparrow 166
Synallaxis ruficapilla 59
S. spixi 59
Tachycineta bicolor 210
Tachyphonus coronatus 60
Taeniopygia bichenovii 82, 335
T. guttata 22, 161, 166, 334
Tang, L. (S.) and Schwarzkopf, L. Foraging behaviour of the Peaceful Dove (*Geopelia striata*) in relation to predation risk: group size and predator cues in a natural environment 1–7
Tangara cyanocephala 60
T. seledon 60
Tawny Frogmouth 337
Teixeira, T. P. *see* Schetini de Azevedo, C. 177–182
Temminck's Seedeater 57
terrestrial habitats of burrow-nesting seabirds 135–144
Thalassarche chrysostoma 41
T. melanophris 41
Thamnophilus atrinucha 15
Thick-billed Grasswren 201, 202, 310, 312, 315
Thraupis cyanoptera 60
T. palmarum 60
Thryothorus ludovicianus 161
Tinamus solitarius 59
Todiramphus macleayi 333, 335, 337
T. pyrrhopygius 333, 334
Tolmomyias sulphurescens 60
Tomtit 185
Toon, A., Joseph, L. and Burbidge, A. H. Genetic analysis of the Australian whipbirds and wedgebills illuminates the evolution of their plumage and vocal diversity 359–366
Torresian Crow 22, 335
translocation, of Brown Teals 62–68; of North Island Saddlebacks 45–51; of Providence Petrel chicks 33–44
Tree Swallow 210
Trichodere cockerelli 324
Trichoglossus haematodus 333, 334, 335
Tringa brevipes 106, 108
T. nebularia 106, 108
T. totanus 106
Troglodytes aedon 15, 77
Trogon viridis 56, 59
Trumpet Manucode 166
Tufted Antshrike 60
Tui 185
Turdus albicollis 55, 56, 60
T. flavipes 60
T. rufiventris 60
Turnix varius 384
Tyto delicatula 384, 389
T. javanica 22
T. letocarti 384, 389
T. novaehollandiae kimberli 321, 322
T. n. melvillensis 321, 322
Ueda, K. *see* Eguchi, K. 77–83
Uniform Finch 56, 60
van de Pol, M. *see* Cockburn, A. 208–217
van Grouw, K. 'The Unfeathered Bird' (book review) 193–194
van Heezik, Y. *see* Waite, E. 26–32
Vanellus miles 106, 108, 109
Vanstreels, R. E. T., Adornes, A. C., Canabarro, P. L., Ruoppolo, V., da Silva-Filho, R. P. and Catão-Dias, J. L. Female-biased mortality of Magellanic Penguins (*Spheniscus magellanicus*) on the wintering grounds 128–134
Varied Lorikeet 333, 335
Varied Triller 333
Variegated Antpitta 60
Variegated Fairy-wren 196–203, 209, 219, 221, 226, 227, 233–237, 241, 251, 252, 253, 260, 261, 271, 272, 273, 278, 279, 305, 310, 311, 313, 315, 334, 335, 337
Violaceous Euphonia 61
vocal diversity of Australian whipbirds and wedgebills 359–366
Vultur gryphus 122–126
Waite, E., Closs, G. P., van Heezik, Y. and Dickinson, K. J. M. Resource availability and foraging of Silvereyes (*Zosterops lateralis*) in urban trees 26–32
Wallace's Wren 196, 197
Watson, D. M. *see* Stevens, H. C. 112–121
Webster, M. S. *see* Dowling, J. L. 282–293
Wedge-tailed Shearwater 34, 41
Weebill 115, 116, 117, 118, 333, 335, 337
Welcome Swallow 93–97
Wells, D. R. 'Systematic Notes on Asian Birds 2010' (book review) 89–91
Westbrooke, M. E. *see* Dunstan, H. 168–176
Western Grasswren 201, 202, 310, 311, 312, 315
Western Osprey 84
Western Sandpiper 99, 107
Western Slaty-Antshrike 15
Western Whipbird 201, 340, 359–365
Western Yellow Robin 202
Whistling Kite 333
White-banded Tanager 15
White-bearded Antshrike 57
White-bellied Cuckoo-shrike 333

- White-bibbed Antbird 60
 White-browed Warbler 60
 White-chinned Petrel 41
 White-collared Foliage-gleaner 55, 59
 White-eared Honeyeater 115, 118, 119
 White-eared Puffbird 15
 White-eyed Foliage-gleaner 55, 59
 White-gaped Honeyeater 333, 335
 White-naped Honeyeater 115, 118
 White-necked Thrush 55, 56, 60
 White-plumed Honeyeater 115, 118
 White-quilled Rock-Pigeon 322, 324
 White-rumped Tanager 15
 White-shouldered Fairy-wren 196, 197, 200, 209, 219, 228, 233, 234, 235, 236, 251, 253, 254, 255, 271, 273, 275, 276, 279, 311
 White-shouldered Fire-eye 60
 White-streaked Honeyeater 324
 White-striped Warbler 60
 White-throated Gerygone 112, 115, 118, 119
 White-throated Grasswren 201, 310, 311, 312, 315, 323, 324
 White-throated Honeyeater 333, 334, 337, 339
 White-throated Sparrow 166
 White-throated Treecreeper 115, 118, 119, 378
 White-throated Woodcreeper 59
 White-winged Becard 60
 White-winged Chough 115, 116, 118, 119, 321
 White-winged Fairy-wren 196, 197, 200, 209, 212, 219, 221, 226, 227, 228, 233–237, 239, 252, 253, 254, 271, 272, 273, 285, 278, 279, 303, 304, 305, 310, 311, 313, 315
 White-winged Triller 335
 Whooping Crane 161
 Wilson's Storm-Petrel 41
 Woinarski, J. C. Z. and Legge, S. The impacts of fire on birds in Australia 319–352
 Wormworth, J. and Şekercioğlu, Ç. H. 'Winged Sentinels: Birds and Climate Change' (book review) 88–89
 Worthy, T. H., Anderson, A. and Sand, C. An extinct Austral snipe (Aves : *Coenocorypha*) from New Caledonia 383–393
 Worthy, T. H. *see* Nguyen, J. M. T. 374–382
Xanthotis flaviventer 197
Xiphocolaptes albicollis 59
 Yachou-Wos. L. *see* Lill, A. 93–98
 Yamaguchi, N. *see* Eguchi, K. 77–83; Haruyama, N. 367–373
 Yellow Chat 323
 Yellow Oriole 339
 Yellow Warbler 304
 Yellow-bellied Elaenia 60
 Yellow-eyed Penguin 131
 Yellow-faced Honeyeater 115, 117, 118, 119
 Yellow-legged Thrush 60
 Yellow-olive Flycatcher 60
 Yellow-throated Miner 333, 334, 337
 Yellow-tinted Honeyeater 321
 Young, R. J. *see* Schetini de Azevedo, C. 177–182
 Zebra Finch 22, 161, 166, 334
Zenaida aurita 6
Zenaida Dove 6
Zonotrichia albicollis 166
Zosterops lateralis 26–30, 32, 115, 118, 119, 185