

INDEX

	PAGE		PAGE
Acoustical cavitation of aqueous solutions	319	Brooks, J. W.—	
Airglow, summertime midnight enhancement of	109	<i>See</i> McGee, R. X.	
Allpress, J. G., and Sanders, J. V.—		Brown, A., and Downes, G. L.—	
The structure and stability of small		Temperature profiles in some heat	
clusters of atoms	23	conduction problems with spherical	
Aluminium, frequency spectra and heat		symmetry	935
capacity of	311	Burrows, R. D., Caro, D. E., Gold, E.,	
Aluminium-magnesium alloys, electron		Klein, A. G., MacDowell, C. E., Olney,	
energy loss spectra of	655	J. L., Opat, G. I., Starr, J., Wignall,	
Ammonia mixtures, microwave absorp-		J. W. G., and Peaslee, D. C.—	
tion at high pressures by	335	pd topological cross sections in the	
Argon mixtures, microwave absorption		momentum range 50–920 MeV/c	819
at high pressures by	335		
Ariel, P. D.—		Cadmium: gamma-gamma directional	
Rayleigh-Taylor instability of an in-		correlations in ¹¹⁰ Cd	87
viscid, infinitely conducting fluid in		Cadmium-magnesium alloys, electron	
the presence of a vertical magnetic		energy loss spectra of	655
field with Hall currents	595	Caesium: gamma-gamma directional	
<i>Astronomy</i>		correlations in ¹³¹ Cs	79
Observations of small nebulae associ-		Calcium: ⁴¹ Ca and ⁴⁹ Ca in deuteron	
ated with Wolf-Rayet Stars	203	stripping	641
Redshift-apparent magnitude relation		Calcium: inelastic scattering of protons	
for 147 quasi-stellar objects	351	by ⁴⁰ Ca	475
<i>See also</i> Identifications, astronomical;		Carbonyl sulphide mixtures, microwave	
Radiofrequency radiation, cosmic		absorption at high pressures by	335
Atomic three- and four-particle systems,		Caro, D. E.—	
regular wavefunctions for	239	<i>See</i> Burrows, R. D.	
Aurora: conjugate studies of cosmic		Caswell, J. L.—	
noise absorption	187	Radio observations of four supernova	
		remnants	105
Batchelor, R. A.—		Catchpole, J. R.—	
<i>See</i> McGee, R. X.		Longitudinal and transverse electric	
Smith, Lindsey, F.		field effects in magnetospheric pre-	
Bawa, Parveen—		cipitation	155
<i>See</i> Mangal, P. C.		Cavenor, M. C.—	
Behari, J., and Tripathi, B. B.—		An experimental test of the streamer	
Frequency spectra and heat capacities		breakdown criterion	953
of copper, nickel, and aluminium	311	Chromium, characteristic L radiation	
Benzene, solid, characteristic electron		from	17
energy loss of	609	Chu, T. Y.—	
Beryllium: 1.67 MeV state in ⁹ Be	651	<i>See</i> Wall, J. V.	
Bolton, J. G., and Wall, J. V.—		Clark, D. H., and Stevenson, D. J.—	
Quasi-stellar objects in the Parkes		A fast correlation method for studying	
2700 MHz survey: the selected regions		drifting patterns associated with	
and the $\pm 4^\circ$ declination zone	789	ionospheric irregularities	947
Brooker, P. I.—		Clayton, E.—	
An exact solution for the third approxi-		A multilevel formalism for neutron	
mation to the pressure tensor of a gas		elastic scattering cross sections	823
of rigid spheres	1		

	PAGE		PAGE
Cooke, D. J.—		Desloge, E. A., and Mitchell, R. D.—	
<i>See</i> Day <i>et al.</i>		The spatial and velocity distribution of	
Cooper, B. F. C.—		electrons in a diffusion chamber ..	497
Correlators with two-bit quantization	521	Deuterium, cross section for rotational	
Copper, characteristic L radiation from	17	excitation of	683
Copper, frequency spectra and heat		Din, G. U.—	
capacity of	311	The $^{29}\text{Si}(\text{p}, \gamma)^{30}\text{P}$ and $^{29}\text{Si}(\text{p}, \text{p}'\gamma)^{29}\text{Si}$	
Copper: spin of 426 keV level in ^{62}Cu ..	11	reactions from 1300 to 1850 keV ..	261
Copper-nickel alloys, electron energy loss		Downes, G. L.—	
spectra of	655	<i>See</i> Brown, A.	
Correlators with two-bit quantization ..	521	Dyer, A. J.—	
<i>Cosmology</i>		Stratospheric transport and spherical	
Estimation of deceleration parameter		diffusion	449
of universe from redshifts and apparent			
magnitudes of quasi-stellar objects	351	Ekers, R. D.—	
Galactic magnetic field and cosmic rays	731	Identification of southern extragalactic	
Model classification for relativistic		radio sources	217
universes containing matter and		Electron energy loss spectra ..	609, 655
radiation	177	Electron paramagnetic resonance spectra	299
Theory based on Lyra's geometry ..	863	Elford, M. T.—	
Craig, C. D.—		<i>See</i> Crompton, R. W.	
<i>See</i> Hayes, C. F.		Epstein, G. N., and McKellar, B. H. J.—	
Creagh, D. C.—		Form factors and the circular polari-	
On the measurement of X-ray disper-		zation of γ -rays from nuclear reactions	601
sion corrections using X-ray inter-			
ferometers	99	Folkard, M. A., and Haydon, S. C.—	
Crompton, R. W., Elford, M. T., and		Monte Carlo investigations of non-	
Robertson, A. G.—		equilibrium effects at high values of	
The momentum transfer cross section		E/p in swarm experiments in hydrogen	847
for electrons in helium derived from		Fong, L. H., and Tomlin, S. G.—	
drift velocities at 77°K	667	Absolute intensities of some L and M	
		characteristic X-rays from solid	
Dallimore, P. J.—		targets	17
<i>See</i> Davidson, W. F.		Forwood, C. T., and Humble, P.—	
Davidson, W.—		Dislocation dipoles in elastically aniso-	
<i>See</i> Zotov, Natalia V.		tropic crystals	697
Davidson, W. F., Dallimore, P. J., and			
Hellström, J.—		Gardner, F. F.—	
Spin of the 426 keV level in ^{62}Cu ..	11	<i>See</i> Davies, R. D.	
Davies, R. D., and Gardner, F. F.—		Gas, rigid sphere, exact solution for third	
The polarization of radio sources.		approximation to pressure tensor of ..	1
II. Observations of extended radio		<i>Gaseous electronics</i>	
sources	59	Cross sections for rotational excitation	
Day, G. A.—		of H_2 and D_2	683
<i>See</i> Goss, W. M.		Momentum transfer cross section for	
Day, G. A., Warne, W. G., and Cooke,		electrons in helium derived from drift	
D. J.—		velocities at 77°K	667
A low latitude galactic survey from		Monte Carlo investigations of non-	
$\text{III} = 37^\circ$ to 47° at 2.7 GHz ..	APS* 13	equilibrium effects at high values of	
Delves, L. M.—		E/p	847
<i>See</i> Kalotas, T. M.		Spatial and velocity distribution of	
		electrons in diffusion chamber ..	497

* APS 13 = Astrophysical Supplement No. 13.

	PAGE		PAGE
Geophysics: computation of magnetic L coordinates	941	Hindman, J. V., and Kerr, F. J.—	
Geophysics: disturbance daily variation during IGY	905	Parkes hydrogen-line survey of the Milky Way. V. The section $l^{\text{II}} = 190^\circ$ to 299° , perpendicular tracks	APS 18
Gibberd, R. W.—		Hoskins, D. G., and Murdoch, H. S.—	
Exact solution of a one-dimensional spin system	927	Right ascensions for 389 southern radio sources from the Molonglo fan beam survey	APS 15
Gibson, D. K.—		Humble, P.—	
The cross section for rotational excitation of H_2 and D_2 by low energy electrons	683	<i>See</i> Forwood, C. T.	
Gold, E.—		<i>Hydrogen</i>	
<i>See</i> Burrows, R. D.		Cross section for rotational excitation	683
Goss, W. M.—		Highly excited atoms formed when incident proton beam passes through neutralizing target	481
<i>See</i> Manchester, R. N.		Microwave absorption by mixtures at high pressures	335
Robinson, B. J.		Monte Carlo investigations of non-equilibrium effects at high values of E/p in swarm experiments	847
Shaver, P. A.		Spark discharge development	953
Goss, W. M., and Day, G. A.—			
A low latitude galactic survey from $l^{\text{II}} = 6^\circ$ to 26° at 2.7 GHz ..	APS 13	Ice, characteristic electron energy loss of	609
Goss, W. M., Manchester, R. N., and Robinson, B. J.—		<i>Identifications, astronomical</i>	
18 cm observations of galactic OH from longitudes 305° to 334°	559	Galaxies in selected regions and $\pm 4^\circ$ declination zone from 2700 MHz survey	575
Goss, W. M., and Shaver, P. A.—		Quasi-stellar objects in selected regions and $\pm 4^\circ$ declination zone from 2700 MHz survey	789
Galactic radio sources. I. High resolution 5000 MHz observations ..	APS 14	Southern extragalactic radio sources	217
		<i>Ionosphere</i>	
Hajkowicz, L. A.—		Electric field effects on electron precipitation	155
Conjugate riometer studies of auroral zone cosmic noise absorption ..	187	Electron content at temperate latitudes during increasing phase of solar cycle	37
Halford, W. D.—		Fast correlation method for studying drifting patterns	947
Cosmological theory based on Lyra's geometry	863	Iron: e.p.r. spectrum of Fe^{3+} in petalite	299
Hartley, B. M., and Swan, J. B.—		Irvine, R. D.—	
Electron energy-loss spectra of the alloys Al-Mg, Cd-Mg, and Cu-Ni ..	655	A dynamic model of the Slater K.D.P. ferroelectric	833
Haydon, S. C.—			
<i>See</i> Folkard, M. A.		Ja, Y. H.—	
Hayes, C. F., and Craig, C. D.—		Electron paramagnetic resonance of Fe^{3+} and Mn^{2+} in natural single crystals of petalite, $\text{LiAlSi}_4\text{O}_{10}$	299, 445
Quantization of Lagrangians for charges in an external field	951	James, M. K.—	
Heat conduction problems with spherical symmetry	935	An exact necessary and sufficient criterion for the stability of interchanges in a diffuse, radially constricted plasma between electrodes ..	275
Helium, momentum transfer cross section for electrons in	667		
Helium mixtures, microwave absorption at high pressures by	335		
Hellström, J.—			
<i>See</i> Davidson, W. F.			
Hindman, J. V.—			
<i>See</i> Kerr, F. J.			

- | | PAGE | | PAGE |
|---|--------|---|--------|
| Jarman, P. D.— | | Liddle, P. F.— | |
| <i>See</i> Taylor, K. J. | | Microwave scattering from a non- | |
| Jupiter: decimetre radiation | 197 | uniform plasma | 605 |
| Kalotas, T. M., Lloyd, M. H., and | | Lithium target neutralization of incident | |
| Delves, L. M.— | | proton beam | 481 |
| Regular wavefunctions for atomic | | Lloyd, M. H.— | |
| three- and four-particle systems .. | 239 | <i>See</i> Kalotas, T. M. | |
| Karlov, L.— | | Lodge, J. G., and May, R. M.— | |
| Does Römer's method yield a uni- | | Formation of highly excited neutral | |
| directional speed of light? | 243 | atoms by charge exchange from alkali | |
| Kerr, F. J.— | | targets of arbitrary thickness .. | 481 |
| <i>See</i> Hindman, J. V. | | Lynch, M. J.— | |
| Kerr, F. J., and Hindman, J. V.— | | <i>See</i> Otto, A. | |
| Parkes hydrogen-line survey of the | | MacDowell, C. E.— | |
| Milky Way. III. A synoptic view of | | <i>See</i> Burrows, R. D. | |
| the galactic equator, $l^{\text{II}} = 185^{\circ}$ to 63° | | McGee, R. X.— | |
| | APS 18 | Atlas of OH ₁₆₆₇ line profiles near the | |
| Kerr, F. J., and Knapp, Gillian R.— | | galactic centre | APS 17 |
| Parkes hydrogen-line survey of the | | Hydroxyl gas clouds near the galactic | |
| Milky Way. IV. Absorption by low | | centre | 541 |
| latitude continuum sources in the | | <i>See also</i> Robinson, B. J. | |
| region $l^{\text{II}} = 296^{\circ}$ to $63^{\circ} \cdot 5$.. | APS 18 | McGee, R. X., Brooks, J. W., Sinclair, | |
| Khan, M. S. H.— | | M. W., and Batchelor, R. A.— | |
| Sporadic- <i>E</i> structures and pressure | | OH ₁₆₆₇ line absorption at $2^{\circ} < l^{\text{II}} < 4^{\circ}$, | |
| oscillations at ground level | 719 | $-0^{\circ}30' < b^{\text{II}} < 1^{\circ}$ | 777 |
| King, K., and McKellar, B. H. J.— | | McKellar, B. H. J.— | |
| Calculations for stripping with doubly | | <i>See</i> Epstein, G. N. | |
| magic nuclei | 453 | King, K. | |
| (d, p) reactions to the ground states | | Magnesium alloys with aluminium and | |
| of ⁴¹ Ca and ⁴⁹ Ca | 641 | cadmium, electron energy loss spectra | |
| Klein, A. G.— | | of | 655 |
| <i>See</i> Burrows, R. D. | | Manchester, R. N.— | |
| Knapp, Gillian R.— | | <i>See</i> Goss, W. M. | |
| <i>See</i> Kerr, F. J. | | Robinson, B. J. | |
| Komarov, V. V.— | | Manchester, R. N., Robinson, B. J., and | |
| <i>See</i> Tucker, S. N. | | Goss, W. M.— | |
| Kumar, Kailash— | | 18 cm observations of galactic OH | |
| <i>Corrigenda to:</i> The Chapman-Enskog | | from longitudes 128° to 300° .. | 751 |
| solution of the Boltzmann equation | 519 | Mangal, P. C.— | |
| Transport coefficients for a multi- | | <i>See</i> Sud, S. P. | |
| component mixture of ionized gases | 505 | Mangal, P. C., Sud, S. P., Bawa, Parveen, | |
| Lagrangians, quantization of | 951 | and Trehan, P. N.— | |
| Landecker, T. L., and Wielebinski, R.— | | Gamma-gamma directional correla- | |
| The galactic metre wave radiation: a | | tions in ¹³¹ Cs | 79 |
| two-frequency survey between de- | | Manganese: e.p.r. spectrum of Mn ²⁺ in | |
| clinations $+25^{\circ}$ and -25° and the | | petalite | 299 |
| preparation of a map of the whole sky | | Mars, observations at $11 \cdot 1$ cm of .. | 111 |
| | APS 16 | May, R. M.— | |
| | | <i>See</i> Lodge, J. G. | |
| | | May, R. M., and Nicholls, I. R.— | |
| | | On the calculation of neutron tunnelling | |
| | | cross sections | 633 |

	PAGE		PAGE
Melrose, D. B.—		<i>Nuclear physics</i>	
On the theory of type II and type III		Calculations for stripping with doubly	
solar radio bursts.		magic nuclei	453
I. The impossibility of nonthermal		(d, p) reactions to ^{41}Ca g.s. and ^{49}Ca	
emission due to combination scatter-		g.s.	641
ing off thermal fluctuations	871	Dependence of meson masses on spin	129
II. Alternative model	885	Form factors and circular polarization	
Merkelijn, Jeannette K., and Wall,		of γ -rays	601
J. V.—		Gamma-gamma directional correla-	
Galaxy identifications from the Parkes		tions in ^{110}Cd	87
2700 MHz survey: the selected re-		Gamma-gamma directional correla-	
gions and the $\pm 4^\circ$ declination zone ..	575	tions in ^{131}Cs	79
Methyl chloride mixtures, microwave		Inelastic scattering of protons by ^{40}Ca	475
absorption at high pressures by	335	Low-lying odd parity states of ^{46}Sc ..	255
Microwave spectroscopy: absorption by		Multilevel formalism for neutron elas-	
gas mixtures at pressures up to several		tic scattering cross sections	823
hundred bars	335	Neutron tunnelling cross sections ..	633
Milne, D. K.—		1.67 MeV level in ^9Be	651
Nonthermal galactic radio sources ..	425	$\bar{p}d$ topological cross sections	819
Mitchell, R. D.—		Properties of quarks	615, 627
<i>See</i> Desloge, E. A.		$^{29}\text{Si}(p, \gamma)^{30}\text{P}$ and $^{29}\text{Si}(p, p'\gamma)^{29}\text{Si}$ reac-	
Moon as screen for radio sky background	529	tions from 1300 to 1850 keV	261
Morris, E. C., and Parsons, R. W.—		Simple and superimposed level se-	
Microwave absorption by gas mixtures		quences and estimation of average	
at pressures up to several hundred		level spacing	117
bars. I. Experimental techniques		Solution of Bethe-Goldstone equation	231
and results	335	Spin of 426 keV level in ^{62}Cu	11
Murdoch, H. S.—		Three-body forces	465
<i>See</i> Hoskins, D. G.			
deL Musgrove, A. R.—		Olney, J. L.—	
Statistical properties of simple and		<i>See</i> Burrows, R. D.	
superimposed level sequences and		Opat, G. I.—	
estimation of the average nuclear		<i>See</i> Burrows, R. D.	
level spacing	117	Otto, A., and Lynch, M. J.—	
Narayana Rao, N., Yeh, K. C., and		Characteristic electron energy losses	
Youakim, M. Y.—		of solid benzene and ice	609
Ionospheric electron content at tem-		Oxygen: deuteron stripping by ^{16}O ..	453
perate latitudes during the increasing			
phase of the solar cycle	37	Parsons, R. W.—	
Nichol, D. G.—		<i>See</i> Morris, E. C.	
A summertime midnight enhancement		Pask, C.—	
of λ 6300 Å airglow	109	Phenomenological nuclear three-body	
Nicholls, I. R.—		forces	465
<i>See</i> May, R. M.		Payne, A. D.—	
Truelove, J. S.		Model classification for relativistic	
Nickel, frequency spectra and heat		universes containing matter and	
capacity of	311	radiation	177
Nickel-copper alloys, electron energy loss		Peaslee, D. C.—	
spectra of	655	<i>See</i> Burrows, R. D.	
Nitrogen mixtures, microwave absorp-		Petalite, e.p.r. spectra of	299
tion at high pressures by	335	Petersons, H. F.—	
		Disturbance daily variation during	
		the IGY	905

	PAGE		PAGE
Piddington, J. H.—		<i>Radiofrequency radiation, cosmic</i>	
The galactic magnetic field and cosmic rays	731	Jovian decimetre radiation	197
<i>Plasma</i>		Low latitude galactic surveys at 2.7 GHz	APS 13
Diffusion across magnetic fields ..	491	Nonthermal galactic sources	425
Exact drift velocity solutions for charged particle motion in a static axially symmetric magnetic field ..	133	Observations of four supernova remnants	105
Exact necessary and sufficient criterion for stability	275	Observations of Mars and Venus at 11.1 cm	111
Experimental test of streamer breakdown criterion	953	OH ₁₆₆₇ line absorption near galactic centre	405, 541, 777
Formation of highly excited neutral atoms by charge exchange from alkali targets	481	Parkes hydrogen-line survey of Milky Way	APS 18
Microwave scattering	605	Polarization of sources	59
Radiation by electron stream in solar corona	161	Quasi-stellar object identifications from 2700 MHz survey	789
Rayleigh-Taylor instability of fluid in presence of vertical magnetic field with Hall currents	595	Right ascensions for 389 southern radio sources from Molonglo fan beam survey	APS 15
Transport coefficients for multicomponent mixture of ionized gases ..	505	Sky background studies using moon as screen	529
Platinum, characteristic M radiation from	17	Southern sky survey at 55 MHz	223
Potassium dihydrogen phosphate, Slater model for ferroelectric behaviour of ..	833	Raju, B. B. V., and Spicer, B. M.—	
Price, R. M.—		The low-lying odd parity states of ⁴⁶ Sc	255
An extension of the 408 MHz Southern Milky Way survey and assignment of an absolute baselevel	227	Robertson, A. G.—	
<i>Radiofrequency radiation, cosmic</i>		<i>See</i> Crompton, R. W.	
Absolute sky brightness temperatures at 320 and 707 MHz	45	Robinson, B. J.—	
Atlas of OH ₁₆₆₇ line profiles near the galactic centre	APS 17	<i>See</i> Goss, W. M.	
De-convolution of barely resolved sources mapped with elliptical aerial beams	113	Manchester, R. N.	
18 cm observations of galactic OH	363, 559, 751	Robinson, B. J., Goss, W. M., and Manchester, R. N.—	
11 cm observations of small nebulae associated with Wolf-Rayet stars ..	203	18 cm observations of galactic OH from longitudes 350° to 50°	363
Extension of 408 MHz Southern Milky Way survey and assignment of absolute baselevel	227	Robinson, B. J., and McGee, R. X.—	
Galactic metre wave radiation	APS 16	OH absorption at 1667 MHz near the galactic centre	405
Galactic radio sources	APS 14	Rohan, P., and Soden, L. B.—	
Galaxy identifications from 2700 MHz survey	575	A survey of the southern sky at 55 MHz	223
Identification of southern extragalactic sources	217	Römer's method for determining speed of light	243
		Sanders, J. V.—	
		<i>See</i> Allpress, J. G.	
		Scandium: low-lying odd parity states of ⁴⁶ Sc	255
		Schaeffer, R. C.—	
		Computation of geomagnetic <i>L</i> coordinates	941
		Seppelt, B. M.—	
		<i>See</i> Takeda, Susumu	
		Seymour, P. W.—	
		Exact drift velocity solutions for charged particle motion in a static axially symmetric magnetic field ..	133

	PAGE		PAGE
Shaver, P. A.—		Strontium: deuteron stripping by ^{88}Sr	453
<i>See</i> Goss, W. M.		Sud, S. P.—	
Shaver, P. A., and Goss, W. M.—		<i>See</i> Mangal, P. C.	
Galactic radio sources.		Sud, S. P., Mangal, P. C., and Trehan,	
II. High resolution 408 MHz obser-		P. N.—	
vations	APS 14	Gamma-gamma directional correla-	
III. Spectra and physical charac-		tions in ^{110}Cd	87
teristics	APS 14	<i>Sun</i>	
Silicon: $^{29}\text{Si}(\text{p}, \gamma)^{30}\text{P}$ and $^{29}\text{Si}(\text{p}, \text{p}'\gamma)^{29}\text{Si}$		Radiation of plasma waves by electron	
reactions	261	stream in corona	161
Silver, characteristic L radiation from	17	Theory of type II and type III bursts	
Sinclair, M. W.—			871, 885
<i>See</i> McGee, R. X.		Swan, J. B.—	
Smith, G. B.—		<i>See</i> Hartley, B. M.	
Estimation of the properties of quarks.			
II. Scalar quark-quark interaction	627	Takeda, Susumu, and Seppelt, B. M.—	
Smith, G. B., and Tassie, L. J.—		Diffusion of decaying plasma densities	
Estimation of the properties of quarks.		across magnetic fields	491
I. Vector quark-quark interaction ..	615	Tassie, L. J.—	
Smith, Lindsey F., and Batchelor, R. A.—		The dependence of meson masses on	
11 cm observations of small nebulae		spin according to simple models ..	129
associated with Wolf-Rayet stars ..	203	<i>See also</i> Smith, G. B.	
Soden, L. B.—		Taylor, K. J., and Jarman, P. D.—	
<i>See</i> Rohan, P.		The spectra of sonoluminescence ..	319
Sodium target neutralization of incident		Titanium, characteristic L radiation	
proton beam	481	from	17
<i>Solid state physics</i>		Treacy, P. B.—	
Dislocation dipoles in crystals ..	697	<i>See</i> Tucker, S. N.	
Dynamic model of Slater K.D.P.		Trehan, P. N.—	
ferroelectric	833	<i>See</i> Mangal, P. C.	
Electron energy loss spectra of Al-Mg,		Sud, S. P.	
Cd-Mg, and Cu-Ni alloys	655	Tripathi, B. B.—	
Exact solution of one-dimensional		<i>See</i> Behari, J.	
spin system	927	Truelove, J. S., and Nicholls, I. R.—	
Frequency spectra and heat capacities		Solution of the Bethe-Goldstone equa-	
of copper, nickel, and aluminium ..	311	tion in a shell model basis	231
Measuring X-ray refractive indices ..	99	Tucker, S. N., Treacy, P. B., and	
Structure and stability of small clus-		Komarov, V. V.—	
ters of atoms	23	The 1.67 MeV level in ^9Be	651
Sonoluminescence, spectra of	319	Tungsten, characteristic M radiation	
Spicer, B. M.—		from	17
<i>See</i> Raju, B. B. V.			
Stankevich, K. S.—		<i>Upper atmosphere</i>	
Observations of Mars and Venus at		Sporadic- <i>E</i> structures and pressure	
11.1 cm	111	oscillations at ground level	719
Stankevich, K. S., Wielebinski, R., and		Stratospheric transport and spherical	
Wilson, W. E.—		diffusion	449
Radio sky background studies using		Summertime midnight enhancement	
the moon as a screen	529	of λ 6300 Å airglow	10'
Starr, J.—			
<i>See</i> Burrows, R. D.		Venus, observations at 11.1 cm of ..	111
Stevenson, D. J.—			
<i>See</i> Clark, D. H.			

	PAGE		PAGE
Wall, J. V.—		Wilson, W. E.—	
<i>See</i> Bolton, J. G.		<i>See</i> Stankevich, K. S.	
Merkilijn, Jeannette K.		Wolf-Rayet stars, observations of small	
Wall, J. V., Chu, T. Y., and Yen, J. L.—		nebulae associated with	203
Measurements of absolute sky bright-		X-ray refractive indices, measurement of	99
ness temperatures at 320 and 707 MHz	45	X-rays: intensities of L and M charac-	
Warne, W. G.—		teristic radiation	17
<i>See</i> Day, G. A.		Yeh, K. C.—	
White, R. E., and Willey, H. B.—		<i>See</i> Narayana Rao, N.	
Inelastic scattering of 5.8–6.6 MeV		Yen, J. L.—	
protons by ^{40}Ca	475	<i>See</i> Wall, J. V.	
Wielebinski, R.—		Yip, W. K.—	
<i>See</i> Landecker, T. L.		Radiation of plasma waves by an	
Stankevich, K. S.		electron stream in the solar corona	161
Wignall, J. W. G.—		Youakim, M. Y.—	
<i>See</i> Burrows, R. D.		<i>See</i> Narayana Rao, N.	
Wild, J. P.—		Zirconium: deuteron stripping by ^{90}Zr	453
De-convolution of barely resolved radio		Zotov, Natalia V., and Davidson, W.—	
sources mapped with aerial beams of		An analysis of the redshift–apparent	
elliptical cross section	113	magnitude relation for 147 quasi-	
Wilkinson, J. E.—		stellar objects	351
Jovian decimetre radiation	197		
Willey, H. B.—			
<i>See</i> White, R. E.			