

INDEX

| PAGE | PAGE |
|---|----------|
| Aller, L. H.— | |
| <i>See</i> Mills, B. Y. | 609 |
| Aluminium: high-spin states in ^{27}Al | 471 |
| Aluminium alloys, electrical resistivity at low temperatures of | 309 |
| Argon, mobility of potassium ions in | 705 |
| Armitage, D., and Goldsmid, H. J.— | |
| Electrical and thermal relaxation times in cadmium arsenide | 317 |
| <i>Astronomy</i> | |
| Flare stars near Orion nebula | 247 |
| Identification of southern radio sources | 601 |
| <i>See also</i> Radiofrequency radiation, cosmic | |
| <i>Astrophysics</i> | |
| $^{12}\text{C} + \alpha$ cross section at stellar energies | 777 |
| Nonlinear thermal convection with free boundaries | 579, 587 |
| Radiofrequency photon in plasma around star | 871 |
| Skewness of radial velocity curve of pulsating massive star | 125 |
| Auroral oval, southern | 97 |
| Barker, F. C.— | |
| Calculation of the $^{12}\text{C} + \alpha$ capture cross section at stellar energies | 777 |
| <i>See also</i> Piluso, C. J. | 459 |
| Barker, F. C., Carter, K. W., Kean, D. C., Piluso, C. J., and Spear, R. H.— | |
| A study of the energy levels of ^{27}Si | 1 |
| Baugh, D. J.— | |
| <i>See</i> Zuk, W. M. | 13 |
| Bennett, J. A.— | |
| Some relations involving the angles of arrival and departure of a ray | 119 |
| Bertram, W. K.— | |
| A statistical theory for gamma ray de-excitations of nuclei | 7 |
| Beryllium: levels of ^8Be and ^7Be | 459 |
| Bird, J. R.— | |
| Measurements of γ -radiation following keV neutron capture in zinc | 487 |
| <i>See also</i> Chan, D. M. H. | 671 |
| Black, H. C.— | |
| <i>See</i> Dulk, G. A. | 239 |
| Black, J. L.— | |
| <i>See</i> Zuk, W. M. | 37 |
| Blackburn, T. R., and Brennan, M. H.— | |
| The effects of cylindrical geometry on normal ionizing shock waves | 925 |
| Boldeman, J. W., de L. Musgrove, A. R., and Walsh, R. L.— | |
| Prompt neutrons from ^{236}U fission fragments | 821 |
| Bolton, J. G., Wall, J. V., and Shimmins, A. J.— | |
| Some identifications for weak sources in the Parkes catalogue for declinations $+20^\circ$ to -20° | 889 |
| Bond, F. R., and Thomas, I. L.— | |
| The southern auroral oval | 97 |
| Brennan, M. H.— | |
| <i>See</i> Blackburn, T. R. | 925 |
| Brooker, P. I.— | |
| An exact solution for the third approximation to the heat flux vector of a gas of rigid spheres | 145 |
| Buckley, R.— | |
| Diffraction by a random phase screen with very large r.m.s. phase deviation. | |
| I. One-dimensional screen | 351 |
| II. Two-dimensional screen | 373 |
| Cadmium arsenide, electrical and thermal relaxation times in | 317 |
| Calcium isotopes, keV neutron capture in | 671 |
| Californium, α -particle-accompanied fission of | 129 |
| Campbell, J. A.— | |
| Approximate radiative corrections for electron-proton scattering through a renormalization-group approach | 653 |
| Cannon, C. J.— | |
| A general formulation of the transfer equation. I. Anisotropic scattering | 341 |
| Caplin, A. D., and Rizzuto, C.— | |
| Systematics of Matthiessen's rule breakdown at low temperature | 309 |
| Carbon: $^{12}\text{C} + \alpha$ capture cross section | 777 |
| Carbon: further structure in giant resonance region of ^{12}C | 453 |
| Carbon: single-particle wavefunctions of ^{12}C | 661 |
| Carter, K. W.— | |
| <i>See</i> Barker, F. C. | 1 |
| <i>See also</i> Piluso, C. J. | 459 |

INDEX

| PAGE | | PAGE | |
|--|----------|--|-----|
| Carter, K. W., Kean, D. C., Piluso, C. J., and Spear, R. H.— A search for high-spin states in ^{27}Al .. | 471 | Din, G. U., and Davis, J. R.— A study of resonances in the $^{29}\text{Si}(\text{p}, \gamma)^{30}\text{P}$ reaction | 497 |
| Cashman, J. D.— Generalized solutions of steady crossed-field magnetohydrodynamic channel flows | 847 | Din, G. U., and Weil, J. L.— The $^{18}\text{O}(^3\text{He}, n_0)^{20}\text{Ne}$ and $^{18}\text{O}(^3\text{He}, n_1)^{20}\text{Ne}^*$ reactions from 2.0 to 4.6 MeV | 139 |
| Catchpoole, J. R.— Conjugate conductivity asymmetry and the precipitation of magneto- spheric electrons | 881 | Dulk, G. A.— 80 MHz observations of a harmonic type II solar burst accompanying a limb flare | 177 |
| Cawthon, E. R.— Secondary electron emission from solid surfaces bombarded by medium energy ions | 859 | Motions and polarization of a solar type IV burst related to a magnetic arch | 217 |
| Chan, D. M. H., and Bird, J. R.— Study of γ -radiation following keV neutron capture in calcium isotopes | 671 | Dulk, G. A., and Smerd, S. F.— The solar type II burst of October 13, 1969 | 185 |
| Clarebrough, L. M.— Contrast from Shockley partial dislocations | 79 | Dulk, G. A., Stewart, R. T., Black, H. C., and Johns, I. A.— A meandering solar type IV burst on December 17, 1969 | 239 |
| Cole, K. D.— Finite rest masses of wave quanta in material media | 871 | Dutt, R. C.— See Gatha, K. M. | 631 |
| Cosmology: radio source counts and implications for cosmic evolution .. | 403 | Elford, M. T.— An observed pressure dependence of the mobility of potassium ions in gases | 705 |
| Cox, B. G.— See Davidson, W. | 403 | Felgate, D. G., and Golley, M. G.— A cause of dispersion in ionospheric drift records | 397 |
| Crompton, R. W., and Robertson, A. G.— The density dependence of electron drift velocities in normal and para- hydrogen, deuterium, and helium at 77 K | 543 | Fleming, R. J.— See Ranicar, J. H. | 325 |
| Dallimore, P. J.— See Powell, D. L. | 793 | Fluid mechanics: hypersonic flow over elliptic cylinder | 71 |
| Davidson, W., Davies, M., and Cox, B. G.— The radio source counts and their implications for cosmic evolution .. | 403 | Folkard, M. A., and Haydon, S. C.— An investigation of the influence of non-equilibrium effects on the growth of ionization in hydrogen | 527 |
| Davidson, W. F.— See Powell, D. L. | 793 | The validity of fundamental ioniza- tion data for electrons at high values of E/p | 519 |
| Zuk, W. M. | 37 | Francey, J. L. A., and Stewart, P. K.— Inelastic collisions in the Townsend- Huxley diffusion experiment .. | 841 |
| Davies, M.— See Davidson, W. | 403 | Gardner, F. F.— See Whiteoak, J. B. | 913 |
| Davis, J. R.— See Din, G. U. | 497 | Gardner, F. F., and Whiteoak, J. B.— The polarization of extended radio sources at 6 cm wavelength. I. | 899 |
| Deuterium, density dependence of electron drift velocities in | 543 | Extragalactic sources | 899 |
| Diffraction by a random phase screen with very large r.m.s. phase deviation | 351, 373 | | |

| PAGE | PAGE | | |
|--|----------|---|----------|
| <i>Gaseous electronics</i> | | | |
| Density dependence of drift velocities .. | 543 | Hydrogen, mobility of potassium ions in .. | 705 |
| Drift velocities in normal and para-hydrogen and deuterium .. | 445 | Hydrogen, non-equilibrium effects in ionization growth in .. | 527 |
| Inelastic collisions in Townsend-Huxley diffusion .. | 841 | Hydrogen, normal and para-, density dependence of electron drift velocities in .. | 543 |
| Non-equilibrium effects in ionization growth in hydrogen .. | 527 | | |
| Pressure dependence of mobility of potassium ions in gases .. | 705 | Iron, keV resonance neutron capture in .. | 805 |
| Validity of ionization data at high E/p .. | 519 | Iron-titanium oxides, magnetic properties of .. | 719, 735 |
| Validity of two-term approximation of electron distribution function .. | 835 | | |
| Gatha, K. M., the late, and Dutt, R. C.— | | Ja, Y. H.— | |
| Tetrads, anholonomic coordinates, and space-time geometry .. | 631 | Corrigenda to: Electron paramagnetic resonance of Fe^{3+} and Mn^{2+} in natural single crystals of petalite, $\text{LiAlSi}_4\text{O}_{10}$.. | 127 |
| Geomagnetism: uniform electrical conductivity model and disturbance daily variation .. | 593 | James, M. K., and Seymour, P. W.— | |
| Goldsmid, H. J.— | | Stability of a field-free constricted plasma between electrodes .. | 687 |
| <i>See Armitage, D.</i> .. | 317 | Johns, I. A.— | |
| Golley, M. G.— | | <i>See Dulk, G. A.</i> .. | 239 |
| <i>See Felgate, D. G.</i> .. | 397 | Kean, D. C.— | |
| Green, Anne J.— | | <i>See Barker, F. C.</i> .. | 1 |
| Radio emission from the supernova remnant Puppis A .. | 773 | Carter, K. W. .. | 471 |
| Harun-ar Rashid, A. M.— | | Piluso, C. J. .. | 459 |
| <i>See Zafar Iqbal, M.</i> .. | 293 | Kenny, M. J.— | |
| Haydon, S. C.— | | keV resonance neutron capture in iron .. | 805 |
| <i>See Folkard, M. A.</i> .. | 519, 527 | Kerr, F. J.— | |
| Heat: nonlinear convection with free boundaries .. | 579, 587 | <i>See Sinclair, M. W.</i> .. | 769 |
| Heat flux vector of rigid-sphere gas, exact solution for third approximation to .. | 145 | King, K., and McKellar, B. H. J.— | |
| Helium, density dependence of electron drift velocities in .. | 543 | <i>Corrigendum to: (d, p) reactions to the ground states of ^{41}Ca and ^{49}Ca</i> .. | 775 |
| Helium, mobility of potassium ions in .. | 705 | Kumar, Kailash— | |
| Higgins, C. S.— | | <i>See Robson, R. E.</i> .. | 835 |
| <i>See Slee, O. B.</i> .. | 247 | Labrum, N. R.— | |
| Hill, E. R.— | | Observations of harmonic structure in type III solar radio bursts .. | 193 |
| <i>See Slee, O. B.</i> .. | 441 | Lasker, B. M.— | |
| Wild, J. P. .. | 43 | <i>See Hunstead, R. W.</i> .. | 601 |
| Hornung, H. G.— | | Legge, C. A.— | |
| Hypersonic flow over an elliptic cylinder .. | 71 | <i>See Ranicar, J. H.</i> .. | 325 |
| Hosking, R. J.— | | Levy, M.— | |
| <i>See Panton, D. M.</i> .. | 61 | <i>See Robinson, D. A.</i> .. | 333 |
| Hunstead, R. W., Lasker, B. M., Mintz, Betty, and Smith, M. G.— | | Light scattering in polyatomic gases .. | 555 |
| Optical identification of southern radio sources .. | 601 | McCarthy, I. E., Pal, D., Storer, R. G., and Thomas, A. W.— | |
| | | Single-particle wavefunctions of ^{12}C from a high energy ($p, 2p$) experiment .. | 661 |

INDEX

| | PAGE | | PAGE |
|--|---------|--|----------|
| McKellar, B. H. J.— | | Nguyen, T. V.— | |
| <i>See</i> King, K. | 775 | <i>See</i> Sakuntala, M. | 299 |
| McLean, D. J.— | | Nitrogen, mobility of potassium ions in | 705 |
| Radioheliograph observations of harmonic type III solar bursts | 201 | <i>Nuclear physics</i> | |
| Magellanic Clouds, emission nebulae in | 609 | Angular correlations of $^{42}\text{Ca}(\alpha, \text{p}, \gamma)^{45}\text{Sc}$ | 13 |
| Magnetohydrodynamics: channel flow with anisotropic conductivity | 61 | Approximate radiative corrections for electron-proton scattering | 653 |
| Magnetohydrodynamics: generalized solutions of channel flows | 847 | $^{12}\text{C} + \alpha$ capture cross section | 777 |
| Marinoff, G. M.— | | Energy levels of ^{27}Si | 1 |
| “Parallel” viscous modification of the resistive “tearing” instability in a Cartesian model of the hard-core pinch | 929 | Further structure in giant resonance region of ^{12}C | 453 |
| Merkelijn, Jeannette K.— | | $(^3\text{He}, \text{n})$ reaction with ^{18}O | 139 |
| <i>See</i> Wall, J. V. | APS* 19 | keV neutron capture in calcium | 671 |
| Microwave spectroscopy: absorption by gas mixtures at pressures up to several hundred bars | 157 | keV neutron capture in iron | 805 |
| Mills, B. Y., and Aller, L. H.— | | keV neutron capture in zinc | 487 |
| Emission nebulae in the Magellanic Clouds at 408 MHz | 609 | Magnetic analysis of $^7\text{Li}(^3\text{He}, \text{d})^8\text{Be}$ and $^7\text{Li}(^3\text{He}, \text{t})^7\text{Be}$ | 459 |
| Milne, D. K.— | | Polarization in pion-nucleon scattering | 293 |
| Radio observations of the supernova remnants IC 443 and Puppis A | 429 | Prompt neutrons from ^{236}U fission fragments | 821 |
| The supernova of 1006 A.D. | 757 | Resonances in $^{29}\text{Si}(\text{p}, \gamma)^{30}\text{P}$ | 497 |
| Mintz, Betty— | | Search for high-spin states in ^{27}Al | 471 |
| <i>See</i> Hunstead, R. W. | 601 | Search for 3446 keV level in ^{29}P | 37 |
| Morris, E. C.— | | Single-particle wavefunctions of ^{12}C from high energy ($\text{p}, 2\text{p}$) experiment | 661 |
| Microwave absorption by gas mixtures at pressures up to several hundred bars. II. Discussion of results | 157 | Statistical theory for γ -ray de-excitations | 7 |
| Munro, R. E. B.— | | Sub-Coulomb stripping | 793 |
| Observations at 408 MHz of radio sources from the 4C catalogue. | | Trajectory calculations for α -particle-accompanied spontaneous fission | 129 |
| I. Declination range -7° to -3° | 263 | | |
| II. Declination range -3° to 0° | 617 | | |
| III. Studies of identified sources | 743 | | |
| Murphy, J. O.— | | Oitmaa, J.— | |
| Nonlinear thermal convection with free boundaries | 587 | The dynamical properties of crystals with extended point defects | 569 |
| The skewness of the radial velocity curve of a pulsating massive star—a surface effect | 125 | Oxygen: $(^3\text{He}, \text{n})$ reaction with ^{18}O | 139 |
| de L. Musgrove, A. R.— | | | |
| Trajectory calculations for α -particle-accompanied spontaneous fission | 129 | Pal, D.— | |
| <i>See also</i> Boldeman, J. W. | 821 | <i>See</i> McCarthy, I. E. | 661 |
| Neon, mobility of potassium ions in | 705 | Panton, D. M., and Hosking, R. J.— | |
| * APS 19 = Astrophysical Supplement No. 19 | | Steady magnetohydrodynamic channel flow with anisotropic conductivity | 61 |
| | | Parry, L. G.— | |
| | | <i>See</i> Westcott-Lewis, M. F. | 719, 735 |
| | | Petersons, H. F.— | |
| | | The uniform electrical conductivity model for the Earth and the geomagnetic disturbance daily variation | 593 |
| | | Phosphorus: decay properties of ^{30}P | 497 |
| | | Phosphorus: search for 3446 keV level in ^{29}P | 37 |

| PAGE | PAGE |
|---|---------------|
| Piluso, C. J.— | |
| <i>See</i> Barker, F. C. | 1 |
| Carter, K. W. | 471 |
| Piluso, C. J., Spear, R. H., Carter, K. W., Kean, D. C., and Barker, F. C.— | |
| Magnetic analysis of the reactions $^7\text{Li}(^3\text{He}, \text{d})^8\text{Be}$ and $^7\text{Li}(^3\text{He}, \text{t})^7\text{Be}$ | 459 |
| Plasma | |
| Approximations for gyro and synchrotron radiation | 43 |
| Boundary layers associated with cold cathode | 299 |
| Effects of cylindrical geometry on ionizing shock waves | 925 |
| Instability in hard-core pinch | 929 |
| Stability analysis for field-free con- stricted discharge | 687 |
| Potassium ion mobility in gases | 705 |
| Powell, D. L., Dallimore, P. J., and Davidson, W. F.— | |
| Sub-Coulomb stripping in the $^{124}\text{Sn}(\text{d}, \text{p})^{125}\text{Sn}$ reaction | 793 |
| Radiative transfer equation, general formulation of | 341 |
| <i>Radiofrequency radiation, cosmic</i> | |
| Catalogues from Parkes 2700 MHz survey | APS 19, 21 |
| Emission from Puppis A | 773 |
| Emission nebulae in Magellanic Clouds | 609 |
| Flare stars near Orion nebula | 247 |
| 408 MHz observations of 4C sources | 263, 617, 743 |
| Identification of southern sources | 601 |
| Identification of weak sources in Parkes catalogue | 889 |
| Low-latitude galactic survey at 1410 MHz | 769 |
| Observations of supernova remnants IC 443 and Puppis A | 429 |
| Polarization of extended sources | 899, 913 |
| Pulsar energy fluxes at 80 MHz | 441 |
| Source counts and implications for cosmic evolution | 403 |
| Supernova of 1006 A.D. | 757 |
| 2700 MHz observations of 4C sources | APS 20 |
| Ranicar, J. H., Fleming, R. J., and Legge, C. A.— | |
| Electrical conductivity in poly(vinyl chloride) | 325 |
| Relativity: finite rest masses of wave quanta in material media | 871 |
| Relativity: tetrads, anholonomic coordinates, and space-time geometry | 631 |
| Rhenium, maxima in electron-phonon interaction in | 333 |
| Rizzuto, C.— | |
| <i>See</i> Caplin, A. D. | 309 |
| Robertson, A. G.— | |
| Electron drift velocities in normal and parahydrogen and deuterium | 445 |
| <i>See also</i> Crompton, R. W. | 543 |
| Robinson, D. A., and Levy, M.— | |
| Maxima in the electron-phonon interaction in rhenium | 333 |
| Robson, R. E., and Kumar, Kailash— | |
| On the validity of the two-term approximation of the electron distribution function | 835 |
| Rossiter, D. E.— | |
| A comparison of ionospheric drifts with radio meteor measurements of the neutral wind | 103 |
| Sakuntala, M., Trung, D., and Nguyen, T. V.— | |
| Boundary layers associated with a cold cathode and a seeded hot plasma | 299 |
| Scandium: spins and decay modes of ^{45}Sc levels | 13 |
| Seymour, P. W.— | |
| <i>See</i> James, M. K. | 687 |
| Shimmins, A. J.— | |
| The Parkes 2700 MHz survey. Cata- logue for 03 ^h , 11 ^h , 19 ^h , and 23 ^h zone, declinations -33° to -75° | APS 21 |
| <i>See also</i> Bolton, J. G. | 889 |
| Wall, J. V. | APS 19 |
| Silicon: energy levels of ^{27}Si | 1 |
| Sinclair, M. W., and Kerr, F. J.— | |
| A low-latitude survey from $l = 355^\circ$ to 5° at 1410 MHz | 769 |
| Slee, O. B., and Higgins, C. S.— | |
| Radio emission from flare stars near the Orion nebula | 247 |
| Slee, O. B., and Hill, E. R.— | |
| Pulsar energy fluxes at 80 MHz | 441 |
| Smerd, S. F.— | |
| A moving type IV solar burst on October 10, 1969 | 229 |
| <i>See also</i> Dulk, G. A. | 185 |
| Smith, M. G.— | |
| <i>See</i> Hunstead, R. W. | 601 |

INDEX

| PAGE | PAGE |
|--|----------|
| <i>Solid state physics</i> | |
| Contrast from Shockley partial dislocations | 79 |
| Dynamical properties of crystals with extended point defects | 569 |
| Electrical and thermal relaxation times in cadmium arsenide | 317 |
| Electrical conductivity in poly(vinyl chloride) | 325 |
| Equation of state for soft spheres | 53 |
| Magnetic properties of rhombohedral iron-titanium oxides | 719, 735 |
| Matthiessen's rule breakdown at low temperatures | 309 |
| Maxima in electron-phonon interaction in rhenium | 333 |
| Secondary electron emission from solid surfaces | 859 |
| <i>Spear, R. H.</i> — | |
| <i>See</i> Barker, F. C. | 1 |
| Carter, K. W. | 471 |
| Piluso, C. J. | 459 |
| <i>Stewart, P. K.</i> — | |
| <i>See</i> Francey, J. L. A. | 841 |
| <i>Stewart, R. T.</i> — | |
| Bipolar structure in a moving type IV solar radio burst | 209 |
| <i>See also</i> Dulk, G. A. | 239 |
| <i>Storer, R. G.</i> — | |
| <i>See</i> McCarthy, I. E. | 661 |
| <i>Sun</i> | |
| Bipolar structure in moving type IV burst | 209 |
| Harmonic structure in type III bursts | 193 |
| Harmonic type II burst accompanying limb flare | 177 |
| Meandering type IV burst | 239 |
| Motions and polarization of type IV burst related to magnetic arch | 217 |
| Moving type IV burst | 229 |
| Radioheliograph observations of harmonic type III bursts | 201 |
| Type II burst | 185 |
| <i>Symons, G. D.</i> — | |
| <i>See</i> Zuk, W. M. | 13 |
| <i>Thomas, A. W.</i> — | |
| <i>See</i> McCarthy, I. E. | 661 |
| <i>Thomas, I. L.</i> — | |
| <i>See</i> Bond, F. R. | 97 |
| Titanium-iron oxides, magnetic properties of | 719, 735 |
| <i>Trung, D.</i> — | |
| <i>See</i> Sakuntala, M. | 299 |
| <i>Upper atmosphere</i> | |
| Cause of dispersion in drift records | 397 |
| Comparison of drifts with radio meteor measurements of neutral wind | 103 |
| Precipitation of magnetospheric electrons | 881 |
| Relations involving angles of arrival and departure of a ray | 119 |
| Uranium: thermal neutron fission of ^{235}U | 821 |
| <i>Van der Borgh, R.</i> — | |
| Asymptotic solutions in nonlinear convection with free boundaries | 579 |
| <i>Wall, J. V.</i> — | |
| 2700 MHz observations of 4C radio sources in the declination zone $+4^\circ$ to -4° | APS 20 |
| <i>See also</i> Bolton, J. G. | 889 |
| <i>Wall, J. V., Shimmins, A. J., and Merkelijs, Jeannette K.</i> — | |
| The Parkes 2700 MHz survey. Catalogues for the $\pm 4^\circ$ declination zone and for the selected regions | APS 19 |
| <i>Walsh, R. L.</i> — | |
| <i>See</i> Boldeman, J. W. | 821 |
| <i>Ward-Smith, D. F.</i> — | |
| Further structure in the giant resonance region of ^{12}C | 453 |
| <i>Watts, R. O.</i> — | |
| Approximate equation of state for soft spheres | 53 |
| <i>Weil, J. L.</i> — | |
| <i>See</i> Din, G. U. | 139 |
| <i>Westcott-Lewis, M. F., and Parry, L. G.</i> — | |
| Magnetism in rhombohedral iron-titanium oxides | 719 |
| Thermoremanence in synthetic rhombohedral iron-titanium oxides | 735 |
| <i>Whiteoak, J. B.</i> — | |
| <i>See</i> Gardner, F. F. | 899 |
| <i>Whiteoak, J. B., and Gardner, F. F.</i> — | |
| The polarization of extended radio sources at 6 cm wavelength. II. Galactic sources | 913 |
| <i>Wild, J. P., and Hill, E. R.</i> — | |
| Approximation of the general formulae for gyro and synchrotron radiation in a vacuum and isotropic plasma | 43 |

INDEX

941

| | PAGE | | PAGE |
|---|------|---|------|
| Wood, W. P.— | | Zinc, keV neutron capture in .. . | 487 |
| Kinetic theory analysis of light scattering in polyatomic gases | 555 | Zuk, W. M., Black, J. L., and Davidson, W. F.— | |
| Zafar Iqbal, M., and Harun-ar Rashid, A. M.— | | A search for the 3446 keV level in ^{29}P via the $^{28}\text{Si}(\text{p}, \gamma)^{29}\text{P}$ reaction .. . | 37 |
| Polarization in pion-nucleon scatter- ing with a Ball-Zachariasen trajectory | 293 | Zuk, W. M., Symons, G. D., and Baugh, D. J.— | |
| | | Angular correlation studies of the $^{42}\text{Ca}(\alpha, \text{p}\gamma)^{45}\text{Sc}$ reaction | 13 |

