


## **Supplementary Material**

### **The effect of fuel bed height in grass fire spread: addressing the findings and recommendations of Moinuddin *et al.* (2018)**

*Miguel G. Cruz<sup>A,B</sup>, Andrew L. Sullivan<sup>A</sup> and James S. Gould<sup>A</sup>*

<sup>A</sup>CSIRO, GPO Box 1700, Canberra, ACT 2601, Australia.


<sup>B</sup>Corresponding author. Email: miguel.cruz@csiro.au



1

2 **Figure S1.** Boxplots describing the distribution of (a) fuel bed height (m); (b) fuel load (kg  
 3 m<sup>-2</sup>); (c) 10-m open wind speed (km h<sup>-1</sup>); (d) fine dead fuel moisture content (%); (e)  
 4 Grassland Fire Danger Index; and (f) observed rate of fire spread (km h<sup>-1</sup>) for the three fuel  
 5 conditions in Cheney *et al.* (1993). Thick line in each box indicates median. Box defines  
 6 upper and lower quartile. Outer horizontal lines outside box reflect maximum and minimum.  
 7 The circles are outliers, defined as more than 3/2 times upper quartile.

8



9

10 **Figure S2.** Boxplots describing the distribution of (a) fuel bed height (m); (b) fuel load (kg  
 11 m<sup>-2</sup>); (c) 10-m open wind speed (km h<sup>-1</sup>); (d) fine dead fuel moisture content (%); (e)  
 12 Grassland Fire Danger Index; and (f) observed rate of fire spread (km h<sup>-1</sup>) for the three fuel  
 13 conditions in Cruz *et al.* (2020). Thick line in each box indicates median. Box defines upper  
 14 and lower quartile. Outer horizontal lines outside box reflect maximum and minimum. The  
 15 circles are outliers, defined as more than 3/2 times upper quartile.

16

17